

Mineral Survey No. 2799

	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Pg.
Claims			
Anaconda			
Aztec	51	81	16
Azurite	45	82	58
Boston Beauty	7	78	86
Boston Boy	18	79	50
Copper Beauty	23	78	90
Copper Butte	54	81	56
Copper Carbonate	57	79	95
Copper Girl	6	78	42
Copper Hill	48	80	104
Copper Hill No. 1	59	81	100
Copper Hill No. 2	60	81	22
Copper Price	62	81	66
Danube	12	78	88
Denver	10	78	48
Dewey	70	81	27
Dreadnaught	27	78	6
East Extension	40	82	78
El Plomo	47	80	106
Equity	3	77	40
40 per 100 No. 2	14	78	11
50 per 100	36	80	63
Georgia	35	81	21
Gifford	20	78	3
House	50	80	93
House Extension	28	79	61
Idol	30	80	98
Ikon	32	82	73
Iron Clad	34	82	111
Ironmaster	72	82	71
Jim Crow	68	82	37
Lead Carbonate	65	81	25
Mask	4	77	81
Montezuma	31	82	29
Morning Star	43	82	34
Mountain Dew	56	79	19
Nightingale	22	78	83
Oxide	1	77	1
Portland	63	81	102
Princess	39	80	108
Sampson	9	78	8
Schley No. 2	25	78	45
Stone Cabin	67	81	68
Toltec	16	79	13
Totem	44	82	76
Ventura	38	82	32
Wild Hog	42	82	113
	53	79	53

SEP. 2-1910 1

4-683.

MINERAL SURVEY No. 2799

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OXIDE COPPER COMPANY

Known as the

NIGHTINGALE, GEORGIA, DEWEY, PRINCESS, EQUITY, STONE CABIN, ANACONDA, MORNING STAR, 50 PER 100, COPPER HILL NO. 1, JIM CROW, DENVER, MASK, TOTEM, MONTEZUMA, IRONMASTER, EL PLOMO, COPPER CARBONATE, SAMPSON, DANUBE, BOSTON BEAUTY, WILD HOG, COPPER BEAUTY, AZTEC, HOUSE, 40 PER 100 NO. 2, COPPER HILL NO. 2, SCHLEY NO. 2, IRON GLAD, IDOL, TOLTEC, DREADNAUGHT, LEAD CARBONATE, MOUNTAIN DEW, AZURITE, COPPER PRICE, BOSTON BOY, GIFFORD, COPPER BUTTE, HOUSE EXTENSION, COPPER HILL, OXIDE, COPPER GIRL, EAST EXTENSION, PORTLAND, IKON, VENTURA,

situate in the Silver Bell Mining District,

Pima County, Territory of Arizona.

Section Unsurveyed, Township 12 South, Range 8 East Approx. G and S R B and M.

Surveyed under instructions dated March 24, 1910.

by William P. Alexander U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 1, 1910, 19

Survey completed July 20, 1910, 19

6-822

Samuel L. Kingan, Atty., Tucson, Arizona.

SURVEY NO. 2799.

Feet.

NIGHTINGALE LODE

Beginning at Cor.No.1;

Identical with the location which is amount of stones 4' base, 3' high,

A pine post, 4 ins., square, 3 ft., long set 18 ins., in the ground, scribed 1-N-2799 on the SE face, surrounded with a mound of stones, whence:

U.S.M.M.No.1, Silver Bell Mining District, Pima County, Arizona, brs., N 30°-14'W, 1341.5 ft.

A palo verde tree, 5 ins., in diam., brs., N 25°-50'E 26.4 ft., scribed 1-N-2799-BT.

No other bearings available.

- Thence S 89°-40'E
Var. 13°-15'E

237.5

Intersect ^{lines 2-3 and 1-2 of the} ~~line between~~ PROSPECTOR and MOLLY Lodes, Surveys No. 1818 and 2437 respectively, properties of the Imperial Copper Company; whence Cor. No.2 PROSPECTOR Lode and Cor. No.1 MOLLY Lode bears S 56°-20'W 432.6 ft; Cor. No. 3 PROSPECTOR Lode bears N 56°-20'E, 167 ft; Cor. No. 2 of MOLLY Lode bears N 56°-20'E, 762.8 ft.

749

North side center monument, a mound of stones 3 ft., base 1½ ft., high.

1447.78

Intersect the east end ^{line 4-5} of the MOLLY Lode Sur.No.2437 whence its Cor.No.4 bears N 56°-20'E 1098.27 ft., and its Cor.No.5 bears S 56°-20'W 101.73 ft.

1498.00

To Cor. No. 2.

Identical with the location which is a mound of stones 3' base, 1½' high,

A pine post, 3' long, 4" square, set 18" in the ground, scribed 2-N-2799 on the SW face, surrounded with a mound of stones.

No bearings available.

Thence S 30°-35'E
Var.13°15'E

300

To east end center monument.

APR. 1957
SHEGGO 2 20-32'E

Feet	Identical with the location which is a mound of stones 3' base, 1 1/2' high.
600	To corner No. 3;
1428'00	Identical with the location which is a mound of stones 3' base, 1 1/2' high. A pine post 3' long, 4" square, set 18" in the ground scribed 3-N-2799 on the NW face, surrounded with a mound of stones.
1431'48	No bearings available.
749	Thence N 89°-40'W Var. 13°-15'E
1498	To the south side center monument. Identical with the location which is a mound of stones 3' base, 1 1/2' high
1498	To Cor. No. 4: Identical with the location which is a mound of stones 3' base 1 1/2' high. A pine post 3' long, 4" square, set 18" in the ground, scribed 4-N-2799 on the NE face, surrounded with a mound of stones.
300	No bearings available. Thence N 30°-35'W Var. 13°-15'E
354.04	To west end center monument.
467	Identical with the location which is a mound of stones 3' base 1 1/2' high;
354.04	Intersect the south side line of the MOLLY Lode Sur. No. and 2437, whence its Cor. No.1 bears S 83°-14'W 249.3 ft; and its Cor.No.5 bears N 83°-14'E 1446.6 ft.
467	Intersect lines between PROSPECTOR and MOLLY Lodes Survey No's 1818 and 2437 respectively, whence Cor.No.2 and 1 respectively of the above lodes bears S 56°-20'W, 228.6 ft. Cor.No.3 of the PROSPECTOR Lode bears N 56°-20'E 371 ft.; and Cor.No.2 MOLLY Lode bears N 56°-20'E 966.8 ft.

Feet.
600

To Cor. No. 1 and place of beginning

EL PLOMO LODE.

Beginning at corner No.1;

Identical with the location which is a mound of stones 3' base 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-EP-2799 on the NW face, whence:

U.S.M.M.No. 2, Silver Bell Mining District bears S 45°-23'E 3042.1 feet.

No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

749

South side center monument.

Identical with the location which is a mound of stones 3' base 1 1/2' high.

1498

To Cor. No.2.

Identical with the location which is a mound of stones 3' base, 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-EP-2799 on the NE face, surrounded with a mound of stones.

No bearings available.

Thence N 30°-35'W
Var. 13°-15'E

300

To west end center monument.

Identical with the location which is a mound of stones 3' base 1 1/2' high.

600

To Cor. No.3.

Identical with the location and with Cor. No. 4 of the NIGHTINGALE Lode of this survey.

A pine post 3' long 4" square, set 18" in the ground, scribed 3-EP-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Feet.	Thence S 89°-40'E Var. 13°-15'E
749	To north side center monument. Identical with the location and with the south side center monument of the NIGHTINGALE Lode of this survey. Previously described.
1498	To Cor. No. 4 : Identical with the location and with Cor. No. 3 of the NIGHTINGALE Lode of this survey. A pine post 3' long, 4" square, set 18" in the ground scribed 4-EP-2799 on the SW face, surrounded with a mound of stones. No bearings available.
300	Thence S 30°-35'E Var 13°-15'E. To the east end center monument. Identical with the location which is a mound of stones 3' base, 1½' high.
600	To Cor. No. 1, and place of beginning. Note. Corner No. 3 of the EL PLOMO Lode is approximately 1100 feet nearer U.S.M.M.No.1 than Corner No.1 is to U.S. M.M.No.2 but it was deemed more advisable to make the connection as shown because the line is more easily measured, and the balance of 45 locations embraced in this survey will also be connected to U.S.M.M.No. 2 by reason of closer proximity.
	----- LEAD CARBONATE LODE
	Beginning at corner No. 1. Identical with the location which is a mound of stones 3' base, 1½' high. A pine post 3' long, 4" square, set 18" in the ground scribed 1-IC-2799 on the NW face, surrounded with a mound of stones, whence: U.S.M.M.No.2, Silver Bell Mining District, brs., S48°-54½'E 2472.5 ft. No other bearings available.

Feet.	Thence N 89°-40'W Var. 13°-15'E
749	To south side center monument. Identical with the location which is a mound of stones 3' base, 1½' high.
1498	To Cor.No.2. Identical with the location which is a mound of stones 3' base, 1½' high.
	A pine post 3' long, 4" square, set 18" in the ground, scribed 2-IC-2799 on the NE face, surrounded with a mound of stones, whence:
	A palo verde tree 5" in diam., hrs. N 0°-15'E 7.2 ft. scribed 2-IC-2799-BT.
	No other bearings available.
	----- Thence N 30°-35'W Var. 13°-15'E
300	To west end center monument. Identical with the location which is a mound of stones 3' base, 1½' high.
594	To Cor. No.3. Identical with the location and with Cor. No.2 of the EL PLOMO Lode of this survey.
	A pine post 3' long, 4" square, set 18" in the ground scribed 3-IC-2799 on the SE face, surrounded with a mound of stones. No bearings available.
	----- Thence S 89°-40'E Var. 13°-15'E
749	To the north side center monument. Identical with the location and with the south side center monument of the EL PLOMO Lode of this survey and previously described.
1498	To Cor.No. 4. Identical with the location and with Cor. No.1 of the EL PLOMO Lode of this survey.
	A pine post 3' long, 4" square, set 18" in the ground scribed 4-IC-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Feet.

Thence S 30°-35'E
Var. 13°-15'E

294 To east end center monument:

Identical with the location which is a mound of stones
3' base, 1½' high.

594 To Cor. No.1 and place of beginning.

COPPER CARBONATE LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3'
base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 1-CC-2799 on the NW face, surrounded with a mound
of stones, whence;

U.S.M.M.No.2, Silver Bell Mining District, bears S 51°-33'E
1711 feet.

A Limestone rock in place 4'x 20'x 6' above ground, chiseled
X-CC-1-2799-BR; the X bears S 36°W 2.8 feet.

No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

746 To south side center monument.

Identical with the location which is a mound of stones 3'
base, 1½' high.

1492 To Cor. No. 2;

Identical with the location which is a mound of stones 3'
base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 2-CC-2799 on the NE face, surrounded with a mound
of stones. No bearings available.

Thence N 7°-50'E
Var.13°-15'E

300 To the west end center monument.

Identical with the location which is a mound of stones 3'
base 1½' high.

Feet.

563 To Cor. No. 3.

Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-CC-2799 on the SE face, surrounded with a mound of stones, whence;

Cor. No/2, of the LEAD CARBONATE LODE of this survey bears N 89°-40'W 606 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

143 South side center monument of the LEAD CARBONATE LODE of this survey, previously described.

746 North side center monument.

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

⁸⁹²
1492 To Cor. No. 4: *To Cor. No. 1 Lead Carbonate lode of this survey.*

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-CC-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 7°-50'W
Var. 13°-15'E

263 To the east end center monument.

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

563 To Cor. No. 1 and place of beginning.

AZURITE LODE.

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground

Feet scribed 1-A-2799 on the NW face, surrounded with a mound of stones, whence;

U.S.M.M.No.2, Silver Bell Mining District, bears S 71°-55'E 1496.5 feet. No other bearings available.

Thence N 89°-40'W
Var 13°-15'E

746 To the south side center monument.

Identical with the location which is a mound of stones 3' base, 1½' high.

1492 To Co. No. 2;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-A-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 7°-50'E
Var.13°-15'E

302.5 To west end center monument.

Identical with the location which is a mound of stones 3' base 1½' high.

605 To Cor. No. 3;

Identical with the location and with Cor. No. 2 of the COPPER CARBONATE LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-A-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var .13°-15'E

746 To the north side center monument.

Identical with the location and with the south side center monument of the COPPER CARBONATE LODE of this survey, and previously described.

1492 To Cor. No. 4;

Identical with the location and with Cor. No. 1 of the

Feet. COPPER CARBONATE LODE of this survey.

A pine post, 4" square, 3' long, set 18" in the ground scribed 4-A-2799 on the SW face, surrounded with a mound of stones, whence;

A limestone rock in place 4'x 20'x 6' above ground, chiseled X-4A-2799-BR; the X bears S 36°W, 2.8 feet.

No other bearings available.

Thence S 7°-50'W
Var. 13°-15'E

302.5 To east end center monument.

Identical with the location which is a mound of stones 3' base, 1½' high.

605 To Cor. No. 1, and place of beginning.

PRINCESS LODE

Beginning at Cor. No. 1 ;

Identical with the location and with Cor. No. 1 of the 3'

AZURITE LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-P-2799 on the SW face, surrounded with a mound of stones, whence;

U.S.M.M.No.2, Silver Bell Mining District, bears S 71°-55'E 1496.5 feet. No other bearings available.

Thence S 7°-50'W
Var. 13°-15'E

302.5 To the east end center monument.

Identical with the location which is a mound of stones 3' base, 1½' high.

605 To Cor. No. 2;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post, 3' long, 4" square, set 18" in the ground scribed 2-P-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Feet.

Thence N 89°-40'W
Var. 13°-15'E

746 To the south side center monument.

Identical with the location which is a mound of stones 3' base, 1½' high.

1492 To Cor. No. 3;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-P-2799 on the NE face, surrounded with a mound of stones. Whence;

A palo verde tree 5" in diameter bears S 39°-06'E, 41.4 ft. scribed 3-P-2799-BT. No other bearings available.

Thence N 7°-50'E
Var. 13°-15'E

302.5 To the west end center monument.

Identical with the location which is a mound of stones 3' base 1½' high.

605 To Cor. No. 4;

Identical with the location and with Cor. No. 2 of the AZURITE LODE of this survey.

A pine post, 3' long, 4" square, set 18" in the ground scribed 4-P-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

746 To the north side center monument.

Identical with the location and with the south side center monument of the AZURITE LODE of this survey and previously described.

1492 To Cor. No. 1 and the place of beginning.

DANUBE LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3'

Feet. base $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-D-2799 on the West face, surrounded with a mound of stones. Whence:

A porphyry rock in place 4'x 6'x 3' above ground, chiseled X- 1D- 2799-BR; the X bears S 16° - $45'$ E, 5.7 ft., distant. U.S.M.M.No.2, Silver Bell Mining District, bears N 28° - $36'$ E 163 feet. No other bearings available.

Thence N 89° - $40'$ W
Var. 13° - $15'$ E

736 To the south side center monument.

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

1135 Gulch 20 feet wide bears SSW.
1427 To Cor. No. 2;

Identical with the location and with Cor. No. 2 of the PRINCESS LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-D-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 7° - $50'$ E
Var 13° - $15'$ E

302.5 To the west end center monument.

Identical with the location and with the east end center monument of the PRINCESS LODE of this survey and previously described.

605 To Cor. No. 3;

Identical with the location and with Cor's No. 1 of the PRINCESS AND AZURITE LODES of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-D-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 77° - $52\frac{1}{2}'$ E
Var. 13° - $15'$ E

300 Gulch 20 feet wide bears S.

Feet. 700	To the north side center monument.
	Identical with the location which is a mound of stones 3' base, 1½' high.
1418.78	To Cor. No. 4;
	Identical with the location which is a mound of stones 3' base 1½' high.
	A pine post 3' long, 4" square, set 18" in the ground scribed 4-D-2799 on the SW face, surrounded with a mound of stones. No bearings available.

	Thence S 7°-50'W Var. 13°-15'E
10	To the east end center monument
	Identical with the location which is a mound of stones 3' base 1½' high.
312.5	To Cor. No. 1 and the place of beginning

	COPPER PRINCE LODE
	Beginning at Cor. No. 1;
	Identical with the location and with Cor. No.1 of the DANUBE LODE of this survey.
	A pine post 3' long, 4" square, set 18" in the ground, scribed 1-CP-2799 on the NW face, surrounded with a mound of stones. Whence;
	U.S.M.M.No. 2, Silver Bell Mining District, bears N 28°-36'E 103 feet.
	A porphyry rock in place 4'x 6'x 3' above ground, chiseled X-1CP-2799-BR; the X bears S 16°-45'E, 5.7 feet.
	No other bearings available.

	Thence N 65°-41'W Var. 13°-15'E
737.7	To the south side center monument.
	Identical with the location which is a mound of stones 3' base 1½' high.

- Feet.
1175.5 Gulch 20 feet wide bears south
- 1475.5 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the DANUBE LODE and Cor's No. 1 of the PRINCESS and AZURITE LODES of this survey.
A pine post, 3' long, 4" square, set 18" in the ground scribed 2-CP-2799 on the NE face, surrounded with a mound of stones. No bearings available.
- Thence N 7°-50'E
Var. 13°-15'E
- 302.5 To the west end center monument.
Identical with the location and with the east end center monument of the AZURITE LODE of this survey previously described.
- 605 To Cor. No. 3;
Identical with the location and with Cor's No. 1 and 4 respectively of the COPPER CARBONATE and AZURITE LODES of this survey.
A pine post, 3' long, 4" square, set 18" in the ground scribed 3-CP-2799 on the SE face, surrounded with a mound of stones. Whence:
A limestone rock in place 4'x 20'x 6' above ground, chiseled 3-CP-2799-X; the X bears S 36°W, 2.8 feet. No other bearings available.
- Thence S 65°-41'E
Var. 13°-15'E
- 450 Gulch 10 feet wide bears south.
- 737.7 To the north side center monument.
Identical with the location which is a mound of stones 3' base, 1½' high.
- 1475.5 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base 1½' high.
A pine post 3' long, 4" square, set 18" in the ground

Feet scribed 4-CP-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 7°-50'W
Var. 13°-15'E

292.5 To Cor No. 4 of the DANUBE LODE of this survey and previously described.

302.5 To the east end center monument.

Identical with the location and with the east end center of the DANUBE LODE, previously described.

605 To Cor. No. 1 and the place of beginning.

EQUITY LODE

Beginning with Cor. No. 1;

Identical with the location and with Cor. No. 4 of the COPPER PRINCE LODE of this survey.

A pine post, 3' long, 4" square, set 18" in the ground scribed 1-E-2799 on the NW face, surrounded with a mound of stones. Whence;

U.S.M.M.No. 2, Silver Bell Mining District, bears S 0°-33'E 456.27 feet. No other bearings available.

Thence N 65°-41'W
Var. 13°-15'E

737.8 To the south side center monument.

Identical with the location and with the north side center monument of the COPPER PRINCE LODE of this survey, previously described.

1025.5 Gulch 10 feet wide bears south.

1475.5 To Cor. No. 2;

Identical with the location and with Cor's No. 1, 4, and 3 respectively of the COPPER CARBONATE, AZURITE, and COPPER PRINCE LODES of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-E-2799 on the NE face, surrounded with a mound of stones. Whence:

- Feet. A limestone rock in place 4'x 20'x 6' above ground
chiseled X-2-E-2799-BR; the X bears S 36°-0'W, 2.8 feet.
No other bearings available.
-
- Thence N 7°-50'E
Var. 13°-15'E
- 300 To the west end center monument.
Identical with the location and with the east end center
monument of the COPPER CARBONATE LODE of this survey and
already described.
- 563 To Cor. No. 3;
Identical with the location and with Cor. No. 4 of the
COPPER CARBONATE LODE of this survey.
A pine post, 3' long, 4" square, set 18" in the ground,
scribed 3-E-2799 on the SE face. No bearings available.
-
- Thence S 65°-41'E
Var. 13°-15'E
- 737.7 To the north side center monument.
Identical with the location which is a mound of stones 3'
base 1½' high.
- 1360 Gulch 30 feet wide bears SSE.
- 1475.5 To Cor. No. 4;
Identical with the location which is a mound of stones 3'
base 1½' high.
A pine post 3' long, 4" square, set 18" in the ground,
scribed 4-E-2799 on the SW face, surrounded with a mound of
stones. No bearings available.
-
- Thence S 7°-50'W
Var. 13°-15'E
- 200 Gulch 30 feet wide bears SSE.
- 263 East end center monument.
Identical with the location which is a mound of stones
3' base, 1½' high.
- 563 To Cor. No.1 and the place of beginning.
-

Feet

STONE CABIN LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor's No. 1 and 1 respectively of the COPPER PRINCE and DANUBE LODES of this survey.

A pine post, 3' long, 4" square, set 18" in the ground scribed 1-SC-2799 on the east face, surrounded with a mound of stones. Whence:

U.S.M.M.No. 2, Silver Bell Mining District, bears N 28°-36'E 163 feet.

A porphyry rock in place 4'x 6'x 3' above ground, chiseled X-1SC-2799-BR; the X bears S 16°-45'E, 5.7 feet.

No other bearings available.

Thence N 7°-50'E
Var. 13°-15'E

107.7 To Cor. N° 5 Detroit lode, Sur. N° 496

302.5 To the west end center monument.

Identical with the location and with the east end center monument of the COPPER PRINCE and DANUBE LODES of this survey, and previously described.

312.5 To Cor. No. 4 of the DANUBE LODE of this survey and previously described.

605 To Cor. No. 2;

Identical with the location and with Cor's No. 1 and 4 respectively of the EQUITY and COPPER PRINCE LODES of this survey, on line 5-4-3 Detroit lode, Sur. N° 496, 102.7 ft from Cor. N° 3

A pine post, 3' long, 4" square, set 18" in the ground scribed 2-SC-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

320 Gulch 40 feet wide bears SE.

714.53 Intersect the south boundary^{line 5-6} of the TRUE BLUE LODE Survey No. 602, property of the Oxide Copper Company, whence Cor. No. 6 bears S 45°-43'E, 3.91 feet; and Cor. No. 5 bears N 45°-43'W, 1483.09 feet

- Feet
 718.17 Intersect ^{line 2-4} ~~lines 2-6 and 6-2~~ DOX OLLIGY LODE Survey No. 603 and TRUE BLUE LODE Survey No. 602; whence Cor. No. 6 of the TRUE BLUE and No. 2 of the DOX OLLIGY bears S 17°-15'W 2.84 feet; and the Cor. No 2 of the TRUE BLUE and No. 6 of the DOX OLLIGY bears N 17°-15'E, 297.16 feet.
- 763.27 Intersect the north side ^{line 3-2} line ₄ of the DETROIT MINING CLAIM Survey No. 496; whence the NE corner bears S 81°-55'E 728.88 feet; and the presumed NW corner bears ^{Cor. No 2} N 81°-55'W, ^{Cor. No 3} ~~771.12~~ ^{756.82} feet.
- 1498.5 To Cor. No. 3;
 Identical with the location which is a mound of stones 3' base, 1½' high.
 A pine post 3' in length, 4" square, set 18" in the ground scribed 3-SC-2799 on the SW face, surrounded with a mound of stones. No bearings available.
- Thence S 7°-50'W
 Var. 13°-15'E
- 99.16 A very old 4" by 4" by 4' post set in a mound of stones scribed DMC-No.II. (^{Cor. No 2} The NE Cor. of the DETROIT MINING CLAIM Survey No. 496)
- 233.05 Intersect the south side ^{line 2-3} line _A of the DOX OLLIGY LODE Survey No. 603, property of the Oxide Copper Company, whence Cor. No. 2 bears N 72°-45'W, 784.69 feet, and Cor. No. 3 bears S 72°-45'E, 715.31 feet. At this point there is a mound of stones, 3' base, 1½' high surrounding the fragments of a decayed post upon which the markings could not definitely be determined, ^{Cor. No 2 Dolly Varden lode, SUR. No 604}
- 302.5 To the east end center monument.
 Identical with the location which is a mound of stones 3' base, 1½' high.
- 605 To Cor. No. 4:
 Identical with the location which is a mound of stones 3' base 1½' high, and with ^{SUR. No 604 and 496 respectively} Cor. Nos. 6 and 7 ^{SUR. No. 1} Dolly Varden and Detroit lodes, scribed 4-SC-2799 on the NW face, surrounded with a mound of stones. Whence:

Feet An ironwood tree 3" in diam., bears S 7°-10'E, 62.5 feet,
scribed 4-SC-2799-BT. No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

449.5
450
550.
1498.5

Gulch 40 feet wide bears SE.
To Cor. 6 Detroit lode, Sur. No. 496, at S. 83° 08' E. 944.52 ft from Cor. No. 5 thereof.
To Cor. No. 1 and place of beginning.

~~Note. The TRUE BLUE and DOX OLLIGY LODES, Surveys No. 602 and 603 respectively, were surveyed in December 1883, later went to patent and all the corners and other monuments have been carefully preserved. The DETROIT MINING CLAIM Sur. No. 496 and presumably other contiguous locations, according to the records found in the U.S. Land Office, were surveyed during the same year (1883) but were abandoned without going to patent and for this reason reverted to the U.S. Public Lands. During the lapse of time nearly all field evidences of these abandoned surveyed claims have been obliterated and after diligent search I have been able to definitely identify only the northeast and northwest corners of the said DETROIT MINING CLAIM. The corners just mentioned determine the north side line of the abandoned claim and thereby satisfactorily fix the locus of the area excluded from the TRUE BLUE and DOX OLLIGY patents if considered in conjunction with the old monument found at the intersection of the east end line of the STONE CABIN LODE of this survey and the south side line of the DOX OLLIGY patent, Sur. No. 603. surveyed~~

~~Owing to the fact that the field evidences of these/ and abandoned claims have been obliterated and that the property has been in the undisturbed possession of the present claimant for many years, I have decided that the regulations governing the determination of conflicting surveyed claims do not apply to the case at hand.~~

BOSTON BEAUTY LODE

Beginning with Cor. No. 1;

Identical with the location which is a mound of stones 3' base,
1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-BB-2799 on the north face, surrounded with a mound of stones. Whence;

U.S.M.M. No. 2, Silver Bell Mining District, brs., N 77°-11'W
557.5 feet. No other bearings available.

Thence N 45°-43'W
Var. 13°-15'E

23.44 Intersect line 5-6 Detroit lode, Sur. No. 496, at S. 83° 08' E. 345.83 ft. Inference Cor. No. 6 brs. S. 83° 08' E. 345.83 ft.

747 South side center monument.

Identical with the location which is a mound of stones 3'
base 1½' high.

- Feet.
762.18 Intersect ~~end line~~ ^{line 1-2} the COPPER PRINCE and STONE CABIN LODES of this survey, whence Cor's No. 4 and 2, of the said claims respectively, bears N 7°-50'E, 48.23 feet; and Cor's No. 1 and 1 of the same bears S 7°-50'W 556.77 feet.
also intersect line 5-4-3 DeFait lode, Sur. No. 496, whence Cor. No. 3 bears N. 7° 50' E. 150.93 ft.
- 897.61 Intersect the north side line, ^{line 3-4} of the COPPER PRINCE LODE, of this survey, which is identical with the south side line, ^{line 1-2} of the EQUITY LODE also of this survey; whence Cor's No. 4 and 1 respectively of the COPPER PRINCE and EQUITY LODES bears S 65°-41'E 113.61 feet.
- 1487 To Cor. No. 2;
Identical with the location which is a mound of stones 3' base 1½' high.
A pine post, 3' long, 4" square, set 18" in the ground, scribed 2-BB-2799 on the east face, surrounded with a mound of stones. No bearings available.
- Thence N 17°-15'E
Var. 13°-15'E
- 300 To the west end center monument.
Identical with the location which is a mound of stones 3' base 1½' high.
- 341.12 Intersect the north side line, ^{line 3-4} of the EQUITY LODE of this survey, whence Cor. No. 4 bears S 65°-41'E, 549.75 feet.
- 600 To Cor. No. 3:
Identical with the location and with Cor. No. 5 of the TRUE BLUE LODE Sur. No. 602. This corner, consisting of a badly decayed post, I destroy and set;
A pine post, 3' long, 4" square, set 18" in the ground scribed V-TB-602 on the east face, and 3-BB-2799 on the south face, surrounded with a mound of stones. No bearings available
- Thence S 45°-43'E
Var. 13°-15'E
- 380 Gulch 20 feet wide bears south.
- 745 North side center monument. Identical with the location which is a mound of stones 3' base, 1½' high.

- Feet.
1471.96 Intersect the north boundary, ^{line 2-3} of the DETROIT ^{lode} MINING CLAIM
Sur. No. 496, whence the northwest corner, ^{Cor. No. 3} (a decayed
post in a mound of stones) bears N 81°-55'W ^{699.53} ~~714.65~~ feet.
- 1483.09 Intersect the north side line, ^{line 2-3} of the STONE CABIN LODE of
this survey, whence Cor. No. 2 bears N 89°-40'W, 714.53 feet.
- 1487 To Cor. No. 4;
Identical with the location and with Cor. No. VI of the TRUE
BLUE LODE Sur. No. 602, and with Cor. No. II of the DOX
OLLIGY LODE Sur. No. 603, a badly decayed post surrounded with
a mound of stones, this I destroy and set;

A pine post 3' long, 4" square, set 18" in the ground
scribed VI-TB-602 on the N face; II-DC-603 on the E face;
and 4-BB-2799 on the W face, surrounded with a mound of stone
No Bearings available.
- Thence S 17°-15'W
Var. 13°-15'E
- 275 Gulch 40 feet wide bears SE.
- 300 To east end center monument.
Identical with the location which is a mound of stones 3'
base 1½' high.
- 585.52 *Intersect line 5-6 Detroit lode, Sur. No. 496, whence Cor. No. 6 brs. S. 83° 08' E 324.65,*
600 To Cor. No. 1 and the place of beginning.

GEORGIA LODE

Beginning at Cor. No. 1;
Identical with the location and with Cor's No. 4 and 3
respectively of the COPPER CARBONATE AND EQUITY LODES of
this survey.

A pine post 3' long, 4" square, set 18" in the ground
scribed 1-G-2799 on the NW face, surrounded with a mound of
stones. Whence U.S.M.M. No. 2, Silver Bell Mining District,
bears S 37°-55'E, 2055.9 feet. No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

Feet 300	To the south end center monument. Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.
600	<p>To Cor. No. 2;</p> <p>Identical with the location and with Cor. No. 1 of the LEAD CARBONATE LODE of this survey.</p> <p>A pine post 3' long, 4" square, set 18" in the ground, scribed 2-C-2799 on the NE face, surrounded with a mound of stones. No bearings available.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N 30°-35'W Var. 13°-15'E</p>
300	To the east end center monument of the LEAD CARBONATE LODE of this survey.
594	To Cor. No. 4 of the LEAD CARBONATE LODE of this survey. and
747	<p>Cor. No. 1 of the EL PLOMO LODE also of this survey.</p> <p>To the west side center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$' high.</p>
894	To the east end center monument of the EL PLOMO LODE of this survey.
1194	To Cors. Nos 3 and 4 respectively of the NIGHTINGALE and EL PLOMO LODES of this survey.
1494	<p>To Cor. No. 3;</p> <p>Identical with the location and with the east end center monument of the NIGHTINGALE LODE of this survey.</p> <p>A pine post, 3' long, 4" square, set 18" in the ground scribed 3-G-2799 on the east face and EEC-N-2799 on the west face, whence:</p> <p>A shale rock in place 6'x 3'x 3' above ground chiseled X-3G-2799-BR-EEC-N; the X bears N 82°-30'W, 14 feet.</p> <p>No other bearings available.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S 89°-40'E Var. 13°-15'E</p>
45.82	<p>Intersect the west end line^{line 4-1} of the MURRAY LODE Sur. No. 2437, property of the Imperial Copper Company, whence Cor. No. 4 brs. S 9°-31'E, 89.79 feet.</p>

- Feet.
300 To the north end center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
- 571.6 Intersect the south side ^{line 3-4} line of the MURRAY LODE Sur.No.2437 whence Cor. No.4 bears S 80°-30'W, 518.03 feet
- 600 To Cor. No.4;
Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
A pine post 3' long, 4" square, set 18" in the ground scribed 4-G-2799 on the SW face, surrounded with a mound of stones. No bearings available.
- Thence S 30°-35'E
Var. 13°-15'E
- 747 To the east side line center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
- 1494 To Cor. No. 1 and the place of beginning.
- MOUNTAIN DEW LODE
- Beginning at Cor. No. 1;
Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.
A pine post 3' long, 4" square, set 18" in the ground, scribed 1-MD-2799 on the NW face, surrounded with a mound of stones, whence:
U.S.M.M.No.2 bears S 27°-58 $\frac{1}{2}$ 'E, 1565.5 feet. No other bearings available.
- Thence N65°-41'W
Var 13°-15'E
- 300 To the south end center monument, identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.
- 580.5 To Cor. No. 2;
Identical with the location and with Cor's Nos 1, 4, and 3 respectively of the GEORGIA, COPPER CARBONATE, And EQUITY LODES of this survey.
A Pine post 3' long, 4" square, set 18" in the ground, scribed 2-MD-2799 on the NE face. No bearings available.
-

Feet.

Thence N 30°-35'W
Var. 13°-15'E

747 To the west side center monument, identical with the location and the east side center monument of the GEORGIA LODE of this survey and previously described.

1494 To Cor. No.3;

Identical with the location and with Cor. No. 4 of the GEORGIA LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-MD-2799 on the SE face, surrounded with a mound of stones, no bearings available.

Thence S 65°-41'E
Var. 13°-15'E

298 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

598 To Cor. No.4;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-MD-2799 on the SW face, surrounded with a mound of stones. NO bearings available.

Thence S 30°-11'E
Var. 13°-15'E

740.2 To the east side center monument, identical with the location which is a mound of stones 3' base 1½' high.

1480.4 To Cor. No. 1 and the place of beginning.

BOSTON BOY LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-BBoy-2799 on the NW face, surrounded with a mound of stones, whence:

Feet U.S.M.M.No.2, Silver Bell Mining District, bears $S8^{\circ}-46\frac{1}{2}'E$
1143 feet.

Cor.No.4 of the EQUITY LODE of this survey bears $S 65^{\circ}-41'E$
280.5 feet. No other bearings available.

Thence $N 65^{\circ}-41'W$
Var. $13^{\circ}-15'E$

269.25 Intersect the west end line^{line 2-3} of the BOSTON BEAUTY LODE of
this survey, whence Cor. No. 3 bears $N 17^{\circ}-15'E$, 258.82 ft.

314.5 To the south end center monument, identical with the loca-
tion which is a mound of stones 3' base, $1\frac{1}{2}'$ high.

457.3 To the north side ^{monument} center of the EQUITY LODE of this survey.

614.5 To Cor. No. 2;

Identical with the location and with Cor. No. 1 of the
MOUNTAIN DEW LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground
scribed 2-BBoy-2799 on the NE face. No bearings available.

Thence $N 30^{\circ}-11'W$
Var. $13^{\circ}-15'E$

740.2 To the west side center monument, identical with the location
and with the east side center monument of the MOUNTAIN DEW
LODE of this survey, previously described.

1480.4 To Cor. No. 3;

Identical with the location and with Cor. No. 4 of the
MOUNTAIN DEW LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground
scribed 3-BBoy-2799 on the SE face, surrounded with a mound
of stones. No bearings available.

Thence $S 65^{\circ}-41'E$
Var. $13^{\circ}-15'E$

300 To the north end center monument, identical with the loc-
ation which is a mound of stones 3' base $1\frac{1}{2}'$ high.

597. To Cor. No. 4;

Identical with the location which is a mound of stones, 3'
base $1\frac{1}{2}'$ high.

Feet. A pine post 3' long, 4" square, set 18" in the ground
 30 scribed 4-BBoy-2799 on the SW face, surrounded with a mound
 of stones. No bearings available.

 Thence S 30°-35'E
 Var. 13°-15'E

747 To the east side center monument, identical with the location
 which is a mound of stones 3' base, 1½' high.

1133.5 Intersect the west end line^{line 2-3} of the Boston Beauty Lode of
 this survey, whence Cor. No. 3 bears N 17°-15'E 50 feet.

1494 To Cor. No. 1 and the place of beginning.

 SAMPSON LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base
 1½' high.

A pine post 3' long, 4" square, set 18" in the ground,
 scribed 1-S-2799 on the N face, surrounded with a mound of
 stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears S 13°-57'E
 1483.7 feet.

Cor. No. 3 of the BOSTON BEAUTY LODE of this survey bears
 N 17°-15'E 50 feet. No other bearings available.

 Thence N 30°-35'W
 Var. 13°-15'E

386.5 To the east side center monument of the BOSTON BOY LODE of
 this survey previously described.

716.75 To the west side center monument, identical with the location
 which is a mound of stones 3' base 1½' high.

1133.5 To Cor. No. 4 of the BOSTON BOY LODE of this survey.

1433.5 To Cor. No. 2;

Identical with the location, which is a mound of stones 3'
 base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground
 scribed 2-S-2799 on the E face, surrounded with a mound of
 stones. No bearings available.

Feet.	Thence N 17°-15'E Var. 13°-15'E
300	To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
600	To Cor. No. 3; Identical with the location which is a mound of stones 3' base, 1½' high. A pine post 3' long, 4" square, set 18" in the ground scribed 3-S-2799 on the S face, surrounded with a mound of stones. Whence, A Limestone rock in place 3'X 3'x 1' above ground, chiseled X- S-2799-BR; the X bears S 42°-30'W, 4.7 feet. No other bearings available.
	----- Thence S 30°-35'E Var 12°-15'E
716.75	To the east side center monument, identical with the location which is a mound of stones 3' base 1½' high.
1433.5	To Cor. No. 4: Identical with the location which is a mound of stones 3' base 1½' high. A pine post 3' long, 4" square, set 18" in the ground, scribed 4-S-2799 on the W face, surrounded with a mound of stones. Whence; Cor. No. III of the TRUE BLUE LODE Sur. No. 602 bears N 17°-15'E, 50 feet. No other bearings available.
	----- Thence S 17°-15'W Var. 13°-15'E
250	Post No. IV of the TRUE BLUE LODE Sur. No. 602, being the west end center monument.
300	To the south end center monument, identical with the location which is a mound of stones, 3' base, 1½' high.
550	Post No. V of the TRUE BLUE LODE Sur. No. 602, being the SW corner monument, identical with the Cor. No. 3 of the BOSTON BEAUTY LODE of this survey, previously described.
600	To Cor. No. 1 and the place of beginning.

Feet.

DEWEY LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 4 of the BOSTON BOY LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-D-2799 on the NW face, surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears S 21°-09'E 2590.2 feet. No other bearings available.

Thence N 65°-41'W
Var. 13°-15'E

297 North end center monument of the BOSTON BOY LODE of this survey.
597 To the south side center mound identical with location and with
Cor's No. 3 and 4 respectively of the BOSTON BOY AND MOUNTAIN
DEW LODES of this survey. A pine post 4"x 4"x 3', set 18" in
the ground, scribed SSC-D-2799 on the NW face, surrounded with a
mound of stones.

897 North end center monument of the MOUNTAIN DEW LODE, this survey.

1195 To Cor. No. 2;

Identical with the location and with Cor's Nos. 3 and 4 respectively of the MOUNTAIN DEW and GEORGIA LODES of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-D-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 30°-35'W
Var. 13°-15'E

5.2 Intersect the south side ^{line 3-4} of the MURRAY LODE Sur. No. 2437
whence Cor. No. 4 bears S 80°-30'W 544.14 feet.

300 To the west end center monument, identical with the location
which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 3;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-D-2799 on the SE face, surrounded with a mound of stones, No bearings available.

Feet.

Thence S 65°-41'E
Var. 13°-15'E

598 To the north side center monument, identical with the location which is a mound of stones 3' base 1½' high.

997.21 Intersect the south side line^{line 3-4} of the MURRAY LODE Sur.No.

2437, whence Cor. No. 3 bears N 80°-30'E, 329.82 feet, *and Cor. No. 4 bears S 80°30'W. 1158.68 ft.*

1195 To Cor. No. 4;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4"-square, set 18" in the ground, scribed 4-D-2799 on the SW face. No bearings available.

Thence S 30°-35'E
Var. 13°-15'E

300 To the east end center monument, identical with the location and with Cor. No. 2 of the Sampson Lode of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed EEC-D-2799 on the W face, surrounded with a mound of stones.

600 To Cor. No. 1 and the place of beginning.

HOUSE LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 4 of the STONE

CABIN LODE of this survey, *Cor. No. 6 Dolly Varden lode, Sur. No. 604 and Cor. No. 7 Detroit lode, Sur. No. 496*

A pine post 3' long, 4" square, set 18" in the ground scribed 1-H-2799 on the NE face, surrounded with a mound of stones. Whence;

U.S.M.M.No. 2, Silver Bell Mining District, bears N 83°-54'W 1428.5 feet.

An ironwood tree, 3 ins. in diameter brs., S 7°-10'E, 62.5 ft scribed 1-H-2799-BT. NO other bearings available.

Thence N 7°-50'E
Var. 13°-15'E

302.5 To the west end center monument, identical with the location and with the east end center monument on the STONE CABIN LODE

- of this survey, previously described.
- Feet. 371.95 Intersect the south side line ^{line 2-3} of the DOX OLLIGY LODE Sur. No. 603, whence Cor. No. 3 bears S 72°-45'E, 715.31 feet. *identical with Cor. No. 2 Dolly Varden Lode Sur. No. 604, whence Cor. No. 3 bears S. 72°-45'E, 715.31 ft.*
- 505.84 NE Cor. ^{Cor. No. 2} of the DETROIT MINING CLAIM Sur. No. 496.
- 605.00 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the STONE CABIN LODE of this survey.
A pine post 3' long, 4" square, set 18" in the ground, scribed 2-H-2799 on the SE face, surrounded with a mound of stones, No bearings available.
- Thence S 89°-40'E
Var. 13°-15'E
- 500 Gulch 20 feet wide bears south.
- 750 To the north side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
- 787.54 Intersect the east end line ^{line 3-5} of the DOX OLLIGY LODE Sur. No. 603, whence the SE corner, ^{Cor. No. 3,} marked No. III DO, bears S 17°-15'W 459.03 feet.
- 1350 Gulch 10 feet wide bears SW.
- 1500 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base 1½' high.
A pine post 3' long 4" square, set 18" in the ground scribed 3-H-2799 on the SW face, surrounded with a mound of stones. No bearings available.
- Thence S 7°-50'W
Var. 13°-15'E
- 302.5 To the east end center monument, identical with the location which is a mound of stones 3' base 1½' high.
- 605 To Cor. No. 4, identical with the location which is a mound of stones 3' base 1½' high.
A pine post 3' long, 4" square, set 18" in the ground, scribed 4-H-2799 on the NW face, surrounded with a mound of stones. No bearings available.
-

- Feet. Thence N 89°-40'W
Var. 13°-15'E
- 665 Gulch 13 feet wide bears SW.
- 750 To the south side center monument; identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.
- 78B22
1120 To Cor. No. 5 Dolly Varden lode, Sur. No. 604, ^{Cor. No. 5} ~~to~~ N 7°50'E. 162 ft.
- 1500 To Cor. No. 1 and the place of beginning.

HOUSE EXTENSION LODE

Beginning at Cor. No. 1;
Identical with the location which is also Cor. No. 4 of the HOUSE LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-HE-2799 on the NE face, surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears N 86°-51'W 2924.8 feet. No other bearings available.

Thence N 7°-50'E
Var. 13°-15'E

- 302.5 To the west end center monument, identical with the location and with the east end center monument of the HOUSE LODE of this survey previously described.
- 605 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the HOUSE LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-HE-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

- 750 To The north side center monument, identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.
- 1500 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.

- A pine post 3' long, 4" square, set 18" in the ground
- Feet. scribed 3-HE-2799 on the SW face, surrounded with a mound of stones; No bearings available.
- Thence S 7°-50'W
Var. 13°-15'E
- 302.5 To the east end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
- 605 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base 1½' high.
- A pine post 3' long, 4" square, set 18" in the ground, scribed 4-HE-2799 on the NW face, surrounded with a mound of stones. Whence;
A palo verde tree 6" in diameter bears S 84°-25'W, 12 feet scribed 4-HE-2799-BT. No other bearings available.
- Thence N 89°-40'W
Var. 13°-15'E
- 750 To the south side center monument, identical with the location which is a mound of stones 3' base 1½' high.
- 866 Gulch 10 feet wide bears S.
- 1500 To Cor. No. 1 and the place of beginning.

MASK LODE

Beginning at Cor. No. 1;
Identical with the location which is also Cor. No. 4 of the HOUSE EXTENSION LODE of this survey.

A pine post, 3' long, 4" square, set 18" in the ground, scribed 1-M-2799 on the NE face, surrounded with a mound of stones. Whence;
U.S.M.M.No.2, Silver Bell Mining District, bears N 87°-48½'W 4423.7 feet.

A palo verde tree 6" in diam., bears S 84°-25'W, 12 feet, scribed 1-M-2799-BT. No other bearings available.

Thence N 7°-50'E
Var. 13°-15'E

Feet.
302.5 To the west end center monument, identical with the location and with the east end center monument of the HOUSE EXTENSION LODE of this survey previously described.

605 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the HOUSE EXTENSION LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-M-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

1499 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-M-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 7°-50'W
Var. 13°-15'E

302.5 To the east end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

605 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long 4" square, set 18" in the ground scribed 4-M-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

1499 To Cor No. 1 and the place of beginning.

IDOL LODE

Beginning at Cor. No. 1;

Feet. Identical with the location which is a mound of stones 3' base 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-Id2799 on the SE face, surrounded with a mound of stones. Whence U.S.M.M.No. 2, Silver Bell Mining District, bears N 88°-04'W, 5152.3 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

770 Cor. No. 4 of the MASK LODE of this survey.
1500 To Cor. No. 2;

Identical with the location which is a mound of stones 3' base 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-Id2799 on the SW face, surrounded with a mound of stones. Whence;

A palo verde tree 5" in diam., brs., N 43°-45'W, 20.6 feet scribed 2-Id2799-BT. No other bearings available.

Thence S 0°-20'W
Var 13°-15'E

300 To the east end center monument, identical with the location which is a mound of stones 3' base, 1 1/2' high.

600 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-Id-2799 on the NW face, surrounded with a mound of stones, No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

1500 To Cor. No. 4; identical with the location which is a mound of stones, 3' base, 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-Id-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 02°-20'E
Var. 13°-15'E

- Feet.
300 To the west end center monument, identical with the location which is a mound of stones, 3' base, $1\frac{1}{2}$ ' high.
- 600 To Cor. No. 1 and the place of beginning.
-
- IKON LODE
- Beginning at Cor. No. 1;
Identical with the location and with Cor. No. 4 of the IDOL LODE of this survey.
- A pine post 3' long, 4" square, set 18" in the ground scribed 1-Ik-2799 on the SE face, surrounded with a mound of stones. U.S.M.M.No.2, Silver Bell Mining District, brs., N $81^{\circ}-27'W$, 5203.7 feet. No other bearings available.
-
- Thence S $89^{\circ}-40'E$
Var. $13^{\circ}-15'E$
- 1500 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the IDOL LODE of this survey.
- A pine post 3' long, 4" square, set 18" in the ground, scribed 2-Ik-2799 on the SW face, surrounded with a mound of stones. No bearings available.
-
- Thence S $0^{\circ}-20'W$
Var. $13^{\circ}-15'E$
- 300 To the east end center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
- 600 To Cor. No. 3;
Identical with the location which is a mound of stones, 3' base $1\frac{1}{2}$ ' high.
- A pine post 3' long, 4" square, set 18" in the ground, scribed 3-Ik-2799 on the NW face, surrounded with a mound of stones. No bearings available.
-
- Thence N $89^{\circ}-40'W$
Var. $13^{\circ}-15'E$
- 1400 Gulch 20 feet wide bears SE.
- 1500 To Cor. No. 4;
Identical with the location which is a mound of stones 3'

base, $1\frac{1}{2}$ ' high.

Feet.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-Ik-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0° - $20'$ E
Var. 13° - $15'$ E

- 150 Cross gulch, 15' wide, bears SE.
300 To the west end center monument. Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
600 To Cor. No. 1 and the place of beginning.

50 PER 100 LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-50%-2799 on the SE face, surrounded with a mound of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 87° - $25'$ W 3658.1 feet. No other bearings available.

Thence S 89° - $40'$ E
Var. 13° - $15'$ E

- 16 To the south side center monument of the HOUSE EXTENSION LODE of this survey.
747.5 To north side center monument, identical with the location which is a mound of stone 3' base $1\frac{1}{2}$ ' high.
766 To Cor's No. 1 and 4 respectively of the MASK and HOUSE EXTENSION LODES of this survey.
1495 To Cor. No. 2;
Identical with the location and with Cor. No. 1 of the IDOL LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-50%-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Feet.	Thence S 0°-20'W Var. 13°-15'E
300	To the east end center monument, identical with the location and with the west end center monument of the IDOL LODE of this survey and previously described.
600	To Cor. No. 3; Identical with the location and with Cor.sNos. 4 and 1 respectively of the IDOL and IKON LODES of this survey. A pine post 3' long, 4" square, set 18" in the ground scribed 3-50%-2799 on the NW face, surrounded with a mound of stones. No bearings available.
	----- Thence N 89°-40'W Var. 13°-15'E
500	Gulch 10 feet wide bears S.
747.5	To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
1495	To Cor. No. 4; Identical with the location which is a mound of stones 3' base 1½' high. A pine post 3' long, 4" square, set 18" in the ground scribed 4-50%-2799 on the NE face, surrounded with a mound of stones, No bearings available.
	----- Thence N 0°-20'E Var. 13°-15'E
300	To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
600	To Cor. No. 1 and the place of beginning.
	----- 40 PER 100 NO.2 LODE
	Beginning at Cor. No. 1; Identical with the location and with Cor. No. 4 on the 50 PER 100 LODE of this survey. A Pine post 3' long, 4" square, set 18" in the ground scribed 1-40% No.2-2799 on the SE face. Whence U.S.M.M.No.2 Silver Bell Mining District, brs., N 78°-10'W 3730.1 feet. No other bearings available.

Feet. Thence S 89°-40'E
Var. 13°-15'E

747.5 To the north side center monument, identical with the locat-
ion and with the south side center monument of the 50 PER
100 LODE of this survey and previously described.

1000 Gulch 10 feet wide bears S.

1495 To Cor. No. 2;
Identical with the location and with Cor's No. 3, 4, and 1
respectively of the 50 PER 100, IDOL, and IKON LODES of this
survey.

A pine post 3' long, 4" square, set 18" in the ground
scribed 2-40%2-2799 on the SW face, surrounded with a mound
stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the locat-
ion and with the west end center monument of the IKON LODE
of this survey and previously described.

450 Gulch 15 feet wide bears SE.

600 To Cor. No. 3;
Identical with the location and with Cor. No. 4 of the
IKON LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 3-40%2-2799 on the NW face, surrounded with a mound
of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

1495 To Cor. No. 4;
Identical with the location which is a mound of stones 3'
base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 4-40%2-2799 on the NE face, surrounded with a mound
of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the locat-
ion which is a mound of stones, 3' base, 1½' high.

Feet
600

To Cor. No. 1 and the place of beginning.

TOTEM LODE

Beginning at Cor. No. 1:

Identical with the location which is a mound of stones
3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 1-T-2799 on the SE face, surrounded with a mound
of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 72°-09'W
4462.5 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

895 Cor's No. 3 and 4 respectively of the 40 PER 100 NO.2 and
IKON LODES of this survey.

995 Gulch 20 feet wide bears SE.

1500 To Cor. No. 2;

Identical with the location which is a mound of stones
3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 2-T-2799 on the SW face, surrounded with a mound of
stones. Whence;

A palo verde tree 6" in diameter bears S 74°W, 26.5 feet,
scribed 2-T-2799-BT.

No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the locat-
ion which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

550 Gulch 25 feet wide bears SE.

600 To Cor. No. 3;

Identical with the location which is a mound of stones 3'
base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 3-T-2799 on the NW face, surrounded with a mound of

Feet. of stones; whence:
A palo verde tree 5" in diameter bears S 88°E, 50.8 feet
scribed 3-T-2799-BT. No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

1500 To Cor. No.4;
Identical with the location which is a mound of stones 3'
base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 4-T-2799 on the NE face. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the locat-
ion which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 1 and the place of beginning.

PORTLAND LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3'
base, 1½' high.

A pine post 3' long, 4"-square, set 18" in the ground,
scribed 1-P-2799 on the SE face, surrounded with a mound of
stones. Whence;

U.S.M.M.No. 2, Silver Bell Mining District, bears N 63°-40'W
3066 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

899.5 Cor. No. 4 of the 40 PER 100 NO.2 Lode of this survey.

1499.5 To Cor. No. 2;
Identical with the location and with Cor. No. 1 of the
TOTEM LODE of this survey.

A pine post 3' long, 4"-square, set 18" in the ground,
scribed 2-P-2799 on the SW face, surrounded with a mound of
stones. No bearings available.

Feet

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the location and with the west end center monument of the TOTEM LODE of this survey and previously described.

600 To Cor. No. 3;
Identical with the location and with Cor. No. 4 of the TOTEM LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-P-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

1499.5 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-P-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No.-1 and the place of beginning.

DREADNAUGHT LODE

Beginning at Cor. No. 1;

Identical with the location, which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-D-2799 on the SE face, surrounded with a mound of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 69°-01'W 5509.4 feet. No other bearings available.

Feet. Thence S 89°-40'E
Var. 13°-15'E

300 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 2;
Identical with the location and with Cor. No. 3 of the TOTEM LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-D-2799 on the SW face, surrounded with a mound of stones. Whence;

A palo verde tree 5" in the diameter bears S 88°E, 50.8 ft. scribed 2-D-2799-BT. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

1500 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-D-2799 on the NW face, surrounded with a mound of stones. Whence;

A palo verde tree 4" in diameter bears S 76°-15'W, 41.8 ft/, scribed 3-D-2799-BT. No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-D-2799 on the NE face. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

1500 To Cor. No. 1 and the place of beginning.

Feet.

VENTURA LODE.

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-V-2799 on the SE face, surrounded with a mound of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N $66^{\circ}-33\frac{1}{2}'W$ 4952.5 feet. No other bearings available.

Thence S $89^{\circ}-40'E$
Var. $13^{\circ}-15'E$

300 To the north end center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}'$ high.

600 To Cor. No. 2;

Identical with the location and with Cor. No. 1 of the LREADNAUGHT LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-V-2799 on the SW face, surrounded with a mound of stones, No bearings available.

Thence S $0^{\circ}-20'W$
Var. $13^{\circ}-15'E$

1500 To Cor. No. 3;

Identical with the location and with Cor. No.4 of the LREADNAUGHT LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-V-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N $89^{\circ}-40'W$
Var. $13^{\circ}-15'E$

300 To the south end center monument, identical with the location which is a mound of stones 3' base $1\frac{1}{2}'$ high.

600 To Cor. No. 4;

Identical with the location which is a mound of stones 3' base $1\frac{1}{2}'$ high.

Feet. A pine post 3' long, 4" square set 18" in the ground, scribed 4-V-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

1500 To Cor. No. 1 and the place of beginning.

MONTEZUMA LODE

Beginning at Cor. No. 1;
Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-M-2799 on the SE face, surrounded with a mound of stones. Whence;
U.S.M.M.No. 2, Silver Bell Mining District, bears N 63°-30'W 4407.5 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

299.5 To the north end center monument, identical with the location and with Cor's Nos. 3 and 4 of the PORTLAND and TOTEM LODES respectively.

A pine post 3' long, 4" square, set 18" in the ground, scribed NEC-M-2799 on the SW face, surrounded with a mound of stones.

599.5 To Cor. No. 2;
Identical with the location and with Cor. No. 1 of the VENTURA LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-M-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

1500 To Cor. No. 3;

Feet. Identical with the location and with Cor. No. 4 of the VENTURA LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-M-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

599.5 To Cor. No. 4;

Identical with the location which is a mound of stones, 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-M-2799 on the NE face, surrounded with a mound of stones. Whence;

A palo verde tree 6" in diameter, bears S 4°-19'E, 78 feet, scribed 4-M-2799-BT. No other bearings available.

Thence N 0°-20'E
Var. 13°-15'E

1500 To Cor. No. 1 and the place of beginning.

TOLTEC LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-T-2799 on the SE face, surrounded with a mound of stones. Whence U.S.M.M.No.2, Silver Bell Mining District, bears N 59°-35'W, 3878.1 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

300 To the north end center monument, identical with the location which is a mound of stones 3' base 1½' high.

600 To Cor. No.2; identical with the location and with Cor. No.1 of

Feet. MONTEZUMA LODE of this survey.

A pine post 3' long 4" square, set 18" in the ground, scribed 2-T-2799 on the SW face surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

1500 To Cor. No. 3;

Identical with the location and with Cor. No. 4 of the MONTEZUMA LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-T-2799 on the NW face, surrounded with a mound of stones. Whence:

A palo verde tree 6" in diameter bears S 4°-19'E, 78 feet, scribed 3-T-2799.BT. No other bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 4;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-T-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

1500 To Cor. No. 1 and the place of beginning.

AZTEC LODE

Beginning at Cor. No. 1.

Identical with the location which is also Cor. No. 4 of the PORTLAND LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-Az-2799 on the SE face, surrounded with a mound

Feet. of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N54°-28½'W
3372.3 feet. No other bearings available.

Thence S 89°-40'E --
Var. 13°-15'E

300 To the north center end monument, identical with the locat-
ion which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 2;

Identical with the location and with Cor. No. 1 of the
TOLTEC LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 2-Az-2799 on the SW face, surrounded with a mound
of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

1500 To Cor. No. 3:

Identical with the location and with Cor. No.4 of the
TOLTEC LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 3-Az-2799 on the NW face, surrounded with a mound
of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south center end monument, identical with the locat-
ion which is a mound of stones 3' base 1½' high.

484.63 *Intersect line 2-3 Iron Glad lode of this survey, at S 3°5'E, 3372.6 ft. from Cor. N.° 2*

600 To Cor. No. 4;

Identical with the location which is a mound of stones 3'
base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 4-Az-2799 on the NE face, surrounded with a mound
of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

331
600
1500

Intersect lines 1-2 and 3-4 Iron Glad and Denver lodes, of this survey at S 86°55'W, 95.4 ft. from Cor. 2+3
To Cor. N.° 2 Denver lode of this survey, whence Cor. N.° 3, Denver lode, brs. S. 19°33'E. 280 ft.

To Cor. No. 1 and the place of beginning.

Feet.

EAST EXTENSION LODE

Beginning at Cor. No. 1;
Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-EE-2799 on the SE face, surrounded with a mound of stones. Whence U.S.M.M.No.2, Silver Bell Mining District, bears N 85°-51½'W, 2160.5 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

15.5 To the south side center monument of the HOUSE LODE of this survey.

100 Gulch 13 feet wide bears SW.

749.7 To the north side center monument, identical with the location which is a mound of stones 3' base 1½' high.

765.5 To Cor's No. 1 and 4 respectively of the HOUSE EXTENSION and HOUSE LODES of this survey.

1399.5 Gulch 10 feet wide bears S.

1499.5 To Cor. No.2:

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-EE-2799 on the SW face, surrounded with a mound of stones. Whence the south side center monument of the HOUSE EXTENSION LODE of this survey bears S 89°-40'E 16 feet. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the location and with the west end center monument of the 50 PER 100 LODE of this survey and previously described.

600 To Cor. No. 3;

Identical with the location and with Cor's No. 3, 4 and 1 respectively of the 50 PER 100 and 40 PER 100 NO.2 LODES of this survey.

Feet. A pine post 3' long, 4" square, set 18" in the ground, scribed 3-EE-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

10 Gulch 10 feet wide bears SW.

749.7 South side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

1499.5 To Cor. No. 4;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, 18" in the ground, scribed 4-EE-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the location which is a mound of stones 3' base 1½' high.

470 *Gulch 10 ft wide bears SW.*

600 To Cor. No. 1 and the place of beginning.

COPPER GIRL LODE

Beginning at Cor. No. 1;

Identical with the location which is also Cor. No. 4 of the EAST EXTENSION LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-CG-2799 on the SE face, surrounded with a mound of stones. Whence U.S.M.M.No.2, Silver Bell Mining District, bears N 70°-38'W, 2280.5 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

749.8 To the north side center monument, identical with the location and with the south side center monument of the EAST EXTENSION LODE of this survey and previously described.

14825 Gulch 10 feet wide bears SW.

Feet.
1499.5

To Cor. No. 2;

Identical with the location and with Cor's Nos. 3, 4, and 1 respectively of the EAST EXTENSION, 50 PER 100, and 40 PER 100 NO.2 LODES of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 2-CG-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the location and with the west end center monument of the 40 PER 100 NO.2 LODE of this survey and previously described.

600 To Cor. No. 3;

Identical with the location and with Cor. No. 4 of the 40 PER 100 NO. 2 LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-CG-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

749.7 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

899.5 To Cor. No. 1 of the PORTLAND LODE of this survey.

~~1209.5~~ Gulch 20 feet wide bears S.

1499.5 To Cor. No. 4:

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-CG-2799 on the NE face. surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the location

Feet. which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

600 To Cor. No. 1 and the place of beginning.

GIFFORD LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high, and with Cor. No. 3 Young American lode Sur. No. 492

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-G-2799 on the SE face, surrounded with a mound of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 77°-36'W 687 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

300 Gulch 40 feet wide bears SE.

749.5 To the north side center monument, identical with the location and with the Cor's No. 1 and 4 respectively of the HOUSE and STONE CABIN LODES of this survey and previously described.

1130 Gulch 30 feet wide bears SE.

1484 To Cor. No. 2;

Identical with the location and with Cor. No. 1 of the EAST EXTENSION LODE of this survey and Cor. No. 2 Young American lode Sur. No. 492

A pine post 3' long, 4" square, set 18" in the ground scribed 2-G-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

130 Gulch 15 feet wide bears SW.

300 To the east end center monument, identical with the location which is a mound of stones already described as the west end center monument of the EAST EXTENSION LODE of this survey

600 To Cor. No. 3;

Feet. Identical with the location and with Cor's No 5.4 and 1 respectively of the EAST EXTENSION and COPPER GIRL LODES of this survey, *and Cor. No 6 Young American lode, Sur. No 492*

A pine post 3' long, 4" square, set 18" in the ground scribed 3-G-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

275 Gulch 30 feet wide bears S.

734.5 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

1484 To Cor. No. 4:

Identical with the location which is a mound of stones 3' base, 1½' high, *and with Cor. No 5 Young American lode, Sur. No 492*

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-G-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 1 and the place of beginning.

ANACONDA LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 4 of the GIFFORD LODE of this survey, *and Cor. No 3 Navajo lode, Sur. No 494*

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-A-2799 on the SE face, surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears N 41°-46'W 1002.1 feet. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

- Feet.
749.5 To the north side center monument, identical with the location and with the south side center monument of the GIFFORD LODE of this survey and previously described.
- 1209 Gulch 30 feet wide bears S.
- 1484 To Cor. No. 2 : identical with the location and with Cor's No. 3, 4, and 1, respectively of the GIFFORD, EAST EXTENSION, and the COPPER GIRL LODES of this survey, *and Cor. No. 2 Navajo lode, Sur. N^o 494*
A pine post 3' long, 4" square, set 18" in the ground, scribed 2-A-2799 on the SW face, surrounded with a mound of stones. No bearings available.
-
- Thence S 0°-20'W
Var. 13°-15'E
- 300 To the east end center monument, identical with the location and with the west end center monument of the COPPER GIRL LODE of this survey and previously described.
- 600 To Cor. No. 3;
Identical with the location and with Cor. No. 4 of the COPPER GIRL LODE of this survey, *and Cor. No. 6 Navajo lode, Sur. N^o 494*
A pine post 3' long, 4" square, set 18" in the ground scribed 3-A-2799 on the NW face, surrounded with a mound of stones. No bearings available.
-
- Thence N89°-40'W
Var. 13°-15'E
- 600 Gulch 40 feet wide bears SE.
- 734.5 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
- 1484 To Cor. No. 4;
Identical with the location which is a mound of stones 3' base, 1½' high, *and with Cor. No. 5 Navajo lode Sur. N^o 494*
A pine post 3' long, 4" square, set 18" in the ground scribed 4-A-2799 on the NE face, surrounded with a mound of stones. No bearings available.
-

Feet.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 1 and the place of beginning.

WILD HOG LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 1 of the GIFFORD LODE of this survey, and Cor. No. 2 Young America Extension ^{West} lode Sur. No. 493.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-WH-2799 on the SW face surrounded with a mound of stones. Whence;

U.S.M.M. No. 2, Silver Bell Mining District, bears N 77°-36'W 687 feet. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 To the east end center monument, identical with the location and with the west end center of the GIFFORD LODE of this survey and previously described.

600 To Cor. No. 2;

Identical with the location and with Cor.'s ^{No. 4} and 1 of the GIFFORD and ANACONDA LODES respectively, of this survey, and Cor. No. 6 Young America Extension ^{West} lode, Sur. No. 493

A pine post 3' long, 4" square, set 18" in the ground scribed 2-WH-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

749 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

1485 To Cor. No. 3;

Identical with the location which is a mound of stones 3' base, 1½' high, and with Cor. No. 5 Young America West Extension lode Sur. No. 493.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-WH-2799 on the NE face, surrounded with a mound of stones. Whence;

Feet. A palo verde tree 5" in diameter bears N 27°E, 17.2 feet
scribed 3-WH-2799-BT. No other bearings available.

Thence N 0°-20'E
Var. 13°-15'E

300 To the west end center monument, identical with the loc-
ation which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 4:

Identical with the location and with the south side center
monument of the DANUBE LODE of this survey and *Young America Extension West lode, Sur. N°493*
and *Cor. N°3*

A pine post 3' long, 4" square, set 18" in the ground
scribed 4-WH-2799 on the SE face, surrounded with a mound
of stones. No bearings available.

*-----
Thence S 89°-40'E
Var. 13°-15'E

736 To the north side center monument, identical with the loc-
ation and with Cor's No. 1, 1, and 1, of the DANUBE,
COPPER PRIDE, and STONE CABIN LODES of this survey and
previously described.

1485 To Cor. No. 1 and the place of beginning.

COPPER BEAUTY LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor's No. 2, 4, and 1
respectively of the WILD HOG, GIFFORD, and ANACONDA LODES
of this survey, and *Cor. N°2 Aztec lode, Sur. N°495*.

A pine post 3' long, 4" square, set 18" in the ground
scribed 1-CB-2799 on the SW face, surrounded with a mound
of stones. Whence;

U.S.M. No. 2, Silver Bell Mining District, bears N 41°-46'W
1002.1 feet. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

- Feet.
300 To the east end center monument, identical with the location and with the west end center monument of the ANACONDA LODE of this survey and previously described.
- 600 To Cor. No. 2;
Identical with the location and with Cor. No. 4 of the ANACONDA LODE of this survey, *and Cor. N^o 6, Aztec lode, Sur. N^o 495*
A pine post 3' long, 4" square, set 18" in the ground scribed 2-CB-2799 on the NW face, surrounded with a mound of stones. No bearings available.
- Thence N 89°-40'W
Var. 13°-15'E
- 749 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
- 1485 To Cor. No. 3;
Identical with the location which is a mound of stones 3' base, 1½' high, *and Cor. N^o 5 Aztec lode, Sur. N^o 495*
A pine post 3' long, 4" square, set 18" in the ground scribed 3-CB-2799 on the NE face, surrounded with a mound of stones. No bearings available.
- Thence N 0°-20'E
Var. 13°-15'E
- 300 To the west end center monument identical with the location which is a mound of stones 3' base, 1½' high.
- 600 To Cor. No. 4;
Identical with the location and with Cor. No. 3 of the WILD HOG LODE of this survey, *and Cor. N^o 3 Aztec lode Sur. N^o 495*
A pine post 3' long, 4" square, set 18" in the ground, scribed 4-CB-2799 on the NE face, surrounded with a mound of stones. Whence:
A palo verde tree 5" in diameter bears N 27°E, 17.2 feet, scribed 4-CB-2799-BT. No other bearings available.
- Thence S 89°-40'E
Var. 13°-15'E
- 736 To the north side center monument, identical with the location and with the south side center monument of the WILD HOG

Feet. LODE of this survey and previously described.

1485 To Cor. No. 1 and the place of beginning.

MORNING STAR LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 4 of the WILD HOG LODE of this survey.

A pine post 3' long, 4" square set 18" in the ground, scribed 1-MS-2799 on the SW face, surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears N 80°-19'E 825.9 feet. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 West end center monument of the WILD HOG LODE of this survey.

600 Cor's NoS. 3 and 4 respectively of the WILD HOG, and COPPER BEAUTY LODES of this survey.

750 East side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

900 West end center monument of the COPPER BEAUTY LODE of this survey.

1200 Cor. No.3 of the COPPER BEAUTY LODE of this survey.

1500 To Cor. No. 2;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-MS-2799 on the NW face. surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

299 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

599 To Cor. No. 3:

Identical with the location which is a mound of stones 3' base

Feet. $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-MS-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0° - $20'$ E
Var. 13° - $15'$ E

1750 To the west side center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
1200 Gulch 20 feet wide bears SW.
1500 To Cor. No.4;

200 Identical with the location which is a mound of stones 3' base $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-MS-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89° - $40'$ E
Var. 13° - $15'$ E

200 Gulch 20 feet wide bears SSW.
300 To the north end center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
599 To Cor. No. 1, and the place of beginning.

COPPER BUTTE LODE

Beginning at Cor. No. 1;
Identical with the location and with Cor. No. 4 of the MORNING STAR LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-CB-2799 on the SW face, surrounded with a mound of stones. Whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 84° - $32'$ E 1419.5 feet. No other bearings available.

Thence S 0° - $20'$ W
Var. 13° - $15'$ E

300 Gulch 20 feet wide bears SW.
750 To the east side center monument identical with the location and with the west side center monument of the MORNING STAR

Feet.

LODE of this survey and already described.

1500

To Cor. No. 2;

Identical with the location and with Cor. No. 3 of the MORNING STAR LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-CB-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

299

To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

598

To Cor. No. 3;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-CB-2799 on the NE face, surrounded with a mound of stones. Whence:

A catsclaw tree 5" in diameter bears S 84°-50'W, 12.7 feet scribed 3-CB-2799-BT.

No other bearings available.

Thence N 0°-20'E
Var. 13°-15'E

500

Gulch 25 feet wide bears SW.

750

To the west side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

1500

To Cor. No. 4;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-CB-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Feet

Thence S 89°-40'E
Var. 13°-15'E

299 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

506 Cor's Nos: 2, and 2, respectively of the DANUBE, and PRINCESS LODES of this survey.

598 To Cor. No. 1 and the place of beginning.

COPPER HILL LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-CH-2799 on the SW face surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears N 9°-21'E 1360.5 feet. No other bearings available.

Thence S 0°-20'W
Var. 13°-15'E

750 To the east side center monument, identical with the location which is a mound of stones 3' base, 1½' high.

1500 To Cor. No. 2;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground on the NW face scribed 2-CH-2799/ surrounded with a mound of stones.

No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 3;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground,

Feet. scribed 3-CH-2799 on the NE face, surrounded with a mound of stones. Whence;
A porphyry rock in place 4'x 4'x 2' above ground, chiseled 3-CH-2799-BR-X; the X bears S 25°-30'W, 6.4 feet.
No other bearings available.

Thence N 0°-20'E
Var. 13°-15'E

750 To the west side center monument, identical with the location which is a mound of stones, 3' base, 1½' high.
1200 Cor. No. 2 of the MORNING STAR LODE of this survey.
1500 To Cor. No. 4;
Identical with the location and with Cor. No. 3 of the COPPER BEAUTY LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-CH-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

300 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
600 To Cor. No. 1 and the place of beginning.

COPPER HILL NO. 1 LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 1 of the COPPER HILL LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-CH1-2799 on the SE face, surrounded with a mound of stones. Whence:

U.S.M.M. No. 2, Silver Bell Mining District, bears N 9°-21'E 1360.5 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

Feet	
138.9	South side center monument of the COPPER BEAUTY LODE of this survey.
300	To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
600	To Cor. No. 2; Identical with the location which is a mound of stones 3' base, 1½' high. A pine post 3' long, 4" square, set 18" in the ground, scribed 2-CHL-2799 on the SW face, surrounded with a mound of stones. No bearings available.
	----- Thence S 0°-20'W Var. 13°-15'E
750	To the east side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
1500	To Cor. No. 3; Identical with the location which is a mound of stones 3' base, 1½' high. A pine post 3' long, 4" square, set 18" in the ground scribed 3-CHL-2799 on the NW face, surrounded with a mound of stones..No bearings available.
	----- Thence N 89°-40'W Var. 13°-15'E
300	To the south end center monument, identical with the location which is a mound of stones, 3' base, 1½' high.
600	To Cor.No.4; Identical with the location which is also Cor. No.2 of the COPPER HILL LODE of this survey. A pine post 3' long, 4" square, set 18" in the ground scribed 4-CHL-2799 on the NE face, surrounded with a mound of stones. No bearings available.
	----- Thence N 0°-20'E Var. 13°-15'E
750	To the west side center monument, identical with the location and with the east side center of the COPPER HILL LODE of this survey.

Feet.
1500 To Cor. No. 1, and the place of beginning.

COPPER HILL NO. 2 LODE

Beginning at Cor. No. 1;
Identical with the location and with Cor. No. 2 of the
COPPER HILL NO. 1 LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 1-CH2-2799 on the SE face, surrounded with a mound
of stones. Whence:
U.S.M.M.No.2, Silver Bell Mining District, bears N 15°-44'W
1398.3 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

285 To the north end center monument, identical with the location
and with Cor's No. 2 and 4 of the COPPER BEAUTY and
ANACONDA LODES respectively of this survey.

A pine post 3' long, 4" square, set 18" in the ground,
scribed NCE-CH2-2799 on the SW face, surrounded with a
mound of stones.

569 To Cor. No. 2;
Identical with the location which is a mound of stones
3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 2-CH2-2799 on the SW face, surrounded with a mound
of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

750 To the east side center monument, identical with the loc-
ation which is a mound of stones, 3' base, 1½' high.

1500 To Cor. No. 3;
Identical with the location which is a mound of stones 3'
base, 1½' high.

Feet. A pine post 3' long, 4" square, set 18" in the ground, scribed 3-CH2-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

284 To the south end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

569 To Cor. No. 4:
Identical with the location and with Cor. No. 3 of the COPPER HILL NO.1 LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-CH2-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

750 To the west side center monument, identical with the location and with the east side center monument of the COPPER HILL NO. 1 Lode of this survey, previously described.

1500 To Cor. No. 1 and the place of beginning.

OXIDE LODE

Beginning at Cor. No. 1;

Identical with the location which is also Cor. No. 2 of the COPPER HILL NO.2 LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 1-0-2799 on the SE face, surrounded with a mound of stones. Whence U.S.M.M.No.2, Silver Bell Mining District bears N 35°-05½'W, 1648.9 feet. No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

300 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

465.5 The south side center monument of the ANACONDA LODE of this survey.

The true point for the corner at 600 feet, falls in the wash

- Feet therefore at
- 496.5 Witness Corner for Cor. No. 2:
 Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
 A pine post 3' long, 4" square, set 18" in the ground scribed 2-0-2799-WC on the SW face, surrounded with a mound of stones. Whence;
 An ironwood tree 7" in diameter bears N 86°W, 26.1 feet scribed 2-0-2799-WC-BT. NO other bearings available.
- 600 True point for Cor. No. 2 falls in gulch 40 feet wide brs., SE. Whence W.C., here to fore described brs. N 89°40' W. 103.5 ft.

 Thence S 0°-20'W
 Var. 13°-15'E
- 750 To the east side center monument, identical with the location which is a mound of stones, 3' base, $1\frac{1}{2}$ ' high.
- 1500 True point for the corner No. 3, falls in a wash 40 feet wide bearing SSW. I therefore perpetuate this corner by means of a witness corner as hereafter decribed, which brs. N 89° 40' W. 10 ft.

 Thence N 89°-40'W
 Var. 13°-15'E
- 10 Witness Corner for Cor. No. 3:
 Identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
 A pine post 3' long, 4" square, set 18" in the ground scribed WC-3-Ox-2799 on the NW face, surrounded with a mound of stones. Whence;
 A palo verde tree 5" in diameter bears N 1°-15'E, 10.13 feet scribed WC-3Ox-2799-BT. No other bearings available.
- 300 To the south end center monument, identical with the location which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.
- 600 To Cor. No. 4;
 Identical with the location and with Cor. No. 3 of the COPPER HILL NO. 2 LODE of this survey.
 A pine post 3' long, 4" square, set 18" in the ground

Feet. scribed 4-Ox-2799 on the NE face surrounded with a mound of stones. No bearings available.

 Thence N 0°-20'E
 Var. 13°-15'E

750 To the west side center monument identical with the location and with the east side center monument of the COPPER HILL NO.2 LODE of this survey, and previously described.

1500 To Cor. No. 1 and the place of beginning.

 JIM CROW LODE

Beginning at Cor. No. 1;

Identical with the location and with Cor. No. 2 of the OXIDE LODE of this survey.

An imaginary point located in a gulch 40 feet wide bearing SW. whence;

U.S.M.M.No.2, Silver Bell Mining District, bears N 48°-51½'W 2055.6 feet.

This Cor. is perpetuated by means of a Witness Corner identical with the location and with the Witness Corner for Cor. No. 2 of the OXIDE LODE of this survey.

A pine post 4" square, 3' long, set 18" in the ground scribed WC-1-JC-2799 on the SE face, surrounded with a mound of stones. Whence

True point for the Corner bears S 89°-40'E, 103.5 feet.

An ironwood tree 7" in diameter bears N 86°W, 26.1 feet scribed WC-1-JC-2799-BT.

No other bearings available.

 From true point for corner.
 Thence S 89°-40'E
 Var. 13°-15'E

300 To the north end center monument.

Identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 2;

Identical with the location and with Cor's No. 3 and 4 of the ANACONDA, and COPPER GIRL LODES of this survey. respectively

A pine post 3' long, 4" square, set 18" in the ground

Feet. scribed 2-JC-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

750 To the east side center monument, identical with the location which is a mound of stones 3' base, 1 1/2' high.

1500 To Cor. No. 3;
Identical with the location which is a mound of stones, 3' base, 1 1/2' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-JC-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

300 To the south end center monument. identical with the location which is a mound of stones 3' base, 1 1/2' high.

580 Center of gulch next described.
600 True point for the corner falls in the gulch 40 feet wide bearing SSW, the Cor. being perpetuated by means of a Witness Corner, identical with the location and with the Witness Corner for Corner No. 3 of the OXIDE LODE of this survey, which bears N. 89° 40' W. 107 ft.

A pine post 3' long, 4" square, set 18" in the ground scribed WC-4-JC-2799 on the NE face, surrounded with a mound of stones. Whence;

A palo verde tree 5" in diam., bears N 1°-15'E, 10.13 feet scribed WC-4-JC-2799-BT. No other bearings available.

Thence from True Corner N 0°-20'E
Var. 13°-15'E

750 To the west side center monument, identical with the location which is also the east side center monument of the OXIDE LODE of this survey and previously described.

1500 To Cor. No. 1 and the place of beginning.

Feet.

SCHLEY NO. 2 LODE

Beginning with Cor. No. 1;

Identical with the location and with Cor's Nos. 2, 3, and 4 respectively of the JIM GROW, ANACONDA, and COPPER GIRL LODES of this survey, Whence U.S.M.M. ^{N^o 2} Silver Bell Mining District, bears

N. 57° 44' W. 2540.3 feet

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-S2-2799 on the SE face, surrounded with a mound of stones. No bearings available.

Thence S 89°-40'E
Var. 13°-15'E

290 Gulch 20' wide bears S.

300 To the north end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

600 To Cor. No. 2;

Identical with the location and with Cor. No. 1 of the PORTLAND LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-S2-2799 on the SW face, surrounded with a mound of stones. No bearings available.

Thence S 0°-20'W
Var. 13°-15'E

300 West end center monument of the PORTLAND LODE of this survey

600 Cor's No. 1 and 4 respectively of the AZTEC and PORTLAND LODES of this survey.

1500 To Cor. No. 3;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 3-S2-2799 on the NW face, surrounded with a mound of stones. No bearings available.

Thence N 89°-40'W
Var. 13°-15'E

280 Gulch 20 feet wide bears S.

300 To the south end center monument, identical with the location which is a mound of stones 3' base 1½' high.

Feet.
600

To Cor. No. 4,

Identical with the location and with Cor. No. 3 of the JIM CROW LODE of this survey.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-S2-2799 on the NE face, surrounded with a mound of stones. No bearings available.

Thence N 0°-20'E
Var. 13°-15'E

750 To the west side center monument, identical with the location and with the east side center monument of the JIM CROW LODE of this survey, and previously described.

1500 To Cor. No. 1 and the place of beginning.

IRONMASTER LODE

Beginning at Cor. No. 1;

Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 1-IM-2799 on the SE face, surrounded with a mound of stones. Whence:

U.S.M.M.No.2, Silver Bell Mining District, bears N 5°-48'E 2856.8 feet.

No other bearings available.

Thence S 89°-40'E
Var. 13°-15'E

59 Cor's No. 2 and 4 respectively of the COPPER HILL and COPPER HILL NO.1 LODES of this survey.

359 South end center monument of the COPPER HILL NO.1 LODE of this survey.

659 Cor's No. 3 and 4 respectively of the COPPER HILL NO.1 and COPPER HILL NO.2 LODES of this survey.

944 South end center monument of the COPPER HILL NO.2 LODE of this survey.

Feet.
1228 Cor's No. 3 and 4 respectively of the COPPER HILL NO.2
and OXIDE LODES of this survey.

1498 To Cor. No. 2;
Identical with the location which is a mound of stones
3' base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 2-IM-2799 on the SW face, surrounded with a mound of
stones. Whence the south end center monument of the OXIDE
LODE of this survey bears S $89^{\circ}-40'E$, 30 feet.

No other bearings available.

Thence S $19^{\circ}-33'E$
Var. $13^{\circ}-15'E$

318.5 To the east end center monument, identical with the loc-
ation which is a mound of stones 3' base, $1\frac{1}{2}$ ' high.

475 Gulch 20 feet wide bears SW.
637 To Cor. No.3;

Identical with the location which is a mound of stones 3'
base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground,
scribed 3-IM-2799 on the NW face, surrounded with a mound
of stones. Whence:

A palo verde tree 4" in diameter bears S $4^{\circ}-05'E$, 47.5 feet
scribed 3-IM-2799-BT.

A palo verde tree 5" in diameter bears S $58^{\circ}-50'E$, 56.5 feet
scribed 3-IM-2799-BT.

No other bearings available.

Thence N $89^{\circ}-40'W$
Var. $13^{\circ}-15'E$

400 Gulch 20 feet wide bears SW.

1498 To Cor. No. 4.

Identical with the location which is a mound of stones 3'
base, $1\frac{1}{2}$ ' high.

A pine post 3' long, 4" square, set 18" in the ground
scribed 4-IM-2799 on the NE face, surrounded with a mound of
stones. Whence:

- Feet. A palo verde tree 9" in diameter bears S 22°-50'E, 25.3 feet
scribed 4-IM-2799-BT. No other bearings available.
-
- Thence N 19°-33'W
Var. 13°-15'E
- 318.5 To the west end center monument identical with the location
which is a mound of stones 3' base, 1½' high.
- 637 To Cor. No. 1; the place of beginning.
-
- DENVER LODE
- Beginning at Cor. No. 1;
Identical with the location and with Cor. No. 2 of the
IRONMASTER LODE of this survey.
- A pine post 3' long, 4" square, set 18" in the ground,
scribed 1-D-2799 on the SE face, surrounded with a mound of
stones. Whence:
U.S.M.M.No. 2, Silver Bell Mining District, bears N 22°-59'W
3096.8 feet. No other bearings available.
-
- Thence S 89°-40'E
Var. 13°-15'E
- 30 The south end center monument of the OXIDE LODE of this survey
- 320 Witness Corner to Cor's No. 3 and 4 respectively of the
OXIDE and JIM CROW LODES of this survey.
- 330 True point for Cor's No. 3 and 4 respectively of the OXIDE
and JIM CROW LODES of this survey; falls in gulch.
- 350 Center of gulch bears SSW; width 40 feet.
- 630 South end center monument of the JIM CROW LODE of this survey.
- 930 Cor's No. 3 and 4 respectively of the JIM CROW and SCHLEY
NO.2 LODES of this survey.
- 1230 South end center monument of the SCHLEY NO.2 LODE of this sur.
- 1250 Gulch 20 feet wide bears S.
- 1530 To Cor. No. 2:
Identical with the location and with Cor. No. 3 of the SCHLEY
NO.2 LODE of this survey, situated on the west side ^{line 1-4} of
the AZTEC LODE of this survey; CorNo.4 bears S0°-20'W, 600 ft.

Feet.

A pine post 3' long, 4" square, set 18" in the ground scribed 2-D-2799 on the SW face, surrounded with a mound of stones. No bearings available.

 Thence S 19°-33'E
 Var. 13°-15'E

140 Enter AZTEC LODE this survey.
 To the east end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

280 To Cor. No. 3:
 Identical with the location which is a mound of stones, 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 3-D-2799 on the NW face, surrounded with a mound of stones. No bearings available.

 Thence S 86°-55'W
 Var. 13°-15'E

95.4 Intersect W side line, AZTEC LODE this sur. Cor. No. 4. brs. S 0°-20'W / 331 feet
 400 Gulch 20 feet wide bears S.

1410 Gulch 20 feet wide bears SSW.

1500 To Cor. No. 4;
 Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground scribed 4-D-2799 on the NE face, surrounded with a mound of stones. This corner is situated on the east end line of the IRONMASTER LODE of this survey the corner No. 3 thereof being located S 19°-33'E, 262 feet.

No other bearings available.

 Thence N 19°-33'W
 Var. 13°-15'E

56.5 East end center monument of the IRONMASTER LODE of this survey.

140 To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.

375 To Cor. No. 1, and the place of beginning.

Feet.	IRON CLAD LODE
	Beginning at Cor. No. 1; Identical with the location and with Cor. No. 4 of the DENVER LODE of this survey, on line 2-3 Ironmaster lode of this survey, whence Cor. No. 3 thereof brs. S 19°33'W. 262 ft. A pine post 3' long, 4" square, set 18" in the ground scribed 1-IC-2799 on the SE face, surrounded with a mound of stones. Whence: U.S.M.M.No.2, Silver Bell Mining District, bears N 22°-37'W 3471.7 feet. No other bearings available.
	----- Thence N 86°-55'E Var. 13°-15'E
90	Gulch 20 feet wide bears SSW.
750	To the north side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
1100	Gulch 20 feet wide bears S.
1404.6	Intersect the west side line ^{line 4-1} of the AZTEC LODE of this survey whence Cor. No. 4 bears S 0°-20'W, 331 feet.
1500	To Cor. No.2; Identical with the location which is also Cor. No.3 of the DENVER LODE of this survey. A pine post 3' long, 4" square, set 18" in the ground, scribed 2-IC-2799 on the SW face, surrounded with a mound of stones. No bearings available.
	----- Thence S 3°-05'E Var. 13°-15'E
300	To the east end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
337.26	Intersect the south end line ^{line 3-4} of the AZTEC LODE of this survey whence Cor. No. 4 bears N 89°-40'W, 115.37 feet.
600	To Cor. No.3; Identical with the location which is a mound of stones, 3' base, 1½' high. A pine post 3' long, 4" square, set 18" in the ground

Feet scribed 3-IC-2799 on the NW face, surrounded with a mound of stones, Whence;
 A palo verde tree 4" in diameter bears N. 35° 38' E. 74.7 feet.
 No other bearings available.

 Thence S. 86° 55' W.
 Var. 13° 15' E.

450 Gulch 25 feet wide bears S.
 750 To the south side center monument, identical with the location which is a mound of stones 3' base, 1½' high.
 1500 To Cor. No. 4;
 Identical with the location which is a mound of stones 3' base, 1½' high.

A pine post 3' long, 4" square, set 18" in the ground, scribed 4-IC-2799 on the NE face, surrounded with a mound of stones, Whence;
 A palo verde tree 5" in diameter bears S 19° 30' E. 22.0 feet.
 No other bearings available.

 Thence N 3°-05' W
 Var. 13°-15'E

300 To the west end center monument, identical with the location which is a mound of stones 3' base, 1½' high.
 353.18 Intersect the south side line, line 3-4 of the IRONMASTER LODGE of this survey; whence Cor. No. 3 bears S. 89° 40' E. 74.4 feet.
 420 Gulch 20 feet wide bears SW.
 600 To Cor. No. 1 and the place of beginning.

 A R E A S.

DEWEY LODGE-----9.464 Acres
 Conflict with MURRAY LODGE,
 Sur. No. 2437 ----- -3.915 Acres.
 NIGHTINGALE LODGE 17.702 "
 Conflict with PROSPECTOR Lode,
 Sur. No. 1818 ----- -0.311 "
 Conflict with MOLLY LODGE,
 Sur. No. 2437----- 3.854 "

EL PLOMO LODE, - - - - -	17.702 Acres	
LEAD CARBONATE LODE - - - - -	17.525	"
GEORGIA LODE - - - - -	17.655	"
Conflict with MURRAY LODE Sur. No. 2437 - - - - -		0.534 Acres.
MOUNTAIN DEW LODE - - - - -	11.625	"
BOSTON BOY LODE - - - - -	11.950	"
Conflict with BOSTON BEAUTY Lode, this survey, - - - - -		0.641 "
SAMPSON LODE - - - - -	14.635	"
COPPER CARBONATE LODE - - - - -	19.119	"
AZURITE LODE - - - - -	20.545	"
PRINCESS LODE - - - - -	20.545	"
EQUITY LODE - - - - -	18.287	"
COPPER PRICE LODE - - - - -	19.651	"
Conflict with DANUBE lode, this survey, - - - - -		5.075 "
DANUBE LODE - - - - -	14.900	"
BOSTON BEAUTY LODE - - - - -	18.244	"
Conflict with EQUITY LODE this survey - - - - -		6.166 "
Conflict with COPPER PRICE Lode this survey - - - - -		0.060 "
Conflict with STONE CABIN LODE this survey - - - - -		5.093 "
Conflict with DETROIT LODE, Sur. No. 496 - - - - -		5.978 "
Common conflict with DETROIT LODE, Sur. No. 496, and STONE CABIN LODE, this survey, - - - - -		5.089 "
STONE CABIN LODE - - - - -	20.634	"
Conflict with DOX OLLIGY LODE, Sur. No. 603, - - - - -		2.095 "
Common conflict with DETROIT LODE, Sur. No. 496, and DOX OLLIGY Lode, Sur. No. 603, - - - - -		1.265 "
Conflict with TRUE BLUE LODE, Sur. No. 602 - - - - -		0.000 + "
Conflict with DETROIT LODE, Sur. No. 496 - - - - -		18.642 "
HOUSE LODE - - - - -	20.655	"
Conflict with DOX OLLIGY LODE, Sur. No. 603 - - - - -		5.858 "
Conflict with DOLLY VARDEN LODE, Sur. No. 604 - - - - -		4.325 "

HOUSE EXTENSION LODE - - - - -	20.655	Acres.	
MASK LODE - - - - -	20.641	"	
IDOL LODE - - - - -	20.661	"	
IKON LODE - - - - -	20.661	"	
50 PER 100 LODE - - - - -	20.592	"	
40 PER 100 No. 2 LODE - - - - -	20.592	"	
EAST EXTENSION LODE - - - - -	20.654	"	
COPPER GIRL LODE - - - - -	20.654	"	
GIFFORD LODE - - - - -	20.441	"	
Conflict with YOUNG AMERICA LODE, Sur. No. 492 - - - - -		20.441	Acres.
ANACONDA LODE - - - - -	20.441	"	
Conflict with NAVAJO LODE, Sur. No. 494, - - - - -		20.441	"
WILD HOG LODE - - - - -	20.455	"	
Conflict with YOUNG AMERICA EXTENSION WEST LODE, Sur. No. 493 - - - - -		20.455	"
COPPER BEAUTY LODE - - - - -	20.455	"	
Conflict with AZTEC LODE, Sur. No. 495, - - - - -		20.455	"
MORNING STAR LODE, - - - - -	20.627	"	
COPPER BUTTE LODE - - - - -	20.592	"	
TOTEM LODE - - - - -	20.661	"	
PORTLAND LODE - - - - -	20.654	"	
DREADNAUGHT LODE - - - - -	20.661	"	
VENTURA LODE - - - - -	20.661	"	
MONTEZUMA LODE - - - - -	20.644	"	
TOLTEC LODE - - - - -	20.661	"	
AZTEC LODE - - - - -	20.661	"	
Conflict with IRON CLAD LODE this survey - - - - -		0.808	"
Conflict with DENVER LODE this survey - - - - -		0.294	"
SCHLEY NO. 2 LODE - - - - -	20.661	"	
JIM CROW LODE - - - - -	20.661	"	
OXIDE LODE - - - - -	20.661	"	
COPPER HILL NO. 2 LODE - - - - -	19.594	"	
COPPER HILL NO. 1 LODE - - - - -	20.661	"	
COPPER HILL LODE - - - - -	20.661	"	
IRONMASTER LODE - - - - -	20.600	"	
Conflict with IRON CLAD LODE this survey - - - - -		0.210	"
DENVER LODE - - - - -	10.816	"	
IRON CLAD LODE - - - - -	20.661	"	

Feet.

L O C A T I O N.

The lodes embraced in Survey No. 2799 are located in approximately Lat. $32^{\circ}-27'N.$, Long. $111^{\circ}-29'W.$, in the Silver Bell Mining District, Pima County, T 12S, R 8 E., of the G. & S.R.B. & M., Arizona, unsurveyed.

P R E S U M E D C O U R S E O F V E I N S .

The presumed course of vein on the DEWEY LODE is from its east end center monument to its west end center monument N $65^{\circ}-41'W$, 1195 feet.

The presumed course of vein on the SAMPSON LODE is from its south end center monument to its north end center monument N $30^{\circ}-35'W$, 1433.5 feet.

The presumed course of vein on the GEORGIA LODE is from the south end center monument to its north end center monument N $30^{\circ}-35'W$ 1494 feet.

The presumed course of veins on the MOUNTAIN DEW and BOSTON BOY LODES is from their south end center monuments to their north end center monuments, N $30^{\circ}-11'W$, 1480.4 feet.

The presumed course of veins on the NIGHTINGALE, EL PLOMO, and LEAD CARBONATE LODES is from their east end center monuments to their west end center monuments, N $89^{\circ}-40'W$ 1498 feet.

The presumed course of the vein on the BOSTON BEAUTY LODE is from its east end center monument to its west end center monument, N $45^{\circ}-43'W$, 1487 feet.

The presumed course of veins on the EQUITY and COPPER PRINCE LODES is from their east end center monuments to their west end center monuments, N $65^{\circ}-41'W$, 1475.5 feet.

The presumed course of the vein on the DANUBE LODE is from its east to its west end center monument, N $89^{\circ}-40'W$, 1427 ft

The presumed course of veins on the COPPER CARBONATE, AZURITE, and PRINCESS LODES is from their respective east end center monuments to their respective west end center monuments, N $89^{\circ}-40'W$, 1492.0 feet.

The presumed course of the vein on the STONE CABIN LODE is from its east to its west end center monuments N $89^{\circ}-40'W$

1498.5 feet.

The presumed course of veins on the HOUSE, HOUSE EXTENSION IDOL, IKON, and TOTEM LODES, is from their respective east end center monuments to their respective west end center monuments, N 89°-40'W, 1500 feet.

The presumed course of the vein on the MASK LODE is from its east end center monument to its west end center monument N 89°-40'W 1499 feet.

The presumed course of veins on the 50 PER 100, and 40 PER 100 NO.2 LODES is from their east end center monuments to their west end center monuments, N 89°-40'W, 1495 ft

The presumed course of veins on the EAST EXTENSION, COPPER GIRL, and PORTLAND LODES is from their east end center monuments- to their west end center monuments N 89°-40'W, 1499.5 feet.

The presumed course of veins on the GIFFORD and ANACONDA LODES is from their east end center monuments to their west end center monuments, N 89°-40'W, 1484 feet.

The presumed course of veins on the WILD HOG and COPPER BEAUTY LODES is from their east end center monuments to their west end center monuments, N 89°-40'W, 1485 feet.

The presumed course of the veins on the COPPER BUTTE, MORNING STAR, COPPER HILL, COPPER HILL NO.1, COPPER HILL NO.2, OXIDE, JIM CROW, SCHLEY NO.2, AZTEC, TOLTEC, MONTEZUMA VENTURA, DREADNAUGHT LODES is from their respective south end center monuments to their respective north end center monuments, N 0°-20'E, 1500 feet.

The presumed course of veins on the DENVER and IRON CLAD LODES is from their respective east end center monuments to their respective west end center monuments, S 86°-55'W, 1500 feet.

The presumed course of vein on the IRONMASTER LODE is from its east end center monument to its west end center monument, N 89°-40'W, 1498 feet.

ADJOINING CLAIMS.

The NIGHTINGALE LODE is bounded upon the north by the MOLLY LODE Sur. No. 2437, and the PROSPECTOR LODE Sur. No. 1818, both the property of the Imperial Copper Company.

The GEORGIA and DEWEY LODES are adjacent on the north to the MURRAY LODE Sur. No. 2437, the property of the Imperial Copper Company.

The TRUE BLUE LODE Sur. No. 602, property of the Oxide Copper Company, adjoins the BOSTON BEAUTY LODE on the north, and the SAMPSON LODE on the southeast.

The DOX OLLIGY LODE adjoins the STONE CABIN and HOUSE LODES on the north, is the property of the Oxide Copper Company, and its survey number is 603. *

There are no other clearly defined adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors is not less than five hundred dollars on or for the development of each location, and that said labor and improvements consist of: (~~No. 1 in each case is discovery work~~)

NIGHTINGALE LODE

From the EEC Monument;

- No. 1. ^{dis} Shaft. 4'x 6'x 10' deep bears N 89°-40'W, 400 feet. Val. \$ 50.00
- No. 2. Shaft, 4'x 6'x 50' deep, incline 30°S, brs S77°-10'W, 372 feet. Value ----- 500.00
(Common improvement)
- No. 3. Shaft, 4'x6'x45' deep, incline 30°SE, brs S67°W, 388ft. Val. 450.00
(Common improvement) common improvements is credited to this lode value 1691.20
Note: A 1/4 interest in the

EL PLOMO LODE

From the EEC Monument;

- No. 1. ^{dis} Cut. 4'x6'x10'. bears N 89°-40'W 400 feet. ----- Val. 35.00
- From Cor. No. 1;
- No. 2. Shaft. 4'x6'x30' deep, bears N 88°-12'W, 340 feet. - - Val. 300.00
- No. 3. Tunnel, 5'x7'x20' NE, mouth bears N 81°-44'W, 640 FT. - Val. 200.00
Note: A 1/4 interest in the common improvements is credited to this lode value 1691.20

LEAD CARBONATE LODE

From the EEC Monument.

- No. 1. ^{dis} Cut. 4'x6'x10'. Bears N 89°-40'W, 300 feet. - - - - - Val. 35.00
- From Cor. No. 1, N. 64°W, 755 feet to
- No. 2. Tunnel, 5'x7' bears N63°E, 100 feet, - - - - - Val. 1000.00
(Common improvement)
Note: A 1/4 interest in the common improvement is credited to this lode value 1691.20

* The following surveyed and abandoned locations, Young America lode, Sur. No. 492, Young America Extension West lode, Sur. No. 493, Navajo lode, Sur. No. 494, and the Aztec lode, Sur. No. 495, are identical respectively with the following claims of this survey, Gifford, Wild Hog, Anaconda and Copper Beauty.

The Dolly Varden lode, Sur. No. 604, covers the S. W. portion of the House lode of this survey, its S.W. corner is identical with the S.W. corner of the said House lode, and its south and west lines have the same bearing as the south and west lines of the said House lode.

The Detroit lode, Sur. No. 496, embraces within its boundaries a part of each the Boston Beauty and the Stone Cabin lodes of this survey.

DEWEY LODE.

No.1.	From the east end center monument, N 65°-41'W, 100 ft., to Shaft 4'x6'x10' deep	Val. \$	50.00
No.2.	S 88°-10'W, 205 feet to Cut, 20'x 20'x 20'	Val.	200.00
No.3.	S 88°-00'W 200 feet to Shaft, 4'x 6'x 10' deep.	Val.	50.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	SAMPSON LODE.		
No.1.	From the south end center monument N 30°-35'W, 100' to Cut, 4' x 6'x 10'	Val.	35.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	BOSTON BOY LODE.		
No.1.	From the south end center monument, N 30°-35'W, 100 feet to Cut, 4'x 6'x 10'	Val.	35.00
No.2.	From Cor. No. 2, N 10°W, 405 feet to Tunnel, 5'x 7', bears N 50°W, 50 feet.	Val.	350.00
	<i>(Common improvement) Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	MOUNTAIN DEW LODE.		
No.1.	From the south end center monument, N 30°-35'W, 100 feet to Cut, 4'x 6'x 10'	Val.	35.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	GEORGIA LODE.		
No.1.	From the south end center monument, N 30°-35'W, 600' to Shaft, 4'x 6'x 10' deep.	Val.	50.00
No.2.	From Cor. No. 2, N 20°-21'W, 503 feet to Shaft, 5'x 7'x 150' deep, incline 45°E.	Val.	3000.00
	<i>(Common improvement) Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	COPPER CARBONATE LODE.		
No.1.	From the east end center monument, N 89°-40'W, 700 feet to Cut, 4'x 6'x 10'	Val.	35.00
No.2.	From Cor. No. 1, N 66°W, 610 feet to Tunnel, 5'x 7', bears N 60°E, 70 feet.	Val.	500.00
	<i>(Common improvement) Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	AZURITE LODE.		
No.1.	From the east end center monument, N 89°-40'W, 200 ft. to Cut, 4'x 6'x 10'	Val.	35.00
No.2.	From Cor. No. 1, N 46°W, 570 feet to Tunnel, 5'x 7', bears N 30°W, 72 feet	Val.	600.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	PRINCESS LODE.		
No.1.	From the east end center mon., N 89°-40'W, 500 feet to Cut, 4'x 6'x 10'	Val.	35.00
No.2.	From Cor. No. 2, N 80°-20'W, 277 feet to Tunnel, 5'x 7', bears N 27°W, 40 feet	Val.	300.00
No.3.	N 80°-30'W, 273 feet to Shaft, 4'x6'x 25 feet deep.	Val.	250.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	EQUITY LODE.		
No.1.	From the east end center mon., N 65°-41'W, 500 feet to Shaft, 4'x 6'x 10' deep	Val.	50.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	COPPER PRINCE LODE.		
No. 1.	From the east end center mon., N 65°-41'W, 100 feet to Cut, 4'x 6'x 10'	Val.	35.00
	<i>Note; A 1/47 interest in the common improvements is credited to this lode, value 1691.20</i>		
	DANUBE LODE.		
No.1.	From the east end center mon., N 89°-40'W, 200 feet to Cut, 4'x 6'x 10'	Val.	35.00

680.00

From Cor. No. 1, N 71°W, 428 feet to Sta.1 at entrance to
 No.2. Tunnel, 5'x 7', as follows:
 Sta.1. --N 7°-09'E--140' to 5'x7'x16'CC-east.
 5'x7'x20'CC-west.
 5'x7'x24'Winze at end CC-east
 151.5'to Sta.2.
 Sta.2. --N 73°-37'W-- 75.6'to Sta.2A.
 Sta.2A.--N 2°-55'W-- 20.0'to Shaft to surface, 4'x6'x90'
 " " --N 54°-00'W--119.0'to Sta.2B.
 Sta.2B.--N 12°-05'W-- 14.1'to Sta.2C.
 Sta.2c.--N 25°-05'E-- 21.0'to breast.
 Sta.2. --N 7°-42'E--105.5'to Sta.3.
 Sta.3. --N 32°-16'E-- 81.6'to Sta.4.
 Sta.4. --N 25°-35'E-- 33.6'to Sta.5.
 Sta.5. --N 38°-23'E-- 15.0'to CC bears N30°W, 17 ft.
 " " -- " " --100.0'to Sta.6.
 Sta.6. --N 23°-05'E-- 59,0'to breast.

Total linear feet of development work 947.9

Value - - - - - \$15 000.00

(Common improvement)
Note; A 1/47 interest in the common improvements is credited to
 BOSTON BEAUTY LODE. *this lode, value 1691.20*

From the east end center monument, N 45°-43'W, 625 feet to
 No.1. Shaft, 4'x 6'x 10' deep. - - - - - Val. 50.00
Note; A 1/47 interest in the common improvements is credited to
 STONE CABIN LODE. *this lode, value 1691.20*

From the west end center monument, S 89°-40'E, 600 feet to
 No.1. Cut, 4'x 6'x 10'. - - - - - Val. 35.00

From a point located S 89°-40'E, 749 feet from Cor. No.1,
 thence N 19°-40'W, 330 feet to
 No.2. Tunnel, 5'x 7', bears S 14°W, 230 feet. - - - - - Val. 3 000.00

(Common improvement)
 From the same point, N 43°W, 81 feet to
 No.3. Shaft, 5'x 9'x 500'deep, vertical, partly timbered, three
 compartments, - - - - - Val. 15 000.00

(Common improvement)
 From the same point, N 45°-13'W, 390 feet, to
 No.4. Shaft, 4'x 6'x 50' deep, - - - - - Val. 750.00
Note; A 1/47 interest in the common improvements is credited
 MORNING STAR LODE. *to this lode, value 1691.20*

From the north end center mon., S 0°-20'W, 140 feet to
 No.1. 4'x 6'x 10' cut, - - - - - Val. 35.00

From Cor. No.1, S 11°-30'W, 525 feet to
 No.2. Shaft 4'x 6'x 75' deep - - - - - Val. 1 000.00
(Common improvement)
Note; A 1/47 interest in the common improvements is credited
 COPPER BUTTE LODE. *to this lode, value 1691.20*

From the N end center monument, S 0°-20'W, 100 feet to
 No.1. Shaft, 4'x 6'x 10' deep - - - - - Val. 50.00
Note; A 1/47 interest in the common improvements is credited
 WILD HOG LODE. *to this lode, value 1691.20*

From the east end center mon., N 89°-40'W, 200 ft., to
 No.1. Shaft, 4'x 6'x 10' deep - - - - - Val. 50.00

From the east end center mon., N 89°-40'W 20 feet to
 No.2. Shaft, 4'x 6'x 10' deep - - - - - Val. 50.00
Note; A 1/47 interest in the common improvements is credited
 HOUSE LODE. *to this lode, value 1691.20*

From the W. end center monument, S 89°-40'E, 200 feet to
 No.1. Cut. 4'x 6'x 10' - - - - - Val. 35.00

From the same point, S 5°-00'E, 100 feet to
 No.2. Shaft, 4'x 6'x 10' deep - - - - - Val. 50.00

Note; A 1/47 interest in the common improvements
is credited to this lode, value 1691.20

GIFFORD LODE.

No.1.	From the east end center mon., N 89°-40'W, 750 feet to Cut 4'x 6'x 10' - - - - -	Val. \$ 35.00
No.2.	From Cor. No.2, S 86°-40'W, 520 feet to Shaft 5'x 7'x 100 feet deep - - - - -	Val. 1 500.00
No.3.	From the east end center mon., West 677 feet to Shaft 4'x 6'x 20 feet deep - - - - -	Val. 200.00
No.4.	From the same point, N 89°-10'W, 778 feet to Shaft 5'x 7'x 65 feet deep - - - - -	Val. 1 000.00
No.5.	From Cor. No.1., S 72°-18'E, 1105 feet to Tunnel, 5'x 7' mouth. Whence as Sta. No.1 as follows Sta. 1, - N 23°-28'W----154 ft. to Sta.2. Sta. 2, - S 75°-00'E---- 5 ft to 4'x6'x40'winze. " " - " " ---- 53 ft. to breast. " " - S 79°-05'W---- 23 ft. to Sta.3. Sta. 3, - N 77°-35'W---- 60 ft. to breast. Total 5'x7'tunnel and drifts---290 ft. " 4'x6'winze ----- 40 ft.	

(Common improvement)
 Note; A ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20
 COPPER GIRL LODE to this lode, value, 4 000.00

No.1.	From the west end center mon., S 89°-40'E, 338 feet to Cut 4'x6'x6' - - - - -	Val. 20.00
No.2.	From Cor. No.4, N 51°-21'E, 540 feet to Shaft and drift; shaft 5'x7'x100 feet deep, at the bottom of which 5'x7' drift bears N 30°-02'W, 180 feet, -thence. N 4°-30'W, 20 feet. Total value of shaft and drift - - - - -	4 000.00

(Common improvement)
 Note; A ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20
 EAST EXTENSION LODE.

No.1.	From the east end center monument, N89°-40'W 300 feet to 4'x6'x10 feet deep shaft - - - - -	Val. 50.00
No.2.	From Cor. No. 1, S 78°-20'E, 202.8 feet to Tunnel 5'x7' section. Thence as Sta.1. as follows: Sta.1. --S 51°-18'E----46.75 feet to Sta.2. Sta.2. --S 22°-30'W ----62.10' " to "incline winze 5'x7'x150'deep brs S.S.E. " --- " ---118.25' to breast. " ---S 51°-34'E --- 206.00' To Sta.3. Sta.3. ---N 39°-46'E --- 56.25' To breast. " ---S 41°-33'W ---111.00' To breast. " ---S 51°-18'E --- 16.25' To Sta.4. Sta.4. ---S 8°-15'W --- 8.35' To 4'x6'x150'vert. winze. " ---S 51°-18'E---- 82.65' To breast. Total linear feet 5'x7'tunnel 637.15 " " " 5'x7'winze 150 " " " 4'x6' " 150	

(Common improvement)
 Note; A ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20
 40 PER 100 NO.2. LODE.

No.1.	From the west end center mon., S 89°-40'E, 110 feet to Shaft, 4'x6'x75' deep - - - - -	Val. 800.00
-------	---	-------------

Note: A ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20
 PORTLAND LODE.

No.1.	From the west end center mon., S 89°-40'E, 10 feet to Shaft 4'x6'x10' deep - - - - -	Val. 50.00
No.2.	From Cor. No.1., S 76°-40'E, 635 feet to Shaft 4'x6'x80'deep - - - - -	Val. 800.00

Note: a ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20
 HOUSE EXTENSION LODE.

No.1.	From the west end center mon., S 89°-40'E, 50 feet to Cut 4'x6'x6' - - - - -	Val. 25.00
No.2.	From Cor. No. 4, N 79°-30'W, 335 feet to Tunnel, 5'x7'x75 feet long bears N 68°E - - - - -	Val. 700.00

Note: a ¹/₄₇ interest in the common improvements is credited to this lode, value, 1691.20

50 PER 100 LODE.

No.1. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the west end center mon., S 89°-40'E 600 feet to

No.2. Shaft, 5'x7'x 60 feet deep (Common Improvement) Val. 650.00
From the north side center monument, S 45°W, 190 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

ANACONDA LODE.

No.1. Cut, 4'x6'x8' - - - - - Val. 25.00
From the east end center monument N 89°-40'W, 750 feet to

No.2. Tunnel, 5'x7' section, runs as follows:
Sta.1.--N 23°-20'W---28 ft to Sta.2.

Sta.2.--N 65°-00'E---30 ft to breast.
Sta.2.--N 23°-00'W---32 ft to breast.

Total 5'x7'x90' (Common Improvement) Val. 900.00

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

COPPER BEAUTY LODE.

No.1. Cut, 4'x6'x6' - - - - - Val. 20.00
From the east end center mon., N 89°-40'W, 570 feet to

No.2. Shaft, 4'x6'x30' deep (Common Improvement) - - - - - Val. 300.00
From Cor. No.3, N 70°-10'E, 1080 feet to

No.3. Tunnel 5'x7'x50' bears N 12°-30'E - - - - - Val. 300.00
From the same point, N 70°-10'E, 1080 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

COPPER HILL LODE.

No.1. Cut, 4'x6'x6' - - - - - Val. 20.00
From the south end center mon., N 0°-20'E, 150 feet to

No.2. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the same point, N 0°-20'E 250 feet to

No.3. Shaft, 4'x6'x25' deep - - - - - Val. 200.00
From Cor. No.2, N 3°W, 154 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

COPPER HILL NO.1 LODE.

No.1. Cut, 4'x6'x6' - - - - - Val. 20.00
From the south end center mon., N 0°-20'E, 300 feet to

No.2. Tunnel 5'x7'x33' bears N 8°E - - - - - Val. 300.00
From the same point, N 8°E, 300 feet to

No.3. Shaft, 4'x6'x20' deep - - - - - Val. 175.00
From the same point, N 17°-30'E, 385 feet to

No.4. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the same point, N 10°-20'E, 195 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

COPPER HILL NO.2 LODE.

No.1. Shaft 4'x6'x10' deep - - - - - Val. 50.00
From the south end center mon., N 0°-20'E, 150 feet to

No.2. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the same point, N 57°-10'E, 70 feet to

No.3. Shaft, 4'x6'x10' deep. - - - - - Val. 50.00
From the same point, N 8°-05'E, 115 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

OXIDE LODE.

No.1. Shaft 4'x 6'x 10' deep - - - - - Val. 50.00
From the south end center mon., N 0°-20'E, 125 feet to

No.2. Shaft 4'x6'x6' deep - - - - - Val. 35.00
From the same point N 8°-30'E, 93 feet to

No.3. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the same point, N 2°-30'E, 90 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

JIM CROW LODE.

No.1. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the North end center mon., S 0°-20'W 100 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

SCHLEY NO.2 LODE.

No.1. Shaft, 4'x6'x10' deep - - - - - Val. 50.00
From the north end center monument, S 0°-20'W, 15 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

DENVER LODE.

No.1. Shaft 4'x6'x10' deep - - - - - Val. 50.00
From the west end center monument N 86°-55'E 40 feet to

Note: A 1/4 interest in the common improvements is credited to this lode, Val. \$ 1691.20

IRON CLAD LODE.		
No. 1.	From the west end center mon., N 86°-55'E, 175 feet to Shaft 4'x6'x10' deep - - - - -	Val. \$ 50.00
No. 2.	From Cor. No. 1., S 49°-15'E, 240 feet to Shaft, incline south, 4'x6'x45' deep (Common improvement)	Val. 500.00
No. 3.	From Cor. No. 4, N 50°-00'E, 290 feet to Tunnel, 5'x7'x55' bears N 20°W. - - - - -	Val. 500.00
Note: A 1/47 interest in the common improvements is credited to this lode		Val 1691.20
IRONMASTER LODE.		
No. 1.	From the east end center mon., N 89°-40'W, 750 feet to Shaft, 4'x6'x10' deep - - - - -	Val. 50.00
Note: A 1/47 interest in the common improvements is credited to this lode		Val 1691.20
AZTEC LODE.		
No. 1.	From the south end center mon., N 0°-20'E, 600 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: A 1/47 interest in the common improvements is credited to this lode		Val 1691.20
TOLTEC LODE.		
No. 1.	From the south end center mon., N 0°-20'E, 700 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: A 1/47 interest in the common improvements is credited to this lode		Val 1691.20
MONTEZUMA LODE.		
No. 1.	From the south end center mon., N 0°-20'E, 800 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
VENTURA LODE.		
No. 1.	From the north end center monument, S 0°-20'W, 600 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
DREADNAUGHT LODE.		
No. 1.	From the north end center mon., S 0°-20'W, 500 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
MASK LODE.		
No. 1.	From the west end center mon., S 89°-40'E, 50 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
IDOL LODE.		
No. 1.	From the west end center mon., S 89°-40'E 50 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
IKON LODE.		
No. 1.	From the west end center monument, S 89°-40'E, 50 feet to Shaft, 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
TOTEM LODE.		
No. 1.	From the west end center mon., S 89°-40'E, 50 feet to Shaft 4'x 6'x 10' deep - - - - -	Val. 50.00
Note: a 1/47 interest in the common improvements is credited to this lode		Val 1691.20
CHURN DRILL DEVELOPMENTS.		

The group of mining claims embraced in Sur. No. 2799 and known as the OXIDE COPPER CO., property, is being thoroughly prospected by means of two KEYSTONE churn drills. In this manner, values in copper and other metals as well as the strike and pitch of the ore bodies are determined from the analyses of sludge samples taken at intervals from the surface to the bottoms of the holes which are designed to pierce the zone of secondary enrichment as well as the oxidised overburden. From the facts thus ascertained the plans of attack by means of shafts, tunnels, drifts, cross-cuts, and open cuts are determined with the greatest possible efficiency of the present known methods. On this account I have very properly charged a reasonable value for this drill work and have apportioned an equal amount for each location embraced in this survey. This being a typical mutual benefit improvement I have located the drill holes from convenient points on the lines

and at the corners of the claims with a proper regard to the particular location upon which they are situated.

STONE CABIN LODE

From the east end center monument

DH.No.1- N 89°-40'W, 138 feet-----6" diam. 195 feet-deep

HOUSE LODE.

From the west end center monument

DH.No.2.- S 24°-15'E, 201 feet-----6" diam. 145 feet deep.

GIFFORD LODE

From the north side center mon.

DH.No.3.- S 52°-56'E, 139 feet-----6" diam. 170 feet deep.

DH.No.4.- S 47°-04'E, 293 feet-----" " 155 " "

DH.No.5.- S 49°-13'E. 429 feet-----" " 175 " "

SCHLEY NO.2 LODE.

From Corner No.1.

DH.No.6.- S 74°-30'E; 324 feet-----" " 150 " "

DH.No.8.- S 26°-28'E, 685 feet-----" " 235 " "

ANACONDA LODE

From Corner No.3

DH.No.7.- N 67°-30'W; 340 feet-----" " 275 " "

COPPER GIRL LODE

From a point on the south side-line

S 89°-40'E, 600 feet from cor.No.4 thence

DH.No.9- N 72°-15'E; 168 feet----- 6" diam. 230 " "

DH.No.10- N 76°-10'E, 500 " ----- " " 295 " "

DH.No.14- N 57°-00'W; 310 " ----- " " 335 " "

DH.No.15- N 42°-00'W, 564 " ----- " " 220 " "

DH.No.16- N 0° -20'W; 552 " ----- " " 235 " "

DH.No.18- N 45°-00'E 750 " ----- " " 260 " "

DH.No.19- N 2°-00'E; 270 " ----- " " 245 " "

From Corner No.2

DH.No.23- S 82°-21'W; 214 " ----- " " 265 " "

DH.No.24- S 20°-30'W, 365 " ----- " " 270 " "

EAST EXTENSION LODE

From corner No.3. thence

DH.No.25- N 59°-30'W, 260 feet----- 6" " 260 " "

DH.No.17- N 85°-52'W, 620 " ----- " " 220 " "

50 PER 100 LODE

From corner No.4. thence

DH.No.22- N 3°-20'E, 22 feet----- " " 250 " "

40 PER 100 N^o 2 LODE.

From corner No.4, thence

DH.No.20- N 65°-40'E, 140 feet----- " " 245 " "

DH.No.21- N 81°-50'E, 280 " ----- " " 188 " "

PORTLAND LODE

From corner No.1. thence

DH.No.11- S 84°-10'E, 577 feet ----- " " 305 " "

DH.No.12- S 53°-40'E; 320 " ----- " " 230 " "

DH.No.13- S 34°-05'E, 130 " ----- " " 240 " "

Total linear feet 5793 Feet.

Value - - - - - \$11 586.00

Total value of development work on the various lodes embraced in Survey No. 2799 - - - - - \$ 86 866.00

MUTUAL BENEFIT WORK

The principal zone of enrichment or ore deposition on this property follows the trend of the formation which is generally along the principal line of contact between the exposed granite at the southwesterly margin and the exceedingly thick limestone and shale sediments overlying. This contact extends throughout the property in its greatest dimension and is intersected in many places by intrusive dykes of dolerite and the other plastic porphyries. The whole country has been greatly shattered and the subsequent thermal action penetrated the fractured rock masses readily and deposited therein the copper, lead, and iron bearing minerals which were later enriched greatly by the disintegration and erosion of a vast

quantity of the overlying stratae. It is quite evident from examination and a general reconnoissance that all the claims embraced in this survey have been enriched and contain valuable deposits of copper and some lead minerals.

All of the larger openings upon this property are situated along the general line of contact or principal zone of enrichment and not only furnish evidence of the existence of ore bodies but also demonstrate ore bodies themselves and the depth of secondary enrichment. These truths together with a knowledge of the fact that these openings may be actually utilized in a scheme for the practical and comprehensive development of the entire group that will include every lode embraced in Survey No. 2799, are responsible for my assertion that all such developments including the churn drill work should be considered of mutual benefit and the value thereof divided equally among the forty seven locations. A list of the so called "mutual benefits" follows:

Shaft No. 2	NIGHTINGALE LODE	Value \$	500.00
Shaft No. 3	"	"	450.00
Tunnel No. 2	LEAD CARBONATE LODE	"	1 000.00
Tunnel No. 2	BOSTON BOY LODE	"	350.00
Shaft No. 2	GEORGIA LODE	"	3 000.00
Tunnel No. 2	COPPER CARBONATE LODE	"	500.00
Tunnel No. 2	DANUBE LODE	"	15 000.00
Tunnel No. 2	STONE CABIN LODE	"	3 000.00
Shaft No. 3	"	"	15 000.00
Shaft No. 4	"	"	750.00
Shaft No. 2	MORNING-STAR LODE	"	1 000.00
Shaft No. 2	GIFFORD LODE	"	1 500.00
Shaft No. 4	"	"	1 000.00
Tunnel No. 5	"	"	4 000.00
Shaft No. 2	COPPER GIRL LODE	"	4 000.90
Tunnel No. 2	EAST EXTENSION LODE	"	13 700.00
Shaft No. 2	PORTLAND LODE	"	800.00
Shaft No. 2	50 PER 100 Lode	"	650.00
Tunnel No. 2	ANACONDA LODE	"	900.00
Shaft No. 2	COPPER BEAUTY LODE	"	300.00
Shaft No. 2	IRONCLAD LODE	"	500.00
Churn Drill Work		"	11 586.00
Total		\$	79 486.00
Credited to each location		\$	1 691.20

The disagreement between the field notes of this survey and that of previous surveys is due to errors in the latter. Any discrepancy between these field notes and the location notice of any of the claims is due to errors in the latter.

I N S T R U M E N T.

This survey was executed with a Young and Sons Light Mountain Transit No. 7520, provided with a horizontal limb reading to single minutes of arc. Bearings were deflected from a true north as determined by solar observations with a Smith Solar Attachment which was checked by an observation upon Polaris. Measurements were taken with a 300 foot steel tape graduated to feet and supplemented by a 50 foot tape graduated to feet, tenths, and hundredths.

William D. Alexander

U.S. Mineral Surveyor.

Tucson, Arizona August 31, 1910.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William B. Alexander

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and OXIDE COPPER CO. known as the

boundaries described in the foregoing field notes of the survey of the mining claim of /
NIGHTINGALE, GEORGIA, DEWEY, PRINCESS, EQUITY, STONE CABIN, ANACONDA, MORNING STAR,
50 PER 100, COPPER HILL NO.1, JIM CROW, DENVER, MASK, TOTEM, MONTEZUMA, IRONMASTER,
EL PLOMO, COPPER CARBONATE, SAMPSON, DANUBE, BOSTON BEAUTY, AZTEC, HOUSE, 40PER100 No2
COPPER HILL NO.2, SCHLEY NO. 2, IRON CLAD, IDOL, TOLTEC, DREADNAUGHT, LEAD CARBONATE,
MOUNTAIN DEW, AZURITE, COPPER PRINCE, BOSTON BOY, GIFFORD, COPPER BUTTE, HOUSE EXT'N,
COPPER HILL, OXIDE, COPPER GIRL, EAST EXTENSION, PORTLAND, IKON, VENTURA. WILD HOG,
and showing the respective capacities in which they acted. COPPER BEAUTY.

- Frank C. Kelton , Chainman.
- J. R. Graham , Chainman.
- Arthur Pogue , Axman.
- W.B. Alexander , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Frank C. Kelton, J.R.Graham, Arthur Pogue,
and W. B. Alexander do solemnly swear that we assisted William B. Alexander

....., United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of the OXIDE COPPER COMPANY,

known as the NIGHTINGALE, GEORGIA, DEWEY, and etc. as above mentioned

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona.

- Frank C. Kelton , Chainman.
- J. R. Graham , Chainman.
- Arthur Pogue , Axman.
- W.B. Alexander , Flagman.

Subscribed and sworn to by the above-named persons before me this 31st

day of August , 1900

*My commission
expires June 28, 1913.*

May Schackelmann
Notary Public.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William B. Alexander, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 24, 1910

, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of OXIDE COPPER COMPANY, known as the NIGHTINGALE, GEORGIA, DEWEY, PRINCESS, EQUITY, STONE CABIN, ANACONDA, MORNING STAR, 50 PER 100, COPPER HILL NO. 1, JIM CROW, DENVER, MASK, TOTEM, MONTEZUMA, IRONMASTER, EL PLOMO, COPPER CARBONATE, SAMPSON, DANUBE, BOSTON BEAUTY, WILD HOG, COPPER BEAUTY, AZTEC, HOUSE, 40 per 100 NO. 2, COPPER HILL NO. 2, SCHLEY NO. 2, IRON CLAD, IDOL, TOLTEC, DREAD NAUGHT, LEAD CARBONATE, MOUNTAIN LEW, AZURITE, COPPER PRINCE, BOSTON BOY, GIFFORD, COPPER BUTTE, HOUSE EXTENSION, COPPER HILL, OXIDE, COPPER GIRL, EAST EXTENSION, PORTLAND, IKON, VENTURA, situate in Pima County on unsurveyed land in, Township No. 12 S, Range No. 8 E, approximately

and designated as Survey No. 2799, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William B. Alexander
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said William B. Alexander
U. S. Deputy Mineral Surveyor, before me O. J. Richey, U. S. District Court, First Judicial District, Tucson, Arizona, this September 14, 1910
O. J. Richey
U. S. District Court

NIGHTINGALE MINING CLAIM, AMENDED.

MAR 23 1910

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS :

That I, George H. Sisson of Tucson, County of Pima, and Territory of Arizona, the owner of the Nightingale Mining Claim, situated in Silver Bell Mining District in the County of Pima in said Territory, the original location certificate whereof was dated September 10th, 1898, and recorded in the office of the County Recorder of said Pima County in Book F.F., of Records of Mines, at page 797, and being the assign of the original locator thereof, having learned that said original ^{location} certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this, my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the NIGHTINGALE mining Claim, situate on lands belonging to the United States of America, and in which there are valuable Mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of september, 1899.

The length of this claim is 1500 feet and I claim 400 feet in a Easterly direction and 1100 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is located and situated in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1500 feet in a Northerly direction from old the Stone Cabin. The South side line of the claim being about 400 yards North of the Old Ctone Cabbin, and the discovery shaft being also about 4200 feet Northwesterly from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Easterly direction 400 feet from the discovery shaft (at which this notice is posted) being in the center of the Easterly end line of said claim; Thence Northwesterly 300 feet to a monument of stones and stake, being the N.E. corner of said claim; thence westerly 750 feet to a monument of stones and stake at the center of the North side line of said claim; Thence Westerly 750 feet to a monument of stones and stake, being at the N.W. corner of said claim; Thence S. Easterly 300 feet to a monument of stones and stake at the center of the Westerly end line of said claim; Thence S. Easterly 300 feet to a monument of stones and stake being at the S.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake being at the center of the South side line of said claim; Thence Easterly 750 feet to a monument of stones and stake, at the S.E. corner of said claim; Thence N. Westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of September, 1899.

George H. Sisson.

Witness

Thos E. Teegarden. U.S. Int. Rev. Stamp. $\frac{10}{100}$

Filed and recorded at request of George H. Sisson, Oct. 4th, A. D., 1899, at 11:42 A.M.

Charles A. Shibell
County Recorder.

Book 99 Records of Mines, page 494.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henry County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the amended location notice of the Nightingale mining claim, situated in the Silverbell Mining Dist., in Pima Co. Territory of Arizona, located Sept. 25, 1899 as appears of record now in my office in Book J. G. Records of Mines Pages 494

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 21 day of March A. D. 1910

Ben Henry
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson of Tucson County of Pima and Territory of Arizona the owner of the Georgia Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated Jany 1st, 1892, and recorded in the office of the County Recorder of said Pima County, in Book C.C., of Records of Mines, at page 488, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provision of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United states, make and file this, my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific *the* boundaries, location and description of said lode, as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Georgia Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of Sept. 1899.

The length of this claim is 1500 feet and I claim 600 feet in a S. Easterly direction and 900 feet in a North westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the South Easterly to the North westerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 2850 feet in a North westerly direction from the U. S. Mineral monument No. 2, and about 1350 feet N. Easterly from Cabin in Ravine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a S. Easterly direction 600 feet from the discovery shaft (at which this notice is posted) being in the center of the Southerly end line of said claim; Thence Easterly 300 feet to a monument of stones and stake being the S.E. corner of said claim; Thence N. $30^{\circ} 15'$ West 750 feet to a monument of stones and stake at center of the N. Easterly side line of said claim; Thence same course 750 feet to a monument of stones and stake being at the N.E. corner of said claim; Thence Westerly 300 feet to a monument of stones and stake at the center of the Northerly end of said claim; Thence same course 300 feet to a monument of stones and stake being at the N.W. corner of said claim; Thence S. $30^{\circ} 15'$ East 750 feet to a monument of stones and stake being at the center of the S. Westerly side line of said claim; Thence same course 750 feet to a monument of stone and stake at the S.W. corner of said claim; Thence Easterly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp. $\frac{10}{100}$)

Filed and recorded at request of Geo. H. Sisson Oct. 4th, 1899 at 11:42 A.M.

Chas. A. Shibell,

County Recorder.

Book 99 Records of Mines, page 521
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Georgia Mining
Claim, situated in the Silverbell mining Dist., in
Pima Co., Territory of Arizona, located on Sept. 25, 1899
as appears of record now in my office in Book G. G. Records of Mines Pages 521

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 2nd day
of March A. D. 1910

..... Ben Kenney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy.

DEWEY MINING CLAIM (AMENDED)
 AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson at Tucson, County of Pima, and Territory of Arizona, the locator, and owner of the Dewey Mining Claim, situated in Silver Bell Mining Dist. in the County of Pima, in the said Territory, the original location certificate whereof was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County, in Book G.G., of Records of Mines, at page 329, having learned that said original location certificate was defective, so hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory approved March 2nd, 1899, and in accordance with the Laws of the United States, make and file this, my amended location certificate, dated this 25th day of Sept. 1899, without waiver of any previous rights, for the purpose of correcting and making more specific boundaries, location and description of said lode, as originally located on the ground, to-wit:

NOTICE OF LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Dewey Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase, by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1400 feet in a North Westerly direction, and 100 feet in a South Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North westerly to the South Easterly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County, in the Territory of Arizona, the discovery shaft being about 3000 feet in a Northwesterly direction from U. S. Mineral monument No. 2, and about 1200 feet in a N. Westerly direction from the N. E. corner of True Blue Mine, Patented.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones, and stake at a point in a S. Easterly direction 100 feet from the discovery shaft (at which this notice is posted) being in the center of the S. Easterly end line of said claim; thence N. Westerly 300 feet to a monument of stones and stake, being the N.E. corber of said claim; thence still North Westerly, but swinging more to the West 750 feet to a mound of stones and stake, at the center of the Northerly side line of said claim; thence in same direction 750 feet to a monument of stones and stake being the N. W. corner of said claim; Thence S. Easterly 300 feet to a mound of stones and stake at the center of the NorWesterly end of said claim; thence S. Easterly 300 feet to a monument of stones and stake being the S. Westerly corner of said claim; Thence still S. Easterly but swinging more to the East, making *the course* 55° 45' East 750 feet to a mound of stones and stake, being at the center of the South westerly side line of said claim; Thence in the same direction 750 feet to a monument of stones and stake at the S. E. corner of said claim; thence North westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of sept. 1899.

Witness

Thos. E. Teegarden (Stamp)

George H. Sisson

Filed and recorded at request of George H. Sisson, Oct. 4th A.D. 1899, at 11:42 A.M.

Chas. A. Shibeal.

County Recorder.

Book G.G. Records of Mines, page 502.
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location notice of the Dewey Mining
Claims, situated in the Silverbell Mining Dist^h in
Pima Co. Arizona Territory, located on Sept 25, 1899

as appears of record now in my office in Book G. G. Record of Mines pages 512

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Loney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy.

U. S. Int Rev. Stamp.

MAR 23 1910

AMENDED CERTIFICATE OF LOCATION OF THE PRINCESS
MINING CLAIM.

The undersigned, owners of the Princess Mining Claim, situated in the Silver Bell Mining District, Pima County, Arizona Territory, has learned that the original certificate of location of said claim, dated the 1st day of Jany, 1891, and filed and recorded in the office of the County Recorder of said Pima County, on the 3rd day of Jany. 1891, in Book B.B., Records of Mines, at page 434, is defective in certain particulars. Now, therefore, the said owners, in accordance with the provisions of an act of the legislative Assembly of the Territory of Arizona, approved March 2nd, 1899, entitled "An Act to Amend an Act entitled "An Act Concerning Mines" being Act No. 42 of the 18th Legislative Assembly of the Territory of Arizona, approved March 5th, 1895, and in accordance with the Acts of Congress in relation to mining claims, hereby amend said original certificate or notice of location of said mining claim, to-wit:

NOTICE OF LOCATION QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Princess Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William H. Barnes, the undersigned on the 20th day of June, 1899. The length of the claim is 1500 feet, and I claim 1000 feet in a Westerly direction and 500 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of the claim. The general course of the lode deposit and premises is from the Easterly to the Westerly. This claim is situated and located in the Silver Bell Mining District, in Pima County in the Territory of Arizona, about 1600 feet in a Westerly direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument and stake at a point in a Easterly direction 500 feet from the discovery shaft (at which this notice is posted) being the center of the Easterly end lines of said claim; thence 300 feet to a stone monument and stake being the North East corner of said claim; thence 750 feet to a stone monument and stake at the center of the North side line of said claim; thence 750 feet to a stone monument and stake, being at the North West corner of said claim; thence 300 feet to a stone monument and stake at the center of the Westerly end of said claim; thence 300 feet to a stone monument and stake being at the South west corner of said claim; thence 750 feet to a stone monument and stake being at the center of the South side line of said claim; thence 750 feet to a stone monument and stake at the South East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 20th day of June, 1899.

Witness:

William H. Barnes

Thos. E. Teegarden .
Homer Santee.

Filed and recorded at request of Thos. E. Teegarden, June 20th, 1899, at 2:45 P.M.

Chas. A. Shibell,
County Recorder.

Book G.G., Records of Mines, page 345
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Princess Mining
claims, situated in the Silverbell Mining Dist., in Pima
Co., Arizona Territory, located on June 20, 1899
as appears of record now in my office in Book G. G. Record of Mines Pages 3 4 5

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy.

103

EQUITY MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Equity Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated March 17th, 1892, and recorded in the office of the County Recorder of the said Pima County, in Book C.C., Records of Mines, at page 552, and being the assign of the original locators thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this, my amended location certificate dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location, and description of said lode, as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Equity Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase, by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 500 feet in a Southeasterly direction and 1000 feet in a N. Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North Westerly to the S. Easterly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County, in the Territory of Arizona, the discovery shaft being about 1000 feet in a N. Westerly direction from U. S. Mineral Monument No. 2 and about 400 feet Northerly from the shaft on top of Copper Price High Hill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of stones and stake at a point in a S. Easterly direction 500 feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; Thence north $8^{\circ} 15'$ East 300 feet to a monument of stone and stake, being the North East corner of said claim; Thence N. $65^{\circ} 45'$ West 750 feet to a monument of stone and stake at the center of the North Easterly side line of said claim; Thence same course 750 feet to a monument of stone and stake, being at the North west corner of said claim; Thence S. $8^{\circ} 15'$ W. 300 feet to a monument of stones and stake, at the center of the westerly end of said claim; Thence same course 300 feet to a monument of stone and stake, being at the South West corner of said claim; Thence S. $65^{\circ} 45'$ E. 750 feet to a monument of stones and stake, being at the center of the Southerly side line of said claim; Thence same course 750 feet to a monument of stone and stake at the South East corner of said claim; Thence N. $8^{\circ} 15'$ East, 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept.
1899.

Witness

George H. Sisson

Thos. E. Teegarden

(U. S. Int. Rev Stamp)

Filed and recorded at request of George H. Sisson, Octo 4th, 1899
at 11:45 A.M.

Chas. A. Shibell,

County Recorder.

Book G.G., Records of Mines, page 526.
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Haney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Equity Mining Claim,
situated in the Silverbell mining Dist., in Pima Co.,
Arizona Territory, located on Sept 25, 1899

as appears of record now in my office in Book 99 Record of Mines Pages 526

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Haney

County Recorder of Pima County, Arizona.

by S. M. Shihell, deputy.

STONE CABIN MINE

106

LOCATION NOTICE

MAR 23 1910

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the mining Act of Congress, approved May 10, 1872, have this day located and claim 1500 hundred linear feet along the course of this lead, lode, or vein, of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in Silver Bell Mining District, County of Pima, Territory of Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones being the center of the Easterly end of claim and upon which this notice is posted; thence Northerly 300 feet to a monument of stones; thence westerly 1500 feet to a monument of stones; thence Southerly 300 feet to a monument of stones, being the centre of westerly end of claim; thence Southerly 300 feet to a monument of stones; thence Easterly 1500 feet to a monument of stones; thence Northerly 300 feet to place of beginning.

This claim is situated about 50 *yards* from house on Dolly Varden claim, and is bounded by the Doxology Mine on the North side, and shall be known as the stone Cabin. *Mine.*

Located January 1st, 1891,

John A. Finegan,
Chris Christensen
John Devine
B. C. *Parker.*

Filed and recorded at request of B. C. *Parker*, January 2nd, A.D. 1891, at 9 A. M.

Charles A. Shibell
County Recorder.

Book B.B., Records of Mines, page 416
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henry County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Stone Cabin Mine Mining Claims situated in the Silverbell Mining Dist., in Pima Co., Territory of Arizona, located January 1, 1891

as appears of record now in my office in Book P. B. Records of Mines Pages H 16

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 2 day of March A. D. 1910

Ben Henry
County Recorder of Pima County, Arizona.

G. L. M. Shihell, deputy

shaft being about 1000 feet in a Southerly direction from the Young America cabin, and 1775 feet in a S. Easterly direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; Thence Northerly 300 feet to a monument of stones and stake being the North west corner of said claim; Thence Easterly 750 feet to a monument of stones and stake, at the center of the North side line of said claim; thence Easterly 750 feet to a monument of stones and stake, being at the North East corner of said claim; thence Southerly 300 feet to a monument of stones and stake at the center of the East end of said claim; Thence Southerly 300 feet to a monument of stones and stake, being at the South East corner of said claim; Thence Westerly 750 feet to a monument of stones and stake, being at the center of the South side line of said claim; Thence westerly 750 feet to a monument of stones and stake, at the South West corner of said claim; Thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of September, 1899.

George H. Sisson

Witness

Thos. E. Teegarden (U.S. Int. ^{10/100} Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, A.D. 1899, at 11:42 A.M.

Chas. A. Shibell,
County Recorder.

Book G.G., Records of Mines, page 497.
Records of Pima County

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location notice of the Anaconda Mining
Claims, situated in the Silverbell Mining Dist., in Pima
Co., Arizona Territory, located on Sept. 25, 1899

as appears of record now in my office in Book J. G. Record of Mines Pages 497

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney

County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

ANACONDA MINING CLAIM(AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson of Tucson, County of Pima, and Territory of Arizona, the owner of the Anaconda Mining Claim, situate in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated September 5th, 1897, and recorded in the office of the County Recorder of said Pima County, in Book F.F., of Records of Mines, at page 626, and being the assign of the original locators thereof having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said territory, approved March 2nd, 1899, and in accordance with the laws of the United states, make and file this, my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Anaconda mining claim, situate on lands belonging to the United states of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet, and I claim 750 feet in a Easterly direction and 750 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the westerly.

The claim is situated and located in the Silver Bell Mining Dist. Pima County, in the Territory of Arizona, the discovery

South of the West of the U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Northerly direction 140 feet from the Discovery shaft (at which this notice is posted) being in the center of the North end of said claim; Thence westerly 300 feet to a monument of stones and stake being the North West corner of said claim; Thence ^{at the center of the West side line of said claim, thence southerly 750 feet to monument} Southerly 750 feet to a monument of stones and stake, being at the South West corner of said claim; Thence Easterly 300 feet to a monument of stones and stake at the center of the South end of said claim; Thence Easterly 300 feet to a monument of stones and stake, being at the South East corner of said claim; Thence Northerly 750 feet to a mound of stones, and stake, being at the center of the East side line of said claim; Thence Northerly 750 feet to a monument of stones and stake, at the North East corner of said claim; Thence westerly 300 feet to the place of beginning.

at the center of the West side line of said claim, thence southerly 750 feet to monument

Dated and posted on the ground this 25th day of September, 1899.

Witness: George H. Sisson
 Thos. E. Teegarden (U.S. Int. ^{10/100} Rev. Stamp)

Filed and recorded at request of George H. Sisson, Oct. 4, 1899,
 at 11:42 A.M.

Charles A. Shibell

County Recorder.

Book G.G., Records of Mines, page 522.
 records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Haney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location notice of the Morning Star Mining
claim, situated in the Silverbell mining Dist., in Pima
Co. Territory of Arizona, located on Sept. 25, 1899

as appears of record now in my office in Book J. G. Record of Mines Pages 522

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21..... day

of March..... A. D. 1910.....

Ben Haney

County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

MORNING STAR MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima and Territory of Arizona, the owner of the Morning Star Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory the original location certificate whereof was dated September 5th, 1897, and recorded in the office of the County Recorder of said Pima County, in Book F.F., of Records of Mines, at page 635, and being the assign of the original locators thereof, having learned that said original location certificate was defective do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this, my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights for the purpose of correcting and making more specific the boundaries, location, and description of said lode, as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Morning Star Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 140 feet in a Northerly direction and 1360 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly. The claim is situated and located in the Silver Bell Mining Dist., in Pima County, in the Territory of Arizona, the discovery shaft being about 2850 feet Westerly from the Young America Cabin, and about 1100 feet slightly

Territory of Arizona, the discovery shaft being about 4350 feet in a Easterly direction from U. S. Mineral Monument No. 2, and 2100 feet in a Easterly direction from the S. East corner monument of the Doxolligy patented mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake, at a point in a Westerly direction 600 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; Thence North 300 feet to a monument of stones and stake, being the N.W. corner of said claim; Thence east 750 feet to a monument of stones and stake at the center of the North side line of said claim; Thence East 750 feet to a monument of stones and stake, being at the N.E. corner of said claim; Thence S. 300 feet to a monument of stones and stake, at the center of the East end of said claim; Thence S. 300 feet to a monument of stones and stake, being at the S.E. corner of said claim; Thence W. 750 feet to a monument of stones and stake, being at the center of the S. side line of said claim; Thence W. 750 feet to a monument of stones and stake, at the S.W. corner of said claim; Thence N. 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of sept.
1899

George H. Sisson

Witness:

Thos. E. Teegarden (U.S. ¹⁰⁰ Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th A.D.
1899 at 11:42 A.M.

Book G.G., Records of Mines, page 482.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Casey County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended 50 Per 100 Mining Claim, situated
in the Silverbell Mining Dist., Pima Co., Territory
of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 482

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21.....day

of March..... A. D. 1910

Ben Casey
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson Pima County, and Territory of Arizona, the owner of the 50 Per 100 Mining Claim situated in the Silver Bell Mining Dist., in the County of Pima, in said Territory, the original location certificate whereof was dated Jany 1st, 1899, and recorded in the office of the County Recorder of said Pima County, in Book G.G., of Records of Mines, at page 282 and being the assign of the original location thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the 50 Per 100 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 600 feet in a westerly direction and 900 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the Westerly. The claim is situated and located in the Silver Bell Mining Dist., in Pima County, in the

22
117

COPPER HILL NO. 1 MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

MAR 23 1910

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Hill No. 1, Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof, was dated November 20th, 1897, and recorded in the office of the County Recorder of said Pima County in Book F.F., of Records of Mines, at page 638, and being the assign of the original location thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved on March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit.

Notice of Mining Location, Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Copper Hill No. 1, Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 300 feet in a southerly direction and 1200 feet in a northerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona. The discovery shaft being about 2800 feet in a Southerly direction from U. S. Mineral Monument, No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument and stake at a point in a South^{ly}~~esterly~~ direction 300 feet from the discovery shaft, at which this notice is posted, being in the center of the South end line of said claim; Thence Easterly 300 feet to a monument of stones and stake, being the S.E. corner of said claim; Thence Northerly 750 feet to a stone monument and stake at the center of the East side line of said claim; Thence Northerly 750 feet to a stone monument and stake being at the N.E. corner of said claim; Thence Westerly 300 feet to a stone monument and stake at the center of the N. end of said claim; Thence westerly 300 feet to a stone monument and stake being at the North west corner of said claim; Thence Southerly 750 feet to a stone monument and stake being at the center of the west side line of said claim; thence southerly 750 feet to a stone monument and stake at the S. West corner of said claim; Thence Easterly 300 feet to the place of beginning,

Dated and posted on the ground, this 25th day of september 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson, Oct. 4th, A.D. 1899, at 11:42 A.M.,

Chs. A. Shibell,

County Recorder.

Book G.G., Records of Mines, page 431.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Copper Hill Mining ^{no. 1} Claim, situated in the Silverbell Mining Dist. in
Pima Co. Arizona Territory, located on Sept. 25, 1899
as appears of record now in my office in Book G. G. Record of Mines Pages 481

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Loney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

JIM CROW MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE

120

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the locator and owner of the Jim Crow Mining Claim, situate in Silver Bell Mining Dist., in the County of Pima in said Territory, of the original location certificate whereof was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County, in Book G.G., of Records of Mines, at pages 331-2, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the Laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode, as originally located on the ground, to-wit :

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Jim Crow Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September 1899. The length of this claim is 1500 feet and I claim 100 feet in a Northerly direction and 400 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northerly to the Southerly. The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona the discovery shaft being about 2400 feet in a S. Easterly direction from U. S. Mineral Monument No. 2 and about

1500 feet Southerly from the Young America Cabin.

121

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Northerly direction 100 feet from the discovery shaft (At which this notice is posted) being in the center of the North end line of said claim; Thence Westerly 300 feet to a monument of stones and stake, being the N.W. corner of said claim; Thence Southerly 750 feet to a monument of stones and stake, at the center of the West side line of said claim; Thence southerly 750 feet to a monument of stones and stake, being at the S.W. corner of said claim; Thence Easterly 300 feet to a monument of stones, and stake at the center of the South end of said claim; Thence Easterly 300 feet to a monument of stones and stake, being the S.E. corner of said claim; Thence Northerly 750 feet to a monument of stones and stake being at the center of the East side line of said claim; Thence Northerly 750 feet to a monument of stones and stake, at the N. E. corner of said claim; Thence Westerly 300 feet to the place of beginning.

Dated and posted on the ground, this 25th day of Sept. 1899.

George H. Sisson

Witness:

Thos. E. Teegarden (U.S. Int. ^{10/100} Rev. Stemp)

Filed and recorded at request of Geo. H. Sisson, Oct. 4th, A.D. 1899 at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 493.
Records of Pima County, Arizona.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Hemeny County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Jim Crow Mining
Claim, situated in the Silver Bell Mining District, in
Pima Co., Arizona Territory, located on the 25 day of Sept. 1899
as appears of record now in my office in Book J. J. Records of Mines Pages # 93

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Hemeny
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

NOTICE OF MINING LOCATION

LODE CLAIM

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN

This mining claim, the name of which is the Denver Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United states, the undersigned, on the 11th day of March, 1907.

The length of this claim is 1500 feet and said company claims 1460 feet in a East direction, and 40 feet in a west direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Silverbell Mining District in Pima County in the Territory of Arizona about 3300 feet in a South Easterly direction from U. S. Mineral Monument No. 2, and crosses the wagon road from Silverbell to Tucson.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a west direction 40 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence North 300 feet to a mound of stone, being the North west corner of said claim; thence East 1500 feet to a mound of stone, being at the North East corner of said claim; thence South 300 feet to a mound of stone at the center of the east end line of said claim; thence South 300 feet to a mound of stone being at the South East corner of said claim; thence west 1500 feet to a mound of stone at the South west corner of said claim; thence North 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 11th day of March, 1907

Oxide Copper Company

By W. H. Burrage, Agt.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907, at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M. - Records of Mines, page 165
Records Pima County

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Hemeny County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Denver Mining Claim, situated in the
Siberbell Mining Dist., in Pima Co., Territory
of Arizona, located March 11, 1907.

as appears of record now in my office in Book M.M. Record of Mines Pages 165

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Hemeny
County Recorder of Pima County, Arizona.

by L. M. Shibell, deputy

NOTICE OF MINING LOCATION
LODE CLAIM

MAR 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Mask Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 28th day of March, 1907.

The length of this claim is 1500 feet and said company claims 1450 feet in an Easterly direction and 50 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the Surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Silverbell Mining District in Pima County in the Territory of Arizona, about 3/4 mile in an Easterly direction from the Young America Camp and is bounded on the west by the House Extension claim and on the south by the 60% and the Idol claims.

The surface boundaries of the claim are marked on the ground as follows: Beginning at a mound of stones at a point in a westerly direction 50 feet from the discovery shaft (At which this notice is posted) being in the center of the West end line of said claim; thence North 300 feet to a mound of stones being the North West corner of said claim; thence East 1500 feet to a mound of stones being at the North East corner of said claim; thence South 300 feet to a mound of stones at the center of the East end of said claim; thence South 300 feet to a mound of stones, being at the South East corner of said claim; thence West 1500 feet to a mound of stones at the South West corner of said claim; thence North 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXIII of the Revised statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of March 1907.

Oxide Copper Company

By Frank Higgins, Agent

Filed and recorded at request of Frank Higgins Apr 27, 1907
at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M. Records of Mines, page 162.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Mack Mining Claim, situated in the
Gilberbell Mining Dist., in Pinal Co., Territory
of Arizona, located March 28, 1907

as appears of record now in my office in Book M.M. Record of Mines Pages 162

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 19 10

Ben Loney
County Recorder of Pima County, Arizona.

by L.M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

MAR. 23. 1910

This mining claim, the name of which is the Totem Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, *and whose stockholders are citizens of the United States*, the undersigned, on the 23rd day of March, 1907.

The length of this claim is 1500 feet and said company claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Silverbell Mining District, in Pima County, in the Territory of Arizona, about one mile in an Easterly direction from the Young America Camp, and the West end line adjoins and parallels the East end line of the Portland claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a Westerly direction 50 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence North 300 feet to a mound of stones being the north West corner of said claim; thence East 1500 feet to a mound of stones, being at the North East corner of said claim; thence South 300 feet to a mound of stones at the center of the East end of said claim; thence South 300 feet to a mound of stones being at the South East corner of said claim; thence west 1500 feet to a mound of stones at the South West corner of said claim; thence North 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 23rd day of March, 1907.

Oxide Copper Company
By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907
at 9 A.M.

Chas. A. Shibell,
County Recorder.

Book M.M. Records of Mines, page 161
records Pima County

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henry County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Totem Mining Claims, situated in the Silverbell
Mining Dist., in Pima Co., Territory of Arizona,
located on March 23, 1907,

as appears of record now in my office in Book M. M. Record of Mines Pages 161

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Henry
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Montezuma Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 28th day of March 1907.

The length of this claim is 1500 feet and said company claims 800 feet in a Southerly direction and 700 feet in a Northerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in Silverbell Mining District, in Pima County, in the Territory of Arizona, about 3/4 of a mile in a Southeasterly direction from The Young America Camp and the North end line parallels the South side line of the Portlans and Totem mining claims, and the West side line adjoins and parallels the East side line of the Toltec mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a Northerly direction 700 feet from the discovery shaft, (at which this notice is posted) being in the center of the North end line of said claim; thence East 300 feet to a mound of stones, being the Northeast corner of said claim; thence South 1500 feet to a mound of stones, being at the Southeast corner of said claim; thence west 300 feet to a mound of stones, at the center of the South end of said claim; thence West 300 feet to a mound of stones being at the South west corner of said claim; thence North

1500 feet to a mound of stones at the Northwest corner of said claim; thence past 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised statutes of the United States and of an Act of the general Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of March, 1907.

Oxide Copper Company

By Frank Higgins, Agent,

Filed and recorded at request of Frank Higgins, Apr. 27, 1907,
at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M. Records of Mines, page 157
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Montezuma Mining Claims, situated in the
Silverbell Mining Dist. in Pima Co., Territory of
Arizona, located March 28, 1907.

as appears of record now in my office in Book M.M. Record of Mines Pages 157

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L.M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Ironmaster Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 28th day of March, 1907.

The length of this claim is fifteen hundred feet and said company claims 750 feet in an easterly direction, and 750 feet in a westerly direction, from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Silverbell Mining District, in Pima County, in the Territory of Arizona, about one-half mile in a Southwesterly direction from the Young America Camp. This claim is bounded on the east by the Denver and Ironclad mining claims, and on the North by the South end lines of the Oxide, Copper Hill No. 2, and Copper Hill No. 1, mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a westerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence North 300 feet to a monument of stones, being the North West corner of said claim; thence East 1500 feet to a monument of stones, being at the North East corner of said claim; thence South 300 feet to a monument of stones at the center of the East end of said claim; thence South 300 feet to a monument of stones, being at the South East corner of said claim; thence west 1500 feet to a monument

of stones at the south west corner of said claim; thence North 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXVII of the Revised statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 26th day of March, 1907

Oxide Copper Company

By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907.
at 9 A.M.

Chas. A. Shibell,

County recorder.

Book M.M. records of Mines, page 160.
records Pima County

TERRITORY OF ARIZONA,

County of Pima,

} ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the Ironmaster Mining Claim, situated
in the Silverbell Mining Dist., in Pima Co.,
Territory of Arizona, located March 26, 1907

as appears of record now in my office in Book M. M. Record of Mines Pages 160

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shibell, deputy

EL PLOMO MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson County of Pima, and Territory of Arizona, the owner of the El Plomo Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima in said Territory, the original location certificate whereof was dated April 12th, 1890 and recorded in the office of the County Recorder of said Pima County, in Book B.B., of Records of Mines, at page 222 and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an act of the Legislative Assembly of said Territory and approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of Sept. 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode, as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the El Plomo Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 300 feet in a Easterly direction and 1200 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the westerly. The claim is situated and located in the Silver Bell Mining District in Pima County, in the Territory of Arizona, the discovery shaft being about 3600 feet in a N. Westerly direction from U.S. Mineral Monument No. 2, and

about 1050 feet slightly East of North from a cabin in the Ravine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Easterly direction 300 feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; Thence North westerly 300 feet to a monument of stones and stake being the N.E. Corner of said claim; Thence Westerly 750 feet to a monument of stones and stake, at the center of the North side line of said claim; Thence Westerly 750 feet to a monument of stones and stake, being at the N.W. corner of said claim; Thence S. Easterly 300 feet to a monument of stones and stake at the center of the West end of said claim; Thence S. Easterly 300 feet to a monument of stones and stake, being at the S.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake, being at the center of the South side line of said claim; Thence Easterly 750 feet to a monument of stones and stake at the S.E. corner of said claim; Thence North westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept.

1899.

Witness:

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)^{10/15}

Filed and recorded at request of George H. Sisson, Oct. 4th, 1899
at 11:42 A.M.

Chas. A. Shibell,

County Recorder.

Book G.G. Records of Mines, page 525,
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the amended locative notice of the El Alamo Mining Claims, situated in the Silver Bell Mining District in Pima Co. Arizona Territory, located on 25th day of Sept. 1899 as appears of record now in my office in Book 99 Records of Mines Pages 525

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 21 day of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

COPPER CARBONATE MINING CLAIM (AMENDED)

AMENDED CERTIFICATE OF LOCATION OF COPPER CARBONATE MINING CLAIM

MAR. 23 1910

9 U.S. Int. Rev. Stamp)

The undersigned, owner of the Copper Carbonate Mining Claim, situated in the Silver Bell Mining District, Pima County, Arizona Territory, have learned that the original certificate of location of said claim, dated 1st day of January, 1899, and filed and recorded in the office of the County Recorder of Pima County, on the 8th day of Jany. 1892, in Book C.C. of Records of Mines, page 225, is defective in certain particulars;

Now, therefore, the said owner in accordance with the provisions of an Act of the Legislative Assembly of the Territory of Arizona, approved March 2nd, 1899, entitled "An Act to amend an Act entitled An Act Concerning Mines " being Act No. 42 of the 18th Legislative Assembly of the Territory of Arizona, approved March 5th, 1895, and in accordance with the Acts of Congress in relation to mining claims, hereby amend said original certificates or notice of location of said mining claim, to-wit:

NOTICE OF LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This claim, the name of which is the Copper Carbonate Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by William H. Barnes, the undersigned on the 20th day of June, 1899. The length of the claim is 1500 feet and I claim 800 feet in a westerly direction and 700 feet in a Easterly direction from the center of the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly. This claim is situated and located in the Silver Bell Mining District, in Pima County, in the Territory of Arizona about 1700 feet in a North westerly direction from the U. S.

Mineral Monument No. 2, the surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument and stake at a point in a Easterly direction 700 feet from the discovery shaft (at which this notice is posted) being in the center of the Easterly end lines of said claim, thence 300 feet to a stone monument and stake, being the North west corner of said; thence 750 feet to a stone monument and stake at the center of the North side line of said claim; thence 750 feet to a stone monument and stake being at the North west corner of said claim; thence 300 feet to a stone monument and stake at the center of the Westerly end of said claim; thence 300 feet to a stone monument and stake being at the South west corner of said claim; thence 750 feet to a stone monument and stake, being at the center of the South side line of said claim; thence 750 feet to a stone monument and stake at the South East corner of said claim; thence 300 feet to the place of beginning

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act concerning Mines", approved March 20, 1895.

Dated and posted on the ground this 20th day of June, 1899.

Witness:

William H. Barnes

Homer Santee
Thos. E. Teegarden

Filed and recorded at request of Thos E. Teegarden June 20, 1899 at 2:45 P.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 343
Records Pima County.

TERRITORY OF ARIZONA, } ss.
County of Pima,

I, Ben Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Copper Carbonate
mining claims, situated in the Silverbell Mining
District in Pima Co. Arizona Territory, located on June 20, 1899
as appears of record now in my office in Book J. J. Records of Mines Pages 343

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Loney
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy

SAMPSON MINING CLAIM (AMENDED)

144

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the locator and owner of the Sampson Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County, in Book G.G. of Records of Mines, at pages 327-8, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Sampson Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase, by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1400 feet in a N. Westerly direction and 100 feet in a S. Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the North Westerly to the S. Easterly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1900 feet in a Northerly and a little to the West direction from U. S. Mineral Monument No. 2 and about 100 feet North westerly from N.W. center end monument of the True Blue Patented Mine.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stones, and stake at a point in a South Easterly direction 100 feet from the discovery shaft, (at which this notice is posted) being in the center of the S. Easterly end line of said claim; thence Southerly 300 feet to a monument of stones and stake being the S.W. corner of said claim; thence N. Westerly 750 feet to a monument of stones and stake at the center of the South Westerly side line of said claim; Thence N. Westerly 750 feet to a monument of stones, and stake, being at the N.W. corner of said claim; Thence Northerly 300 feet to a stone monument and stake at the center of the N. Westerly end of said claim; Thence Northerly 300 feet to a stone monument, and stake, being at the N.E corner of said claim; Thence South Easterly 750 feet to a stone monument and stake, being at the center of the North Easterly side line of said claim; Thence S. Easterly 750 feet to a stone monument and stake, at the S.E. corner of said claim; Thence Southerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of september 1899

Witness George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sison Oct. 4th, A.D. 1899 at 11:42 A.M.

Chas. A. Shibell,
County Recorder.

Book G.G., Records of Mines, page 490
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Haney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Lampson
Mining Claim, situated in the Silverbell Mining Dist.,
Pima Co., Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book G. G. Record of Mines Pages 490

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Haney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy.

(U.S. Int. Rev. Stamp) DANUBE MINING CLAIM (AMENDED)

AMENDED CERTIFICATE OF LOCATION OF THE DANUBE MINING CLAIM.

MAR. 23 1910

The undersigned owners of the Danube Mining Claim, situated in the Silver Bell Mining District, Pima County, Arizona Territory have learned that the original certificate of location of said claim, dated 20th day of May, 1895, and filed and recorded in the office of the County Recorder of said Pima County on the 23rd day of May, 1895, in Book E.E., of Records of Mines, at page 504 is defective, in certain particulars: Now Therefore, the said owner, in accordance with the provisions of an Act of the Legislative Assembly of the Territory of Arizona, approved March 2nd, 1899, entitled "An Act to Amend an Act Entitled 'An Act Concerning Mines' being Act No 42 of the 18th Legislative Assembly, of the Territory of Territory, approved March 5th, 1895, and in accordance with the Acts of Congress in relation to mining claims, hereby amend said original certificate or notice of location of said mining claim to-wit:

NOTICE OF LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim the name of which is the Danube Mining claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase, by William H. Barnes, the undersigned on the 30th day of June, 1899, The length of the claim is 1500 feet and I claim 1300 feet in a westerly direction and 200 feet in a Easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly. This claim is situated and located in the Silver Bell Mining District in Pima County in the Territory of Arizona, about 100 feet in a westerly direction from U.S. Mineral Monument No. 2. The

surface boundaries of the claim are marked upon the ground as follows: beginning at stone monument and stake, at a point in a Easterly direction 200 feet from the discovery shaft, (at which this notice is posted) being in the center of the Easterly end line of said claim; thence 300 feet to a stone monument and stake being the North East corner of said claim; thence 750 feet to a stone monument and stake, ^{at the center of the North side line of said claim;} thence 750 feet to a stone monument and stake, being the North West corner of said claim; (~~thence 750 feet to a stone monument and stake at the center of the North side line of said claim; thence 750 feet to a stone monument and stake, being at the North west corner of said claim;~~) thence 300 feet to a stone monument and stake at the center of the westerly end of said claim; thence 300 feet to a stone monument and stake, being at the South west corner of said claim; thence 750 feet to a stone monument and stake, being at the center of the South side line of said claim; thence 750 feet to a stone monument and stake at the South East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the general Assembly of Arizona, entitled "An Act concerning Mines" approved March 20, 1895.

Dated and posted on the ground this 20th day of June, 1899.

Witness: William H. Barnes
 Homer Santee
 Thos. E. Teegarden.

Filed and recorded at request of Thos. E. Teegarden June 20, 1899 at 2:45 P.M.

Book G.G. Records of Mines, page 344.
 Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Danube Mining
Claims, situated in the Silverbell Mining District, in
Pima Co. Arizona Territory, located June 20, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 344

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Loney
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy.

BOSTON BEAUTY MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the locator and the owner of the Boston Beauty Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, said Territory, the original location certificate whereof, was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County in Book G.G., of Records of Mines, at pages 330 and 331, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights for the purpose of correcting and making more specific the boundaries location and description of said lode, as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Boston Beauty Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 625 feet in a South Easterly direction and 875 feet in a North Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the S. Easterly to the N. Westerly.

The claim is located and situated in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being 750 feet in a Northerly direction from U. S. Mineral Monument No. 2 and about 900 feet in a S. Easterly direction from S.W. corner of True Blue Patented Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake, at a point in a N. Westerly direction 875 feet from the discovery shaft (at which this notice is posted) being in the center of the N. Westerly end line of said claim; thence S. Westerly 300 feet to a monument of stones and stake, being the N. West corner of said claim; thence S. Easterly 750 feet to a monument of stones and stake, at the center of the S. Westerly side line of said claim; Thence S. Easterly 750 feet to a stone monument and stake being at the S. West corner of said claim; thence North Easterly 300 feet to a monument of stone and stake, at the center of the S. East end of said claim; Thence North Easterly 300 feet to a monument of stone and stake, being at the S. E. corner of said claim; Thence N. Westerly 750 feet to a monument of stone and stake being at the center of the N.E. side line of said claim; Thence N. Westerly 750 feet to a monument of stone and stake at the North East corner of said claim; Thence S. Westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899

George H. Sisson

Witness

Thos. E. Teegarden. (U.S. ^{19/100} Int. Rev. Stamp)

Filed and recorded at request of Geo. G. Sisson Oct. 4th, A.D. 1899 at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G. Records of Mines, page 488
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Heneey County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location of the Boston Beauty Mining
Claim, situated in the Silverbell Mining Dist., in Pima
Co. Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book G. G. Record of Mines Pages 488

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Heneey
County Recorder of Pima County, Arizona.
by L. M. Shibell, deputy

WILD HOG MINING CLAIM (AMENDED)

MAR. 23 1910

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Wild Hog Mining claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated Jany. 1st, 1896, and recorded in the office of the County Recorder of said Pima County in Book F.F., of Records of Mines, at page 139, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Wild Hog Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 200 feet in a Easterly direction and 1300 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 700 feet in a S. Easterly direction from U. S. Mineral Monument No. 2, and about 750 feet S. westerly from Old Stone Cabin.

The surface boundaries of the claim are marked upon the ground as follows, Beginning at monument of stones and stake, at a point in a Easterly direction 200 feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; Thence Northerly 300 feet to a monument of stones and stake, being the N.E. corner of said claim; Thence westerly 750 feet to a monument of stones and stake at the center of the North side line of said claim; thence westerly 750 feet to a monument of stones, and stake being at the N.W. corner of said claim; Thence Southerly 300 feet to a monument of stones and stake, at the center of the west end line of said claim; Thence Southerly 300 feet to a monument of stones and stake, being at the S.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake, being in the center of the South side line of said claim; Thence Easterly 750 feet to a monument of stones and stake, at the S.E. corner of said claim; Thence Northerly 300 feet to the place of beginning

Dated and posted on the ground, this 25th day of sept

1899

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson, Oct. 4th,

A.D. 1899, at 11:42 A.M.

Chas. A. Shibell,

County Recorder.

Book G.G., Records of Mines, page 512
Records Pima County.

TERRITORY OF ARIZONA,

County of Pima,

} ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location of the Wild Hog Mining Claim situated in the Silverbell Mining Dist²⁴ in Pima Co, Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 512

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1900

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy

COPPER BEAUTY MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Beauty Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated sept. 5th, 1897, and recorded in the office of the County Recorder of said Pima County, in Book F.F., of Records of Mines, at page 634, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Copper Beauty Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of sept. 1899.

The length of this claim is 1500 feet and I claim 570 feet in a Easterly direction and 930 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining

Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1000 feet in a southerly direction from U.S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Easterly direction 570 feet from the discovery shaft (at which this notice is posted) being in the center of the Easterly end line of said claim; Thence Northerly 300 feet to a monument of stones and stake being the N.E. corner of said claim; thence Westerly 750 feet to a monument of stones and stake at the center of the North ^{side} line of said claim; thence Westerly 750 feet to a monument of stones and stake, being at the N.W. corner of said claim; Thence Southerly 300 feet to a monument of stones, and stake, at the center of the west end of claim; Thence Southerly 300 feet to a monument of stones and stake being at the S.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake, being at the center of the South Side line of said claim; Thence Easterly 750 feet to a monument of stones and stake at the S.E. corner of said claim; Thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Teegarden, Oct. 4th, 1899, at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G. Records of Mines, page 484
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Barney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location of the Copper Beauty Mining Claim
situated in the Silver Bell Mining Dist., in Pima Co.,
Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 484

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Barney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

MAR. 23. 1910

This mining claim, the name of which is the Aztec Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation, organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, on the 28th day of March, 1907,

The length of this claim is 1500 feet and said company claims 900 feet in a Northerly direction and 600 feet in a Southerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Silverbell Mining District in Pima County, in the Territory of Arizona, about one half mile in a Southerly direction from the Young America Camp and the North end line parallels the South side line of the Portland mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a Southerly direction 600 feet from the discovery shaft (at which this notice is posted) being in the center of the South end line of said claim; thence West 300 feet to a mound of stone being the South West corner of said claim; thence North 1500 feet to a mound of stones being at the North west corner of said claim; thence East 300 feet to a mound of stones at the center of the North end of said claim; thence East 300 feet to a mound of stones being at the Northeast corner of said claim; thence South 1500 feet to a mound of stones at the South East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of March, 1907.

Oxide Copper Company

By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907,
at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M., Records of Mines, page 155
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben. Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Aztec Mining Claim, situated in the Silverbell Mining Dist., in Pima Co., Territory of Arizona, located March 28, 1907,

as appears of record now in my office in Book M. M. Record of mines Pages 155

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day of March A. D. 1910

Ben. Loney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

HOUSE MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23. 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson of Tucson, County of Pima, and Territory of Arizona, the owner of the House Mining Claim situated in the Silver Bell Mining Dist. in the County of Pima in said Territory, the original location certificate whereof was dated May 1st, 1899, and recorded in the office of the County Recorder of said Pima County in Book G.G., of Records of Mines, at page 325-6, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description *of said lode* as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the House Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1150 feet in a Easterly direction and 350 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim; together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly. This claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1800 feet in a

Easterly direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a westerly direction 350 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim. Thence Northerly 300 feet to a monument of stones and stake, being the N.W. corner of said claim; thence Easterly 750 feet to a monument of stones and stake at the center of the N. side line of said claim; Thence Easterly 750 feet to a monument of stones and stake, being at the N.E. corner of said claim; Thence Southerly 300 feet to a monument of stones and stake at the center of the East end of said claim; thence Southerly 300 feet to a monument of stones and stake, being at the S.E. Corner of said claim; thence westerly 750 feet to a monument of stones and stake, being at the center of the South side line of said claim; Thence westerly 750 feet to a monument of stone and stake at the S.W. corner of said claim; Thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of September, 1899.

George H. Sisson.

Witness:

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson, Oct. 4th, 1899, at 11:42 A.M.

Chas. A. Shibell,
County Recorder.

Book G.G., Records of Mines, page 506.
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the House Mining Claim
situated in the Silverbell Mining Dist., in Pima Co.,
Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book G. G. Read of mines Pages 506

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Henney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

NOTICE OF MINING LOCATION

MAR. 24. 1910

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the 40 per 100 No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation duly organized under the laws of the State of New Jersey and a citizen of the United States, the undersigned, on the 7th day of March, 1910.

The length of this claim is fifteen hundred feet and I claim thirteen hundred and ninety feet in an Easterly direction and one hundred and ten feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side ^{of the center} of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Silverbell Mining District in Pima County in the Territory of Arizona, about 3000 feet in a South Easterly direction from The Young America Mining Camp, and is bounded by the following ^{named} mining claims. On the North by the "50 per 100", on the South by the "Portland" and "Totem", on the East by the "Copper Girl", on the South by the "Ikon." This claim is taken up as an abandoned location, formerly known as the "40 Per 100".

The surface boundaries of the claim, are marked upon the ground as follows: Beginning at a monument at a point in a westerly direction 110 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence Northerly 300 feet to a monument of stones being the North West corner of said claim; thence Easterly 1500 feet to a monument of stones, being at the North East corner of

said claim; thence Southerly 300 feet to a monument of stones at the center of the East end of said claim; thence Southerly 300 feet to a monument of stones, being at the South East corner of said claim; thence Westerly 1500 feet to a monument of stones at the South West corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 7th day of March, 1910.

Oxide Copper Company
By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Mch. 15th, A.D. 1910, at 9 A.M.

Ben Heney, County Recorder
By M. Wilkerson, Deputy.

Book O.O., Records of Mines, page 775.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Heneey County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the #0 for 100 No. 2 mining claim, situated
in the Silverbell Mining Dist., in Pima Co.,
Territory of Arizona, located March 7, 1910

as appears of record now in my office in Book O. O. Record of Mines Pages 775

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 23 day

of March A. D. 1910

Ben Heneey
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

MAR. 23 1910

AMENDED LOCATION CERTIFICATE

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Hill No. 2 Mining Claim, situated in Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof, was dated Nov. 20th, 1897, and recorded in the office of the County Recorder of said Pima County in Book F.F., of Records of Mines, at page 639, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description ^{of said lode} as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Copper Hill No. 2 Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson ^{the undersigned} on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 150 feet in a Southerly direction and 1350 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Silver Bell

67

Mining Dist in Pima County in the Territory of Arizona, the discovery shaft being about 2800 feet in a Slightly Easterly direction from South from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Southerly direction 150 feet from the discovery shaft, (at which this notice is posted,) being in the center of the South end line of said claim; thence Easterly 300 feet to a monument of stones and stake, being the S.E. corner of said claim; Thence Northerly 750 feet to a monument of stones and stake at the center of the East side line of said claim; thence Northerly 750 feet to a monument of stones and stake being at the N.E. corner of said claim; thence westerly 300 feet to a monument of stones and stake at the center of the N. end line of said claim; Thence Westerly 300 feet to a monument of stones and stake, being at the N.W. corner of said claim; Thence Southerly 750 feet to a monument of stones and stake being at the center of the West side line of said claim; Thence Southerly 750 feet to a monument of stones and stake, at the S.West corner of said claim; Thence Easterly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness:

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, A.D., 1899 at 11:42 A.M.

Chas. A. Shibell,

County Recorder.

Book G.G., Records of Mines, page 523.
Records of Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kerney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location of the Copper Hill No. 2 Mining
Claim, situated in the Silverbell Mining Dist., in Pima Co.,
Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 523

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kerney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Schley No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation duly organized under the laws of the State of New Jersey and a citizen of the United States, the undersigned, on the 7th day of March 1910.

The length of this claim is fifteen ^{hundred} ~~hundred~~ feet and I claim fourteen hundred and eighty five feet in a Southerly direction and fifteen feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Silverbell Mining District in Pima County, in the Territory of Arizona, about 600 yards in a South Easterly direction from The "Young America" mining camp, and is bounded on the North by the "Copper Girl" on the West by the "Jim Crow", and on the East by the "Portland" and "Aztec" mining claims. This claim is taken up as an abandoned location, formerly known as the "Schley".

The surface boundaries of the claim are marked upon the ground as follows, Beginning at a ^{monument} ~~ground~~ of stones at a point in a Northerly direction fifteen feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence Easterly 300 feet to a monument of stones, being the North East corner of said claim; thence Southerly 1500 feet to a monument of stones being at the South East corner of said claim; thence Westerly 300 feet to a monument of stones at the center of the South end of said claim

thence westerly 300 feet to a ^{monument} ~~row~~ of stones being at the South West corner of said claim; thence Northerly 1500 feet to a monument of stones at the Northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 7th day of March, 1910.

Oxide Copper Company

By Frank Higgins, Agent

Filed and recorded at request of Frank Higgins, Mar. 15th, A.D. 1910, at 9 A.M.

Ben Heney, County Recorder

By M. Wilkerson, Deputy.

Book O.O., Records of Mines, page 776
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henry County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the Schley No. 2 mining claim, situated in the
Silverbell Mining Dist., in Pima Co., Territory
of Arizona, located March 7, 1910.

as appears of record now in my office in Book O. O. Record of Mines Pages 776

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910.

Ben Henry
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

IRON CLAD MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Iron Clad Mining Claim situate in Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated Sept. 5th, 1897, and recorded in the office of the County Recorder of said Pima County, in Book F.F., of Records of mines, at page 626, and being the assign of the original locator thereof having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved, March 2nd 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description ^{of said lode} as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Iron Clad Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 175 feet in a Westerly direction and 1325 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County, in the Territory of Arizona, the

discovery shaft being about 3700 feet in a Southerly direction from the Young America Cabin, and about 3800 feet in a S. Easterly direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Westerly direction 175 feet from the discovery shaft (at which this notice is posted) being in the center of the westerly end line of said claim; thence Northerly 300 feet to a monument of stones and stake, being the N.W. corner of said claim; thence Easterly 750 feet to a monument of stones and stake at the center of the Northerly side line of said claim; thence Easterly 750 feet to a monument of stones and stake being the N.E. corner of said claim; thence Southerly 300 feet to a monument of stones and stake, at the center of the Easterly end of said claim; thence Southerly 300 feet to a monument of stones and stake, being at the S.E. corner of said claim; thence Westerly 750 feet to a monument of stones and stake being at the center of the Southerly side line of said claim; thence westerly 750 feet to a monument of stones and stake at the S.W corner of said claim; thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness George H. Sisson

Tos. E. Teegarden (U.S.Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, A. D., 1899, at 11:42 A.M.

Chas. A. Shibell
County Recorder.

Book G.G. Records of Mines, page 513
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Iron Lad Mining
Claims, situated in the Silverbell Mining Dist., in Pima Co.,
Territory of Arizona, located Sept. 25, 1899.

as appears of record now in my office in Book G. G. Record of Mines Pages 513

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

NOTICE OF MINING LOCATION
LODE CLAIM.

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Idol Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 23rd day of March, 1907.

The length of this claim is 1500 feet and said company claims 1450 feet in an wasterly direction and 50 feet in a westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Silverbell Mining District in Pima County, in the Territory of Arizona, about one mile in an Easterly direction from the Young America Camp and the west end line adjoins and parallels the East end line of the 60% claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a westerly direction 50 feet from the discovery shaft, (at which this notice is posted) being in the center of the West end line of said claim; thence North 300 feet to a mound of stones, being the North West corner of said claim, thence East 1500 feet to a mound of stones, being at the Northeast corner of said claim; thence South 300 feet to a mound of stones at the center of the East end of said claim; thence South 300 feet to a mound of stones, being at the South East corner of said claim thence West 1500 feet to a mound of stones at the South West

corner of said claim; thence North 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 23rd day of March, 1907.

Oxide Copper Company

By Frank Higgins, Agt.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907,
at 9 A.M.

Book M.M., Records of Mines, page 164,
records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Idol Mining Claim, situated in the
Silverbell mining Dist in Pima Co., Territory
of Arizona, located March 23, 1907

as appears of record now in my office in Book M.M. Records Pages 164

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L.M. Shibell, deputy

NOTICE OF MINING LOCATION

LODGE CLAIM

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Toltec Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation, organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, , the undersigned, on the 28th day of March, 1907.

The length of this claim is 1500 feet and said company claims 800 feet in a Northerly direction, and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Silverbell Mining District in Pima County, in the Territory of Arizona, about one half mile in a Southeasterly direction from The Young America Camp and the North end line parallels the South side line of the Portland Mining Claim, and the West side line adjoins and parallels the East side line of the Aztec Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a Southerly direction 700 feet from the discovery shaft (at which this notice is posted) being in the center of the South end line of said claim; thence west 300 feet to a mound of stones, being the South West corner of said claim; thence North 1500 feet to a mound of stones, being at the North West corner of said claim; thence East 300 feet to a mound of stones at the center of the North end of said claim; thence East 300 feet to a mound of stones, being at the Northeast corner of said

claim; thence South 1500 feet to a mound of stones, at the South East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised statutes of the United states, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901

Dated and posted on the ground this 28th day of March, 1907.

Oxide Copper Company

By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907, at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M. Records of Mines, page 158.
Records of Pima County

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Henry County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Taltec Mining Claim, situated in the
Silverbell Mining Dist., in Pima Co.
Territory of Arizona, located April 27, 1907
as appears of record now in my office in Book M. M. Record of Mines Pages 158

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Henry
County Recorder of Pima County, Arizona.

by L. M. Shibell, deputy

MAR. 23 1910

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Dreadnaught Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation, organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 28th day of March, 1907.

The length of this claim is 1500 feet and said company claims 1000 feet in a Southerly direction and 500 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Silverbell Mining District, in Pima County, in the Territory of Arizona, about one mile in a Southeasterly direction from The Young America Camp, and the North end line abuts on to and parallels the South side line of the Totem mining claim, and the west side line abuts on to and parallels the east side line of the Ventura mining claim.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a mound of stones at a point in a North^{erly} direction 500 feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence East 300 feet to a mound of stones being the Northeast corner of said claim; thence South 1500 feet to a mound of stones being at the Southeast corner of said claim; thence West 300 feet to a mound of stones at the center of the South end of said claim; thence West 300 feet to a

mound of stones, being at the Southwest corner of said claim; thence North 1500 feet to a mound of stones at the Northwest corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of March 1907.

Oxide Copper Company

By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907,
at 9 A.M.

Chas. A. Shibell,

County Recorder.

Book M.M., Records of Mines, page 156.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Dreadnaught mining claims, situated
in the Silverbell Mining Dist., in Pima Co.
Territory of Arizona, located April 27, 1907
as appears of record now in my office in Book M.M. Record of Mines Pages 156

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L.M. Shihell, deputy.

LEAD CARBONATE MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Lead Carbonate Mining claim, situated in the Silver Bell Mining Dist. in the County of Pima, said Territory, the original location certificate whereof was dated April 12th, 1890 and recorded in the office of the County Recorder of said Pima County, in Book B.B., of Records of Mines, at page 221, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description *of said lode* as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Lead Carbonate mining claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899. The length of this claim is 1500 feet and I claim 300 feet in a Easterly direction and 1200 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County, in the Territory of Arizona, the

discovery shaft being about 3000 feet in a North Westerly direction from U. S. Mineral Monument No. 2, and about 800 feet in a N. Easterly direction from Old Cabin in Ravine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone and stake at a point in a Easterly direction 300 feet from the discovery shaft (at which this notice is posted) being in the center of the East end of said claim; Thence N. Westerly 300 feet to a monument of stone and stake being the N.E. corner of said claim; thence Westerly 750 feet to a stone monument and stake at the center of the North side line of said claim; Thence Westerly 750 feet to a stone monument and stake, being at the N. West corner of said claim; Thence S. Easterly 300 feet to a monument of stone and stake at the center of the West end of said claim; Thence South Easterly 300 feet to a monument of stones and stake being at the S.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake, being at the center of the S. side line of said claim; Thence Easterly 750 feet to a monument of stones and stake at the S. E. corner of said claim; Thence N. Westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden. (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson Oct 4th A.D. 1899 at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G. Records of Mines, page 510
records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Lead Carbonate
Mining Claims, situated in the Silverbell Mining Dist,
Pima Co., Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 510

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by D. M. Shihell, deputy

MOUNTAIN DEW MINING CLAIM (AMENDED)

MAR. 23 1910

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the locator and owner of the Mountain Dew Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was date June 1st, 1899, and recorded in the office of the County Recorder of said Pima County, in Book G.G., of Records of Mines, at page 328, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Mountain Dew Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1400 feet in a N. Westerly direction and 100 feet in a S. Easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the N. Westerly to the S. Easterly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the

discovery shaft being about 2000 feet in a North Westerly direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a S. Easterly direction 100 feet from the discovery shaft (at which this notice is posted) being in the center of the S. Easterly end line of said claim; Thence S. Easterly 300 feet to a monument of stones and stake being the S.E. corner of said claim; Thence N.Westerly 750 feet to a monument of stones and stake, (at the center of the N. Easterly side line of said claim; thence N. Westerly 750 feet to a monument of stones and stake) being the N.E. corner of said claim; Thence N. Westerly bearing more to the Westerly 300 feet to a monument of stones and stake at the center of the N. Westerly end of said claim; Thence same course 300 feet to a stone monument and stake, being at the N.W. corner of said claim; Thence S. Easterly 750 feet to a stone monument and stake being at the center of the S. Westerly side line of said claim; Thence S. Easterly 750 feet to a stone monument and stake at the S.W. corner of said claim; Thence S. Easterly but bearing more to the East, 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and Recorded at request of Geo. H. Sisson Oct 4th, A.D. 1899. at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 500
Record Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Mountain Dew Mining
Claims, situated in the Silverbell Mining Dist., in
Pima Co., Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book G. G. Records Pages 500

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910.....

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

(U.S. Int. Rev. Stamp) AZURITE MINING CLAIM (AMENDED)

MAR 23 1910

AMENDED CERTIFICATE OF LOCATION OF THE AZURITE MINING CLAIM.

I, the undersigned, owner of the Azurite Mining Claim, situated in the Silver Bell Mining District, Pima County, Arizona Territory, have learned that the original certificate of location of said claim, dated 28th day of February, 1895, and filed and recorded in the office of the County Recorder of said Pima County, on the 3rd day of April, 1895 in Book C.C., of Records of Mines, at page 467, is defective in certain particulars; Now, therefore, the said owner, in accordance with the provisions of an Act of the Legislative Assembly of the Territory of Arizona, approved March 2nd, 1899, entitled "An Act to amend an Act entitled 'an Act concerning Mines', being Act no. 42 of the 18th Legislative Assembly of the Territory of Arizona, approved March 5th, 1895, and in accordance with the Acts of Congress in relation to mining claims, hereby amend said original certificate or notice of location of said mining claim to-wit:

NOTICE OF LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Azurite Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase, by William H. Barnes, the undersigned, on the 20th day of June, 1899.

The length of the claim is 1500 feet and I claim 1300 feet in a Westerly direction and 200 feet in a Easterly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly. This claim is situated and located in the Silver Bell Mining District in Pima County in the Territory of Arizona, about 1700 feet in a North Westerly

direction from U.S. Mineral Monument No. 2. The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument and stake at a point in a Easterly direction 200 feet from the discovery shaft (at which this notice is posted) being in the center of the Easterly end line of said claim; Thence 300 feet to a stone monument and stake being the North East corner of said claim; thence 750 feet to a stone monument and stake at the center of the North side line of said claim; thence 750 feet to a stone monument and stake being at the North West corner of said claim; thence 300 feet to a stone monument and stake at the center of the Westerly end of said claim; thence 300 feet to a stone monument and stake being at the South West corner of said claim; thence 750 feet to a stone monument and stake being at the center of the South side line of said claim; thence 750 feet to a stone monument and stake at the South East corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six of Title XXXII of the Revised statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895.

Dated and posted on the ground this 20th day of June, 1899.

William H. Barnes

Witnesses

Homer Santee

Thos. E. Teegarden

Filed and recorded at request of Thos. E. Teegarden June 20, 1899 at 2:45 P.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 342.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location notice of the Azurite Mining Claim
situated in the Silverbell Mining Dist., Pima Co.,
Territory of Arizona, located June 20, 1899

as appears of record now in my office in Book 99 Record of Mines Pages 3#2

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910.....

Ben Cheney
County Recorder of Pima County, Arizona.
by L.M. Shihell, deputy.

MAR. 23 1910

COPPER PRICE MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Price Mining Claim situated in Silver Bell Mining Dist. in the County of Pima in said Territory, the original location certificate whereof was dated Jany. 1st, 1891, and recorded in the office of the County Recorder of said Pima County, in Book B.B., of Records of Mines, at page 435, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Copper Price Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase, by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1400 feet in a Westerly (N. 65° 45' W) direction and 100 feet in a Easterly (S. 65° 45' E) direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North Westerly to the S. Easterly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County, in the Territory of Arizona, the discovery shaft being about 250 feet in a N. Westerly direction from U. S. Mineral Monument No. 2

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a S. Easterly direction 100 feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; Thence Northerly 300 feet to a monument of stones and stake being the N.E. corner of said claim; Thence N. $65^{\circ} 45'$ W. 750 feet to a monument of stones and stake at the center of the Northerly side line of said claim; Thence same course 750 feet to a monument of stones and stake being the N.W. corner of said claim; Thence Southerly 300 feet to a monument of stones and stake at the center of the West end of said claim; Thence same course 300 feet to a monument of stones, and stake being at the S. West corner of said claim; Thence S. $65^{\circ} 45'$ E. 750 feet to a monument of stones and stake being at the center of the Southerly side line of said claim; Thence same course 750 feet to a monument of stones at the S.E corner of said claim; Thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

George H. Sisson

Witness

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson, Oct. 4th, A.D. 1899, at 11:42 A.M.

Chas A. Shibell,

County Recorder.

Book G.G., Records of Mines, page 508
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

of the amended location of the Copper Prince Mining
Claims, situated in the Silverbell mining Dist., in Pima
Co., Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Records of Mines Pages 508

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy

BOSTON BOY MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the locator and owner of the Boston Boy Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County in Book G.G. of Records of Mines, at pages 329 and 330, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate dated this 25th day of September, 1899, without waiver of my previous rights, for the purpose of correcting and making more specific the boundaries location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Boston Boy Mining Claim situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned on the 25th day of September, 1899.

The length of this claim is 1500 feet, and I claim 1400 feet in a North westerly direction and 100 feet in a South Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North Westerly to the South Easterly.

The claim is located and situated in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1500 feet in a Northerly direction from U.S. Mineral Monument No. 2, and about 175 feet in a S.Westerly direction from the N.W. corner of True Blue Mining Claim, patented.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a South Easterly direction 100 feet from the discovery shaft (at which this notice is posted) being in the center of the Southerly end line of said claim; Thence S. Easterly 300 feet to a stone monument and stake being the S. Easterly corner of said claim; thence North westerly 750 feet to a stone monument and stake at the center of the N. Easterly side line of said claim; Thence N. Westerly 750 feet to a stone monument and stake, being at the North Easterly corner of said claim; Thence still North Westerly, but bearing towards the West 300 feet to a stone monument and stake at the center of the Northerly end of said claim; Thence same course 300 feet to a stone monument and stake, being at the N. Westerly corner of said claim; Thence S. Easterly 750 feet to a stone monument and stake being at the center of the S. Westerly side line of said claim; Thence S. Easterly 750 feet to a stone monument and stake at the S. West corner of said claim; Thence still S. Easterly but turning towards the East, 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, 1899, at 11:42 A.M.

Chas. A. Shibell

County Recorder

Book G.G., Records of Mines, page 487
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

200

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location of the Boston Bay Mining Claim
situated in the Silver Bell Mining Dist., in Pima Co.,
Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book 99 Record of Mines Pages 487

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shibel, deputy

GIFFORD MINING CLAIM (AMENDED

93
201

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

MAR. 23 1910

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Gifford Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated Jany. 1st, 1887, and recorded in the office of the County Recorder of said Pima County, in Book Z of Records of Mines, at page 272, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Gifford Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899, the length of this claim is 1500 feet and I claim 750 feet in a Easterly direction and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the westerly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the

discovery shaft being about 1500 feet in a slightly South of East direction from U.S. Mineral Monument No. 2, and about 450 feet in a South Westerly direction from Young America Cabin, and about 1000 feet in a South Westerly direction from the Well on the Easterly end of Dlxolligy mine (Patented)

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Easterly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the Easterly end line of said claim; thence North 300 feet to a monument of stones and stake, being the N.E. corner of said claim; Thence west 750 feet to a monument of stone and stake at the center of the North side line of said claim; thence west 750 feet to a monument of stones and stake, being at the N.W. corner of said claim; Thence S. 300 feet to a monument of stones and stake at the center of the west end of said claim; Thence South 300 feet to a monument of stones and stake being at the South West corner of said claim; thence East 750 feet to a monument of stones and stake, being at the center of the S. side line of said claim; Thence East 750 feet to a monument of stones and stake at the S.E. corner of said claim; Thence North 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness:

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson Oct. 4th, A.D. 1899 at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 485.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Gifford Mining
claim, situated in the Silverbell Mining Dist., in Pima
Co., Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 425

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

COPPER BUTTE MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson of Tucson and Territory of Arizona, the locator and owner of the Copper Butte Mining Claim situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated June 1st, 1899, and recorded in the office of the County Recorder of said Pima County in Book G.G., of Records of Mines, at page 333, having learned that said original location certificate was defective, do hereby in accordance with the provisions of an Act of the Legislative Assembly of said Territory approved March 2nd, 1899 and in accordance with the laws of the United States, make and file this my amended location certificate dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim the name of which is the Copper Butte Mining claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1400 feet in a Southerly direction and 100 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1700 feet in a Westerly ~~direction~~ and slightly South direction from U. S. Mineral Monument No. 2.

The surface boundaries of the claim, are marked upon the ground as follows: Beginning at a monument of stones and stake at a point in a Northerly direction 100 feet from the discovery shaft, (at which this notice is posted) being in the center of the Northerly end of said claim; Thence Westerly 300 feet to a monument of stones and stake being the N. West corner of said claim; thence Southerly 750 feet to a monument of stones and stake at the center of the west side line of said claim; Thence Southerly 750 feet to a monument of stones and stake being at the South West corner of said claim; thence Easterly 300 feet to a monument of stones and stake at the center of the Southerly end line of said claim; thence Easterly 300 feet to a monument of stones and stake being at the S.E. corner of said claim; Thence Northerly 750 feet to a monument of stones and stake, being at the center of the East side line of said claim; Thence Northerly 750 feet to a monument of stones and stake at the N.E. corner of said claim; Thence Westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness: George H. Sisson,
Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of Geo. H. Sisson Oct 4th AD 1899 at 11:42 A.M.

Chas. A. Shibell
County Recorder.

Book G.G., Records of Mines, page 496.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the amended location of the Copper Butte Mining Claim situated in the Silverbell Mining Dist. in Pima Co., Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book Q. Q. Record of Mines Pages 496

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

HOUSE EXTENSION MINING CLAIM (AMENDED)

MAR. 23 1910.

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the House Extension Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated May 1st, 1899, and recorded in the office of the County Recorder of said Pima County, In Book G.G., of Records of Mines, at pages 326-7, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899 without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim the name of which is the House Extension Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of Sept. 1899.

The length of this claim is 1500 feet and I claim 1450 feet in a Easterly direction and 500 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the westerly.

This claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 1350 feet in a Easterly direction from Young America Cabin, and about 3000 feet in an Easterly direction from U.S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the claim as follows: Beginning at stone monument and stake at a point in a Westerly direction 50 feet from the discovery shaft (at which this notice is posted) being in the center of the Westerly end line of said claim; Thence Northerly 300 feet to a stone monument and stake being the North west corner of said claim; Thence Easterly 750 feet to a stone monument and stake at the center of the North side line of said claim; Thence Easterly 750 feet to a stone monument and stake being at the North East corner of said claim; Thence Southerly 300 feet to a stone monument and stake at the center of the East end of said claim; Thence Southerly 300 feet to a stone monument and stake being at the S.E. corner of said claim; Thence westerly 750 feet to a stone monument and stake being at the center of the South side line of said claim; Thence Westerly 750 feet to a stone monument and stake at the S.W corner of said claim; Thence Northerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept-
1899

Witness:

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, 1899
at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 503.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the amended location notice of the House Extension Mining Claim, situated in the Silverbell Mining Dist. in Pima Co. Territory of Arizona, located Sept. 25, 1899 as appears of record now in my office in Book G. G. Record of Mines Pages 503

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

COPPER HILL MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Hill Mining claim, situated in the Silver Bell Mining Dist. in the County of Pima in said Territory, the original location certificate whereof was dated Nov. 20, 1897, and recorded in the office of the County Recorder of said Pima County in Book F.F., of Records of Mines, at page 639, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance, with the ~~provisions~~ of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899 without waiver or any previous rights, for the purpose of correcting and making more specific the boundaries, location and description of said lode as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Copper Hill Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned on the 25th day of Sept. 1899.

The length of this claim is 1500 feet and I claim 150 feet in a Southerly direction and 1350 feet in a Northerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 2700 feet in a slightly Westerly direction from South of the U.S. Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Southerly direction 150 feet from the discovery shaft at which this notice is posted, being in the center of the South end line of said claim; Thence Westerly 300 feet to a monument of stones and stake being the S. West corner of said claim; Thence Northerly 750 feet to a monument of stones and stake at the center of the West side line of said claim; Thence Northerly 750 feet to a monument of stones and stake being at the N. West corner of said claim; Thence Easterly 300 feet to a monument of stones and stake at the center of the N. end line of said claim; Thence Easterly 300 feet to a monument of stones and stake being at the N.E. corner of said claim; Thence Southerly 750 feet to a monument of stones and stake, being at the center of the East side line of said claim; Thence Southerly 750 feet to a monument of stones and stake, at the S.E. corner of said claim; Thence Westerly 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept
1899

Witness:

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th,
A.D. 1899, at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 518
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Copper Hill Mining
Claims, situated in the Silverbell Mining Dist., in Pima
Co., Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Record of Mines Pages 518

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy

101

MAR. 23 1910

OXIDE MINING CLAIM (AMENDED)
 AMENDED LOCATION CERTIFICATE

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Oxide Mining Claim, situate in the Silver Bell Mining Dist. in the County of Pima, in said Territory, the original location certificate whereof was dated April 1st, 1899, and recorded in the office of the County Recorder in said Pima County in Book G.G., of Records of Mines at pages 339 and 340, and being the assign of the original locator thereof having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description ^{said lode} as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Oxide Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 1375 feet in a Northerly direction and 125 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Silver Bell

Mining Dist. in Pima County in the Territory of Arizona, the discovery shaft being about 3000 feet in a S. Easterly direction from United States Mineral Monument No. 2.

The surface boundaries of the claim are marked upon the ground as follows: ^{monument of stones and stake at a} Beginning at a point in a Southerly direction 125 feet from the discovery shaft (at which this notice is posted) being in the center of the South end line of said claim; thence East 300 feet to a monument of stones and stake being the S.E. corner of said claim; thence North 750 feet to a monument of stones and stake at the center of the east side line of said claim; thence N. 750 feet to a monument of stones and stake, being at the N.E. corner of said claim; thence west 300 feet to a monument of stones and stake, (at the center of the N. end of said claim; thence West 300 feet to a monument of stones and stake) being at the N.W. corner of said claim; thence S. 750 feet to a monument of stones and stake being at the center of the West line of said claim; thence S. 750 feet to a monument of stones and stake at the S.W. corner of said claim; thence East 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness

George H. Sisson.

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, A.D. 1899 at 11:42 A.M.

Chas. A. Shibell

County recorder.

Book G.G., Records of Mines, page 516.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Oxide Mining Claim
situated in the Silverbell Mining Dist., Pima Co.,
Territory of Arizona, located Sept. 25, 1899

as appears of record now in my office in Book G. G. Reed of Mines Pages 516

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L. M. Shihell, deputy.

COPPER GIRL MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the owner of the Copper Girl Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima said Territory, the original location certificate whereof was dated Sept. 5th, 1897, and recorded in the office of the County Recorder of said Pima County, in Book F.F., of Records of Mines at page 635, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN: This Mining Claim the name of which is the Copper Girl Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George H. Sisson, the undersigned, on the 25th day of September, 1899.

The length of this claim is 1500 feet and I claim 338 feet in a Westerly direction and 1162 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the

discovery shaft being about 2700 feet in a South Easterly direction from U.S. Mineral Monument No. 2, and about 1150 feet Southerly from the S.W. corner of Dox Olligy Mine (Patented)

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Westerly direction 328 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence Northerly 300 feet to a monument of stones and stake, being the N.W. corner of said claim; Thence Easterly 750 feet to a monument of stones and stake at the center of the North side line of said claim; thence Easterly 750 feet to a monument of stones and stake being the N.E. corner of said claim; Thence S. 300 feet to a monument of stones and stake, at the center of the East end of said claim; Thence southerly 300 feet to a monument of stones and stake being at the S.E. corner of said claim; Thence westerly 750 feet to a monument of stones and stake being at the center of the South side line of said claim; Thence westerly 750 feet to a mound of stones and stake at the South west corner of said claim; thence Northerly 300 feet to the place of beginning.

dated and posted on the ground this 25th day of sept. 1899.

Witness

George H. Sisson

Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and Recorded at request of Geo. H. Sisson Oct. 4th, A.D. 1899. at 11:42 A.M.

Chas. A. Shibell

County Recorder.

Book G.G., Records of Mines, page 499.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Copper Girl Mining
Claim, situated in the Silverbell mining Dist. in Pima
Co., Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book G. G. Record of Mines Pages 499

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.

by L. M. Shibell, deputy.

EAST EXTENSION MINING CLAIM (AMENDED)

AMENDED LOCATION CERTIFICATE.

MAR. 23 1910

KNOW ALL MEN BY THESE PRESENTS:

That I, George H. Sisson, of Tucson, County of Pima, and Territory of Arizona, the Owner of the East Extension Mining Claim, situated in the Silver Bell Mining Dist. in the County of Pima, said Territory, the original location certificate whereof was dated Jany. 1892, and recorded in the office of the County Recorder of said Pima County, in Book C.C., of Records of Mines, at page 224, and being the assign of the original locator thereof, having learned that said original location certificate was defective, do hereby, in accordance with the provisions of an Act of the Legislative Assembly of said Territory, approved March 2nd, 1899, and in accordance with the laws of the United States, make and file this my amended location certificate, dated this 25th day of September, 1899, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries, location and description as originally located on the ground, to-wit:

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the East Extension Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by George H. Sisson the undersigned, on the 25th day of Sept. 1899.

The length of this claim is 1500 feet and I claim 300 feet in a Easterly direction and 1200 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Silver Bell Mining Dist. in Pima County in the Territory of Arizona, the

discovery shaft being about 3450 feet in a slightly South of East direction from U. S. Mineral Monument No. 2, and about 1650 feet S. Easterly from the well on the Eastern end of the Dox Olligy mine (patented)

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones and stake at a point in a Easterly direction 300 feet from the discovery shaft (at which this notice is posted) being in the center of the East end line of said claim; thence North 300 feet to a monument of stones and stake being the N.E. corner of said claim; Thence west 750 feet to a monument of stones and stake at the center of the North side line of said claim; Thence west 750 feet to a monument of stones and stake, being at the N.W. corner of said claim; thence S. 300 feet to a monument of stones and stake at the center of the West end of said claim; thence S. 300 feet to a monument of stones and stake, being at the South west corner of said claim; Thence east 750 feet to a monument of stones and stake, being at the center of the South side line of said claim; Thence East 750 feet to a monument of stones and stake at the S.E. corner of said claim; thence N. 300 feet to the place of beginning.

Dated and posted on the ground this 25th day of Sept. 1899.

Witness: George M. Sisson
Thos. E. Teegarden (U.S. Int. Rev. Stamp)

Filed and recorded at request of George H. Sisson Oct. 4th, 1899, at 11:42 A.M.

Chas. A. Shibell,
County Recorder.

Book G.G., Records of Mines, page 515
records pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben. Loney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the East Extension
Mining Claim, situated in the Silverbell Mining Dist,
Pima Co., Territory of Arizona, located Sept. 25, 1899
as appears of record now in my office in Book J. G. Record of Mines Pages 515

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day
of March A. D. 1900

Ben. Loney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy

NOTICE OF MINING LOCATION

LODE CLAIM

MAR. 23. 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Portland Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the State of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 11th day of March, 1907.

The length of this claim is 1500 feet and said company claims 1490 feet in a East direction and 10 feet in a west direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Silverbell Mining District, in Pima County, in the Territory of Arizona, about 1800 feet South and 2700 ft., East direction from Mineral Monument No. 2, said claim is South of the Copper Girl claim and joins same. This claim is located on abandoned property.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stone at a point in a west direction 10 feet from the discovery shaft (at which this notice is posted) being in the center of the west end line of said claim; thence North 300 feet to a mound of stone being the Northwest corner of said claim; thence East 1500 feet to a mound of stone being at the North East corner of said claim; thence South 300 feet to a mound of stone at center of the east end of said claim; thence South 300 feet to a mound of stone being at the Southeast corner and witness cor. of said claim; thence west 1500 feet to a mound of stone at the Southwest corner of said claim; thence North 300 feet to the place of beginning.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Hiney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Cartland Mining Claim, situated in the
Silverbell mining Dist., in Pima Co. Territory
of Arizona, located on March 11, 1907

as appears of record now in my office in Book M. M. Record of Mines Pages 167

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Hiney
County Recorder of Pima County, Arizona.

by L. M. Shibley, deputy

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 11th day of March 1907.

Oxide Copper Company

By W. H. Burrage, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907
at 9 A.M.

Chas A. Shibell

County Recorder

Book M.M., Records of Mines, page 167.
records Pima County.

NOTICE OF MINING LOCATION

225

LODE CLAIM.

MAR. 23 1910

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Ikon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation organized under the laws of the state of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 23rd day of March, 1907.

The length of the claim is 1500 feet and said company claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the East.

The claim is situated and located in the Silverbell Mining District in Pima County, in the Territory of Arizona, about one mile in an Easterly direction from The Young America Camp and the West end line adjoins and parallels the East end line of the 40% claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones, at a point in a westerly direction 50 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence North 300 feet to a mound of stones, being the North west corner of said claim; thence East 1500 feet to a mound of stones being at the North East corner of said claim; thence South 300 feet to a mound of stones at the center of the East end of said claim; thence South 300 feet to a mound of stones, being at the Southeast corner of said claim; thence West 1500 feet to a mound of stones at the South west

corner of said claim; thence North 300 feet to the place of beginning.

112
226

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and codify the laws of the Territory of Arizona" approved March 16, 1901.

Dated and posted on the ground this 23rd day of March 1907.

Oxide Copper Company

By Frank Higgins, Agent.

Filed and recorded at request of Frank Higgins, Apr. 27, 1907
at 9 A.M.

Charles A. Shibell,

County Recorder.

Book M.M., Records of Mines, page 163,
record Pima County,

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Cheney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Ikon Mining Claim, situated in the
Silverbell Mining Dist., in Pima Co., Territory of Arizona,
located March 23, 1907

as appears of record now in my office in Book M. M. Record of Mines Pages 163

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 21 day
of March A. D. 1910

Ben Cheney
County Recorder of Pima County, Arizona.
by L. M. Shihell, deputy

MAR. 23 1910

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Ventura Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purposes of exploration and purchase by The Oxide Copper Company, a corporation, organized under the laws of the state of New Jersey, and a citizen of the United States, and whose stockholders are citizens of the United States, the undersigned, on the 28th day of March, 1907.

The length of this claim is 1500 feet and said company claims 900 feet in a Southerly direction and 600 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Silverbell Mining District, in Pima County, in the Territory of Arizona about $3/4$ of a mile in a Southeasterly direction from The Young America Camp, and the North end line abuts on to and parallels the South side line of the Totem mining claim, and the west side ^{line} of the Montezuma mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a Northerly direction 600 feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence East 300 feet to a mound of stones, ~~and~~ being the Northeast corner of said claim; thence South 1500 feet to a mound of stones, being at the Southeast corner of said claim; thence west 300 feet to a mound of stones at the Center of the South end of said claim; thence west 300 feet to a mound of stones, being at the southwest corner of said claim; thence North 1500 feet to a mound of stones at the Northwest corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16, 1901.

Dated and posted on the ground this 28th day of March 1907.

Oxide Copper Company
By Frank Higgins, Agent

Filed and recorded at request of Frank Higgins, April 29, 1907.
at 9 A.M.

Chas. A. Shibell,
County Recorder.

Book M.M. Records of Mines, page 159.
Records Pima County.

TERRITORY OF ARIZONA, }
County of Pima, } ss.

I, Ben Kenney County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the Ventura Mining Claims, situated in the
Silverbell Mining Dist., in Pima Co., Territory
of Arizona, located April 29, 1907

as appears of record now in my office in Book M.M. Record of Mines Pages 159

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 21 day

of March A. D. 1910

Ben Kenney
County Recorder of Pima County, Arizona.

by L.M. Shibell, deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 26, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey

of the mining claim of Oxide Copper Company, known as the Nightingale, Georgia, Dewey, Princess, Equity, Stone Cabin, Anaconda, Morning Star, 50 Per 100, Copper Hill No. 1, Jim Crow, Denver, Mask, Totem, Montezuma, Ironmaster, El Plomo, Copper Carbonate, Sampson, Danube, Boston Beauty, Wild Hog, Copper Beauty, Aztec, House, 40 Per 100 No. 2, Copper Hill No. 2, Schley No. 2, Iron Glad, Idol, Toltec, Dreadnaught, Lead Carbonate, Mountain Dew, Azurite, Copper Prince, Boston Boy, Gifford, Copper Butte, House Extension, Copper Hill, Oxide, Copper Girl, East Extension, Portland, Iken, Ventura, SITUATE IN Silver Bell

Mining District, Pima County, Arizona,

in Section Unsurveyed Township No. 12 South, Range No. 8 East, Approx., and G. & S. R. E. & M. 2799, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim^{or for each of} by claimant^s or its grantors, and that said improvements consist of 55 shafts, 21 cuts, 5 tunnels, 4 winzes, 3 crosscuts, 1 drift and 25 drill holes, total value \$98,452.00.

An undivided 1/47 interest, value \$1691.20, in the system of common improvements, as specifically set forth by the mineral surveyor, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 26, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of Oxide Copper Company, known as the Nightingale, Georgia,
Dewey, Princess, Equity, Stone Cabin, Anaconda, Morning Star, 50 Per 100, Copper Hill
No. 1, Jim Crow, Denver, Mask, Totem, Montezuma, Ironmaster, El Plomo, Copper Carbonate,
Sampson, Danube, Boston Beauty, Wild Hog, Copper Beauty, Aztec, House, 40 Per 100 No 2,
Copper Hill No. 2, Schley No. 2, Iron Clad, Idol, Toltec, Dreadnaught, Lead Carbonate,
Mountain Dew, Azurite, Copper Prince, Boston Boy, Gifford, Copper Butte, House Ex-
tension, Copper Hill, Oxide, Copper Girl, East Extension, Portland, Ikon, and
Ventura,

situate in Silver Bell Mining District,

Pima County, Arizona,

in Section Unsurveyed, Township No. 12 S., Range No. 8 E., Approx.,

G. & S. R. B. & M., designated as Survey No. 2799.

executed by William B. Alexander, U. S. ~~Deputy~~ Mineral

Surveyor, July 1, - 20, 1910., ~~190~~, under my instructions dated

March 24, 1910., ~~190~~, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 2799

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Equity and Mountain Dew lodes, Mineral Survey No. 2799, located in sections 3 and 10, Township 12 South, Range 8 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to facilitate a proposed land exchange with ASARCO Incorporated and to clear the record.

The Mineral Survey Plat should be noted as follows:

"Equity and Mountain Dew lodes, M.S. 2799 were canceled January 30, 1992, by memo 9605 (942) M.S. 2799, which is now a part of the original field notes."

January 30, 1992
Date



Chief Cadastral Surveyor of Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 2799
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Denver, Mask, Totem, Montezuma, Sampson, Aztec, Idol, Toltec, Dreadnaught, Ikon, Ventura and Copper Butte lodes, Mineral Survey No. 2799, located in sections 3, 10, 11 and 12, Township 12 South, Range 8 East, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Denver, Mask, Totem, Montezuma, Sampson, Aztec, Idol, Toltec, Dreadnaught, Ikon, Ventura and Copper Butte lodes M.S. 2799, were canceled December 1, 2010, by memo 9605 (956) M.S. 2799, which is now a part of the original field notes."

December 1, 2010
Date


Acting Chief Cadastral Surveyor of Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (922-TR)

January 16, 1992

Memorandum

To: Chief, Branch of Cadastral Survey
From: Deputy State Director, Mineral Resources
Subject: Mining Claim Verification

This is in response to your request for verification of mining claims in sections 3, 4, 5, 10, 14 and 15, T. 12 S., R. 8 E., section 35, T. 16 S., R. 12 E., sections 2 and 11, T. 17 S., R. 12 E., G&SRM. See the attachment for a list of the Survey Numbers, Claim Names, and Case File Serial Numbers (if available) and Status. So that the Mineral Surveys may or may not be canceled, we have checked if all of the lodes were recorded as required under FLPMA and that the annual assessment work has been kept up to date.

If you have any questions, please contact Tom Reitmeyer at extension 358.

Carol Busque

1 Attachment
1 - UNPATENTED CLAIMS (SURVEYED)(2 pp)

UNPATENTED CLAIMS (SURVEYED)

TOWNSHIP 12 SOUTH, RANGE 8 EAST
Sections 3, 4, 5, 10, 14 and 15

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
396	Blue Coat	Not filed under FLPMA
398	Old Boot	Not filed under FLPMA
496	Detroit	Not filed under FLPMA
604	Dolly Varden	Not filed under FLPMA
2799	Equity	Not filed under FLPMA
4157	Mountain Dew	Not filed under FLPMA
4749	May No. 8	AMC 48528
4750	May 46	AMC 48559
	May 47	AMC 48560

TOWNSHIP 16 SOUTH, RANGE 12 EAST
Section 35

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
4548	Louis No. 13	AMC 24407
	Lime No. 1	AMC 24408
	Lime No. 4	AMC 24409
	Yaqui	AMC 24410
	Algonquin	AMC 24411
	Iriquois	AMC 24412
	Pueblo	AMC 24413
	Acoma	AMC 24414
	Pima	AMC 24415
	Yuma	AMC 24416
	Yavapai	AMC 24417
	Mohave	AMC 24418
	Gila	AMC 24419
	Blackfoot	AMC 24420
	Key	AMC 24421
4584	Ute	AMC 24403
	Piute	AMC 24404
	Hopi	AMC 24406
	Comanche	AMC 24405
4583	Contact	AMC 24402
	Gypsy	AMC 24401
	Hogle Fraction	AMC 24398
	Hogle #1	AMC 24397
	Bolsa	AMC 24399
	Jupiter No. 2	Not filed under FLPMA
	Fracton 4	
3737	Two Boys	Not filed under FLPMA

TOWNSHIP 17 SOUTH, RANGE 12 EAST
Sections 2 and 11

<u>Claim No. and Name:</u>	<u>Serial Number:</u>	<u>Status:</u>
3726	Elda B.	Not filed under FLPMA
1650	Gen No. 1 San Xavier	Not filed under FLPMA
2294	Vulcan No. 5	Not filed under FLPMA
2237	Prince Rupert AMC 5922	91 assessment on file
4295	Staple AMC 5917	91 assessment on file
4583	Jupiter Fraction No. 2	Not filed under FLPMA
4583	Hogle Fraction AMC 24398	Closed March 7, 1989
4548	Blackfoot AMC 24420	Closed March 7, 1989
3730	Red Oxide No. 3	Not filed under FLPMA