

7-18-1910.

O. M. C.

1

JUN 23 1910

4-683.

MINERAL SURVEY No. 2804

LOT No.

Phoenix, Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM^S OF

Big Pine Mining Company,

KNOWN AS THE

West End, West End Extension & Triangle lodes

Hassayampa Mining District,

Yavapai County, Arizona, Approximately in

Section 3, Township 12 North, Range 2 West. Unsurveyed. within the Prescott National Forest

Surveyed under instructions dated April 5th, 1910

by Herbert C. Shotwell, U. S. Mineral Surveyor.

Claims located See Location Notices, 19

Survey commenced April 14th., 19 10

Survey completed April 18th., 19 10

6-825

Address

J.J.Hawkins, Attorney,

Prescott Arizona.

Mineral Survey No. 2804

Feet

WEST END lode:

Beginning at Cor. No. 1, on line 3-4 of West End Extension lode of this survey, N. 82°-12' W. 60.10 ft. from Cor. No. 4, and on line 2-3 of Triangle lode of this survey, S. 28°-07' W. 1.88 ft. from Cor. No. 2, a granite stone 24 x 7 x 9 in. set 12 in. in the ground with a substantial mound of stone alongside, and chiseled W. E.-1-2804 on west face with cross on top for exact corner point, from which U. S. L. M. No. 1481 brs. N. 36°-28' E. 1484.6 ft. An oak 6 in. in diam. blazed and scribed B. T. W. E.-1-2804 brs. N. 73°-00' E. 13.5 ft. An oak 5 in. in diam. blazed and scribed B. T.-W. E.-1-2804 brs. S. 67°-30' E. 21.0 ft.

Thence N. 27°-37' W.

150.0 Cross road, course easterly and westerly.

272.3 North Center End; a mound of stone.

635.3 Cor. No. 2, a granite stone 28 x 12 x 16 in. set 14 ins. in the ground with a substantial mound of rock alongside, and chiseled W. E.-2-2804 on south face, with cross on top, for exact corner point, from which an oak 20 in. in diam. blazed and scribed B. T.-W. E.-2-2804 brs. S. 13°-15' E. 20.5 ft. An oak 22 in. in diam. blazed and scribed B. T.-W. E.-2-2804 brs. S. 51°-20' W. 17.0 ft.

Thence S. 28°-07' W.

494.43 Intersect line 2-3 of West End Extension lode of this survey N. 7°-48' E. 54.15 ft. from Cor. No. 3.

1336.20 Cor. No. 3, a granite stone 24 x 10 x 10 in. set 12 ins. in the ground with a substantial mound of stone alongside, chiseled W. E.-3-2804 on east face with cross on top for exact corner point, from which a fir 40 in.

Feet	<u>West End lode, continued:</u>
	<p>in diam. blazed and scribed B. T.-W. E.-3-2804, brs. S. 36°-30' E. 16.5 ft. A pine 28 in. in diam. blazed and scribed B. T.-W. E.-3-2804, brs. S. 54°-00' W. 46.5 ft.</p> <p style="text-align: center;">Thence S: 27°-37' E.</p>
363.0	South Center End; a mound of stone.
635.3	<p>Cor. No. 4, identical with Cor. No. 3 of Triangle lode of this survey, a porphyry stone 24 x 12 x 10 in. set 12 in. in the ground with a substantial mound of stone alongside, chiseled W. E.-4-2804 on north face and T.-3-2804 on east face, with cross on top, for exact corner point, from which a pine 10 in. in diam. blazed and scribed B. T.-W. E.-4-2804-T-3-2804 brs. S. 68°-00' E. 31.8 ft. A pine 12 in. in diam. blazed and scribed B. T.-W. E.-4-2804-T-3-2804 brs. S. 44°-00' E. 40.0 ft.</p> <p style="text-align: center;">Thence N. 28°-07' E.</p>
1336.20	<p>Cor. No. 1, the place of beginning.</p> <p>All corners are identical with their respective locations.</p> <p>Magnetic declination at each corner 15°-00' to E.</p> <p><u>WEST END EXTENSION lode:</u></p> <p>Beginning at Cor. No. 1, a granite stone 34 x 12 x 8 in. set 18 in. in the ground with mound of stone alongside, chiseled W E Ex.-1-2804 on west face, with cross on top for exact corner point, from which U. S. L. M. No. 1481 brs. S. 65°-21' E. 681.25 ft. An oak 6 in. in diam. blazed and scribed B. T.-W E Ex.-1-2804 brs. S. 77°-35' E. 8.2 ft. A pine 6 in. in diam. blazed and scribed B. T.-W E Ex.-1-2804 brs. S. 1°-30' E. 13.1 ft.</p>

Feet	<u>West End Extension Lode, continued.</u>
	Thence N. 82°-12' W.
266.00	Cross road, course northerly and southerly.
300.00	North Center End, a mound of stone.
370.00	Cross creek, flows northerly.
600.00	Cor. No. 2, a granite stone 26 x 7 x 7 in. set 14 ins. in the ground, with substantial mound of stone alongside, and chiseled W E Ex.-2-2804 on east face with cross on top, for exact corner point, from which an oak 12 ins. in diam. blazed and scribed B. T.-W E Ex.-2-2804 brs. S. 40°-10' E. 10.0 ft. A pine 8 in. in diam. blazed and scribed B. T.-W. E. Ex.-2-2804 brs. S. 21°-45' W. 13.0 ft.
	Thence S. 7°-48' W.
1445.85	Intersect line 2-3 of West End lode of this survey S. 28°-07' W. 494.43 ft. from cor. No. 2.
1500.00	Cor. No. 3, a granite stone 30 x 10 x 8 in. set 12 ins. in the ground, with a substantial mound of rock alongside, and chiseled W E Ex.-3-2804 on north-east face with cross on top for exact corner point, from which a pine 6 in. in diam. blazed and scribed B. T.-W E Ex.-3-2804 brs. N. 80°-00' W. 8.8 ft. A pine 5 in. in diam. blazed and scribed B. T.-W E Ex.-3-2804 brs. N. 8°-50' W. 4.5 ft.
	Thence S. 82°-12' E.
300.00	South Center End, a mound of stone.
539.9	Cor. No. 1 of West End lode of this survey, and on line 2-3 of Triangle lode of this survey, S. 28°-07' W. 1.88 ft. from Cor. No. 2.
585.04	Intersect line 3-4 of Gopher lode Survey No. 1481, S. 8°-46' W. 227.84 ft. from Cor. No. 4.

Feet	<u>West End Extension lode, continued:</u>
600.00	<p>Cor. No. 4, identical with Cor. No. 1 of Triangle lode of this survey, a granite stone 24 x 12 x 8 in. set 12 in. in ground with substantial mound of stone alongside, and chiseled W. E. Ex.-4-2804 and T.-1-2804 on west face with cross on top for exact corner point, from which an oak 10 in. in diam. blazed and scribed B. T.-W. E. Ex.-4-2804-T-1-2804 brs. N. 86° 15' W. 25 ft. An oak 10 in. in diam. blazed and scribed B. T.-W E Ex.-4-2804-T-1-2804 brs. N. 11°-26' W. 17 ft.</p> <p style="text-align: center;">Thence N. 7°-48' E</p>
234.31	<p>Intersect line 1-4 of Gopher lode Survey No. 1481 and line 2-3 of Grizzly lode Survey No. 1481, N. 78°-00' E. 126.94 ft. from Cor. No. 2 of Grizzly lode and N. 78° 00' E. 18.94 ft. from Cor. No. 4 of Gopher lode.</p>
240.00	<p>Cross road, course northeasterly and southwesterly.</p>
439.48	<p>Intersect line 1-2 of Grizzly lode Survey No. 1481, N. 33°-30' E. 275.41 ft. from Cor. No. 2.</p>
750.00	<p>Cross creek, flows northerly.</p>
858.62	<p>Intersect line 2-3 of Mammoth lode Survey No. 1481 S. 12°-00' E. 529.94 ft. from Cor. No. 3.</p>
920.00	<p>Cross road course northwesterly</p>
1421.84	<p>Intersect line 3-4 of Mammoth lode Survey No. 1481 N. 78°-00' E. 190.78 ft. from Cor. No. 3.</p>
1500.00	<p>Cor. No. 1, the place of beginning.</p> <p>All corners are identical with their respective locations.</p> <p>Magnetic declination at each corner 15°-00' E.</p>

Feet	<u>TRIANGLE lode:</u>
	Beginning at Cor. No. 1, identical with Cor. No. 4 of the West End Extension lode of this survey, corner described above, from which U. S. L. M. No. 1481 brs. N. 34°-24' E. 1456.6 ft.
	Thence N. 80°-30' W.
14.95	Intersect line 3-4 of Gopher lode Survey No. 1481 S. 8°-46' W. 227.40 ft. from Cor. No. 4, and N. 8°46' E. 1268.05 ft. from Cor. No. 3.
39.47	North Center End, a mound of stone.
59.47	Cor. No. 2, a granite stone 24 x 6 x 7 in. set 12 in. in the ground with mound of stone alongside, chiseled T-2-2804 on east face, with cross on top for exact corner point, from which an oak 14 in. in diam. blazed and scribed B. T.-T.-2-2804 brs. S. 74°-40' E. 27.8 ft. An oak 16 in. in diam. blazed and scribed B. T.-T.-2-2804 brs. N. 15°-00' E. 29.7 ft.
	Thence S. 28°-07' W.
1.88	Cor. No. 1 of West End lode of this survey on line 3-4 of West End Extension lode of this survey N. 82°-12' W. 60.1 ft. from Cor. No. 4.
1338.08	Cor. No. 3, identical with Cor. No. 4 of West End lode of this survey. Corner described above.
	Thence S. 80°-30' E.
300.00	South Center End, a mound of stone.
487.8	Cor. No. 4, identical with Cor. No. 3 of Gopher lode Survey No. 1481. Marked same rock and bearing trees as for Cor. No. 3 of Gopher. A granite stone 24 x 12 x 4 in. set 12 in. in the ground with a substantial mound of rock alongside; chiseled T-4-2804 on west face, with cross on top for exact corner point, from which an oak 6 in. in diam. blazed and scribed B. T.-T.-4-2804 brs. S. 10°-00' W. 12 ft. An oak 10 in. in

Feet

Triangle Lode; continued;

diam. blazed and scribed B.T.-T.-4-2804 brs. N. 72°-00' W. 17 ft.

Thence N. 9°-26' E.

1268.10

Cor. No. 1, the place of beginning.

All corners are identical with their respective locations.

Magnetic declination at each corner is 15°-00' to E.

L E D G E S

The presumed courses of the ledges of this survey, as near as can be traced upon the ground, are as follows:

WEST END lode:

Course of ledge is from a point on line 1-2 N. 27°-37' W. 272.3 ft. from Cor. No. 1; thence S. 28° 07' W. 1336.2 ft. to intersection of line 3-4.

WEST END EXTENSION lode:

Course of ledge is from a point on line 1-2 N. 82°-12' W. 300.0 ft. from Cor. No. 1; thence S. 7° 48' W. 1500.0 ft. to intersection of line 3-4.

TRIANGLE lode:

Course of ledge is from a point on line 1-2 N. 80°-30' W. 39.47 ft. from Cor. No. 1; thence S. 16°-07' W. 1276.61 ft. to intersection of line 3-4.

I M P R O V E M E N T S

I certify that the value of the labor and improvements upon the claims embraced in this survey, placed thereon by the claimant and its grantors, is not less than \$500.00 for each claim, and that said improvements consist of:-

WEST END lode:

No.1

Discovery monument, a mound of stone 4 ft. base and 3½ ft. high, located on presumed course of ledge, from which Cor. No. 1 brs. N. 78°-57' E. 290.18 ft.

No. 7

Improvements, continued:

- No. 2 Shaft 4 x 6 x 10 ft. deep, partially caved, from center of which Cor. No. 1 brs. N. 65°-37' E. 404.0 ft.
Value \$100.00
- No. 3 Shaft 4 x 6 x 10 ft. partially caved, from center of which Cor. No. 1 brs. N. 52°-50' E. 492.0 ft.
Value \$100.00
- No. 4 Tunnel 4 x 6 ft. from beginning of which Cor. No. 1 brs. N. 35°-08' E. 668.0 ft.; thence N. 88°-30' W. 43.5 ft. to Sta. 1 in tunnel; thence from Sta. 1 N. 43°-12' W. 104.0 ft. to Sta. 2 in tunnel; thence from Sta. 2 N. 55°-40' W. 30.9 ft. to Sta. 3 in tunnel; thence from Sta. 3 S. 56°-58' W. 27.0 ft. to Sta. 4 in tunnel; thence from Sta. 4 S. 31°-30' W. 128 ft. face of tunnel. Total length of tunnel, 333.4 ft.
Value \$3334.00
- No. 5 Tunnel 4 x 6 ft. from beginning of which Cor. No. 1 brs. N. 40°-57' E. 923 ft. Course of tunnel S. 57°-30' W. 43 ft.; thence S. 21° W. 134 ft. to face. Total length of tunnel, 177 ft.
Value \$1770.00
- No. 6 Tunnel 4 x 6 ft., from beginning of which Cor. No. 1 brs. N. 39°-20' E. 1024.0 ft. Course of tunnel S. 29° W. 59 ft. to face.
Value \$ 590.00

WEST END EXTENSION lode:

- No. 1 Discovery monument, a mound of stone 4 ft. base and 4 ft. high, located on the presumed course of ledge, from which Cor. No. 1 brs. N. 79°-22' E. 316.2 ft.
- No. 2 Shaft 4 x 6 x 15 ft. deep, from center of which Cor. No. 1 brs. N. 22°-07' E. 686.0 ft.
Value \$ 150.00
- No. 3 Tunnel 4 x 6 ft. from beginning of which Cor. No. 4 brs. S. 63°-15' E. 225.0 ft. Course of tunnel S. 39°-10' W. 70 ft. to face.
Value \$ 600.00

TRIANGLE lode:

- No. 1 Discovery monument, a mound of stone 4 ft. base and 3½ ft. high, located on presumed course of ledge, from which Cor. No. 1 brs. N. 22°-42' E. 341.8 ft.

Triangle lode, continued:

- No. 2 Open cut and tunnel, from beginning of which
Cor. No. 1 brs. N. 28°-30' E. 521.0 ft.
Course of open cut and tunnel S. 16° W. 23 ft.
to end of open cut, 55 ft. to face of tunnel.
Value of open cut and tunnel \$440.00
- No. 3 Open cut 4 x 12 x 8 ft. face, from face of
which Cor. No. 1 brs. N. 27°-37' E. 563 ft.
Value \$ 80.00
- No. 4 Open cut 4 x 12 x 8 ft. face, from face of
which Cor. No. 1 brs. N. 26°-20' E. 658 ft.
Value \$ 80.00

Note: The discovery monuments for these lodes are located on the presumed ledges as traced upon the ground by surface indications which indicate the outcrop of the ledge.

O T H E R I M P R O V E M E N T S

WEST END EXTENSION lode:

900 linear feet of wagon road.

A R E A

	Acres	Acres
Total Area of West End lode		16.106 ✓
Area in conflict with West End Extension lode of this Survey	3.315 ✓	
Total Area West End Extension lode		20.661 ✓
Area in conflict with Mammoth lode Survey No. 1481	1.161 ✓	
Area in conflict with Grizzly lode Survey No. 1481	.281 ✓	
Area in conflict with Gopher lode Survey No. 1481	.087 ✓	
Total Area Triangle lode		7.966 ✓
Area in conflict with West End Extension lode of this survey	.001 ✓	
Area in conflict with Gopher lode Survey No. 1481	.218 ✓	
Common conflict West End Extension and Triangle lodes of this survey, with Gopher lode, Sur. No. 1481, nominal,	.000 +	

A D J O I N I N G C L A I M S

The West End Extension lode conflicts with the Mammoth lode Survey No. 1481, the Grizzly lode Survey No. 1481, and Gopher lode Survey No. 1481, on the East.

The Triangle lode conflicts with the Gopher lode Survey No. 1481 on the East.

There are no more known claims adjoining this group, and so far as known the balance of the ground surrounding these claims is Public Domain and subject to entry.

L O C A T I O N

These claims are located upon unsurveyed land, Yavapai County, Arizona, Hassayampa Mining District, approximately in Sec. 3, T. 12 N., R. 2 W. of the G. & S. R. B. & M. within the Prescott National Forest.

I N S T R U M E N T

This survey was made with a Lietz Light Mountain Transit. The distances were measured with a 600 and a 100 ft. steel tape. All courses were deflected from true meridian as determined by direct solar observation.

R E P O R T

The discrepancies between the claims of this survey, as marked upon the ground by the location monuments and as described in their respective location notices, are due to error in the location notices.

I thoroughly satisfied myself, while on the ground making the survey, that the improvements mentioned above were all made by the claimant and its grantors.

I was unable to find Corner No. 2 of the Grizzly lode, Survey No. 1481, and have used course and distance from Corner No. 4 of Gopher lode Survey No. 1481, as given in the field notes for its correct position. I found Cor. No. 4 of Gopher lode without trouble, set on this corner and ran S. 78°-00' W. 108 ft. and was unable to find any stone, monument, or marked trees. I later found a stone marked for this corner in a mound surrounding Cor. No. 4 of Gopher lode, this corner was evidently never set. The balance of the corners mentioned in the foregoing notes I found properly marked and standing in good shape.

I do not agree with Mineral Monument ties given in the field notes for Mineral Survey No. 1481, and the ties I have reported are as the corners actually stand on the ground. I have reported these ties after

Report, continued:

carefully checking my traverse.

Line 3-4 of Gopher lode, Survey No. 1481, is reported as bearing N. 8°-30' E. 1500.0 ft. I find this line to be N. 8°-46' E. 1495.45 ft.

Herbert C. Shattuck
U. S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Big Pine Mining Company

known as the West End, West End Extension, Triangle

and showing the respective capacities in which they acted.

George N. Thall, Chainman.

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

I, George N. Thall

I

~~do~~ do solemnly swear that ~~we~~ assisted Herbert C.

Shotwell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Big Pine Mining Company

known as the West End, West End Extension, Triangle

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

George N. Thall, Chainman.

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of June, 1910.

James E. Mitchell
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert C. Shotwell, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 5th. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of Big Pine Mining Company, known as the West End, West End Extension, Triangle, situate in Hassayampa Mining District, Yavapai County, Arizona Approximately in Section 3, Township No. 12 N., Range No. 2 West (unsurveyed) within the Prescott National Forest and designated as Survey No. 2804, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
 U. S. Deputy Mineral Surveyor

Subscribed and sworn to by the said Herbert C. Shotwell
 U. S. Deputy Mineral Surveyor, before me E. J. Mitchell,
 a Notary Public this 27th
 day of June, 1910

E. J. Mitchell
 Notary Public

o 3-154

My commission expires
May 13, 1912.



"West End Lode".Notice of Mining Location.
Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the West End Lode. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Sivert Thompson & H.H.Stebbins the undersigned, on the 10 day of May, 1902

The length of this claim is 1500 feet, and We claim 100 feet, in a Northerly direction and 1400 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Hassayampa Mining District in Yavapai County, in the Territory of Arizona, about one mile in a Westerly direction from Sun Dance mine and about one mile South Hassayampa river

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a monument of stones being the North east corner of said claim; thence Southerly 1500 feet to a monument of stones being at the South east corner of said claim; thence Westerly 300 feet to a monument of stones at the center of the South end of said claim; thence Westerly 300 feet to a monument of stones being at the South west corner of said claim; thence Northerly 1500 feet to a monument of stones being the North west corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895, and amended March 2d, 1899. and March 16th, 1901.

Dated and posted on the ground, this 10 day of May 1902

Witness
J Shaw

Sivert Thompson
H.H.Stebbins
W.C.Kent.

Recorded at request of C.C.Keeler, July 14 A.D.1902, at 1³⁰ o'clock P.M., Book 63 of Mines, Page 358, Records of Yavapai County, Arizona.

(SEAL) P.J.Farley County Recorder.
By G.M.Dotson Deputy Recorder.

West End Extension LodeNotice of Mining Location.
Lode Claim.

To All Whom it May Concern:

This Mining Claim, the name of which is the West End Extension Lode Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sivert Thompson & H.H.Stebbins the undersigned, on the 10 day of May, 1902

The length of this claim is 1500 feet, and We claim 25 feet, in a Northerly direction and 1475 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Hassayampa Mining District in Yavapai County, in the Territory of Arizona, about one mile in a Westerly direction from Sun Dance mine and about one mile South Hassayampa river

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction 25 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a monument of stones being the North east corner of said claim; thence Southerly 1500 feet to a monument of stones being at the South east corner of said claim; thence Westerly 300 feet to a monument of stones at the center of the South end of said claim; thence Westerly 300 feet to a monument of stones being at the South west corner of said claim; thence Northerly 1500 feet to a monument of stones being the North west corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895, and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground, this 10 day of May 1902

Witness
J.Shaw

Sivert Thompson
H.H.Stebbins
W.C.Kent

Recorded at request of C.C.Keeler July 14" A.D.1902, at 1:30 o'clock P.M., Book 63 of Mines, Page 359, Records of Yavapai County, Arizona.

(SEAL) P.J.Farley County Recorder.
By G.M.Dotson Deputy Recorder.

AMENDED
NOTICE OF MINING LOCATION
Lode Claim

APR 5- 1910

To All Whom It May Concern:

This Mining Claim, the name of which is the TRIANGLE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Big Pine Mining Company, a corporation organized under the laws of Arizona, the undersigned, on the 2nd day of March, 1910.

The length of this claim is Fifteen Hundred (1500) feet, and we claim Six Hundred (600) feet, in a southerly direction and Nine Hundred (900) feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with approximately 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Hassayampa Mining District in Yavapai County, in the Territory of Arizona, about one mile in a westerly direction from Senator Mine; and about 1-1/2 mile N.W. of Mt. Tritle, and covers all the ground between patented claims on the east and the West End Claim on the west of said Triangle.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument at a point in a southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a stone monument, being the S.E. corner of said claim; thence northerly 1500 feet to a stone monument, being at the N.E. corner of said claim; thence westerly 150 feet to a stone monument at the center of the northerly end of said claim; thence westerly 150 feet to a stone monument, being at the N.W. corner of said claim; thence southerly 1500 feet to a stone monument at the S.W. corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the TRIANGLE Mining Claim, located by H.H. Stebbins and W.C. Kent, located on the 6th - erroneously recorded as on the 16th day of September 1907, and recorded in Book 77 of Mines, at page 528, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice, without waiver of any previously acquired rights.

Dated and posted on the ground this 2nd day of March, 1910.

BIG PINE MINING COMPANY
By John Harlan
General Manager.

Filed and Recorded at request of John J. Hawkins, March 4, A.D. 1910, at 11:06 o'clock A.M., Book 86 of Mines, Page 143, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder.

By....., Deputy Recorder.

TERRITORY OF ARIZONA,)
County of Yavapai.) ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the records of such office, do hereby certify that I have compared the foregoing with, and that the same are true and correct copies of the location notices of following named and described lode mining claims, situate in the Hassayampa Mining District, Yavapai County, Arizona, viz:-

TRIANGLE, the amended notice of which is of record in Book 86 of Mines, page 143, Records of Yavapai County, Arizona.

WEST END LODE, the original notice of location of which is of record in Book 63 of Mines, at page 358, said records.

WEST END EXTENSION LODE, the original notice of location of which is of record in Book 63 of Mines, at page 359, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 10th day of March, A.D. 1910.



J. C. Bradbury
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

August 24, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Big Pine Mining Company

known as the West End, West End Extension and Triangle

situate in Hassayampa

Mining District, Yavapai County, Arizona, Approx.

in Section 3, Township No. 12 N., Range No. 2 W. Unsur., and

designated as Survey No. 2804, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim by claimant or its grantors, and that said improvements consist of 3 shafts, 5 tunnels and 3 cuts, total value \$7244.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

August 24, 1910, 190

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Big Pine Mining Company

....., known as the
West End, West End Extension and Triangle

situate in Hassayampa Mining District,
Yavapai County, Arizona, Approx.

in Section 3, Township No. 12 N., Range No. 2 W. Unsur.

....., designated as Survey No. 2804

executed by Herbert C. Shotwell, U. S. Deputy Mineral


Surveyor, April 14-18, 1910., 190., under my instructions dated

April 5, 1910., 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.