

10-7-10.

F.L.

4-683.

AUG. 5 1910

MINERAL SURVEY No. 2808.

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

WILLIAM A. CLARK.

WILLIAM A. CLARK, his attorney in fact.

KNOWN AS THE

LAMB FRACTION, MINERAL CLAIM.

VERDE Mining District,

YAVAPAI County, ARIZONA.

Approx Section 27, Township 16 N., Range 2 E. unsurveyed.

Surveyed under instructions dated April 23rd., 1910.

by F.M. Bailey. U. S. Mineral Surveyor.

Claim located June 5th., 1907.

Survey commenced May 12th., 1910.

Survey completed May 13th., 1910.

6-822

Address of Attorney Le Roy Anderson, Prescott, Arizona.

## MINERAL SURVEY NO. 2808.

## Lamb Fraction Lode.

3 foot high with a 3 foot base on the north side.

Beginning at Cor. No. 1 which is identical with Cor. No. 2 of the Jerome Lode, Min. Sur. No. 1152, United Verde Gold, Silver & Copper Mining Co. claimants, which is a point on the north end line of the Missing Link Lode, Min. Sur. No. 1177, United Verde Copper Co. claimants, a porphyry rock 6"x12" set 6" above ground and marked J-2-1152 for Cor. No. 2 of the Jerome Lode. I marked it L.F. No. 1-2808 for Cor. No. 1 of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side.

U.S. Mineral Monument No. 1, V.D. bears  $S. 01^{\circ} 01' 15'' E.$  - 2698.41 feet.

Cor. No. 2 of the Missing Link Lode, Min. Sur. No. 1177, which is also Cor. No. 5 of the Wade Hampton Lode, Min. Sur. No. 592, United Verde Copper Co. claimants, bears  $S. 83^{\circ} 01' W.$  - 126.00 feet.

A cross on a porphyry rock in place marked B.x R.L.F. - No. 1-2808, bears  $N. 15^{\circ} 54' W.$  - 12.47 feet.

The S.W. Cor. of the original location bears  $S. 80^{\circ} 00' W.$  - 54.00 feet.

Thence  $N. 83^{\circ} 01' E.$

Along the north end line of the Missing Link Lode, Min. Sur. No. 1177;

To the South Center End of claim, where I set a porphyry rock 6"x8"x24"; one foot in the ground and marked it L.F. - S.C.E. - 2808 for the south center end of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side.

A cross on a porphyry rock in place marked B.x R.L.F. - S.C.E. - 2808 bears  $S. 43^{\circ} 41' E.$  - 18.3 feet.

The south center end monument of the original location bears  $S. 56^{\circ} 00' E.$  - 5.5 feet.



Min.Sur.No.2808 (Continued)

Thence continuing along the same course,

40.22

Intersect line 3-4 of the Gift Lode, Min.Sur.No.868, United Verde Copper Co. claimants, at N.39°59'W.-65.41 feet from Cor.No.3 thereof where I set a porphyry rock 4"x12"x24", one foot in the ground and marked it L.F.No. 2-2808 for Cor.No.2 of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side. Cor.No.3 of the Missing Link Lode, Min.Sur.No.1177, bears N.83°01'E.-18.52 feet.

A cross on a porphyry rock in place marked B.x R.-L.F. No.2-2808 bears S.41°13'E.-13.7 feet.

The S.E.Cor.of the original location bears S.87°00'E.-48.00 feet.

Thence N.36°01'W.

243.69

Descending, to Cor.No.3 where I set a porphyry rock 6"x8"x24", one foot in the ground and marked it L.F.-3-2808 for Cor.No.3 of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side.

A cross on a porphyry rock in place marked B.x R.-L.F. -3-2808, bears N.13°37'E.-67.71 feet.

The N.E.Cor.of the original location bears N.14°00'E.-20.00 feet.

Thence S.83°01'W.

20.11

To the north center end of claim which point is the intersection of line 3-4 of the Gift Lode, Min.Sur.No.868 with line 1-2 of the Jerome Lode, Min.Sur.No.1152, at N. 39° 59' E. 319.48 ff from Cor No 3 Gift, and N. 31° 43' W. 234.60 ff. from Cor. No. 2. Jerome where I set a porphyry rock 8"x8"x24", set one foot in the ground and marked it L.F.-N.C.E.-2808 for the north center end of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side.

A cross on a porphyry rock in place marked B.x R.-L.F. -N.C.E.-2808 bears S.37°34'W.-25.73 feet.



Min. Sur. No. 2808 (Continued.)

The north center end monument of the original location bears N30°00'W. - 18.00 feet.

Thence continuing along same course;

40.22 To Cor. No. 4, identical with the northwest corner of the original location, where I set a porphyry rock 10" x 12" x 18" one foot in the ground and marked it L.F. - 4-2808. For Cor. No. 4 of this survey and built a mound of stones 3 feet high with a 3 foot base on the north side.

A cross on a porphyry rock in place marked B.X.R. - L.F.

4-2808, bears N. 69° 46' W. - 27.46 feet.

Thence S. 36° 01' E.

243.69 Ascending to Cor. No. 1, the place of beginning. The location corners to which bearings are given from Cors. 1, 2, and 3, and the north and south center ends, are all stone monuments substantially established, and none of them are less than three feet in height.

Mean Magnetic Declination 14° East.

AREA.

Total area of the Lamb Fraction Lode, 70.196

Less Area in conflict with Gift Lode, 0.049

Mineral Survey No. 868, not claimed, 0.049

Less Area in conflict with Jerome Lode, 0.049

Mineral Survey No. 1152, not claimed, 0.049

Net area of the Lamb Fraction Lode, claimed, 70.098

LOCATION.

This claim is located about 700 feet in a northwesterly direction from the United Verde Copper Co's No. 3 shaft at the Jerome Mine and is situated on unsurveyed public lands in the Verde Mining District, Yavapai County, Ariz.

Approx. Sec. 27

in what would be T. 16 N. R. 2 E. Prescott

National Forest.

Adjoining Claims.

The adjoining claims are:

Missing Link Lode, Min. Sur. No. 1177 on the south,

Gift Lode, Min. Sur. No. 868 on the east,

Jerome Lode, Min. Sur. No. 1152 on the west.



Min. Sur. No. 2808. (Continued.)

EXPENDITURES:

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant is not less than Five Hundred Dollars (\$500.00) and that the said improvements consist of:-

N<sup>o</sup>. 1:- Discovery Cut No. 1, 4 feet wide and 20 feet long with a 10 foot face, the mouth of which bears N.36°00'W. 25.00 feet from the South Center End of the claim, course of cut S.35°00'E. Value, \$100.00

N<sup>o</sup>. 2:- Cut No. 2, 4 feet wide and 21 feet long with a 10 foot face, the mouth of which bears N.28°15'W. 59.50 feet from the South Center End of claim. Course of cut is S.8°15'W. from the face of which a tunnel 4'X6'-40 feet long bears S.45°30'E. Value of cut and tunnel--\$250.00

N<sup>o</sup>. 3:- Cut No. 3, 4 feet wide and 28 feet long with a 15 foot face, the mouth of which bears S.35°49'E. 40.6 feet from the North Center End of the claim, from the face of which a tunnel 4'X6'-37 feet long bears same as cut S.34°25'E. Value of cut and tunnel-----\$250.00

Veins.

I further certify that as far as can be determined from the present developments the strike of the vein is along the center line of the claim, bearing N.36°01'W. 218.69 feet, and S.36°01'E. 25.00 feet from the mouth of the discovery cut.

The disagreement between these field notes and those of the approved surveys of the Gift Lode, Min. Sur. No. 868, the Missing Link Lode, Min. Sur. No. 1177, and the Jerome Lode, Min. Sur. No. 1152, are due to errors in the approved surveys.

The course and distance of line 3-4 of the Gift Lode, Min. Sur. No. 868 as given in the approved survey is N.38°00'W. -1392.00 feet. I find it to be N.38°59'W. -1391.97



## Min.Sur.No.2808 (Continued.)

feet. The distance and bearing from Cor.No.2 of the Iron King Lode, Min.Sur.No.1360, which Cor.No.2 lays on the east side line of the Jerome Lode, Min.Sur.No.1152, and on the north end line of the Gift Lode, Min.Sur.No.868 at their point of intersection to Cor.No.4 of the Gift Lode, Min.Sur.No.868 is given in the approved survey as S.83°30'W.-170.00 feet. I find it to be S.83°28'W.-170.51 feet.

Course 1-2 of the Jerome Lode, Min.Sur.No.1152, is given in the approved survey as N.31°35'W.-1386.00 feet. I find it to be N.31°43' W.-1369.70 feet and the distance from the intersection of the said line 1-2 of the Jerome Lode, Min.Sur.No.1152 with the north end line of the Gift Lode, Min.Sur.No.868, to Cor.No.3 of the Iron King Lode, Min.Sur.No.1360, which is given in the approved survey as 146.00 feet I find to be 146.35 feet. This then gives me an intersection of course 1-2 of the Jerome Lode with course 3-4 of the Gift Lode at S.39°59'E.-1072.49 feet from Cor.No.4 of the Gift Lode, and N.31°43'W.-234.60 feet from Cor.No.2 of the Jerome Lode, which point of intersection is the North Center End of this survey. Cor.No.2 thereof bears S.39°59'E.-254.07ft.

## INSTRUMENTS.

This survey was made with a Gurley Light Mountain Transit with solar attachment. Distances were measured with 100 foot and 500 foot steel tapes.

Courses were deflected from the true meridian as determined from direct solar observation checked by an observation on polaris.

Jerome, Ariz.  
May 16th, 1910.

*F. M. Bailey*  
U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Fergus M. Bailey,  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of  
William A. Clark,  
 known as the "LAMB FRACTION" Mining Claim.  
 and showing the respective capacities in which they acted.

- C.V. Hopkins, ..... , *Chainman.*
- J.T. Greenwell, ..... , *Chainman.*
- ..... , *Arman.*
- ..... , *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, C.V. Hopkins and J.T. Greenwell,  
 and ..... , do solemnly swear that we assisted  
Fergus M. Bailey ..... , United States Deputy Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of William A. Clark.  
 known as the "LAMB FRACTION" Mining Claim.  
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona.

*C.V. Hopkins* ..... , *Chainman.*  
*J.T. Greenwell,* ..... , *Chainman.*  
 ..... , *Arman.*  
 ..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 11<sup>th</sup>

day of June ..... , 1910.  
 My Commission Expires January 28, 1917

R. E. Lane  
 Notary Public



FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Fergus M. Bailey, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 23rd, 1910., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of William A. Clark, known as the "LAMB FRACTION" Mill, situate in Verde Mining District, Yavapai County, Arizona, in Section Approx 27, Township No. 16 N., Range No. 2 E. (Unsurveyed.) and designated as Survey No. 2808., as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

F M Bailey

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said F M Bailey

U. S. ~~Deputy~~ Mineral Surveyor, before me R E Lane

A Notary Public this 11

day of June 1910.

R E Lane

Notary Public

My Commission Expires January 25, 1914  
o 3-154



Notice of Mining Location.  
Lode Claim.

APR 23 1910

To All Whom It May Concern:

This Mining Claim, the name of which is the Lamb Fraction Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by W.A. Clark a citizen of the United States the undersigned, on the 5th day of June 1907

The length of this claim is five hundred (500) feet, and I claim one hundred (100) feet, in a southeasterly direction and four hundred (400) feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together 75 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 600 feet in a northwesterly direction from the United Verde Copper Co's new shaft and covers that fraction of ground laying between the Gift, Jerome, and Missing Link claims, all patented.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a point in a southeasterly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence N 83° 1' E-75 feet to a stone monument, being the southeast corner of said claim; thence N 35° 0' W-500 feet to a stone monument, being at the northeast corner of said claim; thence S 83° 1' W,-75 feet to a stone monument at the center of the north end of said claim; thence S 83° 1' W-75 feet to a stone monument, being at the northwest corner of said claim; thence S 35° 0' E-500 feet to a stone monument at the southwest corner of said claim; thence N 83° 1' E-75 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 5th day of June 1907

C.V. Hopkins  
Witness

W.A. Clark

Filed and recorded at request of Norris & Ross, July 1, A.D. 1907, at 10:00 o'clock A.M., Book 82 of Mines, page 94, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder.  
By C.W. Bennett, Deputy Recorder.



TERRITORY OF ARIZONA, }  
County of Yavapai. } ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same is a true and correct copy of the Notice of Location of the "LAMB FRACTION" lode mining claim, as the same appears of record in my said office, being situate and located in the Verde Mining District, Yavapai County, Arizona, the notice of location whereof is of record in Book 82 of Mines, at page 94, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 17th day of March, A.D.1910.



*J.C. Bradbury*  
County Recorder.



## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 21, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of William A. Clark,

known as the L A M B F R A C T I O N,

situate in VERDE

Mining District, Yavapai County, Arizona, in approximate

Section 27, Township No. 16 N., Range No 2 E. Unsurveyed, and

designated as Survey No. 2808, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 3 cuts and 2 tunnels, total value \$600.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 21, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of William A. Clark,

, known as the

L A M B F R A C T I O N ,

situate in VERDE Mining District,

Yavapai County, Arizona, approximately

in Section 27., Township No. 16 N., Range No 2 E., unsurveyed, designated as Survey No. 2808.

executed by F. M. Bailey, U. S. Deputy Mineral

Surveyor, May 12 - 13, 1910., under my instructions dated

April 23, 1910., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Dyck

U. S. Surveyor-General for Arizona.