

MAY 6 1911

JUL 5 1911

4-683.

MINERAL SURVEY No. 2816

LOT No. ....

Arizona Land District.

**FIELD NOTES**

OF THE SURVEY OF THE MINING CLAIM OF

Mascot Copper Company

KNOWN AS THE

Peapack and North Copper Ridge

Los Cabizal Mining District,

Coconino County, Arizona

Sections 15 + 16 Un~~der~~, Township 14 S, Range 27 E

Surveyed under instructions dated Jan 13, 1911

by John A. Rockfellow  
U. S. Mineral Surveyor.

Claim located See Notice, 19

Survey commenced Feb 3, 1911

Survey completed Feb 5, 1911

6-822

Address of claimant  
E. A. Ely, Sept,  
Los Cabizal  
Ariz.

SURVEY NO. 2816.

Peak Lode.

00.0

Beginning at Cor No.1 the SW Cor of location on line 2-3 Skylight lode Survey No.2814. A pine post 4 ins square 3 1/2 ft above ground,in a mound of stone,scribed SWC-P add 1-2816,whence:

The 1/4 Cor between Sections 21-28,Township 14 S, Range 27 E bears S 19° 41' W 5950.5 ft.

A cross (x) and BR 1-2816 chiseled on porphyry outcrop 36x36 ins 18 ins above ground bears N 53° 10' W 11.0 ft.

A cross (x) and BR 1-2816 chiseled on porphyry outcrop 15x12 ins 18 ins above ground bears N 56° 14' E 12.9 ft.

Thence N 46° 22' W, Variation 13° 30' E

309.0

W Center end identical with location,a pine post 4 ins square 3 ft above ground,in a mound of stone, scribed WCE-P add 2816

Whence "x BR To WCE-P" chiseled on porphyry reef bears N 46° 22' W 2.4 ft add 2816

555

To Cor No. 2 identical with location a pine post 4 ins square 3 1/2 ft above ground in a mound of stone,scribed NWC-P add 2-2816.

Whence:

U.S. Location Monument No.1542 bears N 72° 22' W 3599.2 ft.

A cross (x) and BT 2-2816,scribed on a blaze on an oak tree 10 ins in diameter bears S 17° 34' W 31.35 ft.

A cross (x) and BT 2-2816 scribed on a blaze on an oak tree 16 ins in diameter bears S 85° E 3.6 ft.

Thence N 55° 31' E, Variation 12° 45' E

84.6

SW Cor (No.1) North Copper Ridge lode of this survey

1485.5

To Cor No.3,identical with location,a pine post 4 ins square,3 ft above ground,in a mound of stone,scribed NEC-P,add 3-2816.

Whence:

A cross (x) and BR 3-2816 chiseled on a porphyry reef on a face 7x4 ft bears S 27° 02' W 4.95 ft.

A cross (x) and BR 3-2816 chiseled on a porphyry reef on horizontal surface 30x4 ins bears S 67° 00' E 4.6ft.

Thence S 46° 22' E, Variation 13° 30' E

81.0 Post scribed SCE-CT

(South Center end of Cedar Tree lode unsurveyed)

309.0 E. Center end, identical with location a cross (x) at exact point and ECE-P chiseled on porphyry rock in place exposing 14x14x12 ins witnesses by a monument 4 ft base 3 ft high alongside easterly.

385.2 To Cor No.4, identical with location a pine post 4 ins square 3 ft above ground, in a mound of stone, scribed SEC-P, add 4-2816

Whence:

A cross (x) and BR 4-2816 chiseled on a porphyry reef bears N 34° 12' E 20.00 ft.

A cross (X) BR 3-2816 chiseled on a porphyry rock 30x14x16 ins supporting in a crevice a white oak tree bears N 1° 20' W 11.55 ft.

Thence S 34° 12' W, Variation 14° 05' E.

.564.1 To Cor No. 5 identical with location, a pine post 4 ins square 4 ft above ground, in a mound of stone, scribed  $\Delta$ P, add 5-2816. Also scribed SWC-S (SW Cor Sumpter unsurveyed lode formerly known as Summit lode.)

Whence

A cross (x) and BR 5-2816 chiseled on a porphyry rock 10x10 ins 4 ins above ground bears S 79° 35' W 12.85 ft.

A cross (x) and BR 5-2816 chiseled on a porphyry rock 14x12 ins 8 ins above ground bears N 0° 06' W 5.95 ft.

Thence N 49° 16' W, Variation 13° 40' E.

69.9 To Cor No.6, identical with location and with Cor No.3

Skylight lode, Survey No. 2814, a cross (x) and  $\Delta$ P chiseled on conglomerate rock in place 30x24x15 ins, add 6-2816, also chiseled ~~NBC-3-2814~~ <sup>NEC-5</sup> 3-2814, said point is witnessed by a monument 4 ft base 3 ft high alongside southwesterly.

Thence S 53° 42' W, Variation 13° 30' E

907.6 To Cor No. 1, the place of beginning.

North Copper Ridge ~~Lode~~.

Beginning at Cor No. 1 identical with location and on line 2-3 Peak lode of this survey, a porphyry rock 8x8 ins 13 ins above ground chiseled a cross at exact point and SWC-NCR. Add 1-2816, Said point is witnessed by a monument 4 ft base 3 ft high alongside Northwesterly.

Whence the  $\frac{1}{2}$  Cor between Sections 21-28, Township 14 S Range 27 E bears S 15° 29' 30" W 6261.2 ft.

A cross (x) and BT 1-2816 scribed on a blaze on an oak tree 20 ins in diameter bears S 32° 11' W 11.5 ft.

A cross (x) and BT 1-2816 scribed on a blaze on an oak tree 16 ins in diameter bears N 79° 13' E 15.96 ft.

Thence N 55° 29' W, Variation 13° 40' E.

301.5 Post NEC-TS (Northeast Cor Tom Sorin lode unsurveyed)

321.0 West Center end, identical with location, a post in a mound of stone, 4 ins square 3 $\frac{1}{2}$  ft above ground scribed WCE-NCR, add 2816.

390.1 Post in mound of stone scribed NCR

637.3 To Cor No. 2, identical with location, a pine post 4 ins square 3 $\frac{1}{2}$  ft above ground, in a mound of stone scribed NWC-NCR, add 2-2816.

Whence:

A cross (x) and BT 2-2816 scribed on a blaze on an oak tree 12 ins in diameter bears S 21° 48' W 23.9 ft.

A cross (x) and BR 2-2816 chiseled on porphyry outcrop

bears S 80°55' E 15.76 ft. U.S.L.M.No. J542 bears  
N 77°06'30" W 3051.64 ft.

Thence N.55°21' E, Variation 12°45' E.

- 251.5 Intersect line 1-2 Highland Boy lode, Survey No.2815 at  
N 22°53' W 50.7 ft. from Cor No. 1.
- 1344.1 Intersect line 3-4 Highland Boy lode Survey No.2815 at  
N.22°53' W 235.1 ft from Cor No.4, from which Cor. No. 1 bears  
S.65°03'30" W. 1070.30 feet.
- 1497.8 To Cor No.3, identical with location, a pine post 4 ins  
square 3½ ft above ground in a mound of stone, scribed  
NEC-NCR, add 3-2816.

Whence:

A cross (x) and Br 3-2816 chiseled on a porphyry  
rock 30x30 ins 14 ins above ground bears S 2°56' W 23.45  
ft.

A cross (x) and BR 3-2816 chiseled on a porphyry rock  
10x8 ins 8 ins above ground bears S 82°46' E 12.37 ft.

A corner of White Oak lode unsurveyed bears N 55°29' W  
23.0 ft.

A rock marked with a cross (x)

Thence S 55°29' E, Variation 13°55' E.

- 321.0 E Center End, identical with location, a pine post 4 ins  
square 3½ ft above ground, in a mound of stone scribed  
ECE-NCR, add 2816.

345 SW Cor White Oak lode, unsurveyed. A rock chiseled X  
SWC-WO

- 642 To Cor No.4 identical with location, a pine post 4 ins  
square 4 ft above ground, in a mound of stone, scribed  
SEC-NCR, add 4-2816.

Whence:

A cross (x) and BR 4-2816 chiseled on porphyry rock  
30x16 ins, 16 ins above ground, bears N 41°41' E 15.4 ft.

A cross (x) and BR 4-2816 chiseled on porphyry rock

-5-

30x30 ins 12 ins above ground bears S 63° 26' E 11.1 ft  
Thence S 55° 31' W, Variation 13° 50' E.

98.6 Cor No.3 Peak lode of this survey  
1499.5 To Cor No.1 the place of beginning.

Area	Acres
Peak lode	17,389
North Copper Ridge lode	20,558
Area in conflict - North Cooper Ridge lode and Highland Boy lode, Survey No.2815	3,509

#### Location.

This claim is located in Dos Cabezas Mining District,  
Cochise County, Arizona, in ~~the~~ unsurveyed Secs. 15 & 16 of  
Township 14 S Range 27 E.

Vein.

The presumed course of the veins on the claims of this  
Survey are Peak: From W Center End N 57° 52' E 14997 ft  
to E Center End.

#### North Copper Ridge.

From W Center End N 55° 31' E 1499.5 ft to E Center End.

#### Adjoining Claims.

On the North

SunSet lode unsurveyed.

Highland Boy lode Survey No.2815 both claimed by the  
Mascot Copper Company.

On the East

White Oak lode unsurveyed

H.A.Morgan, Claimant.

Cedar Tree lode and Sumpter lode, both unsurveyed.

Western Finance Company, Claimant.

On the South

Skylight lode Survey No.2814, Mascot Copper Co. Claimant.

On the West

North Artic lode

Cactus lode

Tom Sorin lode

All insurveyed and claimed by Mascot Copper Company.

Expenditure of \$500.00

I certify that the value of labor and improvements made upon or for the benefit of each of the locations embraced in said mining claims by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

On the Peak

No.(1) Discovery cut, a point on the south side of which bears from W.Center End N 57° 52' E 130 ft. Cut extends from said point VS. Westerly 21 ft<sup>2</sup> to mouth and Northeasterly 9 ft to face. Cut 6 ft wide and 16 ft high at face.

Value \$200.00

From Cor No.1

No.(2) A shaft the center of S side of which bears N 36° 02' W 153.8 ft. Shaft 6x4 ft 5 ft deep (once deeper - caved)

Value \$ 30.00

No.(3) A cut the mouth of which bears N.31° 50' W 119ft.

Cut northeasterly 10 ft x 4 ft, face 5 ft (caved)

Value \$ 30.00

Note: From Cor No.1 Peak lode S 43° 15' W 1200 ft (approximately) is portal of tunnel on the Queen lode, formerly known as Camp Bird lode, Survey No.2354 owned and operated by the claimants of the Peak and North Copper Ridge lodes and known as "Tunnel Number one", said tunnel extends N 63° 54' E 1595.6 ft to a station, thence a northerly branch N 30° 30' W is being driven by power

drills across the Skylight lode Survey No.2814, to prospect the ground in the direction of the Peak and North Copper Ridge lodes. Said northerly tunnel is 7 ft high 8 ft wide, and on April 8th, 1911 measured 280 ft to face.

It will enter the Peak ground at a depth of approximately 800 ft below the surface. Value of this north branch of Number One tunnel, 280 ft at \$16. per foot, \$4,480.00

This I assign proportionately to the Skylight lode, Survey No.2814, the Peak and the North Copper Ridge lodes,  $\frac{1}{3}$ , \$1,493.33, being credited to each of said lodes.

Value credited to this lode, \$ 1 4 9 3 . 3 3 .

On The North Copper Ridge

From West Center End

N(1) Discovery Shaft the center of which bears N 55° 31' E 75 ft. Shaft 5½ x 4 ft 12 ft deep.

Value \$100.00

N(2) Center of mouth of cut and tunnel bears S 65° 30' E 106 ft. Course N Easterly; cut 27 ft long, 5 ft wide to face 16 ft.

Value \$150.00

Thence tunnel 65 ft

Note: Value, at \$10. per foot, \$650.00  
An undivided  $\frac{1}{3}$  interest in the north branch from Tunnel No. 1 on the Queen lode (formerly Camp Bird, Sur. No. 2354) is credited to this claim, Other Improvements, Value, \$1493.33.

From Cor No. 2, North Copper Ridge lode.

Mouth of an irregular cut, bears N 63° 04' E 951 ft.

Course N Easterly 19 ft 4½ ft wide, 11 ft face.

Also 7 ft long 7 ft wide, 7 ft face EN Easterly. This work is within the boundaries of the Highland Boy lode,

Survey No. 2815. Value \$150.00

*Instrument*

This Survey was made with a Young and Sons Mountain Transit, No. 6855, provided with Smith Solar Attachment. The courses were deflected from true meridian as determined by direct solar observations. The distances were measur-



ed with 50 and 500 ft steel tapes.

Tombstone, Arizona.

April 24, 1911.

*John A. Rockwell,*  
U. S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow  
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
boundaries described in the foregoing field notes of the survey of the mining claim of .....

Mascot Copper Company  
known as the North Copper Ridge and Bear  
and showing the respective capacities in which they acted.

A. A. Benedict, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

I A. A. Benedict

....., do solemnly swear that we assisted

John A. Rockfellow, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mascot Copper  
Company

known as the North Copper Ridge and Bear

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
tions furnished by the United States Surveyor-General for Arizona

A. A. Benedict, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of April, 1911,

My commission expires  
December 22, 1913,

Frances J. Abell  
Notary Public in  
and for Cochise County,  
Arizona Territory.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan 13 1911, I have, in strict conformity to the laws of the

United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mascot Copper

Company, known as the

North Copper Ridge and Peak

situate in Sas Cabizga Mining District,

Coconino County, Arizona, in Section 3 15+16,

14 Township No. 17 Range No. 27

and designated as Survey No. 2816, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller,  
U. S. Mineral Surveyor, before me, Francis J. Abell,  
Notary Public, this 24th  
day of April, 1911

My commission expires December 22, 1913.

Francis J. Abell,  
Notary Public, in  
and for Coconino County,  
Arizona Territory.

Amended Location Certificate  
of the  
Peak Lode Mining Claim.

JAN. 13 1911

To All Whom It May Concern: =

This amended location certificate of the Peak Lode Mining claim, situate in the Dos Cabezas Mining District, Cochise County Arizona, which mining claim was originally located on the 26th day of December, 1898 by J. L. Bachelder as the original locator thereof, and the original certificate of which was filed for record in the office of the County Recorder of said County of Cochise, on the 22nd day of February 1899 and recorded in the Records of the said County in Book 14 at Page 771 Records of Mines, hereby certifies and declares that in order to make the said original notice more definite and certain and to more fully comply with all provisions of law respecting the location of mining claims, Mascot Copper Company, the present owner of the said Peak mining claim, hereby makes this amended location notice and states the following facts respecting the said location, to-wit:

1. The length of this claim is 1499.7 feet and the said Mascot Copper Company claims 130 feet in a Southwesterly direction and 1369.7 feet in a Northeasterly direction from the center of the discovery shaft at which this notice is posted, together with 300 feet on each side of the center of the vein, The general course of the vein or lode is N.57° 52'E. and the description of the said claim with reference to some natural object or permanent monument such as will identify the claim is as follows:

DESCRIPTION. This claim is situate in the Dos Cabezas Mining District Cochise County Arizona, about one mile Southeasterly from Dos Cabezas Peaks. The Southwesterly corner is on the Northerly side line of the Skylight Lode Survey No.2814 and thence N.53°42'E.907.6 feet the south side line of the Peak lode is identical with the Nrth side line of the said Skylight lode to the N. E. Corner of Skylight lode which is an angle corner on the side of the Peak lode.

2, The boundary of the claim is marked upon the surface of the ground as

follows: Beginning at a post in a mound of stone at a point in a South-westerly direction 130 feet from the discovery cut (at which this notice is posted) being at the center of the West end line of said claim; thence N.46°22'W.246.0 feet to a post in a mound of stone being the N. W. corner of said claim; thence N.55°31'E.1485.5 feet to a post in a mound of stone being the N. E. Corner of said claim; thence S.46°22'E 309.0 feet to a (X) cross chiseled on rock and witnessed by a monument alongside being the center of the east end line of said claim; thence same course 76.2 feet to a post in a mound of stone being the S. E. Corner of said claim; thence S.34°12'W.564.1 feet to a post in a mound of stone being the angle corner of said claim; thence N.49°16'W.69.9 feet to a cross (x) chiseled on a rock in place witnessed by a monument of stone alongside; thence S.53°42'W.907.6 ft. to a post in a mound of stone being the S. W. Corner of said claim; thence N.46°22'W. 309.0 feet to the place of beginning.

Dated Dec.27=1910.

Name of present owner making  
this amended certificate  
MASCOT COPPER COMPANY  
By E. A. Ely  
Superintendent.

Filed and recorded at request of Mascot Copper Co. Dec.31,1910  
at 9: A. M. in Book 40 Records of Mines, at Pages 576,577,578.

TERRITORY OF ARIZONA |  
County of Cochise | ss.

I, C. A. McDonald, County Recorder in and for the  
County and Territory aforesaid, DO HEREBY CERTIFY that I have compared  
the annexed and foregoing copy with the original Amended Location Notice  
of the PEAK Lode Mining Claim, filed for record in my office on the 31st  
day of December, A. D. 1910, and recorded in Book 40 Records of Mines, at  
Pages 576,577,578, and that the same is a full, true and correct copy of  
said original and of the whole thereof.

Given under my hand and seal of office, this 7th day of  
January, A. D. 1911.

*C. A. McDonald*

County Recorder.

## Amended Location Certificate.

JAN 13 1911

of the

North Copper Ridge, Lode Mining Claim.

TO ALL WHOM IT MAY CONCERN;=

This amended location certificate of the North Copper Ridge Lode Mining Claim, situate in the Dos Cabezas Mining District, Cochise County, Arizona, which Mining Claim was originally located on the 6th day of February 1899 by J. L. Becheider as the original locator thereof and said original certificate of which was filed for record in the office of the County Recorder of said Cochise County, on the 8th. day of April 1899 and recorded in the Records of the said County in Book at page 52 16/Record of Mines, hereby certifies and declares that in order to make the said original location notice more definite and certain and to more fully comply with all provisions of the law respecting the location of mining claims, MASCOT COPPER COMPANY, the present owner of the said NORTH COPPER RIDGE MINING CLAIM hereby makes this amended location notice and states the following facts respecting the said location, to-wit:

1. The length of this claim is 1499.5 feet and the said Mascot Copper Company claims 75 feet in a Southwesterly direction and 1424.5 feet in a Northeasterly direction from the center of the discovery shaft at which this notice is posted, together with 300 feet in width on each side of the center of the vein. The general course of the vein or lode is N.55° 31'E. and the description == the location of the said claim with reference to some natural object/ such as will identify the claim is as follows:

DESCRIPTION: This claim is situate in the Dos Cabezas Mining District, Cochise County Arizona, about one mile southeasterly from Dos Cabezas Peaks. From the Northwest corner, corner No.1 of Highland Boy Lode Survey No.2815, bears N.66°59'E. 246.2 feet.

2; The boundaries of the claim are marked upon the surface of the ground as follows: Beginning at a post in a mound of stone at a point in a Southwesterly direction 75 feet from the discovery shaft (at which this notice is posted) being at the center of the west end line of said claim; thence N.55° 29'W.316.3 feet to a post in a mound of stones, being at the Northwest Corner of said claim; thence N55°21'E. 1497.8 feet to a

post in a mound of stone being the North East corner of said claim; thence S.55°29'E. 321 feet to a post in a mound of stone being at the center of the east end line of said claim; thence same course 321 feet to a post in a mound of stone being at the Southeast corner of said claim; thence S.55°31'W 1499.5 feet to a post in a mound of stone being at the Southwest corner of said claim ; thence N.55°29' W.321 feet to the place of beginning.

DATED Dec 27th 1910.

Name of present owner making  
this amended certificate  
Mascot Copper Company.  
By E. A. Ely  
Superintendent.

Filed and recorded at request of Mascot Copper Co., Dec.31,1910  
at 9: A. M. in Book 40 Records of Mines at pages 574, 575, 576.

TERRITORY OF ARIZONA |  
County of Cochise | : ss.

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Amended Location Notice of the **NORTH COPPER RIDGE** Lode Mining Claim, filed in my office on the 31st day of December, A. D. 1910, and recorded in Book 40 of Records of Mines, at Pages 574,575,576, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this 7th day of January, A. D. 1911.

  
County Recorder.

4-688.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 9, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Mascot Copper Company,

known as the PEAK, NORTH COPPER RIDGE,

situate in Dos Cabezas

Mining District, Cochise County, Arizona,

in Sections 15, 16, and Township No. 14 S., Range No. 27 E., and

designated as Survey No. 2816., has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of  
 improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 2 shafts, 3 cuts, 1 tunnel and 2/3 interest in the value of the north branch from Tunnel Number One on the Queen lode, (formerly Camp Bird lode, Sur. No. 2354), total value \$4146.66. Said north branch being driven across the Skylight lode, Sur. No. 2814, to prospect the ground in the direction of the Peak and North Copper Ridge lodes, and being therefore a common improvement for the three named claims, an undivided 1/3 interest therein, value \$1493.33, is properly credited to each of the claims of this survey, and to the Skylight lode, Survey No. 2814. and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

Office of U. S. Surveyor-General,

Phoenix, Arizona,

August 9, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

Mascot Copper Company,

known as the

PEAK, NORTH COPPER RIDGE,

situate in Dos Cabezas Mining District,

Cochise

County,

Arizona,

in Sections 15, 16, uns., Township No. 14 S., Range No. 27 E.

, designated as Survey No. 2816,

executed by John A. Rockfellow, U. S. ~~Deputy~~ Mineral


Surveyor, February 3 - 5, 1911, ~~190X~~, under my instructions dated

January 13, 1911, ~~190X~~, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.