9-10-10.

F. L.

Plattel

4-683.

MINERAL SURVEY No.2831

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Tuckahoe 1

Wallapai Mining District,

Mohave County, Arizona

Sections 5 and 6 , Township 23 N. , Range 18 W.

Surveyed under instructions dated July 18 th. , 1910

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located see location notice , 19

Survey commenced July 25 th. , 1910

Survey completed July 25 th. , 1910

Address of claimants Attorney,

A. H. Smith,

Kingman, Arizona.

Feet.

SURVEY No.2831.

TUCKAHOE LODE.

Beginning at Cor. No.1, on the west bank of wash.

Identical with the S. E. Cor. Arizonian lode, unsurveyed.

A granite stone, 10 X 10 X 38 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2831 T, cross (X) at corner point, whence

A cross (X) and B. R. 1-2831 chiseled on a granite rock 4 ft. above the ground, bears N. 36° 36' W. 41.13 ft.

Cor. to sec's 5; 6, 31, 32, Tps. 23 and 24 N., R. 18 W. bears N. 16° 21' E. 190.8 ft.

Cherums peak bears S. 84° 40' E.

Thence S. 35° 42' E.

Va. 15° 33' E.

89.49 Intersect line between sec's 5 and 6, T. 23 N., R. 18 W. at S. 00° 20' W. 255.76 ft. from Cor. to sec's 5, 6, 31, 32, Tps. 23 and 24 N., R. 18 W., and N. 00° 20' E. 2380.24 ft. from 1/4 Cor. between sec's 5 and 6, T. 23 N., R. 18 W.

1252 Road, course S. 80° W.

1500 To Cor. No.2.

300

Identical with the N. E. Cor. of West Star lode, unsurveyed.

A granite stone, 5 X 18 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2831 T, cross (X) at corner point, no bearing objects available.

Thence S. 54° 18' W.

Va. 15° 02' E.

Along the north end line of West Star lode, unsurveyed. South end center.

A granite stone, 7 X 12 X 24 ins., set 12 ins. in the

(1)

Feet.

SURVEY No.2831 - Continued.

ground, with mound of stone, chiseled S. E. C., 2831, T cross (X) for line point.

600 To Cor. No.3.

> Identical with the N. W. Cor. of West Star lode, unsurveyed.

A granite stone, 7 X 12 X 22 ins., set 12 ins, in the ground, with mound of stone, chiseled 3-2831, T, cross (X) at corner point, whence

A cross (X) and B. R. 3-2831 chiseled on a granite rock 1 ft. above the ground, bears S. 57° 12' E. 27.8 ft., no other bearing objects available.

Thence N. 35° 42' W.

Va. 15° 30' E.

575.52 Intersect line between sec's 5 and 6, T. 23 N., R. 18 W. at S. 00° 20' W. 1283.96 ft. from Cor. to sec's 5, 6, 31, 32, Tps. 23 and 24 N., R. 18 W., and N. 00° 20' E. 1352.04 04 ft. from 1/4 corner between sec's 5 and 6, T. 23 N., R. 18 W.

626 Road, course S. 75° W.

1300 Gulch, drains S. 35° W.

1500 To Cor. No.4.

Identical with the S. W. Cor. of Arizonian lode, unsurveyed.

A granite stone, 7 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2831 T, cross (X) at corner point, no bearing objects available.

Thence N. 54º 18' E.

Va. 15° 24' E.

Along the south end line of Arizonian lode, unsurveyed. North end center.

300

(2)

Reet.

600

SURVEY No. 2831 - Continued.

A granite stone, 7 X 9 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C., 2831 T. To Cor. No.1, the place of beginning.

LODE LINE.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point: N. 35° 42' W. 1000 ft. and S. 35° 42' E. 500 ft.

AREA.

Area

20.661 Acres.

LOCATION .

This survey is located in Wallapai Mining District, Mohave County, Arizona, in sec's 5 and 6, T. 23 N., R. 18 W., G. & S. R. B. & M.

ADJOINING CLAIMS.

The adjoining claims are the West Star lode, unsurveyed, on the south and the Arizonian lode, unsurveyed, on the north.

This survey is identical with the location.

- 1A6

EZPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, this claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery shaft, on the center line 500 ft. from the center of line 2-3, 4 X 8 ft., 150 ft. deep, timbered.

SURVEY No. 2831 - Continued.

No.2. A shaft, which bears from Cor. No.1, S. 13° 57' E. 740.7 ft., 4 X 6 ft., 10 ft. deep.

Value, \$40

No.3. A shaft, which bears from Cor No.2, N. 53° 47' W. 750.7 ft., 4 X 6 ft., 50 ft. deep.

Value, \$500

No.4. A shaft, on the center line 167 ft. from the center of line 2-3, 4 \$ 6 ft., 40 ft. deep.

Value, \$400

No.5. A shaft, on the center line 114 ft. from the center of line 2-3, 4 X 6 ft., 30 ft. deep.

Value, \$250

INSTRUMENT.

This survey was made with a Buff and Berger Transit.

The courses were deflected from the true meridian as determined by Shattuck solar attachment. The distances were measured with a 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All the lines were run directly upon the ground.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.				
A list of the names of the individuals employed by Peter Me Cardell				
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corn	ners, and			
boundaries described in the foregoing field notes of the survey of the mining claim of				
known as the Terckahor				
and showing the respective capacities in which they acted.				
John & Brown, Chain				
, Chain	ıman.			
S, D, Myers, Arma	n.			
, Flagn	nan.			
FINAL OATHS OF ASSISTANTS.				
we, John Brown and Sp. Myss., do solemnly swear that we assisted.				
Pelar McCardell, United States Deputy Mineral Surveyor, in marking the corners and				
the boundaries of the mining claim of John Barry				
Trockahos				
known as the	under his			
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and				
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and				
correctly executed, and the corner and boundary monuments established according to law and the in	astructions			
furnished by the United States Surveyor-General for Onigona				
furnished by the United States Surveyor-General for John Brown, Cha	ainman.			
, Cha	inman.			
J Allyers, Ason	nan.			
	igman.			
9	0			
Subscribed and sworn to by the above-named persons before me this.				
day of July , 1900 Alfud of Conkey Notary Paul				
Ulfud of conkey	0			
	les			
my Commison Expires Sep 11-1912				

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Peter Mc Cardell	U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of	instructions received from the United States
Surveyor General for Arizona	, dated
	, I have, in strict conformity to the laws of the
United States, the official regulations and	instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining

	, known as the
	,
situate in Wallapai	Mining District,
Mohave	County, Arizona , in Sections
	inge No. 18 W.
and designated as Survey No.2831	as represented
in the foregoing field notes, which accurate	ely show the boundaries of said mining claim
as distinctly marked by monuments on the	e ground, and described in the attached copy
of the location certificate, which was recei	ived by me from the Surveyor General with
said instructions, and that all the corners of	of said survey have been established and per-
petuated in strict accordance with the lar	w, official regulations and instructions there-
	that the foregoing are the true and original
	therein, and that the labor expended and
	m by claimant or his grantors
	character, extent, location, and itemized value
	arity and full detail, and that no portion of
	this claim has been included in the estimate
	this claim has been included in the estimate
- v	
	Peler MCardell
	U. S. Mineral Surveyor.
·	Peter Mc Cardell
	Anson H. Smith, U. S. Commissio-
	this 1 st.
day of August 1910 , 1999	//
	Musny A Smith
	vun vi XII O MUNI

2831

TUCKAHOE

WALLAPAI DIST.

JUL 18 1910

Notice of Location

The undersigned have this day located fifteen hundred linear ft. of this veim or lode bearing precious metals and 300 ft on each side of the center of the vein according to the provisions of the U.S. Mining Laws.

This claim commences at a monument on the ledge five hundred ft. southerly from the discovery shaft and runs thence 300 ft. easterly to a monument, thence 1500 ft. northerly to a monument, thence at right angles to the ledge 600 ft to a monument, thence 1500 ft southerly and parallel with the ledge to a monument, thence 300 ft. easterly to place of beginning.

This claim shall be known as the TUCKAHOE mine and situated about 2 miles west of the town of Chloride, County of Mohave and Ter. of ARIZONA, in Vallapsi Mining District. being the same claim formerly Known as the Fennsylvania.

Dated on the ground , this 17th. days of June 1880.

W.M.Ewing 750 ft.

Robert Mara 750 ft.

Recorded at the request of W.M.Ewing June 21st. A.D. 1880 at 11 A.M.Book"E" Page 78,

Caldwell Wright

County Recorder.

see Sur 2830 for cuts.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,					
		Septer	nber 29,	1910 ,	190	
I, U. S. Surveyor-Genera	l for Arizona,					
do hereby certify that the fore	egoing transcript of	the Field N	Totes, return	and approval of the	survey	
	John Barry,					
	TUCKAHOE					
situate in		Wallapa:	<u>i</u>			
Mining District,	Mohave	Co	ounty,	Arizona,		
in Section S 5 & 6, T	ownship No. 23 N	, R	ange No. 18	W.	, and	
designated as Survey No. 2831, has been correctly copied from the originals on file in						
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if						
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein						
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.						
And I further certify tha	at five hundred doll	lars' worth o	of labor has	been expended or in	aprove-	
ments made upon said minin	g claim by claimant	or his	grantors, a	nd that said improv	ements	
consist of 5 shafts, t	otal value \$4	4190.00				
		*	.~~~~	-		
	·					
and that no portion of said la	abor or improvemen	ts has been i	included in t	the estimate of expen	ditures	
upon any other claim.						
I further certify that the	plat thereof, filed in	the U.S. L	and Office at	Phoenix, Ar:	izona.	
is correct and in conformity with the foregoing Field Notes.						
	•	-Frank-S	. Ingal	is		

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

	Office of $U. S. Surveyor$ -General,				
	Phoenix, Arizona,				
		September 29,1910, 190			
I, U. S. Surveyor-General for	Arizona,				
do hereby certify that the foregoing	and hereto attached Fi	eld Notes and Return of the Survey of the			
		rry,			
		, known as the			
	TUCKAH	Œ			
situate in	Wallapai	Mining District,			
Mohave	County,	Arizona,			
		Range No. 18 W.			
, designated as	Survey No. 2831.				
executed by, U.S. Deputy Mineral					
Surveyor,					
July 18	, 1910, have been	critically examined and the necessary cor-			
rections and explanations made, and	d the said Field Notes a	and Return, and the Survey they describe,			
are hereby approved. A true copy	of the copy of the loca	ation certificate filed by the applicant. for			
survey is included in the field notes					
	Jank	I on jalls			
	U. S. Sur	veyor-General for Arizona.			