

9-27-10.

F. L.

AUG. 13 1910

1

4-683.

MINERAL SURVEY No. 2835

LOT No. ....

ARIZONA Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jere W. Sullivan.

KNOWN AS THE

Giberalter

Hassayampa Mining District,

Yavapai County, Arizona. Approx. in

Section 6, Township 12 N., Range 2 W. Unsurveyed  
within The Prescott National Forest.

Surveyed under instructions dated Aug. 2 nd. '10.19

by Herbert C. Shotwell.  
U. S. Mineral Surveyor.

Claim located Feb. 7th. 1895., XZ

Survey commenced Aug. 4 th., 19 10

Survey completed " 8 th., 19 10

6-822

Address, Fen S. Hildreth, Atty.  
Phoenix, Ariz.

~~Jere W. Sullivan, claimant,  
Seligman, Arizona.~~

feet

Mineral Survey No. 2835GIBERALTER lode:

Beginning at Cor. No. 1, identical with Cor. of location, a rock 12x7x24 in. set half way in the ground and chiseled G-1-2835 on south face with cross on top for exact corner point and with mound of rock along side, from which U.S.L.M. No. 2024 brs. N.59° 39' E. 2353.9 ft. and the theoretical pt. for 1/4 cor. of sec. 31 on Third Standard Parallel North brs., N.22° 46' W. 1425.0 ft. No more bearings available.

Thence S.38° 05' W.

300.00 West center end, a mound of stone, *identical with location.*

525.00 Cross gulch flows southerly.

600.00 Cor. No. 2, Identical with the cor. of location, a porphyry stone 4 x 8 x 24 in. set half way in the ground and chiseled G-2-2835 on east face with cross on top for exact corner point and with mound of stone along side, no bearings available.

Thence S.51° 55' E.

200.00 Cross gulch flows southerly.

1020.00 North bank of Hassayampa Creek, flows westerly.

1090.00 south bank of Hassayampa Creek, flows westerly.

1500.00 Cor. No. 3. Identical with cor. of location, A diabase stone, 3 x 12 x 24 in set half way in the ground, chiseled G-3-2835 on north east face with cross on top for exact corner point and with mound of stone along side, from which a rock in place, 10 X 12 X 3 ft above ground, and chiseled B + R- G-3-2835, brs. N. 84° 30' W. 15.8 ft.  
A rock in place 4 x 5 x 6 ft. exposed and chiseled B+R-G-3-2835, brs. S.24° 30' E. 16.1 ft.

(2)

Feet Giberalter lode continued ;

Thence N.38° 05' E.

250.00 Enter Hassayampa Creek, flows southwesterly.

300.00 East center end. I built up a mound of stone, the location monument had undoubtedly washed out by floods.

470.00 Leave Hassayampa Creek, flows southwesterly.

600.00 Cor. No. 4, identical with location monument, a Porphyry stone, 5 x 8 x 26 in. set half way in the ground and chiseled G-4-2835 on south west face with cross on top for exact corner point and with mound of stone along side. No bearings available.

Thence N. 51° 55' W.

260.00 East bank of Hassayampa Creek, flows southerly.

360.00 West bank of Hassayampa Creek, flows southerly.

1500.00 Cor. No. 1, the place of beginning.

Magnetic declination at all corners 14° 30' to East

L E D G E

The presumed course of this ledge as near as can be traced upon the ground is as follows;

Course of ledge is from a point on line 1-2 , S.38° 05' W. 300.00 ft from Cor. No. 1, thence S.51° 55' E. 1500.00 ft. to intersection of line 3-4.

I M P R O V E M E N T S

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars (\$500.00) and that said improvements consist of;

- No.1 Discovery Cut, 20 x 4 x 10 ft. face, from face of which Cor.No.3 brs. S.28° 16' E. 747.8 ft  
Value,.....\$100.00
- No.2 Open Cut, 10 x 15 x 8 ft. face, from face of which cor. No. 3 brs. S.27° 17' E. 720.00 ft.  
Value,.....100.00
- No. 3 Tunnel, Course S.25° E. 35 ft. from mouth of which, cor. No. 4 brs. S.67° 48' E. 607.00 ft.  
Value,-----350.00

Improvements continued;

- No. 4 Shaft 4 x 6 x 15 ft. deep, from center of which Cor. No. 4 brs. S.73° 18' E 576.0 ft.  
Value,.....150.00
- No. 5 Tunnel 4 x 6ft. course N.21° W.28.5 ft. to point, thence N.5° E. 33.5 ft. to face. Total length of tunnel 62.0 ft. From mouth of tunnel Cor. No. 3 brs. S.32°32' E. 439.0 ft.  
Value,.....600.00
- No. 6 Tunnel 4 x 6ft. course N.28° W.31 ft. to face, from mouth of which Cor. No. 3 brs.S.17° 25' W. 322.0 ft.  
Value,.....300.00

O T H E R I M P R O V E M E N T S

Tunnel which was not driven by the claimant or his grantors, from mouth of which Cor. No.4 brs. S.53° 52' E. 987.0 ft.

A R E A

Acres

Total area of Giberalter lode,..... 20.661

A D J O I N I N G C L A I M S

This claim is joined on the east by a location the name of which is unknown, John Thompson claimant. There are no more known claims adjoining this lode and, so far as known, the ground surrounding this claim is Public Domain and subject to entry.

L O C A T I O N

This claim is located upon unsurveyed land, Yavapai County, Arizona, Hassayampa Mining District, approximately in section No.6, T.12 N.,R.2 W. of the G.& S. R. B. & M., within the Prescott National Forest.

I N S T R U M E N T

This survey was made with a Lietz Light Mountain Transit. The distances were measured with a 600 ft. steel tape. All courses were deflected from the true meridian as determined by direct solar observation with solar attachment.

R E P O R T

The discrepancies of this claim, as marked upon the ground by the location monuments and as described in the location notice, is due to error in the location notice.

I thoroughly satisfied myself while on the ground making the survey, that the improvements mentioned above, under the head of " improvements " were all done by the claimant or his grantors.

I tied Cor. No.1 to the U.S.L.M.No. 2024 for the reason that all the other claims in this vicinity are tied to this monument.

Report continued;

I tied Cor. No.1 to the theoretical point for 1/4 cor. of section 31 on the Third Standard Parallel North for the reason that I was unable to find a cor. of the Public Survey within a reasonable distance of the claim.


I set up at the 1/4 cor. of sec. 33, T.13 N., R.2 W. on the Third Standard Parallel North, a pine tree, 14 in. in diam. blazed and scribed 1/4 S. which agrees with the notes on file in your office, and ran west 2640.0 ft. where I made a thorough search for the cor. of secs. 32 & 33 which I failed to find. I then ran 2640.0 ft. further west where I made a thorough search for the 1/4 cor. for Sec. 32 which I failed to find. I then ran 2640.0 ft. further west where I made a search for the Cor. of Secs. 31 & 32. This Cor. I also failed to find. I then ran 2640.0 ft. further west and failed to find the 1/4 cor. for sec. 31. I likewise failed to find the S.W. Cor. of Sec. 31.

Much of this country has been logged over and burned over and this offers one reason why the corners can't be found. The bearing trees have been cut and the monuments have been dragged down.

In running the random line the topography given in the field notes does not agree with conditions on the ground and I was unable to figure out a course which would make the intersections agree with those given in the notes for this line.

There are no center end monuments called for in the location notice, but center ends were built at a later date. I found the west center end, a mound of stone, the east center end being in the bed of the Hassayampa Creek, was undoubtedly washed out by floods.

I made a thorough search for the monument described in the location notice as being located on the west boundary line, 500 ft from the N.W. Cor. , but failed to find this monument. This monument would be located on a steep hillside and has most likely been destroyed. The balance of the monuments have been rebuilt from time to time.

  
U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell  
United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
boundaries described in the foregoing field notes of the survey of the mining claim of

Jere W. Sullivan

known as the Giberalter

and showing the respective capacities in which they acted.

- ....., *Chainman.*
- Roy Elliott....., *Chainman.*
- B.A. Hussey....., *Arman.*
- ....., *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, Roy Elliott and B.A. Hussey

~~XXX~~....., do solemnly swear that we assisted Herbert C. Shotwell  
Shotwell....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying  
the boundaries of the mining claim of Jere W. Sullivan

known as the Giberalter

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
correctly executed, and the corner and boundary monuments established according to law and the instructions  
furnished by the United States Surveyor-General for Arizona

- ....., *Chainman.*
- Roy Elliott....., *Chainman.*
- B.A. Hussey....., *Arman.*
- ....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 12th

day of August, 1910.

[Signature]

Notary Public



FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert C. Shotwell, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug. 2nd. '10., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Jere W. Sullivan, known as the Giberalter, situate in Hassayampa Mining District, Yavapai County, Arizona, approx., in Section 6, Township No. 12 N, Range No 2 W. unsurveyed, within the Prescott National Forest and designated as Survey No. 2835, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Herbert C. Shotwell
U. S. Deputy Mineral Surveyor, before me a Notary Public
this 12th
day of August 1910

[Signature]
Notary Public.

5-13-12

GiberalterLocation No 1Notice of Location.  
-----

AUG 2- 1910

Know all Men by these Presents:

That we the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 500 feet in a Northerly direction and 1000 feet in a Southerly direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 500 feet to Monument of Stone at N.W. corner of claim; thence in an Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 1000 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated About 300 yards south west of Charlie Capalla Cabin and is the North Extension of the May Mills Mining Claim in Hassayampia Mining District, Yavapai County, Arizona Territory, and shall be known as the Giberalter Mining Claim.

DATED ON THE GROUND this 7 day of February 1895

Witness  
John Thompson.

B.T. Brownell  
Ed. Zimmerman

Recorded at request of J W Sullivan April 19<sup>th</sup> A.D. 1895, at 3:20 o'clock P.M., in Book 39 of Mines, page 512 Records of Yavapai County, Arizona.

(SEAL) F.A. Tritle County Recorder.

By H.R. Tritle Deputy




TERRITORY OF ARIZONA, }  
COUNTY OF YAVAPAI, } ss.

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of \_\_\_\_\_

the Notice of Location of the "GIBERALTER" lode mining claim,

\_\_\_\_\_ filed for record on April 19, A.D. 1895, \_\_\_\_\_ and as the same appears of record in my office in Book 39 of Mines, \_\_\_\_\_, at pages 512, \_\_\_\_\_ and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 29th day of July, A. D. 1920.

J. C. Bradbury,  
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 12, 1910., 190.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of JERE W. SULLIVAN

known as the GIBERALTER

situate in HASSAYAMPA

Mining District, Yavapai County, Arizona, approximately

in Section 6, Township No. 12 N., Range No. 2 W., unsurveyed, and within the Prescott National Forest, designated as Survey No. 2835,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft, 2 cuts and 3 tunnels, total value \$1600.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.**

**Department of the Interior,**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona,

October 12, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of Jere W. Sullivan

....., known as the

GIBERALTER

situate in Hassayampa Mining District,

Yavapai County, Arizona, approximately in

in Section 6, Township No. 12 N., Range No. 2 W., Unsurveyed  
within The Prescott National Forest.

....., designated as Survey No. 2835.

executed by Herbert C. Shotwell, U. S. Deputy Mineral

Surveyor, August 4 - 8, 1910., under my instructions dated

August 2, 1910., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor-General for Arizona.