(4-683.)

Mineral Survey No. 2863

Lot No. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Cake Superior + Nevada Development Company KNOWN AS THE Aryona Masest, Aryone March nostorzona Mascot No 3, Anyona March no 4. Anjona Mascol nos Anjone Mascol nos, Trager Mining District. Garapai County, Aryona Section 26 Township 10 N Range 1 W Uns.,
Present National Front Surveyed under instructions dated Oct 14 , 1910 by Williamt Minit U. S. Deputy Mineral Surveyor Claim located See location vatres, 1 Survey commenced Oct 17th Survey completed in 20 th, Address of Clarinans Jaropai County Angui

(1) Survey No. 2863 ARIZONA MASCOT No. 2 LCDE. Feet Beginning. at cor. No.1. Identical with the loc. & with Cor. No. 2 Arizona Mascot lode of this sur. A schist stone 6x10x26 ins. set 13 ins. in the ground with mound of stones chiseled 1-A-M-No.2.2-A-M-2863. Whence: -Cor. to secs. 23, 24, 25, & 26 T. 10 N.R. 1. W. brs. N 46°17'E 6194.62 feet.No.bearings available.Loc.cor.mound of stones 3 X 3 ft. Thence S 9905'W va. 14.E Intersect line 1-2 sur.No.2414 Pilgrim lode at N 40°15 E 706.95 171.76 ft.from cor.No.2, or Wash 20 ft. wide course S 44°E 760 Intersect line - 2-3, Sur. No. 2414, Pilgaim lode at 5.74 29 E. 88.45 foot from Com. No. 2 863.95 To Cor. No. 2. 868 Identical with the loc. A Granite stone 6x6x24 ins. set 12 ins in the ground with mound of stones chiseled, 2-A-M-No. 2-2863. Whence: Cor. No. 2 Dec. No. 2414 Pilgrim lode, a granite stone 6x8x 18 inches in mound of stones chiseled & P 2414 bis. On line and Royal lades Suc No. 1984, Whonce Con No. 14 how N. 740 W. 448 44 N 74939 W 90. feet No bearings available. Loc. cor . mound of stones 3 X 3,ft. Thende N 80:55'W Va. 14°E S.C. End. Identical with the loc.a mound of stones 3X3 ft. 300 Intersect line 3-4 Royal lode, imentical with line 1-2 477.55 North Oro Bonito lode Sur. No. 1830 at S 45.45 W 56.14 ft. from cor. No. 4 Royal, lode, Stist stone 4X12X12 ins.chiseled 4-R.1-N.0.B.-1830. SUEL To Cor. No. 3. 600 Identical with the loc. Diggor * W

A Quartz stone 5X8X26 ins.set 13 ins.in the ground, with mound of stones chiseled, 3-A-M-No. 2-2863. No bearings avaiilable.Loc.cor.mound of stones 3X3 ft. THOUS VIEGOS 10

Thence N 9:05'E Va. 14°E

(3)

Intersect line 4-1 sur. No. 1830 North Oro Bonito lode at 70.38 N 72°W 156.26 ft.from cor.No.1

Cor.No.2 Arizona Mascot No.5 lode of this sur. 368

	developed Application Association of Toronto Comments and
Feet	Wasta 10 . 84 miles a sum of COM
600 660	Cr. Wash 10 ft.wide course \$58°E Cr. Road course \$ 86°E & N 72°W
868	To Cor. No.4.
800	10 002 110 11
	Identical with the loc. & with cor. No. 3 Arizona Mascot lode of this sur.
	Schist stone 6X10X24 ins.set 12 ins.in the ground with
300	mound of stones, chiseled 4-A.M.No.2.3-A.M2863
1.2	No bearings available.Log.cor.mound of stones 3X3 ft.
i fx(v	Thence S80°55'E
300	N.C. End Identical with the S.C. End of Anazona Mascot
	lode of this sur.a mound of stones 3X3 ft.
60 0	To Cor. No. 1 the place of beginning.
300	ARTZONA MASCOT.
	ARIZONA MASCOT.
	Beginning at cor. No.1
64	Identical with the loc. and with cor. No. 2 Arizona Mascot
	No.3 of this sur schist stone 4x6x24 ins set 12 ins in the
	ground with mound of stones chiseled, 1-A.M.2-A.M.No.3-
	2863. No bearings available.Loc.cor.mound of stones 3X3 ft. Whene cor. to. secs. 23, 24, 25, &26 T. 10.N.R. 1 W. brs. N55°33'E 5165, 97ft
	Thence S 9905 W
100	Cor.No.3. Arizona Mascot No.4 lode of this survey,
1376	To Cor. No. 2.
Identical with the loc and with Cor No. 1 Arizona Mascot	
	of this sur hereinbefore described.
STYS" or	Thence N 80°55 W
300	S.C.End.ldentical with the loc.and with the N.C.End of
	Arizona Mascot No.2 lode of this sur hereinbefore described.
60 0	To Cor. No. 3.
	Identical with the loc & with Cor No.4 Arizona Mascot No.2 lode of this survey, hereinbefore described.
	Thence N 9°05'E
876	Cor. No. 1 Arizona Mascot. No. 5 lode and Cor. No. 2, Arizona Mascot
1376	No. 6 lode of this survey. To Cor. No. 4.
	Identical with the loc.and with Cor.No.3.Arizona Mascot

Feet.	No. led of this sur. Quartz stone 6X6X24 ins. set 12 ins. in the					
	ground with mound of stones chiseled 4-A.M.3-A.MNo.3-2863					
	No bearings available.Loc.cor mound of stones 3X3 ft.					
	Thence S80°55'E					
300	N.C. End identical with the loc. and with the S.C. End. of					
AGA, I	Arizona Mascot No.3 lode of this sur. a mound of stones					
°.80 =	3X3 ft.					
600	To Cor.No.1 the place of beginning.					
insi ia.	The state of the s					
	ARIZONA MASCOT NO.3 LODE.					
-	Beginning at Cor. No.1.					
	Identical with the loc.					
	Swist rock in place 4X6X8 feet above the ground with mound					
	of stones chiseled 1-A.M.No.3-2863.Whence :-					
	Cor.to secs.23,24,25,& 26, brs. N70:18'E 4273.23 ft.					
1200	No.beatings available.Loc.cor.mound of stones 3X3 ft.					
	Thence S 9°05'W Va.14°E					
100	cor.No.4 Arizona Mascot.No.4 lode of this sur.					
1500	To Cor. No. 2.					
2544	Identical with the loo.and with Cor.No.l Arizona Mascot					
1.	lode of this sur hereinbefore described.					
	to the many and the state of th					
	Thence N 80°55'W					
300	s.c.End identical with the loc.and with the N.C.End of					
	Arizona Mascot lode of this sur hereinbefore described.					
600	aro cor. No. 3.					
	Identical with the loc. and with Cor. No. 4. Arizona Mascot.					
- ar	lode of this sur hereinbefore described.					
5200	Va. 14°E					
1000.	Cor.No.1 Arizona Mascot No.6 lode of this sur.					
1500	To Cor. No. 4.					
	Edentical with the loc.					
	Granite stone 4X8X24 ins. set 12 ins. in the ground with					
Margarite de la constitución de	mound of stones chiseled 4-A.MNo. 2-2863. whence:-					

	Part of Acodes of record and a second and a					
	4-A.M.No.3-2863 X-B-R-chiseled on rock in place brs. S17.30'E 9.6ft.					
	X-B-R-4-A.M.No.3-2863 chiseled on rock in place brs.					
150	N 36% do'E 7.5 ft.Loc.cor.mound of stones 3X3 ft.					
TO C	Thence S 80°55 E or one					
300	Va.141E N.C.End identical with the loc.a mound of stones 3X3 ft.					
600	To Cor. No.1 the place of beginning.					
12x 6x	ARIZONA MASCOT NO.4 LODE.					
	Beginning at Cor. No.1.					
	Identical with the loc.					
	Shist stone 6X8X26 ins.set 13 ins.in the ground with					
	mound of stones chiseled 1-A.M.No.4-2863.Whence:					
	Cor. to secs. 23, 24, 25, &26 T. 10. N.R. 1. W. brs. N 65.47 E3930.61 ft.					
	No bearings available.Loc.cor.mound of stones 3X3 ft.					
12.6	Va.14°E					
F	Intersect line 2-3 New Jersey lode lot No.52 at N 35°25'E					
	695.69 ft.from cor.No.2 a schist stone 2X10 X10 ins.in					
	mound of stones.					
1500	To Cor.No.2.					
	Identical with the loc.					
	Schist stone 6X8X24 ins.set 12 ins.in the ground with r					
	mound of stones chiseled 2-A.M.No.4-2863.No bearings ava					
	available.Loc.cor.mound of stones 3X3 ft.					
	Thence N 80°55'W					
94.72						
	482.16 ft.from wor.No.2.					
260	Cr. wash 15 ft. wide course South.					
300	To S.C. End identical with the loc. a mound of stones 3X3ft.					
460	To Cor. No. 3.					
	Identical with the loc.					
	Schist stone 6X6X24 ins.set 12 ins.in the ground with					
,	mound of stones chiseled 3-A.M.No.4-2863.No bearings available.Loc.cor.mound of stones 3X3 ft.					

	100 March 100 Ma			
Feet,	Va.14%E			
100				
	of this sur. The post sure are the hard sure of the su			
1500	To Cor. No. 4.			
	Identical with the loc.			
Schist stone 4X10X24 ins. set 12 ins.in the ground				
	mound of stones chiseled 4-A.M.No.4-2863.No bearings			
	available.Loc.cor.mound of stones 3X3 ft.			
160	Thence S 30°55'E Va, 14°E N.C. End identical with the loc. amound of stones 3X3 ft.			
460	To cor. No.1 the place of beginning.			
	ARIZONA MASCOT No.5. hode			
- 20	Beginning at Cor. No. 1.			
	Identical with the loc.'and with cor.No.2 Arizona Mascot			
	No.6 lode of this sur.			
3	X-1-A.M.No.5-2-A.M.No.6-2863 chiseled on Quartz rock in			
	place 14 X 18 X 12 ins.above the ground with mound of			
E()	stones. Whence: - cors. to secs. 23, 24, 25, & 26.T. 10.N.R.1.W.			
1200	brs.N 56°02'E 5945.86 ft.No bearings available.Loc.cor.			
	mound of stones 3X3 ft.			
	Thence S 9°05 W			
876	Cor.No.3 Arizona Mascot & cor.No.4.Arizona Mascot No.2			
	lodes of this sur. 2- Minute-Sall and the loans			
1084	Cr.road course S 86°E & N 72°W			
1144	Cr.wash 10 ft.wide course S 58%E			
1376	To Cor.No.2.			
	Identical with the loc.			
	Schist stone 6X10X24 ins.set 12 ins.in the ground with			
	mound of stones chiseled 2-A.M.No.5-2863.No bearings			
	available.Loc.cor.mound of stones 3X3ft.			
9 9-1 - 2	Thence N80°55'W Va.14°E			
30 0				

Feet.

To Cor. No. 3.

Identical with the loc.

Schist stone 5X8X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-A.M.No.5-2863.No bearings available.Loc.cor.mound of stones 3X3 ft1

make the factor.

Thence N 9:05'E Va.14:E

1376

600

To Cor. No. 4.

Identical with the loc.and with cor.No.3.Arizona Mascot
No.6. X-4-A.M.No.5.3-A.M.No.6-2863 chiseled on quartz
rock in place 24X12X12 inc.above the ground with mound of
stones.No bearings available.Loc.cor.mound of stones 3X3 ft.

Thence S 80°55'E

Va.14°E

the locand with S

N.C.E. identical with the loc. and with S.C. End of Arizona
Mascot No.6 lode of this sur. a mound of stones 3X3 ft.

To Cor. No. 1 the place of beginning.

ARIZONA MASCOT NO.6 LODE.

Beginning at Cor. No. 1.

X-1-A.M.No.6-2863 chiseled on schist rock in place 6X12
X12 ins.above the ground with mound of stones.Whence:car.to secs 23,24,25 & 26 T.10.N.R.IW.brs.N 68:36'E 5042.16ft.
X-B.R.-1-A.M.No.6-2863 chiseled on rock in place brs.
S 5:00'E 6.8 ft.No other bearings available.Loc.cor.
mound of stones 3X3 ft.

Thence S 9.05 W

1000. Cor.No.3.Arizona Mascot'.No.31 & cor' Mo.4 Arizona Mascot lodes of this sur.

age of a property of

1500 To Cor. No. 2.

No.5 lode of this sur hereinbefore described.

at at the second case of the second control of the second case of the

and the extra contract of the second of

Feet	Thence N 80°55'W
300	S.C.E.identical with the loc.and with the N.C. End of
	Arizona Mascot No.5 lode of this sur hereinbefore described.
60 0	To Cor. No. 3.
	Identical with the loc.and with wor.No.4 Arizona Mascot No.
	5 lode of this sur hereinbefore described.
	Thence N 9:05 E BB 2012 V. C. G. C.
	wayin your at water water. Va.14%E
1500	Ton Cor. No. 4. Actions will also be some a communication of the
	Identical with the loo.
	Schist stone 4X8X24 ins. set 12 ins. in the ground with
>	mound of stones, chiseled 4-A.M.No.6-2863.No bearings
	available.Loc.cor.mound of stones 3X3 ft.
	Thence S 80°55 E
300	N.C. End identical with the loc. a mound of stones 3X3 ft.
600	To Cor. No. 1 the place of beginning.
800	I neverticy that the write of the labor sin head memberia
	The state of the s
	Arizona Mascot No.2 lode. total area11.956.acres.
	Conflict with sur.No.2414 Pilgram lode " 0.160 "
	" " " " 1830 Royal " " 0.253 " " "
	" " " " North Oro Bonito lode 0.189 " "
	Arizona Mascot lode total area
	Arizona Mascot No.5 lode total area 18.953
	Arizona Mascot No.6 " 20.661"
	Arizona Mascot No.3 " " 20.661"
	Arizona Mascot No.4 " " " 15.840 "
	area in conflict with lot No.52 New Jersey lode 0.208 acres
	ADJOINING CLAIMS This claim is bounded on the North by U.S.Land, on the East
	by lot No.52 New Jersey lode Sur.No.2414 Pilgrim lode and U.S.
	Land on the South by sur No. 1830 Royal and North Oro Bonito
	lodes and U.S.Land and on the West by U.S.Land.
	P**Gv. 1:0:1

(=)

LOCATION

in Twp. 10 N.R. 1 W. Yayapai County Arizona, in Prescott National Forest. Eligin Oning Part.

MUTE STRIP IN LEDGES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extends as follows as follows from their respective end centers.

Arizona Mascot No.2 lode 868 ft.N9:05'E from S.C.E to N.C.E.

Arizona Mascot " 1376 " N9°05'E " S.C.E. " N.C.E.

Arizona Mascot No.3 " 1500 " N9º05'E " S.C.E. " N.C.E.

Arizona Mascot No.4 " 1500 " N9205'E " S.C.E. " N.C.E.

Arizona Mascot No.5 " 1376 " N905'E " S.C.E. " N.C.E.

Arizona Mascot No.6 " 1500 " N9º05'E " S.C.E. " N.C.E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant is not less to than five hundred dollars, and that said improvements consist of:

ARIZONA MASCOT No. 2 LODE.

시네 되지 않는 맛인데 없어요? 이글 작동

No.1 Dis.Tunnel on the lode line 520 ft.from S.C.End

(Note)

5X7X742 ft.course N 9°E value \$7410.00 This is a

common improvement and 1/6 of its value is credited to

each lode in this claim.

No.2 Tunnel which brs.from for.No.3 N 28°30'E 748. course
N 8°E 5X7X450 ft.value34500.00

ARIZONA MASCOTLODE

No.1 dis.shaft which is on the lode line 190 ft.from S.C.End 4X6X85 ft.deepvalue ... \$1020.00

Mote; 1/6 of the work in No.1 Tunnel Arizona Mascot No.2 lode, \$1235.00 is credited to this lode.

ARIZONA MASCOT Mo.5 lode.

No. 1 disput dien is on the lode line 50 ft. Show the S.O. Not 480819 Pt. . . . value \$50.00

1/6 of the work in No.1 tunnel Arizona MascotNo.2 lode,

ARIZONA MASCOT NO.3. LODE.

No.1 dis.cut which is on the lode line 50 ft.fron the S.C.End 4X20X12 ft. value\$50.00

1/6 of the work in No.1 Tunnel Arizona Mascot No.2 lode, \$1235.00 is credited to this lode.

ARIZONA MASCOT No.4.

No.1 dis.out which is on the lode line 220 ft.frem the S, C. End. 4X20X12 ft...value \$50.00

No.2 shaft which is contthe dode line 350 ft. from the

S.C. End 5X8X17 ft. value \$204.00

1/6 of the work in No.1 tunnel Arizona Mascot No.2 lode, \$1235.00 is credited to this lode.

ARIZONA MASCOT No. 5. lode.

No.1 dis.cut which is on the lode line 500 ft.from the S.C.End 4X18X10 ft...value \$50.00

Note:
1/6 of the work in No.1 tunnel Arizona Mascot No.2 lode, \$1235.00 is credited to this lode.

ARIZONA MASCOT NO.6.10de.

No.1 Dis.cut which is on the lode line 345 ft.from the S.C.End 4X20X 10 ft. value \$50.00

Note:
1/6 of the work in No.1 tunnel Arizona Mascot No.2 lode,
\$1235.00 is credited to this lode.

OTHER IMPROVEMENTS.

S.E.Cor.of bunk house which brs.from cor.No.2 Arizona
Mascot No.3, N 17°W 92 ft.42 X 14ft with 16X16 ft.room on
West side course of long side, N 15°E.value \$300.00
The following buildings all bear from point on line
3-4 Arizona Mascot No.4 distance 100 ft.from cor,No.3
S.W.Cor.of offide, N 43°E 118 ft.18X 25 ft.course of long
side N 50°E value \$400.00

N.W.Cor.of boarding house brs.N67°E 53 ft.28X28ft. course of side N 25°W value \$400.00

S.W.Cor.of.residence brs.N 55°33'E 340 ft.28X28 ft. course S.83°E Value \$1500.00

(10)

State Made Heater Date for

THE PROPERTY OF STREET

ang galawan ngangi ang garawan an mananan ya

· ye while w tabulity or teach a just of

Tour to the things of the second of

ADDORED TWO SINGS

CARL CAR YOU

The or, it is the first than

ofur Str. Transfers

"其子"的"别"的"其"的"其"。 "其名"之一。

The proper of the sample of the sample

the type to the color of the color and a second of

to energy appropriate to accomp at a figure you got

filter and all the form. I so for the garge

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. and 500-ft. steel tapes. Note:

Line 3-3 New Jersey lode Lot No.52 is in error. Note:-

The common improvement tunnel No.1 on Arizona Mascot No. 2 is so located that by continuing it in its present course and by cross-cutting and lateral drifts each lode in this claim can be developed with economy, From the mouth of this tunnel the surface rises to the North, the north end of this claim being about 1000.ft. higher than the mouth of this tunnel. VOLENEY MYALES IN " . " ONL.

U.S. Mineral Surveyor.

product of the party

PROFF BUT TO

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employe	ed by William of Merrit
United States Depoty Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
	the survey of the mining claim of
Lake Superior Ve	mored no3, mored not, morest nos, world Note
known as the Angere Angere Angere	Angua Angua Marana
and showing the respective capacities in which the	y acted.
	Cot M. Merritt, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS	S OF ASSISTANTS.
He, & Them Mer	rett
and	, do solemnly swear that we assisted Walliam
At Munik, United States De	puty Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Southe	Superiory Verada Develhount
company mare mare	of not, nos, nos, nos, nos, nos, nos,
known as the Arry Arry Arry	Ang Ang Ang
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all res	spects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary i	monuments established according to law and the instructions
furnished by the United States Surveyor-General f	or Aryona
	Manual, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	by the above-named persons before me this
day of Octob	1 0 13
y Commission	Diba O. Brown On Public
pires Nev. 1-1913.	O notary Juble

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William HMerroll , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated, dated, large, dated, large, dated, dated, dated, dated, dated, dated, dated
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Sake Superior + Nevada Development
Company (not, not, not, not, mob, known as the
and fresh mere mere more more mont
Angua Angua Angua Angua Angua Mining District,
/situate in Angulary Angulary Mining District, Ganapai County, angona, in Section
26 Township No. 10 N, Range No. 1. W Uns,
and designated as Survey No. 2863, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
LUDD'S THE
William & Bruntt
U.S. D epu ty Mineral Surveyor.
Subscribed and sworn to by the said Wallam Hamit
U. S. Deputy Mineral Surveyor, before me a Notary Cublic in
and for your Pounty arizon this 22'
day of Chicago, 1910.
Silea O Brown
my Commission Glea O. (Grown Onblic Rotary Public
TOUTH STEEL VET TO THE TOUTH AND THE TOUTH A
tolary Sublic

2863 14

Motice of Mining Location

LODE CLAIM

JCT. 14.1910

To All Whom It May Concern:			
This Mining Claim, the name of which is the "Arizona Mascot "			
Mining Claim, situate on lands belonging to the			
are valuable mineral deposits, was entered upon a	and located for the purposes of exploration and		
purchase by the Lake Superior and New			
(Locator must insert either "a citizen of the United States," or, "who h	as declared his intention to become a citizen of the United States.")		
the undersigned, on the lst day of JE	nuary 1908.		
The length of this claim is 1500	feet,		
and we claim 1300	feet,		
in a northerly			
feet in a southerly			
the center of the discovery shaft, at which this no			
with three hundred (300)			
side of the center of said elem. The general cou			
northerly to a			
	Tiger" Mining District, in		
Yavapai County, in the Ten			
	from "Mount Wasson", in Bradshaw Mts,		
	of the "Oro Bonita" Mining claim,		
and is located as a forfeited Min	ing claim.		
The surface boundaries of the claim are man	ked upon the ground as follows: Beginning at		
a mammant of			
a monument of	stones		
a monument of	stones		
at a point in a northerly d	irection 1300 feet from		
at a point in a northerly dutie discovery shaft (at which this notice is poste	irection 1300 feet from d), being in the center of the north		
at a point in a northerly the discovery shaft (at which this notice is postered line of said claim; thence easterly 300	irection 1300 feet from d), being in the center of the north feet to a monument of stones		
at a point in a northerly d the discovery shaft (at which this notice is postered line of said claim; thence easterly 300, being the north	irection 1300 feet from d), being in the center of the north feet to a monument of stones corner of said claim; thence		
at a point in a northerly the discovery shaft (at which this notice is postered line of said claim; thence easterly 300	irection 1300 feet from d), being in the center of the north feet to a monument of stones corner of said claim; thence		
at a point in a northerly d the discovery shaft (at which this notice is postered line of said claim; thence easterly 300, being the north	irection 1300 feet from d), being in the center of the north feet to a monument of stones corner of said claim; thence monument of stones, being at the		
at a point in a northerly d the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 , being the northerly feet to a	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet		
at a point in a northerly description of the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 peing the north southerly feet to a southeast corner of said claim.	feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim;		
at a point in a northerly d the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 heing the northerly feet to a southeast corner of said claim to a monument of stones at the	feet to a monument of stones corner of said claim; thence monument of stones, being at the more than the corner of said claim; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the		
at a point in a northerly d the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 , being the northerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said claim.	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500		
at a point in a northerly description of the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 peing the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones being at the feet to a monument of stones being at the	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 e northwest corner of said claim;		
at a point in a northerly description of the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 peing the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones being the thence easterly 300 feet to	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 e northwest corner of said claim; the place of beginning.		
at a point in a northerly description of the discovery shaft (at which this notice is postered in a feet to a southerly feet to a southeast corner of said clarate to a monument of stones at the thence westerly 300 feet to a monument of stones being the thence desterly 300 feet to a monument of stones being the thence easterly 300 feet to a monument of stones being the thence easterly 300 feet to all done under the provisions of Chapter S.	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 e northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes on		
at a point in a northerly description of the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 heing the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones lesing at the thence easterly 300 feet to All done under the provisions of Chapter Stones the United States, and of an Act of the Geng Revise and Codify the Laws of the Territory of	feet to a monument of stones east corner of said claim; thence monument of stones, being at the feet to a monument of stones monument of stones, being at the feet center of the south end of said claim; to a monument of stones, being at the flaim; thence northerly 1500 me northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes of feral Assembly of Arizona, entitled "An Act to first and amunical March 24, 1899, and March/Ch. 1901, Arizona," approved March 16, 1901.		
at a point in a northerly description of the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 heing the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones lesing at the thence easterly 300 feet to All done under the provisions of Chapter Stones the United States, and of an Act of the Geng Revise and Codify the Laws of the Territory of	irection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 e northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes on		
at a point in a northerly the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 being the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones being the thence easterly 300 feet to All done under the provisions of Chapter Southwest corner of the United States, and of an Act of the Geng Revise and Codify the Laws of the Territory of Dated and posted on the ground this 18	feet to a monument of stones east corner of said claim; thence monument of stones, being at the feet to a monument of stones monument of stones, being at the feet center of the south end of said claim; to a monument of stones, being at the flaim; thence northerly 1500 me northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes of feral Assembly of Arizona, entitled "An Act to first and amunical March 24, 1899, and March/Ch. 1901, Arizona," approved March 16, 1901.		
at a point in a northerly the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 being the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of seet to a monument of stones being at the thence easterly 300 feet to a monument of stones being at the thence easterly 300 feet to all done under the provisions of Chapter S. the United States, and of an Act of the Gentleman seed of the Territory of Dated and posted on the ground this ls. Witnesses, "La." E.P.Brittingham Common control of the seed and posted on the ground this ls." La. Common control of the seed and posted on the ground this ls."	frection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 re northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes of ceral Assembly of Arizona, entitled "An Act to ceral		
at a point in a northerly the discovery shaft (at which this notice is postered line of said claim; thence easterly 300 being the north southerly feet to a southeast corner of said claim to a monument of stones at the thence westerly 300 feet southwest corner of said of feet to a monument of stones being at the thence easterly 300 feet to All done under the provisions of Chapter S. the United States, and of an Act of the Gentlewing mines, approved march 20 the Revise and Codify the Laws of the Territory of Dated and posted on the ground this ls Witnesses, "Law Collection of Collection of Chapter S. "Law Chapte	frection 1300 feet from d), being in the center of the north feet to a monument of stones east corner of said claim; thence monument of stones, being at the im; thence westerly 300 feet center of the south end of said claim; to a monument of stones, being at the claim; thence northerly 1500 e northwest corner of said claim; the place of beginning. ix, of Title XXXII, of the Revised Statutes on cral Assembly of Arizona, entitled "An Act to cral Assembly of Arizona, entitled "An A		

Know All Men By These Presents:

That we the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode bearing precious metals, with all dips, spurs, angles and variations with surface ground three hundred (300) feet on each side of center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs fifteen hundred (1500) feet in a Southerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at this monument and notice and running three hundred (300) feet in an easterly direction to monument at N.E.corner of claim; thence in a scutherly direction parallel with the ledge fifteen hundred (1500) feet to monument at S.E.corner of claim; thence in a westerly direction at right angles across the ledge three hundred (300) feet to monument at the center of the south end of said claim; thence westerly three hundred (300) feet to monument at S.W.corner of claim; thence parallel with the lode in a northerly direction fifteen hundred (1500) feet to monument at N.W.corner of claim; thence at right angles across the ledge in an easterly direction three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in Bradshaw Mts.about one mile south of Mount Masson and is second north extension of "Oro Bonita" Mining claim, and first south extension of "Arizone Mascot Mining claim, and is located as a forfeited Mining claim, in Tiger Mining District, Yavapai County, Arizona Territory and Shall be known as the "Arizona Mascot No 2 "Mining Claim.

Dated on the ground this 1st day of January 1908

Witnesses. E.P. Brittingham C.J.Kimbell.

Lake Superior and Nevada Development Company.

Filed and recorded at request of C.J.Kimbell, Jan. 38, A.D. 1908, at 9:08 o'clock AlM., Book81 of Mines, pages 1-2, Records of Yavapai County, Arizona. J.C.Bradbury. County Recorder.

(Seal)

John J. Reddick,

Deputy Recorder.

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Arizona Mascot No.3 -
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by the Lake Superior & Nevada Development Co - (Incorporated
under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 37th day of April 19.09
The length of this claim is 1500 feet,
and we claim thirty (30) feet,
in a Southerly direction and fourteen hundred
in a Southerly direction and direction from
& seventy (1470) feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with three hundred (300) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South
The claim is situated and located in the Tiger Mining District, in
Yavapai County, in the Territory of Arizona, about one mile
in a Northerly direction from the Oro Belle mill and lies
on the southerly slope of Mt. Wasson. This claim is the ist North
extension of the "Arizona Mascot" and the 3rd north extension of the
"Oro Bonita" claims
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Monument of stone
a Mondment of Stone
at a point in a Southerly direction thirty (30) feet from
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone, being the Southwest corner of said claim; thence
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim;
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim;
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone , being at the
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone , being at the Northeast corner of said claim; thence Southerly 1500
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone , being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim;
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone heing the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone heing at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone, being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning.
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone , being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone , being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone , being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone heing the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone heing at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone, being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning.
at a point in a Southerly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone heing the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone heing at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone heing at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft.Westerly feet to a Monument of stone heing the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone heing at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone heing at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 37th day of April 19.09.
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft.Westerly feet to a Monument of stone heing the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone heing at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone heing at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 37th day of April 19.09.
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the Scuth end line of said claim; thence 300 ft. Westerly feet to a Monument of stone being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 37th day of April 19.09 Filed and recorded at Take Superior & Nevada Development Corequest of H.F. Olund, June 5, A.D. 1909, at 10:40 o'clock, A.M., per H.F. Olund) Witnesses
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 ft. Westerly feet to a Monument of stone stone being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone being at the Northwest corner of said claim; thence Fasterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 37th day of April 19.09 Filed and recorded at Take Superior & Nevada Development Co request of H.E.Olund, June 5, A.D.1909, at 10:40 0'clock, A.M., Book 87 of Mines, page 153,
at a point in a Scutherly direction thirty (30) feet from the discovery shaft (at which this notice is posted), being in the center of the Scuth end line of said claim; thence 300 ft. Westerly feet to a Monument of stone being the Southwest corner of said claim; thence Northerly 1500 feet to a Monument of stone being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument of Stone at the center of the North end of said claim; thence Easterly 300 feet to a Monument of stone being at the Northeast corner of said claim; thence Southerly 1500 feet to a Monument of stone at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 37th day of April 19.09 Filed and recorded at Take Superior & Nevada Development Corequest of H.F. Olund, June 5, A.D. 1909, at 10:40 o'clock, A.M., per H.F. Olund) Witnesses

By G.H.Bishop, Deputy Recorder.

Motice of Mining Location

LODE CLAIM

	To All Whom 1st May Concern:
	This Mining Claim, the name of which is the Arizona Mascot No. 4
	Mining Claim, situate on lands belonging to the United States of America, and in which there
	are valuable mineral deposits, was entered upon and located for the purposes of exploration and
	purchase by the Lake Superior & Nevada Development Co-
	(Incorporated under the laws of Arizona) (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
	the undersigned, on the 27th day of April 1909
	The length of this claim is 1500 feet,
	and we claim One hundred & eighty-five (185) feet,
	in a Southerly direction and thirteen hundred
&	fifteen (1315) feet in a Northerly direction from
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
	with three hundred (300) feet in width of the surface grounds, on each
	side of the center of said claim. The general course of the lode deposit and premises is from the
	North to the South
	The claim is situated and located in the Tiger Mining District, in
	Yavapai County, in the Territory of Arizona, about one mile
	in a Northeasterly direction from the Oro Belle Mill- and lies
	on the southeasterly slope of Mt. Wasson. It is located as a forfeit-
	ed mining claim. The New Jersey lies immediately on the East of it.
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at
	A Monument of Stone
	at a point in a Southerly direction 185 feet from
	the discovery shaft (at which this notice is posted), being in the center of the South
	end line of said claim; thence Westerly 300 feet to a Monument of stone
	, being the Southwest corner of said claim; thence
	Northerly 1500 feet to a Monument of stone , being at the
	Northwest corner of said claim; thence Easterly 300 feet
	to a Monument of stone at the center of the North end of said claim;
	thence Easterly 300 feet to a Monument of stone, being at the
	northeast corner of said claim; thence Southerly 1500
	feet to a Monument of stone at the Southeast corner of said claim;
	thence Westerly 300 feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
	the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
	Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
	Dated and posted on the ground this 27th day of April 19,09
	Lake Superior & Wevada Development Co.
	Lake Superior & Wevada Development Co. per H.E.Olund) C.J.Kimbell) Witnesses
	(INVENTIBLE) MIDIODOD
	Filed and recorded at request of H.E. Olund, June 5, A.D. 1909, at 10:40

Motice of Mining Location

LODE CLAIM

To	All	Whom	It	gacm	Concern	•
----	-----	------	----	------	---------	---

Co Litt exposit he share contesting		
This Mining Claim, the name of which	h is the Arizona Mascot No.5.	
Mining Claim, situate on lands belonging	to the United States of America, and in which there	
	upon and located for the purposes of exploration and	
purchase by The Lake Superior &	Nevada Development Co., - Incorporated	
under the Laws of Arizona - (Locator must insert either "a citizen of the United States,"	or, "who has declared his intention to become a citizen of the United States.")	
the undersigned, on the 30th day	of January 1910	
	en Hundred-(1500) feet,	
and we claim Five Hundred -	(500) feet,	
in a Southerly	direction and One Thousand (1000)	
feet in aNor	therly direction from	
	this notice is posted, lengthwise of the claim, together	
	feet in width of the surface grounds, on each	
	eral course of the lode deposit and premises is from the	
side of the center of said claim. The gene	to the South	
	the Tiger Mining District, in	
Yavapai County, in	the Territory of Arizona, about 2500 feet	
in a Northerly di	rection from Oro Belle Mill, and lies on	
	.Wasson. On the East boundary of the	
claim lie the Arizona Mascot	and the " Arizona Mascot No 2."-	
claims		
	are marked upon the ground as follows: Beginning at	
a Monument of stone		
	direction 500 - feet from	
	s posted), being in the center of the South	
	0 feet to a Stone monument	
	couthwest corner of said claim; thence	
North 1900 -	eet to a Stone monument , being at the	
	aid claim; thence East 300 feet	
	at the center of the North end of said claim;	
	feet to a Stone Monument, being at the	
	f said claim; thence South 1500	
feet to a Stone monument	at the Southeast corner of said claim;	
thence West 300	feet to the place of beginning.	
All done under the provisions of Cha	apter Six, of Title XXXII, of the Revised Statutes on	
the United States, and of an Act of t	he General Assembly of Arizona, entitled "An Act to	
	ory of Arizona," approved March 16, 1901.	
Dated and posted on the ground the	s 30th day of January 1910.	
Witnesses and agents for the	H.E.Olund	
Witnesses and agents for the H.E.Olund Lake Sup.& Nev.Dev.Co.		
	E.W.Smith	
Filed and recorded at request	of H.E. Olund, March 8, A.D. 1910, at 9:02	
o'clock A.M., Book 88 of Mines,	page 116, Records of Yavapai County,	
Arizona No. 110. — Norice of Location of Copy of	County Recorder By W. E. Glenn, Deputy Recorde	

AMENDED

Motice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:
This mining Claim, the name of which is the Arizona Mascot No 6
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by The Lake Superior & Nevada Development Co. Incorporated under
the laws of Arizona (Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States,")
the undersigned, on the3thday of _April191_0
The length of this claim isFifteen Hundred (1500) feet,
and We claim One Hundred & Seventy Five (175) feet,
in a Southerly direction and Thirteen
Hundred & Twenty Five feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three Hundred 3 (300) feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South
The claim is situated and located in the Tiger Mining District, in
Yavapai County in the Territory of Arizona, about 3500 feet
in a Northerly direction from the Oro Relle Mill & lies on the South-
erly slope of Mt. Wasson. On the East boundary lies the " Arizona
Mascot & Arizona Mascot No. 3 claims.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Monument of Stone
at a point in a Southerly direction 175 feet from
the discovery shaft (at which this notice is posted), being in the center of theSouth
end line of said claim; thence West 300 feet to a Stone
Monument , being the Southwest corner of said claim; thence
North 1500 feet to a Stone Monument being at the
Northwest corner of said claim; thence East 300 feet
to a Stone Monument at the center of the North end of said claim;
thence East 300 feet to a Stone Monument , being at the
Northeast corner of said claim; thence South 1500
feet to a Stone Monument at the Southeast corner of said claim;
thence
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Arizona Mascot No.6
Mining claim, located by H.E. Olund & E.W. Smith agents for the Lake Superior
& Neveds Development Co. on the 30th day of
January , 1910, and recorded in Book 88 of Records of Mines, at
page 117 in the office of the County Recorder of the aforesaid County of Yayapai
to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this 23rd. day of April
E.W. Smith
Agent
Filed and recorded at request of E.W.Smith, April 26, A.D. 1910, at 9:00
o'clock A.M., Book 86 of Mines, page 165, Records of Yavapal County,
APIZOTIA (Seal) J. C. Bradbury, County Recorder . No. 109—AMENDED NOTICE OF LOCATION OF LODE CLAIM—The H. H. McNeil Co.'s Red Line Blanks, Phoenix, Arizona 2—3-10
By W.E.Glenn, Deputy Recorder,

Territory of Arizona) : ss. County of Yavapai.)

I,J.C.Bradbury,County Recorder,in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with and that the same are full, true and correct copies of the following named and described Lode Mining Claims, situate in the Tiger Mining District, Yavapai County, Arizona, to-wit:-

"Arizona Mascot " the notice of location whereof is of record in Book 83 of Mines, page 437, Records of Yavapai County, Arizona.

"Arizona Mascot No 2 ", the notice of location whereof is of record in Book 81 of Mines, pages 1-2, said Records.

Arizona Mascot No.3-, notice of location whereof is of record in Book 87 of Mines, page 153, said Records.

Arizona Mascot No.4 -, notice of location whereof is of record in Book 87 of Mines, page 154, said Records.

Arizona Mascot No.5., notice of location whereof is of record in Book 88 of Mines, page 116, said Records.

Arizona Mascot No 6, notice of location whereof is of record in Book 88 of Mines, page 117, and the amended notice of location is of record in Book 86 of Mines, page 165, said Records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this the thirteenth day of October, A.D. 1910.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
February 23, 1911
I, U. S. Surveyor-General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Lake Superior & Nevada Development Company,
known as the ARIZONA MASCOT, ARIZONA MASCOT NO. 2, ARIZONA MASCOT NO. 3 ARIZONA MASCOT NO. 4, ARIZONA MASCOT NO. 5, ARIZONA MASCOT NO. 6, situate in Tiger
Mining District, Yavapai County, Arizona,
in Section 26 , Township No. 10 N. , Range No. 1 W., unsurveyed, and Prescott National Forest, designated as Survey No. 2863 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, i
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claims by claimant or its grantors, and that said improvements
consist of 2 tunnels, 2 shafts and 4 cuts, total value \$13,334.00.
Tunnel No. 1 on the Arizona Mascot No. 2 lode being a common
improvement for the benefit and development of this entire
group of claims, an undivided 1/6 interest therein, value
\$1235.00, is properly credited to each of the claims in this survey.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona.
is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls.
United States Surveyor-General for Arizona,

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
February 23, 1911, 190
I, U. S. Surveyor-General for Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
Lake Superior & Nevada Development Company,
, known as the
ARIZONA MASCOT, ARIZONA MASCOT NO. 2, ARIZONA MASCOT NO. 3, ARIZONA
MASCOT NO. 4, ARIZONA MASCOT NO. 5, ARIZONA MASCOT NO. 6, situate in mining district,
Yavapai County, Arizona,
in Section 26, , Township No. 10 N. , Range No. 1 W., unsurveyed Prescott National Forest.
designated as Survey No. 2863,
executed by William H. Merritt, United States Mineral
Surveyor, October 17 - 20, 1910, , 180XX, under my instructions dated
October 14, 1910, 190x, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Thank I in gall
U. S. Surveyor-General for Arizona.