(4—683.)

## Mineral Survey No. 2868

Lot No.

Megona

Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Lycamore, Mining,	Smelting & De	velopment Company
	VNOWN AS THE	
Hot of	Jooch-	
^ /		
	River	Mining District,
Javapui	County, U	uzona
Section, Tov		
Surveyed under instruction		
	^ ′	U. S. P. Mineral Surveyor
		U. S. P. Mineral Surveyor
Claim located 2	ec. Location	notice 1913
Survey commenced Q		
Survey completed		
· 6-100 Hald	neds.	
	of A	ndrews, Alloney,
Am	ny v	
	Thes	esto,
and the same of th		auguel

Feet

65

### GOLD TOOTH LODE

Beginning at cor. No. 1, the S. W. cor. of the location, identical with same, a mon. of stones 2.5 ft. This cor. being located in the base, 1.5 ft. high. channel of the Verde River, a point unsuitable for the establishment of a permanent corner, I establish a W.C., hereafter described at N. 10° 30' W. 98 ft.dist., thence from true corner point I ran N. 10° 30' W.

To south side Verde River, course East. 15

To north side Verde River, 40 ft. wide, 18 ins. deep

To north bank Verde River channel, course East, 98

where I established a witness cor. to cor. No. 1. sand stone 24 x 10 x 8 ins. set 12 ins. in ground, alongside raised a mon. of stones 3 x 3 ft., stone marked W.C. G.T. 1-2868.

Whence a X on a sandstone in place, marked B.R. W.C. G.T. 1-2868, brs. N. 19° 45' W. 27.6 ft. 'A + on a sandstone in place, marked B.R. W.C. G.T. 1-2868, brs. N. 39° 45' E. 30.5 ft.

Witness cor. to cor. secs. 7, 12, 13 and 18, T. 17 N.,

Rgs. 2 and 3 E., a sandstone 8 x 10 ins. 18 ins. above ground, surrounded by mon. of stones, stone marked W. C. and four grooves on S. and two grooves on N. side and T. 17 N., R. 2 E. on W. side and T. 17 N., R. 3 E. on E. side, brs. S. 65° 38' 48" W. 1740.69 ft. To West Center End, identical with location. A mon. of stones 2.5 ft. base, 1.5 ft. high. Set a sand stone 24 x 15 x 8 ins. 12 ins. in ground, marked W.C.E. G.T. 2868, alongside raised a mon. of stones 3 x 3 ft. To cor. No. 2, identical with N. W. cor. of location. Set a sandstone 24 x 18 x 6 ins. 12 ins. in ground, marked G. T. 2-2868, alongside raised a mon. of stones 3 x 3 ft. Whence a + on a sandstone in place marked

300

600

#### SURVEY NO. 2868

Feet

B.R. G.T. 2-2868 brs. N. 81° 30' W. 12.5 ft,

A + on a sandstone in place, marked B.R. G.T. 2-2868

brs. S. 63° E. 11 ft.

Thence N. 79° 30' E.

1500

To cor. No. 3, identical with N. E. cor. of location, a mon. of stones 2.5 ft. base, 1.5 ft. high.

Set a sandstone 24 x 12 x 3 ins. 12 ins. in ground, marked G.T. 3-2868.

A + on a sandstone in place, marked B.R. G.T. 3-2868, brs. S. 10° 30' E. 40.2 ft.

### Thence S. 10° 30' E.

300

To East Center End, identical with E. C. E. of the location, a mon. of stones 2.5 ft. base, 1.5 ft. high. Set a sandstone 24 x 10 x 6 ins. 12 ins. in ground, marked E.C.E. G.T. 2868.

558

To North bank Verde River channel. The point for cor. No. 4 falls in the Verde River, an unsuitable place for the establishment of a permanent cor., so at 558 ft. from cor. No. 3 I established a witness corner to cor. No. 4. Cut a + for cor. point on sandstone boulder 5 x 8 ft. 3 ft. above ground, and marked W.C. G.T. 4-2868, alongside raised a mon. of stones 3 x 3 ft. No bearings available.

578

To Verde River, course East, 40 ft. wide, 18 ins. deep.

600

To true corner, in Verde River. Corner of location brs. S. 10° 30' E. 33 ft., a mon. of stones 2.5 ft. base, 1.5 ft. high. W.C., heretofore described brs. N. 10° 30' W. 42 ft.

Feet

Thence S. 79° 30' W.

1500

To true cor. No. 1, the place of beginning survey of exterior boundaries.

Variation at all corners 14° 30' E.

++++++++++++

Containing

From true cor. No. 4.

20.661 acres.

+++++++++++++

### LODE LINE

As nearly as can be determined from present developments extends as follows from discovery point:

GOLD TOOTH lode, 50 feet N. 79° 30' E. and 1450 feet S. 79° 30' W.

Tongs - At

Was Snatt

### LOCATION

This survey is located in S. 1 of Sec. 7,

T. 17 N., R. 3 E., G. & S. R. B. & M. in Verde River

Mining District, Yavapai County, Arizona, and is

bounded on the North by Gray Hound, on the East by

Molly, on the South by Good Luck, and on the West by

Mount Hope lodes, unsurveyed, Sycamore Mining, Smelting and Development Company claimant.

++++++++++++++

### EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than Five hundred dollars, and that said improvements consist of:

Mal The discovery shaft . . , which brs. from E.C.E.

mon. S. 79° 30' W. 50 ft. Shaft 4.5 ft. x 6.9 ft.,

timbered 383 ft. deep. At 100 ft. a drift West

4 x 6 ft. 93 ft. long. At 240 ft. a station 6.6 ft.

x 14.9 ft. 42 ft. long, course West.

Value \$9430.00

\*\*\* Shaft, , which brs. from W. C. No. 1, N. 58° E. 800 ft. Shaft 4 x 6 ft. 62 ft. deep.

Value \$ 620.00

Other improvements.

Diamond Drill Hole . . which brs. from W. C. No. 1,

N. 1° 15' E. 97 ft. Drill hole inclined to North

said to be 929 ft. deep, said to have cost #3.60

per foot.

+++++++++++++++

#### INSTRUMENT

This survey was made with a W. & L. E. Gurley solar transit.

The courses were deflected from the true Meridian as determined by solar observations. The distances were measured with a 50 ft. and 300 ft. steel tape.

+++++++++++++++

### FINAL OATHS OF ASSISTANTS

Owing to delay, expense and inconvenience, there being no proper officer to administer oaths within fourteen miles of this claim, I as U. S. Mineral Surveyor administered the oaths of my assistants.

U. S. Mineral Surveyor

Prescott, Arizona, Nov. // 1910.

## FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by J. J. Ferlier
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
Mining Intelline & Develop ment les, known as the Greed Lorch
1 1
and showing the respective capacities in which they acted.    White Control   Chainman.
FINAL OATHS OF ASSISTANTS.
we, MM loweker  and lo, K, Rich , do solemnly swear that we assisted for free with the boundaries of the mining claim of Aycamor, Mining, Ameling  Alvelopment les.
known as the
represented in the foregoing field notes as having been surveyed by said departy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Chairman Grocker, Chairman.
Which Axman. Win. Crocket, Flagman.
Subscribed and sworn to by the above-named persons before me this.
day of Movembre, 1901.0 J. J. Fisher U.S. Minercel Jenviers

## FINAL OATH OF U.S. MINERAL SURVEYOR.

( July			
, , , , , , , , , , , , , , , , , , , ,	U. S. Mineral Surveyor,		
do solemnly swear that, in pursuance of instructions received	ved from the United States		
Surveyor General for My our , I have, in strict of	dated,		
$\nu$			
United States, the official regulations and instructions ther	eunder, and the instructions		
of said Surveyor General, faithfully and correctly executed			
Claim of Lycamor Mining, Smelling &	- Development Rangang		
situate in Mile River  Situate in Mile River  Gounty, And  Township No. 17 U, Range No. 3 & and designated as Survey No. 2868	, known as the		
Word Gooth			
situate in Mide Kurr	Mining District,		
George County, and	you , in Section		
Township No. 17 U, Range No. 3 &	·,		
and designated as Survey No. 2868	, as repr <mark>esented</mark>		
in the foregoing field notes, which accurately show the bou	ndaries of said mining claim		
as distinctly marked by monuments on the ground, and des	scribed in the attached copy		
of the location certificate, which was received by me from	the Surveyor General with		
said instructions, and that all the corners of said survey har	ve been established and per-		
petuated in strict accordance with the law, official regular	tions and instructions there-		
under; and I do further solemnly swear that the foregoing are the true and original			
field notes of said survey and my report therein, and th			
improvements made upon said mining claim by claimant of	. /		
are as therein fully stated, and that the character, extent,			
thereof are specified therein with particularity and full de			
said labor or improvements so credited to this claim has be			
<u>*</u>			
of expenditures report to your series			
. 0	0 7 . 0		
	U. S. Mineral Surveyor.		
	U. S. Mineral Surveyor.		
Subscribed and sworn to by the said	her		
II S Mineral Surveyor, before me / Oa Mn	Tary Public in and		
Low y avapai County, arisona	this / 7 th		
day of November 1990	0 1010		
U. S. Mineral Surveyor, before me a Mon for yarafiai County, Aujoua day of Movember, 1900 My Commission expires Novem	few 27-171		
1.6	Notary Public		
	noture Public		
6-1044			

### AMENDED

# Motice of Mining Location

LODE CLAIM

OCT.29.1910

	TO ALL WHOM IT MAY CONCERN:
	This mining Claim, the name of which is the ** GOLD TOOTH **
	Mining Claim, situate on lands belonging to the United States of America, and in which there are
	valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
	by Sycamore Mining, Smelting & Development Company, a corporation or-
	genised under the laws of the Territory of Arizona,
	(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
	the undersigned, on the
	The length of this claim isFifteen Hundred (1500) feet,
	and 1t claims Fifty (50) feet,
	in a n Easterly direction and Fourteen
	Hundred and Fifty feet in a Westerly direction from
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
	the center of the discovery shart, at which this notice is posted, lengthwise of the start, again,
	with Six Hundred (600) feet in width of the surface grounds, on each
	side of the center of said claim. The general course of the lode deposit and premises is from the
	Easterly to the Westerly direction
	The claim is situated and located in theVorde River Mining District, in
	Yavapai County in the Territory of Arizona, about One-Half (2) Miles
	in a Westerly direction from Cus Thorbecke Rench at and near the
	Verde River.
	THE TELLIA - CAR A DELICATED AND AND AND ADDRESS AND A
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at
	a monument built of stone
	mietw (50) 6 0 (50)
	at a point in a n Easterly direction Fifty (50) 6 Seet from
	the discovery shaft (at which this notice is posted), being in the center of the Easterly
	end line of said claim; thence Northerly Three Hundred feet to a Stone Monument
	being the North-Easterly corner of said claim; thence
We	sterly Fifteen Hundred feet to a Stone Monument being at the
	North-Westerly corner of said claim; thence Southerly 300 feet
	to a Stone Monument at the center of the Westerly end of said claim;
	thence Southerly 300 feet to a Stone Monument , being at the
	South-Westerly corner of said claim; thence Easterly 1500
	feet to a Stone Monument at the Southe Easterly corner of said claim;
	thence Northerly 300 feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
	This is an Amended Location Notice of the GOLD TOOTH.
	Mining claim, located by .O.J.Winchell and J.A.Prosser
	on the Fourteenth day of
	April, 19bo, and recorded in Book 56 of Records of Mines, at
	in the office of the County Recorder of the aforesaid County of Yavapal.
	errors in the description in the said original Location Notice.
	Dated and posted on the ground this 22nd day of October, 1910.
	Sycamore Mining, Smelting & Development Company,
	By Guy H Bailey
	It's Attorney in fact.

TERRITO	RY OF ARIZONA,			•
		SS.		
	d do hereby contifu that the	7.0		
on this	d, do hereby certify that the		91, and duly recorded i	in Book No.
of	Records of			
	Witness my hand and of	ficial seal the day and	d year first above written	n. San Hite In
recration of	do a symmetric tra	oʻptasi, a y	Marine, among	County Recorder.
		THE PART AND		
0		tho	day of	
lon		191of	910,. M.	ler.
ocatio		request c	D. 191	County Recorder  Deputy Recorder  Deputy Recorder
LAIM.		at req	4	County E Deputy F
C C			27, clock Mines, ecords	J. Cou
AME ODE		recorded	37, elo	mor.

Filed and

Dated ....

Henry T.

Monument Discovery Monument Disc

VITAL MALE STATES

Thuanties, but I toling ! toling!".

Destarily

dineassure

. torraptore entended Allen - virtal - -

atout Ma Merinita at

\*America

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Status Manusent

DON WITHKETON

Pages . 190, 1

Book . 86 . 01

at .8:05 o

October

nd

The McNeil

TERRITORY OF ARIZONA, COUNTY OF YAVAPAI,

I, J. C. Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records of such office, do hereby certify that I have compared the forgoing copy with, and that the same is a full, true and correct copy of amended location notice of the "GOLD TOOTH "Mining Claim filed for record on 37th day of October, 1910, and as the same appears of record in my office in Book 86 of Mines , at pages 190, and of the whole thereof.



Bradbury County Recorder

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
	February 9, 1911		
I, U. S. Surveyor-General for	Arizona,		
do hereby certify that the foregoing tran	ascript of the Field Notes, return and approval of the survey		
of the mining claim of			
· Sycamore Minir	ng, Smelting & Development Company,		
known as the	GOLD TOOTH,		
situate in	Verde River,		
Mining District, Yavapa	i County, Arizona,		
in Section7, Township N	o. 17 N., Range No. 3 E., , and		
designated as Survey No. 2868	, has been correctly copied from the originals on file in		
this office; that said Field Notes furnish	h such an accurate description of said mining claim as will, if		
incorporated into a patent, serve fully to	identify the premises, and that such reference is made therein		
to natural objects or permanent monume	ents as will perpetuate and fix the locus thereof.		
And I further certify that five hun	dred dollars' worth of labor has been expended or improve-		
ments made upon said mining claim by	claimant or its grantors, and that said improvements		
consist of 2 shafts, 1 drift	t and 1 station, total value \$10,050.00		
184824444444444444444444444444444444444			
and that no portion of said labor or imp	provements has been included in the estimate of expenditures		
upon any other claim.			
-	of, filed in the U.S. Land Office at Phoenix, Arizona.		
	et and in conformity with the foregoing Field Notes.		
	Frank S. Ingalls,		

United States Surveyor-General for. Arizona.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona	<b>}</b>	
	February	9, 1911	, 190
I, U. S. Surveyor-General for	Arizona,		
do hereby certify that the foregoin	g and hereto attached Field N	otes and Return o	f the Survey of the
Mining Claim of			
Sycamore Mining	. Smelting & Develo	pment Compa	ny,
		Æ	, known as the
	GOLD TOOTH,		
situate in	Verde River		mining district,
Yavapai	County,	Arizona,	
in Section, T	ownship No. 17 N.	, Range No	3 E.
, designated	as Survey No. 2868		
executed by J. J	. Fisher,	, Uni	ited States Mineral
Surveyor, No.	vember 3 - 4, 1910.,	1996x_, under my	instructions dated
October 29, 19	10., 198., have been critical	ally examined and	the necessary cor-
rections and explanations made, as			
survey is included in the field note		·	
and the moral has a moral house	Trank	A siga	lls
	U. S. Surveyor-	General for Ar	izona.