

4-683.

MINERAL SURVEY No. 2870

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Carl F. Schader and
George F. Moser

KNOWN AS THE

Trio, and Lilah
San Francisco

Mining District,

Mohave County, Arizona

Section approx, Township 19 N, Range 20 W Wms.

Surveyed under instructions dated Dec. 21, 1910

by H. G. Schader

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Jan 9, 1911

Survey completed Jan 10, 1911

6-822

Address of
Claimant
George F. Moser
Oatman Arizona

SURVEY NO. 2870.

LILAH

Beginning at Cor. No. 1.

Identical with location, a pine post 4x4x36 ins. set 18 ins. in a mound of earth and stone, scribed L.1.2870.

whence U.S.L.M. No. 1602 bears N 63°06' E 402.2 feet.

U.S.L.M. No.1679 bears N83°04'W

Boundary Cone bears S 10°46'W

Feet

Thence S71°37'W

300.

N.W. end center, identical with location and Cor. No.1.

Trio Lode this survey, a pine post 4x4x36 ins. set 18 ins. in mound of earth and stone, scribed N.W.E.C.L. T.1. 2870

U.S.L.M. No. 1679 bears N81°04'W

Monument on N. side Cottonwood Cañon bears N23°24'E

329.1

Cor. No. 2.

Identical with Cor. No.1. Pioneer lode Sur. No. 1639.

A pine post 4x4x36ins. set 18ins. in the ground, scribed L.2.2870-P.1. 1639. Discovery shaft Trio lode

this survey bears N89°25' W 345 feet

N.W. Cor. of location bears S71°37'W 270.9 feet a mound of stones.

Thence S18°19'E

748.5

Cor.No. 3.

Identical with E. side center Pioneer lode Sur. No. 1639

A pine post 4x4x36 ins. set 18 ins. in the ground, scribed P.E.S.C.-1639-L.3.2870

Shaft No. 2. bears N51°24'E 70 feet.

Thence S18°31'E

42.

Cross road.

190.

Cross gulch, *course westerly*

725.8

Cor. No. 4. Identical with location, a pine post 4x4x36 ins. set 18 ins. in the ground, scribed L.4.2870. Cor. No.4.

Pioneer lode Survey No. 1639 bears S18°31'E 25 feet.

No bearings available.

Feet	Thence N71°37'E
300.	S.E. end center, identical with location a mound of stone.
600.	Cor. No. 5., identical with location, a pine post 4x4x36 ins. set 18 ins. in the ground, scribed.
	L.5. 2870. Monument on N. side of Cotton-wood Cañon bears N19°28'E. High peak bears N65°51'E
	Thence N28°49'30"W
235.	cross ridge.
468.	Cross gulch, <i>course westerly</i>
547.	Cross road.
1499.1	Cor. No. 1. place of beginning.
	TRIO LODE.
	Beginning at Cor. No. 1.
	Identical with location and N.W. end center Lilah lode this survey, previously described.
	U.S.L.M. No. 1602. bears N66°44'20"E 700.3 feet.
	Thence S71°37'W
29.1	Cor. No. 2. Lilah lode this survey and Cor. No. 1. Pioneer lode Sur. No. 1639. previously described.
300.	S.E. end center of location, identical with N.W. location corner Lilah lode this survey, a stone mt.
316.5	S.E. end center.
329.1	N.W. end center Pioneer lode Sur. No. 1639.
390.	Top of ridge.
609.	Cor. No. 2.
	Identical with location, a pine post 4x4x36 ins. set 18 ins. in the ground, scribed T.2. 2870.
	U.S.L.M. No. 1679 bears N79°10'W. A hill with white out-crop bears N30°58'W Cor. No. 1. Snow Ball lode Sur. No. 1639 bears S35°53'E 252.2 feet.
	Cor. No. 2. Pioneer lode Sur. No. 1639 bears S71°37'W 30 feet

Survey No. 2870. cont.	
Feet	Thence $N35^{\circ}53'W$
	On line 1-4 Snow Ball lode Sur. No. 1639
353.91	Cor. No. 3. Identical with location a pine post 4x4x36 ins. set 18 ins. in the ground, scribed T.3.2870. On line 1-2 Ben Hur lode, Sur.No. 1639 S.E. end center said Ben Hur lode bears $N71^{\circ}26'E$ 11.72 ft. Cor.No.1. said Ben Hur lode bears $N71^{\circ}26'E$ 310.46 ft. U.S.L.M. No. 1679 bears $N81^{\circ}46'W$ A high rhyolite peak bears $N63^{\circ}48'W$ Thence $N11^{\circ}21'30"W$
114.	Top of ridge
394.	South side of wash, <i>course south westerly</i>
455.	North side of wash
1130.6	Cor.No.4. Identical with location a pine post 4x4x36 ins. set 18 ins. in the ground, scribed T.4.2870 U.S.L.M. No. 1679 bears $S86^{\circ}14'W$ A hill with white out-crop bears $N35^{\circ}42'W$ Thence $N71^{\circ}37'E$
146.44	Intersect line 3-4 Dewey lode Sur. No. 1639 Cor.No.3. said Dewey lode bears $S37^{\circ}44'30"E$ 329.76 feet Pt.of intersection with line 4-1 Ben Hur lode Sur.No. 1639 bears $S37^{\circ}44'30"E$ 81. 43 feet
173.52	Inter sect line 4-1 Ben Hur lode Sur. No. 1639. Cor.No.1. said Ben Hur lode bears $S18^{\circ}19'E$ 1121.11 feet Point of intersection with line 3-4 Dewey lode Sur.No. 1639 bears $S18^{\circ}19'E$ 76.82 feet
300.	N.W. end center, identical with location, a stone mt.
425.	Top of ridge
600.	Cor. No. 5. identical with location, a pine post 4x4x36 ins. set 18 ins. in the ground, scribed T.5.2870 No bearings available.

Feet

Thence $S11^{\circ}14'E$

86.. Cross gulch course southwesterly

311.01 Intersect line 1-2 Dewey lode Sur.No. 1639 and line
2-3 Black Hawk lode Sur.No.2249.

Cor.No.2. said Dewey lode and Cor.No.3 said Black Hawk
lode bears $S52^{\circ}50'W$ 212.97 feet. Cor.No.3 said Dewey lode brs.
N. $75^{\circ}57'W$ 123.13 ft. from Cor.No.2 thereof.

470.86 Intersect line 4-1 Black Hawk lode and line 4-3

Mohave lode Sur.No. 2249. Cor.No. 4. said Black
Hawk lode and Cor.No. 4. said Mohave lode bears $S52^{\circ}50'W$

42.88 feet, a pine post 4x4x36 ins. set 18 ins. in the
ground, scribed M-3-B-H-1.2249. Cor.No.3 said Black Hawk lode
brs. N. $72^{\circ}02'20''W$ 175.22 ft. from Cor.No.4 thereof.

521.3 Intersect line 4-1 Mohave lode Sur.No. 2249

Cor.No. 4 said Mohave lode bears $N61^{\circ}49'W$ 49.91 feet.

1129.2 Cor.No.6.

Identical with location, a pine post 4x4x36 ins. set 18
ins. in the ground, scribed T-6-2870.

A hill with white outcrop bears $N36^{\circ}49'W$

U.S.L.M. No.1679 bears $N84^{\circ}10'W$

Thence $S37^{\circ}31'E$

359.06 Cor.No.1. the place of beginning

Variation

The variation at all corners is $15^{\circ}E$

Lode Lines.

The presumed course of the vein on Lilah lode is:

From S.E. end center $N27^{\circ}03'W$ 576.4 feet to location mon-
ument; thence $N29^{\circ}56'W$ 923.2 feet to N.W.end center.

The presumed course of the vein on Trio lode is
from N.W.end center $S11^{\circ}14'E$ 1164.3 feet to point on lode
thence $S37^{\circ}31'E$ 322.1 feet to S.E.end center.

Survey No. 2870 cont.

Area	Acres
Total area Lilah lode is	15.744
" " Trio " "	20.102
Area in conflict with	
Ben Hur lode Sur.No. 1639	6.230
Dewey lode " " "	2.935
Black Hawk lode Sur. No. 2249	.424
Mohave lode " " "	.022
Common conflict with Ben Hur and Dewey lodes Sur.No. 1639	.023

----Location ----

This survey is located in San Francisco Mining District
Mohave County, Arizona on unsurveyed land of the United
States in approximately T.19.N.R.20.W.G.&S.R.B&M.

--- Expenditure of Five Hundred Dollars. ---

I certify that the value of labor and improvements
made upon ~~or for the benefit of~~ each of the locations
embraced in said claim by the claimants or their grantors
is not less than five hundred dollars and that said
improvements consist of:

On Lilah lode

No.1.	Discovery shaft 4x6x10 ft. deep, which bears from S.E. end center N27°03'W 566.4 feet	Value	\$100.00
No.2.	Shaft 4x6x10 ft. deep, which bears from Cor.No.3. N51°24'E 70 feet	Value	100.00
No.3.	Cut 2x3x7 ft. which bears from Cor. No.3. N32°37'E 93 feet.	Value	5.00
No.4.	Cut 2x3x6 feet which bears from Cor.No.3. N20°25'E 101 feet.	Value	5.00
No.5.	Cut 2x3x8 feet, which bears from Cor. No.3. N10°53'E 138 feet.	Value	6.00

No.6.	Cut 2x3x10 feet which bears from Cor.No.3. N20°06'W 169 feet Value	\$ 6.00
No.7.	Cut 2x3x9 feet which bears from Bearing Point on line 2-3 S18°19'E 262 feet from Cor. No.2., S25°48'E 298 feet Value	5.00
No.8.	Shaft 5x5x10 feet which bears from said bearing point. S27°03'E 261 feet. Value	60.00
No.9.	Tunnel 4x6x50 feet long, course is N50°W Entrance bears from said bearing point S27°13'E 210 feet. Value	400.00
No.10	Cut 4x16x8 ft. face Value Bears from said bearing point N 6°22'E 65 feet	50.00
No.11	Shaft 4x5x7 feet deep. Value Bears from Cor.No.5. S84°W 87 feet on Trio lode.	40.00
No.1.	Discovery shaft 9x5 1-2x45 feet deep Value Bears from S.E. end center N37°31'W 118.6 feet	500.00
No.2.	Cut 4x4x4 feet Value Bears from Cor.No.1. N82°38'W 75 feet	5.00
No.3.	Cut 4x7x5 feet Value Bears from Cor.No.1. N72°46'W 92 feet	5.00
No.4.	Cut 3x10x 4 feet Value Bears from Cor.No.1. N65°53'W 118 feet	5.00
No.5.	Cut 3x7x3 feet Value Bears from Cor.No.1. N60°33'W 148 feet.	5.00
No.6.	Cut 3x10x3 feet. Value Bears from Cor.No.1. N56°54'W 168 feet.	5.00
No.7.	Cut 4x11x6 feet Value Bears from Cor.No.1. N60°18'W 208 feet	5.00
No.8.	Cut 5x9x4 feet Value Bears from Cor. No.1. N58°02'W 232 feet	5.00
No.9.	Cut 4x10x10 feet face and shaft 4x6x6 feet	

survey No. 2870 cont.			
	Bears from Cor.No.6. S81°W 144 feet.	Value	\$ 100.00
No.10.	Shaft 4x6x10 feet deep.	Value	100.00
	Bears from N.W. end center S11°14'E 930 feet		
No.11	Cut 4x52x12 feet face.	Value	150.00
	course S15°E Entrance bears from Cor.No.3. N29°25'E 395 feet		
No.12	Shaft 2x5x7 feet deep.	Value	20.00
	Bears N15°E 488 feet from Cor.No.3.		
No.13.	Shaft 4x4x15 feet deep.	Value	30.00
	Bears N56°25'E 233 feet from a point on line 3-4 N11°21'30"W 455 feet from Cor.No.3.		

-----Other Improvements -----

Frame house 40x12 feet, course of long side N36°W
south corner bears N70°E 222. feet from bearing point on
line 3-4 Trio lode.

-----Instrument -----

This survey was made with a Lietz mining transit. The
courses were deflected from the true meridian as de-
termined by direct solar observation, checked on Polaris
The distances were measured with 100 ft. and 600 ft. steel
tapes.

-----Report -----

The survey of Trio lode is identical with the location
as regards the exterior lines. The lode line as given
in this survey follows the center of the vein as near
as can be determined by present development.

The survey of Lilah lode lies within the lines of the
location. The N.W. E.C. is located on a slight elevation over the surrounding country rock, evidently caused
by being of a more silicious nature and partaking more of the character of a vein than the country rock in the immediate vicinity. The vein out-
crops at irregular intervals from the location monument to N.W.E.C.
The discrepancies between the courses and distances of
this survey and Sur. No. 1639 and 2249 are due to errors
in those two surveys.

All the corners of Sur. No. 1639 with which this survey comes in contact are pine posts properly set and scribed.

The corners of survey No. 2249 with which this survey is connected are pineposts properly set, the scribing is illegible in most cases due to rough lumber.

Cor. No. 4. of Mohave and Black Hawk lodes is marked wrong.

U.S.L.M. No. 1602 bears $N82^{\circ}11'W$ 200.67 feet from Cor.No.1. said Mohave lode and $S58^{\circ}30'E$ 1202. feet from Cor.No.4. said Mohave lode; thus making line 1-4 said Mohave lode to be $N61^{\circ}49'W$ 1387.76 feet. This error very nearly covers the discrepancy between the two surveys.

U.S.L.M. No.1602 is an andesite stone projecting 16 ins. above the ground, scribed U.S.L.M. 1602-X

All tie lines were measured on the ground and close with-in due bounds.

----- Conflicting and adjoining claims -----

Trio lode joins SnowBall lode and Pioneer lode of Sur. No. 1639 on its west side and S.E. end line respectively.

Conflicts with Ben Hur lode Sur.No. 1639 on W. side.

Conflicts with Dewey lode Sur.No. 1639 across N.E. Cor.

Conflicts on east side with Black Hawk and Mohave lodes Sur.No.2249.

Lilah lode joins to S.E.Cor. of Trio lode this survey and adjoins on west side to Pioneer lode Sur.No.1639.

H.G. Schader
U. S. Min. Sur.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

H. G. Schader

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Carl F. Schader and George F. Moser

known as the *Trio and Lilah,*

and showing the respective capacities in which they acted.

Bert L. Vaughn, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, *Bert L. Vaughn*

and do solemnly swear that we assisted

H. G. Schader, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of *Carl F. Schader and*

George F. Moser

known as the *Trio and Lilah,*

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for

Arizona

Bert L. Vaughn, Chairman.

....., Chairman.

....., Axman.

....., Flagman.


Subscribed and sworn to by the above-named persons before me this

-25th-

day of *January*, 1911

J. D. Swann

NOTARY PUBLIC in and for the County of San Bernardino, State of California.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, H. G. Schader, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Dec 21. 1910, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Carl F. Schader and George
F. Moser, known as the
Trio and Lelah
situate in San Francisco Mining District,
Mohave County, Arizona, in Section
approx, Township No. 19N, Range No. 20W unsurveyed,
and designated as Survey No. 2870, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

H. G. Schader
U. S. Mineral Surveyor.

Subscribed and sworn to by the said H. G. Schader
U. S. Mineral Surveyor, before me Wm A. W. eshe
Notary Public this 21
day of June, 1911

Wm A. W. eshe
Notary Public

my Commission
Expires Apt 15 1912

Amended

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Lilah

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George F. Moser and Carl F. Schader

Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the 6th day of Dec 1910

The length of this claim is 1500 feet and we claim 550 feet in a southeasterly direction and

950 feet in a northwesterly direction from the center of the discovery ~~shaft~~ ^{shaft} at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.E. to the N.W.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about two miles in a northerly direction from Boundary Cone, and joins on Southeast end of Trio Mine and conflicts with N.E. Cor. of Pioneer Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a N.W. ly direction 950 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N 71° 35' E 300 feet to a pine post, being the N.E. corner of said claim; thence South easterly 1500 feet to a pine post, being at the S.E. corner of said claim; thence S 71° 35' W 300 feet to a stone monument at the center of the S.E. end of said claim; thence S 71° 35' W 300 feet to a pine post, being at the S.W. corner of said claim; thence N.W.ly 1500 feet to a pine post at the N.W. corner of said claim; thence N. 71° 35' E 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this, 6th day of Dec. 1910

This is an amended location of the Lilah Mining claim located by George F. Moser and Carl F. Schader by O D M Gaddis, J.N. Cohenour and A James. Jan 22. 1901 and is made without waiver of any previously acquired rights.

Filed and Recorded at request of Geo F. Moser Dec. 8th A.D.1910 at 9 Oclock AM. Book G.G. of Mines Pages 29.

J.W.Morgan

County Recorder.

Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Trio

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George F. Moser and Carl F. Schader

citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the 6th day of Dec 1910

The length of this claim is 1500 feet

and we claim 120 feet

in a S 35° E direction and 1380

feet in a Northwesterly direction from

the center of the discovery ~~shaft~~ monument, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

S.E. to the N.W.

The claim is situated and located in the San Francisco

Mining District, in Mohave County, in the Territory of Arizona, about two miles

in a northerly direction from Boundary Cone and joins on

N. end of Pioneer Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a S.E. ly direction 120 feet from

the discovery ~~shaft~~ monument (at which this notice is posted), being in the center of the S.E.

end line of said claim; thence N 71° 35' E 300 feet to a pine post

, being the S.E. corner of said claim; thence

N 35° W 340 feet to a pine post, being at the

East side (thence N 11° 30' W 1130 Ft to N.E. Cor / corner of said claim) thence S 71° 35' W 300 feet

to a stone monument at the center of the N.W. end of said claim;

thence S 71° 35' W. 300 feet to a pine post, being at the

N.W corner of said claim; thence S 11° 30' E 1130

feet to a pine post at the W side Cor.; thence S° 35' E 340 ft corner of said claim;

S.W Cor., thence N° 71 35' E 300 feet to the place of beginning.

All done under the provisions of Chapter 6, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 6th day of Dec 1910

This is an amended location of the Trio Mng Claim located by O.D.M.Gaddis, J.N.Cohenour and A James, Dec 20-1900. and is made without waiver of any previously acquired rights. (George F. Moser and Carl F. Schader Locators)

Filed and Recorded at request of George F Moser Dec 8th A.D.1910 at 9 Oclock AM. Book G.G. of Mines Pages 30.

J.W.Morgan

Compliments of J. W. Morgan, County Recorder of Mohave County, Arizona

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, J. W. Morgan Recorder of Mohave County, Territory
of Arizona, do hereby certify that I have compared the foregoing copy's of Amended
Notice of Location of the Lilah and Trio Lode Claims
and of the assessment thereupon with the original records of the same on file in this
office, and that the same are correct transcripts therefrom and
of the whole of said original records.



WITNESS my hand and the seal of said office, this
8th day of December 1910

J. W. Morgan
Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 8, 1912.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Carl F. Schader and George F. Moser

known as the TRIC, LILAH

situate in San Francisco

Mining District, Mohave County, Arizona

in Section Approx., Township No. 19 N., Range No. 20 W., Unsur., and

designated as Survey No. 2870, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimants or their grantors, and that said improvements consist of 9 shafts, 15 cuts and 1 tunnel, total value \$1712.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 8, 1912.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Carl F. Schader and George F. Moser

, known as the

TRIO, LILAH

situate in San Francisco mining district,

Mohave County, Arizona

in Section Approx., Township No. 19 N., Range No. 20 W., Unsur,

designated as Survey No. 2870

executed by H. G. Schader, U. S. Deputy Mineral

Surveyor, January 9 - 10, 1911, under my instructions dated

December 21, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank Lyall

U. S. Surveyor-General for Arizona.

DEPARTMENT OF THE INTERIOR,
Office of U.S. Surveyor General,
Phoenix, Arizona,
November 19, 1913.

I certify that the lines of the Trio lode bounding the Ben Hur - Trio conflict of 2.693 acres, as of record in Mineral Survey No. 1639, are as follows;

Beginning at a point on line 1-2 of the Ben Hur lode, 197.12 ft. from Cor. No. 1, being the point of intersection of said line 1-2 Ben Hur lode and the west side line of the Trio lode, thence N. 10° 45' W. 820.98 ft. to the N. W. Cor. of the Trio lode, thence along the north end line Trio lode, N. 79° 15' E. 93.09 ft. to its intersection with line 4-1 Ben Hur lode, 803 ft. from Cor. No. 1 said Ben Hur lode.

And I further certify that said conflict has been properly depicted upon the plat of the Trio lode, Mineral Survey No. 2870, in green ink.

Frank J. Ingalls
Surveyor-General for
Arizona.