

MAY 6-1911

4-683.

MINERAL SURVEY No. 2897

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mascot Copper Company

KNOWN AS THE

Oregon
San Gabrias Mining District,
Cochise County, Arizona

Section 20 Nms., Township 14S, Range 27E

Surveyed under instructions dated Feb. 21, 1911

by John A. Rockefeller
U. S. Mineral Surveyor.

Claim located ^{location} See notes, 19

Survey commenced March 31, 1911

Survey completed April 1, 1911

8-822

Address of claimant
E. A. Ely, Supt.
San Gabrias
Arizona

SURVEY NO. 2897

Oregon

Beginning at Cor No 1, the S.W. Cor of location within the boundaries of the Ivanhoe Springs lode a pine post 6 x 4 ins Survey No 1666, 3 feet above ground in a mound of stone scribed SWC -0- As post is not in good condition set in its place a post 4x4 ins 4 ft long 12 ins in ground to bed rock scribed SWC-0-1-2897, in a mound of stone, whence:

The $\frac{1}{4}$ Cor between sections 21-28, Township 14 S Range 27 E bears S $20^{\circ}32'30''$ E 6956.7 ft.

A cross (x) and BR 1-2897 chiseled on a conglomerate rock 36 x 24 ins. 12 ins above ground bears N $87^{\circ}35'$ E 22.0 ft.

A cross (x) and BR 1-2897 chiseled on porphyry bedrock 14 x 6 ins bears S $51^{\circ}15'W$ 18.4 ft.

Thence N $43^{\circ}08'W$, Va $14^{\circ}10'E$

69.12 Intersect line 3-4 Ivanhoe Springs lode Survey No 1666 at S $4^{\circ}51'E$ 248.95 ft from Cor No 4.

1499.6 To Cor No 2, identical with location a cross (x) and NW (add C) - 0 chiseled on sloping face of porphyry reef, witnessed by a monument of stone Northwesterly about 4 ft.

To chiseling add 2-2897

Thence N $46^{\circ}52'E$, Va $12^{\circ}45'E$

188 Monument of stone

300 N Center end, identical with location, a monument of stone 4 ft base, 3 ft high

488 To Cor No 3 identical with location, a cross (x) and NE (add C) - 0 chiseled on Northwesterly face of a porphyry reef witnessed by a post in a mound of stone 2 ft Northwesterly (Post also scribed G. C.). To chiseling add 3-2897

Thence S $43^{\circ}08'E$ Va $13^{\circ}30'E$

926.6 Cor No 3 Emersley lode Survey No 1542

1114 Center of wagon road leading to Emersley Mine course Northerly

- 1134 Center of same road returning course Southerly
- 1185 Center wash in canyon 6 ft wide course southerly
- 1479.8 Post South Side Center Emersley lode Survey No 1542
1499.6 T o Cor No 4, set a pine post 4 ins sq 4 ft long one foot in ground to bed-rock, in a mound of stone, scribed S.E.C.-O 4-2897
- Whence C or of location a juniper post in a mound of stone bears S67°E 0.5 ft
- A cross (x) and BR 4-2897 chiseled on a porphyry outcrop 24 x 18 x 18 ins bears N 5° 30'E 19.45 ft
- A cross (x) and BR4-2897 chiseled on porphyry outcrop 18 x 18 x 18 ins bears N61°40'E 10.30 ft
- C or No 1 Ivanhoe Springs lode Survey No 1666 bears N85°16'E 1719 ft. C or No 4 Ivanhoe Springs lode Survey No 1666 bears S85°16'W 425.9 ft
- Note: N Center end of Ivanhoe Springs lode originally placed on a very steep slope has disappeared.
- U.S. Location Monument No. 1542 bears N48°43'E 344.1 ft
T hence S46°52'W , Vall 1°05'E
- 123.5 Intersect plank and earth bulkhead to protect buildings below from water. Course S32W
- As the S center end monument placed by me in 1906 has been destroyed in making a grade for new blacksmith shop at
- 160.4 Establish a Witness S center end monument
Set a pine post 4x3 ins 4 ft long 8 ins in ground to bed rock, in a mound of stone, scribed, WCToSCE-O 2897
- 183.5 Intersect ridge of roof blacksmith shop at S 22° E
15.5ft from North end and N22W 5.9 ft from South end
Walls of building are of corrugated iron 20x16 ft.
- 188.0 point for S center end, identical with location.
- 263.0 Center of wash in canyon 10 ft wide course southerly
- 383 Center of wagon road bears Northerly and Southerly
- 488 To Cor No 1 the place of beginning

INSTRUCTIONS

Area	Acres
Oregon lode	16.800

A rea in conflict with Ivanhoe S prings lode, Survey No 1666	1.604
---	-------

Location

This Survey is located in Dos Cabezas Mining District, Cochise County, Arizona, in the unsurveyed Sec. 20, of Township 14S Range 27 E

Vein

The presumed course of the lode or vein is N43° 08' W 1499.6 ft from S center end to N. center mound-monuments.

Adjoining Claims

On the North

Oregon Extension & Gray Copper lodes unsurveyed and Emersley lode Survey NO 1542

On the East

Ivanhoe Springs lode Survey No 1666

On the South

Commodore lode unsurveyed

All claimed by the Mascot Copper Company

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements made upon said mining claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

- No. 1. Discovery cut and tunnel, the center of mouth of which bears from S. Center end N43° 08' W 159 ft. Cut irregular from which one has been stoped, approximately 25x40 ft with face from zero to 12 ft: thence tunnel northwesterly 70 ft tunnel 6½x4½ ft. A portion of the cut is on the area in conflict with Ivanhoe Springs lode Survey No 1666

Value of cut without Ivanhoe Springs lode	\$200.00
---	----------

Value of 70 ft of tunnel at \$10 per foot	700.00
---	--------

From Cor No 4

No. 2 An open stope the center of which bears N86°-50'W
173 ft approximately 7x6x4 ft in very hard ground.

Value \$75.00

No. 3 A shaft and underground workings, shaft within
the area in conflict with Ivanhoe Springs lode Survey
No 1666, the center of which bears S60° 51' W 177.3 ft.
Shaft three compartment timbered 300 or more feet.
From station on 100 ft level there is drift of 140
feet connecting with Shaft (Improvement No 4) Also
drift branching from same drift 149 ft course north-
easterly, of this drift 132 ft is within Oregon claim
in portion not in conflict with Ivanhoe Springs lode
Survey No 1666.

Value of 132 ft at \$12 per foot \$1584.00

No. 4 A shaft the center of which bears S84° 30' W 258 ft.
78 ft. deep

Shaft 6x4 ft partly timbered wholly within the area

in conflict with Ivanhoe Springs lode, Survey No 1666.

From bottom of this shaft a drift connects with underground workings
without said area in conflict, previously described and estimated in connection with Improvement No. 3.
From Cor No 1 Value 78 ft. at \$12.00 per foot \$936.00

No. 5 A cut and tunnel the mouth of which bears N16° 25' W
375 ft.

Course of cut and tunnel northwesterly.

Cut Northwesterly 18x ~~7~~¹/₂ ft to 10 ft face, thence
tunnel same course 6 ¹/₂ x 4 ¹/₂ more than 40 ft.

Value of cut \$ 80.00

Value of 40 ft tunnel at \$10 per foot 400.00

Other Improvements

Blacksmith shop described in notes of line 4-1

Building containing hoisting engine the S.W. ^{Corner} of
which bears from WC to SCE N39° W 23 ft. Building of
corrugated iron 16x20 ft.

Both belong to claimant herein

Instrument

This survey was made with a Young and Sons Mountain
Transit No 6855, provided with Smith Solar attachment.

~~The courses were deflected from true meridian as de-
termined by direct solar observations. The distances~~

The courses were deflected from true meridian as determined by direct solar observations. The distances were measured with 50 ft and 500 ft steel tapes.

Note: The S. Center side of Emersley lode is not in position as in original survey. The location is on a very steep slope. The post has evidently fallen and been carelessly reset.

✓
G. H. H. S.

See also ...

Tombstone Arizona
April 24, 1911

John A. Reesfellow
U.S. Mineral Surveyor

100

120

Handwritten notes and scribbles

Handwritten notes and scribbles

f

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John Macfleen
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

Mascot Copper Company
known as the Oregon

and showing the respective capacities in which they acted.

M. H. O'Connor, Chairman.

_____, Chairman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

I M. H. O'Connor

and _____, do solemnly swear that we assisted John

Macfleen, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mascot Copper

Company

known as the Oregon

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

furnished by the United States Surveyor-General for _____

M. H. O'Connor Chairman.

_____, Chairman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 7

day of May, 1911.

Seabury Pickney

Notary Public

My Commission Expires May 11 1912. Archie C. Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Feb 21 1911, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mascot Copper Com-
pany, known as the
Oregon
situate in Douglas Mining District,
Cochise County, Arizona, in Section
209ms., Township No. 14S, Range No. 27E
and designated as Survey No. 2897, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockefeller
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller,
U. S. Mineral Surveyor, before me, Frances J. Abell,
Notary Public, this 24th
day of April, 1911.

My commission expires December 22, 1913.
Frances J. Abell,
Notary Public in
and for Cochise County,
Arizona Territory.

FEB. 20. 1911

AMENDED
NOTICE OF MINING LOCATION.

Lode Claim.

TO ALL WHOM IT MAY CONCERN:-

This Mining Claim, the name of which is the OREGON Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. K. Dawson and C. M. Roberts the undersigned, on the 28 day of June 1906.

The length of this claim is 1500 feet and we claim 172 feet in a Southeasterly direction, and 1328 feet in a-----direction from the mouth of the discovery cut, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is N.43° 08' W.

The claim is situated and located in the Dos Cabezas Mining District, in Cochise County, in the Territory of Arizona, From the S.E. Cor. at the intersection of lines 2-3 Emeresley lode Survey No.1542 and 4-1 Ivanhoe Springs lode Survey No.1666, Cor.No.2 Emersley lode bears S.43° 08' E.554.8 ft and Cor.No.1 Ivanhoe Springs lode bears N. 85° 16' E.171.9 ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a M'd of stone at a point in a Southeasterly direction 172 feet from the discovery cut (at which this notice is posted), being ⁱⁿ the center of the Southerly end line of said claim; thence S.46°52' W.300 feet to a Mound of stone, being the S.W. corner of said claim; thence N.43° 08' W. 1500 feet to a Cross (x) chiseled on a rock face witnessed by a monument alongside being at the N. W. corner of said claim; thence N.46° 52' E. 300 feet to a mound of stone at the center of the Northerly end of said claim; thence same course 188 feet to a Cross (x) chiseled on a

rock face witnessed by a monument ~~being~~ alongside being at the N.E. corner of said claim; thence S.43° 08' E. 1500 feet to a mound of stone at the S. E. corner of said claim; thence S.46°52' W. 188 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended notice of location of the OREGON Mine located Feb.20,1906 by the undersigned and recorded in Book 36 at page 234 Records of Mines of Cochise County and is made to better describe said claim.

Dated and posted on the ground this 28 day of June 1906.

W. K. Dawson.

C. M. Roberts.

J. A. Rockfellow, Witness.

Present Owners.

Filed and recorded at request of C. M. Roberts June 30 1906 at 10 A. M. in Book 37 Record of Mines at Page 8.

TERRITORY OF ARIZONA, |
County of Cochise. | SS.

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the original amended location notice of the OREGON Mining Claim filed for record in my office on the 30th day of June, 1906; and recorded in Book 37 Record of Mines at Page 8; and that the same is a full, true and correct copy of said original amended notice and of the whole thereof.

Given under my hand and official seal this the 13th day of February, A. D. 1911.


County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 30, 1911

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mascot Copper Company known as the OREGON situate in Dos Cabezas Mining District, Cochise County, Arizona in Section 20 Unsg., Township No. 14 S., Range No. 27 E., and designated as Survey No. 2897, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 2 shafts, 2 cut and tunnels, 1 stop and 1 drift, total value \$3975.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 30, 1911.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

Mascot Copper Company

, known as the

O R E G O N

situate in Dos Cabezas mining district,

Cochise County, Arizona

in Section 20 Uns., Township No. 14 S., Range No. 27 E.

, designated as Survey No. 2897

executed by John A. Rockfellow, United States Mineral

Surveyor, March 31 - April 1, 1911, under my instructions dated

February 21, 1911, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ligall

U. S. Surveyor-General for Arizona.