

MAY 18 1911

4-683.

MINERAL SURVEY No. 2912

LOT No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

T. G. Norris

KNOWN AS THE

Yavapai

Hassayampa

Mining District,

Yavapai

County, Arizona

Section Approx. 13, Township 12 N., Range 2 W., Uns.

Percott National Forest

Surveyed under instructions dated April 20, 1911.

by William H. Merritt

U. S. Mineral Surveyor.

Claim located *See Location Note*, 19

Survey commenced *May 6th*, 1911

Survey completed *May 6th*, 1911

6-822

Address of Claimant
Norris & Smith Attorneys
Percott Arizona

Feet	Beginning at Cor.No.1 Identical with the location. A porphyry stone 6X8X24 ins.set 12 ins.in the ground with mound of stones, chiseled 1-Y-2912. Whence:- U.S.L.M.No.1 brs.N 9°33'E 1752.3 ft. An Oak tree 18 ins.diam.scribed X-B-T-1-Y-2912 brs. S 81°40'E 32.1 ft.No other bearings available. Loc. Cor.Mound of stones 3X3 ft. Thence ^S 29°40'E va. 14°E
43.7	N.C.End identical with the loc.a mound of stones 3X3 ft.
89.02	Intersect line 1-2 Sur.1660 Hoot Owl lode at N 45°47'E 119.33 ft.from Cor.No.2
150.42	Intersect line 3-4 Sur.No.1660 Johnny lode at N 45°47'E 90.21 ft.from intersection of line 2-3 Sur.No.1660 Hoot Owl lode, 215.21 ft.from Cor.No.3 Johnny lode.
340.7	To Cor.No.2, on line 2-3 Hoot Owl lode, Sur. No.1660. Identical with the loc.and with cor.No.1 Sur.1955 Dakota. Lode a granite stone 6X10X12 ins.in mound of stones, chiseled 1-D-1955 I chiseled on the side facing this claim 2-Y-2912, No bearings available. Loc.cor.mound of stones 3X3ft. Whence line 3-2 sur.No.1660 Hoot Owl lode brs.N 57°11'W 189 ft.to intersection of line 3-4 sur.No.1660 Johnny lode, 250ft to cor.No.2 Hoot Owl lode. Thence S 39°31'W va.14°E
1379.4	To Cor.No.3. Identical with the loc.and with Cor.No.2 Sur.No.1955 Dakota lode.a schist stone 4X8X12 ins.in mound of stones chiseled 2-D-1955 I chiseled it on the side facing this claim 3-Y-2912, whence:-Cor.No.3 Lot.51 Cash lode brs. S 29°40'E 75 ft.No bearings available. Loc.cor.mound of stones 3X3 ft. Thence N 29°40'W va. 14°E
297	S.C.End identical with the loc.a mound of stones 3X3 ft.
453	To Cor.No.4 Identical with the loc.a granite stone 6X6X24 ins.set 12 ins.in the ground with mound of stones, chiseled 4-Y-2912.

Feet

Whence Cor.No.2.Lot 51 Cash lode brs.N 29°40'W 72 ft.
Cor.No.6,
South Cor.of Lot 64 H.J.Glenn lode brs S 44°W 482 ft.
No bearings available.Loc.cor.mound of stones 3X3 ft.

120

Thence N 44°00'E
va 14°E
Cross road course N 43°W & S 43°E

1068.19

Intersect line 2-3 sur.No.1660 Johnny lode at N 53°25'W
138.8 ft.from cor.No.3

1343.52

To Cor.No.1 the place of beginning.

AREA.

Total area of claim11.746 acres

Area in conflict with Sur.No.1660 Hoot Owl lode.o.333 acres

Area in conflict with sur.No.1660 Johnny lode 0.795 acres.

Area in common conflict with sur.1660 Hoot Owl and
Johnny lodes.0.143 acres.

ADJOINING CLAIMS.

This claim is bounded on the North by Sur.No.1660 Johnny
and Hoot Owl lodes on the East by sur.No.1955 Dakota
lode on the South by Lot No.51 Cash lode and on the West
by Lot No.64 H.J.Glenn lode.

LEDGE.

As near as can be determined from present developments
the vein extends N 39°31'E 1379.4 ft.from the S.C.E.to the
N.C.End.

LOCATION.

This claim is located on unsurveyed land approximately in Sec.13
T.12 N.R.2 W.Hassayampa Mining District Yavapai County,
Arizona.in the Prescott National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements
made upon this claim by the claimant or his grantors is
not less than five hundred dollars and that said improve-
ments consist of:-

No.1 dis.shaft which is on the lode line 83 ft.from the
S.C.End 4X6X35 ft....value \$350.00

No 2 Tunnel which brs. from the S.C. End N 32°E 35 ft.
4X6X30 ft. course S32° W value \$320.00

OTHER IMPROVEMENTS.

A ten stamp quartz mill the South corner of which brs,
from the S.C. End N 13°W 90 ft 80 X 80 ft. course of side
N 41°Wvalue\$30000.00

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The
courses were deflected from the true meridian as determined
by direct solar observations. The distances were measured
with 100-ft. and 500-ft. steel tapes.

Report.

U.S. Location Monument No. 1 is a granite stone 12 X 14 X 18 ins.
properly chiseled.

Lot 51 Cash lode

Cor. No. 2 is a granite stone 3 X 10 X 10 ins. in mound of stones
chiseled 2-C.

Cor. No. 3 is a granite stone 5 X 6 X 12 ins. in a mound of stones
chiseled 3-C

Johnny lode sur. No. 1660. cor. No. 2 a granite boulder in
place chiseled X-2-J-1660 cor. No. 3 a schist stone 5 X 10 X 10
ins. chiseled 3-J-1660

Hoot Owl lode sur. No. 1660 cor. No. 2 a schist stone 10 X 10 X 12
ins. chiseled 2-H-0 1660. cor. No. 3 a quartzite 5 X 6 X 10 ins.
chiseled 3-H-0-1660

Lot 64 H.J. Glenn lode. the South corner is a mound of stones

I could not find the East corner.

The tie to Lot 51 Cash lode is in error.

William H. Merritt
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

known as the T. G. Norris
Yavapai

and showing the respective capacities in which they acted.

- W. H. Merritt....., Chairman.
-, Chairman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

I

W. H. Merritt

and....., do solemnly swear that I assisted William

H. Merritt....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of T. G. Norris

known as the Yavapai

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- W. H. Merritt....., Chairman.
-, Chairman.
-, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 16th

day of May, 1901.

W. H. Keith
Notary Public

My commission expires June 8, 1911.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 20th 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of F. G. Norris, known as the Yavapai, situate in Hasrayampa Mining District, Yavapai County, Arizona, in Section Approx. 13, Township No. 12. N., Range No. 2. W., Prescott National Forest and designated as Survey No. 2912, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. Mineral Surveyor, before me Wm N Kelly
this 16th
day of May, 1911

Wm N Kelly
Notary Public

My commission expires June 3, 1911.

AMENDED Notice of Mining Location LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Yavapai
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. G. Norris, a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 18th day of April 1911.

The length of this claim is Fifteen Hundred (1500) feet,
and 1 claim Fifteen Hundred feet,
in a northerly direction and no
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
Three Hundred feet in width of the surface grounds, on each
side of the center of ~~said claim~~ ^{the vein,} The general course of the lode deposit and premises is from the

Northerly to the Southerly
The claim is situated and located in the Harrahampa Mining District, in
Yavapai County, in the Territory of Arizona, about
in a ~~direction from~~ and is the first extension
North of the Carh patented mine, and on the Southeast side and
adjoining the H. J. Glenn patented mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a ~~direction~~ South feet from
the discovery shaft (at which this notice is posted,) being in the center of the South
end line of said claim; thence easterly 300 feet to a monument of
stones, being the Southeast corner of said claim; thence
Northerly 1500 feet to a monument of stones, being at the
Northeast corner of said claim; thence Westerly 300 feet
to a monument of stones at the center of the North end of said claim;
thence Westerly 300 feet to a monument of stones, being at the
Northwest corner of said claim; thence Southerly 1500
feet to a monument of stones at the Southwest corner of said claim;
thence Easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Yavapai lode
Mining Claim, located by J. A. Park
on the 22nd day of
April 1897, and recorded in Book 48 of Records of Mines, at
page 30, in the office of the County Recorder of the aforesaid County of Yavapai
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 18th day of April 1911
J. G. Norris

(See 2913 for certificate 2912)

7A

TERRITORY OF ARIZONA

County of

ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191 .., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated, 191 ..

Filed and Recorded at request of

Morris & Smith,

April 15, A. D. 191*1,*

at *3:40 o'clock* P. M.,


Book *86 of Mines,*

Pages *229*
Records of Yavapai County, Arizona,

(Seal) J. B. Bradbury,
County Recorder.

By Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 25, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of T. G. Norris

known as the YAVAPAI

situate in Hassayampa

Mining District, Yavapai County, Arizona,

in Section approx. 13, Township No. 12 N., Range No. 2 W. Uns., and

designated as Survey No. 2912, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft and 1 tunnel, total value \$670.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 25, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of T.G. NORRIS

known as the

YAVAPAI

situate in Hassayampa mining district,

Yavapai County, Arizona

in Section approx. 13, Township No. 12 N., Range No. 2 W. uns.

designated as Survey No. 2912

executed by William H. Merritt, United States Mineral

Surveyor, May 6, 1911, under my instructions dated

April 20, 1911, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank P. Ingalls

U. S. Surveyor-General for Arizona,