

4-683.

MINERAL SURVEY No. 2918

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

George Powell

KNOWN AS THE

CHOKE CHERRY NO. 1 and CHOKE CHERRY NO. 2

Fluorine Mining District,

Gila County, Arizona,

Sections 6 & 7, Township 6 N., Range 15 E., uns.

Surveyed under instructions dated May 6, 19 11.

by Edwin P. Stewart
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced May 22, 19 11.

Survey completed May 25, 19 11.

6-322

Address:

George R. Hill, attorney for claimant, Globe, Arizona.

Mineral Survey No. 2918.

Choke Cherry No. 1

Beginning at Cor. No. 1, identical with N.W. Cor. of the location and Cor. No. 2, Choke Cherry No. 2 lode of this survey.

A quartzite stone, 24 ins. long, 12 ins. sq., with cross at the exact corner, set 6 ins. in the ground, on bed rock, chiseled 1-C. No. 1-2918, for this claim, with mound of stone alongside, whence

U.S.M.M.^{No.} 2918 bears N.15°-30'-00"W. 3637.9 ft.

The S.W. Cor. of T. 7 N., R. 15 E., G. & S.R.B. & M., an unapproved survey, bears N.20°-54'-50"W. 5458.6 feet.

A cross on quartzite in place, about which is chiseled BR-2918, bears S.75°-32'E. 25.55 feet.

Thence S.87°-59'E.

1499.5 To Cor. No. 2, identical with N.E. Cor. of the location. A cross on limestone in place, about which is chiseled 2-C. No. 1-2918, with mound of stone alongside, whence A cross on limestone in place, about which is chiseled BR-2918, bears S.59°-40'W. 12.55 feet.

Thence S.02°-01'W.

300.0 To E.E.C., identical with monument of the location. A mound of stone, 2.5 ft. base, 3 ft. high.

600.0 To Cor. No. 3, identical with S.E. Cor. of the location. A quartzite stone, 7x8x24 ins., with cross at the exact corner, set 12 ins. in the ground, chiseled 3-C. No. 1-2918, with mound of stone alongside, whence A juniper tree, 24 ins. in diameter, blazed and scribed cross BT-2918, bears S.60°-48'W. 47.3 feet.

Thence N.87°-59'W.

1499.5 To Cor. No. 4, identical with S.W. Cor. of the location and Cor. No. 3, Choke Cherry No. 2 lode of this survey. A limestone, 7x13x26 ins., with cross at the exact corner,

set 13 ins. in the ground, chiseled 4-C. No.1-2918,
 for this claim, with mound of stone alongside, whence
 An oak tree, 12 ins. in diameter, blazed and scribed
 cross BT-2918, bears N.88°-33'E. 37.5 ft.

Thence N.02°-01'E.

Along line 3-2, Choke Cherry No. 2 lode of this survey.

300.0 To W.E.C., identical with monument of the location and
 E.E.C., Choke Cherry No.2 lode of this survey.

A mound of stone 2.5 ft. base, 3 ft. high.

600.0 To Cor. No. 1, the place of beginning.

Choke Cherry No. 2

Beginning at Cor. No.1, identical with N.W.Cor. of the
 location.

A quartzite boulder, showing 2x2.5x1 ft. out of the
 ground, chiseled with a cross at the exact corner and
 1-C. No.2-2918, with mound of stone alongside, whence
 U.S.M.M. ^{No.} 2918 bears N.05°-22'-50"E. 3475.2 feet.

The S.W.Cor. of T. 7 N., R. 15 E., G. & S.R.B. & M. an
 unapproved survey, bears N.07°-20'-10"W. 5095.0 feet.

An oak tree, 14 ins. in diameter, blazed and scribed
 cross BT-2918, bears S.40°-56'E. 39.1 feet.

Thence S.87°-59'E.

1298.9 To Cor. No. 2, identical with N.E. Cor. of the location
 and Cor. No. 1, Choke Cherry No. 1 lode of this survey.
 Corner hereinbefore described, and to which I add 2-C.
 No. 2, for this claim.

Thence S.02°-01'W.

Along line 1-4, Choke Cherry No. 1 lode of this survey.

300.0 To E.E.C., identical with monument of the location and
 W.E.C., Choke Cherry No. 1 lode of this survey.

Monument hereinbefore described.

600.0 To Cor. No. 3, identical with S.E.Cor. of the location
 and Cor. No. 4, Choke Cherry No. 1 lode of this survey.
 Corner hereinbefore described, and to which I add 3-C.

No. 2, for this claim.

Thence N.87°-59'W.

1298.9 To Cor. No. 4, identical with S.W. Cor. of the location.
A quartzite stone, 7x8x24 ins., with cross at the exact corner, set 12 ins. in the ground, chiseled 4-C. No. 2-2918, with mound of stone alongside.

Thence N.02°-01'E.

300.0 To W.E.C., identical with monument of the location.
A mound of stone, 3 ft. base, 3 ft. high.

600.0 To Cor. No. 1, the place of beginning.

Magnetic variation at all corners 15°-20'E.

oooooooooooooooooooo

Lode lines.

As near as can be determined from present development, the veins of the two locations embraced in this survey extend as follows from their respective discovery points:

Choke Cherry No. 1 lode, S.87°-59'E. 802.3 ft. and N.87°-59'W. 697.2 ft.

Choke Cherry No. 2 lode, S.87°-59'E. 445.0 ft. and N.87°-59'W. 853.9 ft.

oooooooooooooooooooo

Areas. Acres.

Total area Choke Cherry No. 1 lode. 20.654

Total area Choke Cherry No. 2 lode. 17.891

oooooooooooooooooooo

Location.

The claims embraced in this survey are located on unsurveyed land, in what will probably be, when surveyed, sections⁶⁴ 7, T. 6 N., R. 15 E., G. & S.R.B. & M, in the Fluorine Mining District, Gila County, Arizona, Tonto National Forest.

oooooooooooooooooooo

Adjoining and Conflicting Claims.

The Grand Turk No. 1 lode and Grand Turk No. 2 lode,

unsurveyed, owned by the claimant of the claims in this survey, on the north. The Choke Cherry No. 1 Extension lode, unsurveyed, owned by Joseph Bosch, Trustee, on the east. Unappropriated land on the south. And Prosperity No. 3 lode, unsurveyed, owned by Prosper Robert, on the west.

oooooooooooooooooooo

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon each of the locations in this survey by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

Choke Cherry No.1

No. 1, the discovery, shaft, 5 x 6.5 x 8 ft., the center of the south side of which is on the lode line 802.3 ft. from the E.E.C. Value \$45.00

No. 2 trench, 4 x 4 x 8 ft., course N.08°-30'E., the S.E.Cor. of which bears S.05°-08'E. 6.5 ft. from a point on the lode line (hereinafter referred to as Pt. No. 1) 810.8 ft. from the E.E.C. Value \$15.00.

No. 3, trench, 4 x 4 x 53 ft., course N.08°-30'E., the center of the south end of which bears N.30°-32'E. 14.5 ft. from Pt. No. 1. Value \$100.00

No. 4, shaft, 5 x 7 x 21 ft., the S.W. corner of which bears N.28°-29'W. 53.3 ft. from Pt. No. 1. Value \$260.00.

No. 5, cut, 6 x 12 x 25 ft., the center of the face of which bears N.34°-39'W. 66.0 ft. from Pt. No. 1, and which extends thence S.65°W. to mouth. Value \$125.00.

No. 6, shaft, 5 x 7 x 5 ft., the S.W. corner of which bears N.04°-23'W. 105.7 ft. from a point on the lode line (hereinafter referred to as Pt. No. 2) 948.3 ft. from the E.E.C. Value \$25.00.

No. 7, 31.0 ft. of cut and tunnel, 6 x 6 ft., the portal of which bears N.17°-43'W. 116.5 ft. from Pt.

No.2, and which extends N.85°W. 23.0 ft. to mouth and S. 85° E. 8.00 ft. to face. Value \$85.00.

No.8, shaft, 5 x 7 x 6 ft., the S.W. corner of which bears N.20°-41' W. 93.9 ft. from Pt. No.2. Value \$35.00.

Choke Cherry No.2

No.1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line 445.00 ft. from the E.E.C. Value \$35.00.

No.2, a caved shaft, 8 x 11 x 4.5 ft., the S.W.Cor. of which bears N.53°-37' E. 146.9 ft. from a point on the lode line 564.00 ft. from the E.E.C. Value \$35.00.

No.3, a caved shaft, 7.5 x 11 x 4.5 ft. the S.W.Cor. of which bears N.44°-43' E. 155.6 ft. from a point on the lode line 564.00 ft. from the E.E.C. Value \$35.00.

No.4, 46 ft. of cut and tunnel, 4.5 x 6 ft., in very hard rock, the center of the mouth of which bears N.64°-03' E. 176.1 ft. from a point on the lode line 128.1 ft. from the W.E.C. Value \$450.00.

No.5, shaft, 7 x 10 x 4.5 ft., the S.E.Cor. of which bears N.63°-30' W. 26.3 ft. from a point on the lode line 49.20 ft. from the W.E.C. Value \$35.00.

oooooooooooooooooooo

Instrument.

This survey was made with a 6 1/4 inch Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooo

Report.

The side and end lines of the claims were run direct upon the ground. The tie to U.S.M.M. 2918 and to the S.W. Cor. of T.7 N., R.15 E., G.& S.R.B.& M. was calculated from a traverse beginning at the W.E.C. of the Choke

Cherry No.2 lode and extending thence S. 87°-59' E. 49.20 ft.; thence N.05°-06' E. 3720.70 ft.; thence N.38°-05' W. 70.45 ft. to U.S.M.M.^{No.} 2918; thence N.31°-30' W. 1868.80 ft. to the S.W.Cor. of T.7 N., R.15 E., G.& S.R.B.& M. U.S.M.M.^{No.} 2918 is a cross on quartzite in place, about which is chiseled U.S.M.M. 2918, with mound of stone, 6 ft. base and 4 ft. high alongside.

The S.W.Cor. of T.7 N., R.15 E., G.& S.R.B.& M., is a quartzite stone, showing 7 x 7 x 12 ins. out of the ground, marked with six grooves on the north, east, south and west faces, with mound of stone alongside, and three bearing trees near it.

The disagreement between these notes and the location notices of the two claims is due to error in the latter.

Edwin A. Stewart
U.S. Mineral Surveyor.

Globe, Arizona, June 9, 1911.

REPORT OF EDWIN T. STEWART, UNITED STATES MINERAL SURVEYOR, AS TO THE ESTABLISHING OF MINERAL MONUMENT .

oooooooooooooooooooo

In the execution of Mineral Survey No. 2918 I find that there are no corners of an approved public survey or a Mineral Monument within two miles of the survey, so establish Mineral Monument 2918.

I selected a point on a high ridge which is visible for a great distance in all directions, approximately N.71°-30'E. 10900 feet from the confluence of Cherry and Gold creeks, and approximately N.79°-30'W. 2400 feet from the stone house at the camp generally known as the Horse Camp.

Being unable to procure a stone or a post of the required dimensions, I chiseled U.S.M.M. 2918 and a cross for the exact point on quartzite in place, and took the following bearings:

A mound of stone, 6 ft. base and 4 ft. high bears S.23°-45'E. 11.0 ft.

An oak tree, 9 ins. in diameter, blazed and scribed cross BT-U.S.M.M.-2918, bears N.84°-45'E. 4.2 ft.

A juniper tree, 16 ins. in diameter, blazed and scribed cross BT-U.S.M.M.-2918, bears S.68°-52'W. 28.0 ft.

A juniper tree, 18 ins. in diameter, blazed and scribed cross BT-U.S.M.M.-2918, bears N.14°-38'W. 69.1 ft.

The S.W.Cor. of T. 7 N., R. 15 E., G. & S.R.B. & M., an unapproved survey, bears N.31°-30'W. 1868.8 feet.

Globe, Arizona,
June 9, 1911.

Edwin T. Stewart

United States Mineral Surveyor.

Subscribed and sworn to before me, L.M. Brookner, a Notary Public, this 9th day of June, 1911.

My commission as Notary Public expires December 12, 1912.

L.M. Brookner

Notary Public.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

George Powell

known as the CHOKE CHERRY NO. 1 and CHOKE CHERRY NO. 2

and showing the respective capacities in which they acted.

C.A. Botsford, Chainman.

W.P. Ellis, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, C.A. Botsford

and W. P. Ellis, do solemnly swear that we assisted

Edwin T. Stewart, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of George Powell

known as the Choke cherry No. 1 and Choke cherry No. 2

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

C.A. Botsford, Chainman.

W.P. Ellis, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 9th

day of June, 1911, 1911

I M Brooker

My commission expires December 12, 1913. _____ Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ARIZONA, dated
May, 6, 1911, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of George Powell
, known as the
CHOKE CHERRY NO. 1 and CHOKE CHERRY NO. 2,
situate in Fluorine Mining District,
Gila County, Arizona, in Section 6 & 7
, Township No. 6 N., Range No. 15 E., unsurveyed
and designated as Survey No. 2918, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Edwin T. Stewart

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor, before me L.M. Brookner, a Notary
Public this 9th
day of June, 1911, ~~190~~ My commission expires December
12, 1912.

L.M. Brookner

Notary Public.

AMENDED NOTICE OF MINING LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

MAY 6- 1911

That I, George Powell, a citizen of the United States, have this 24th. day of September, 1910, amended, located and claimed and by these presents do amend, locate and claim, by right of discovery, ownership and amended location, in compliance with the laws of the United States and with the laws of the Territory of Arizona, 1500 linear feet horizontal measurement, on the CHOKE CHERRY NO.1 Lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations as allowed by law, together with 300 feet in width of the surface ground on each side of the center of said claim, and all veins, lodes, ledges or deposits and surface grounds, within the line of said claim; said vein extending 800 feet easterly and 700 feet westerly from the center of the discovery shaft at which this notice is posted. Said claim is named CHOKE CHERRY NO.1 and is situated in the Fluorine Mining District, in Gila County, Territory of Arizona, about $2\frac{1}{4}$ miles east from the confluence of Gold and Cherry Creeks, south 62 deg. E. 4500 feet from the Ketcherside shaft

This claim lies east of and adjoins Choke Cherry No.2, said claim being particularly described by meets and bounds as follows, to-wit: Beginning at a monument of stone at a point in an east direction 800 feet from the discovery shaft, at which this notice is posted, being in the center of east end line of said claim, thence N.1 deg. 59 min. E. 300 feet to a monument of stone, being northeast corner of said claim; thence N.88 deg. 01 min. W. 1500 feet to a monument of stone, being at the N.W. corner of said claim; thence S. 01 deg. 59 min. W. 300 feet to a monument of stone, at the center of the west end of said claim; thence S. 01 deg. 59 min. W. 300 feet to a monument of stone, being at the S.W. corner of said claim; thence S. 88 deg. 01 min. E. 1500 feet to a monument of stone, at the S.E. corner of said claim; thence N. 01 deg. 59 min. E. 300 feet to the place of beginning; this being the same lode claim originally located by W.H. Wood on the 1st. day of January, 1904, the location notice whereof is recorded in the office of the County Recorder of Gila County aforesaid, in Records of Mines at Book 13, Page 555.

This further and amended certificate of location is made without waiver of any previously acquired rights and for the purpose of correcting any errors in the aforesaid original location notice, description or record, and to secure all benefits of Section 3238 of the Revised Statutes of the Territory of Arizona.

Witness: Martin Wood
C.A. Botsford.

George Powell

Filed and recorded at the request of C.A. Botsford on the 17 day of December, A.D. 1910, at 30 minutes past 1 o'clock P.M.

E.T. STEWART, County Recorder.

TERRITORY OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Location Notice of the CHOKE CHERRY NO.1 Lode Mining Claim, as the same appears of record in my office in Book 16, Records of Mines, at page 81; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this 4th day of May A.D. 1911.

E. T. Stewart
County Recorder.

MAY 6 1911

AMENDED NOTICE OF MINING LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That I, George Powell, a citizen of the United States have this 24th. day of September, 1910, amended, located and claimed and by these presents do amend, locate and claim by right of discovery, ownership and amended location, in compliance with the laws of the United States and with the laws of the Territory of Arizona, 1300 linear feet horizontal measurement, on the CHOKE CHERRY NO.2 lode, vein, ledge, or deposit, along the vein thereof, with all its dips, angles and variations as allowed by law, together with 300 feet in width of surface ground on each side of the center of said claim, and all veins, lodes, ledges or deposits, and surface grounds within the line of said claim; said vein extending 445 feet easterly and 855 feet westerly from the center of the discovery shaft at which this notice is posted. Said claim is named CHOKE CHERRY NO.2 and is situated in the Fluorine Mining District, in Gila County, Territory of Arizona, about 2 miles east from the confluence of Gold and Cherry Creeks S. 54 deg. E. 3400 feet from the Ketcherside shaft.

This claim lies east of and adjoins Prosperity No.3 said claim being particularly described by meets and bounds as follows, to-wit: Beginning at a monument of stone at a point in an east direction 445 feet from the discovery shaft at which this notice is posted, being in the center of east end line of said claim; thence N.01 deg. 59 min. E. 300 feet to a monument of stone, being northeast corner of said claim; thence N. 88 deg. 01 min. W. 1300 feet to a monument of stone, being at the N.W.corner of said claim; thence S. 01 deg. 59 min. W. 300 feet to a monument of stone at the center of the west end of said claim; thence S. 01 deg. 59 min. W. 300 feet to a monument of stone, being at the S.W. corner of said claim; thence S. 88 deg. 01 min. E. 1300 feet to a monument of stone, at the S.E. corner of said claim; thence N. 01,deg. 59 min. E. 300 feet to the place of beginning; this being the same lode claim originally located by W.H.Wood on the 1st. of January 1904, the location notice whereof is recorded in the office of the County Recorder of Gila County aforesaid, in Records of Mines, at Book 13, page 556.

This further and amended certificate of location is made without waiver of any previously acquired rights and for the purpose of correcting any errors in the aforesaid original location notice, description or record and to secure all benefits of Section 3238 of the Revised Statutes of the Territory of Arizona.

Witness: Martin Wood
C.A.Botsford.

George Powell.

Filed and recorded at the request of C.A.Botsford on the 17 day of December, A.D. 1910, at 30 minutes past 1 o'clock P.M.

E.T.Stewart, County Recorder.

TERRITORY OF ARIZONA,)
) : SS
 County of GILA.)

I, E.T.STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Location Notice of the CHOKE CHERRY NO.2 Lode Mining Claim, as the same appears of record in my office in Book 16, Records of Mines, at Page 82; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

GIVEN under my hand and seal of office, this

4th day of May A.D. 1911.

E. T. Stewart
 County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 12, 1911., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of George Powell

known as the CHOKE CHERRY NO. 1 and CHOKE CHERRY NO. 2

situate in Fluorine

Mining District, Gila County, Arizona,

in Sections 6 and 7, Township No. 6 N., Range No. 15 E. uns., and

designated as Survey No. 2918, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 8 shafts, 2 trenches, 1 cut and 2 cut and tunnels, total value \$1280.00.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona,

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 12, 1911., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of George Powell

known as the

CHOKE CHERRY NO. 1 and CHOKE CHERRY NO. 2

situate in Fluorine mining district,

Gila County, Arizona,

in Sections 6 and 7, Township No. 6 N., Range No. 15 E. uns.

designated as Survey No. 2918

executed by Edwin T. Stewart, United States Mineral

Surveyor, May 22, -May 25, 1911, 190, under my instructions dated

May 6, 1911, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank L. Ingalls

U. S. Surveyor-General for Arizona,