

JUL 25 1911

4-683.

MINERAL SURVEY No. 2943

LOT No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Edward Bushnell

KNOWN AS THE

Blue Duck, Junco, Fairview Ontario,

Hassayampa Mining District,

Yavapai County, Arizona

A. P. Bonmahon  
Section \_\_\_\_\_, Township 12. N., Range 2. W. unsurveyed

Prescott National Forest  
Surveyed under instructions dated June 22, 1911

by William H. Purcell  
U. S. Mineral Surveyor.

Claim located See location map, 19

Survey commenced July 14, 1911

Survey completed 11 18, 1911

6-822

Address Claimant  
Norris & B. mta Altys  
Prescott Ariz

# TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

SURVEY NO. 2943 ONTARIO.

(1)

Feet	<p>Beginning at Cor.No.1.</p> <p>Identical with the loc.</p> <p>A Schist stone 5X12X24 ins.set 12 ins.in the ground with mound of stones, chiseled 1-0-2943, whence :-</p> <p>U.S.M.M.No.2.brs.S61°53'E 666.7 feet.No bearings available.</p> <p>Loc.cor.mound of stones 2X3 ft.high.</p> <p style="text-align: center;">Thence S 18°02'E va. 14°E</p>
750 813.31	<p>E.C.S. Identical with the loc. Post 3X4 ins X 4 ft. in mound.</p> <p>Intersect line 2-3 Sur.No.303 Raven Mill-site at N 72°15'E 16.1 ft from cor.No.2 thence S 2°W 600 ft. to cor.No.1 sur. #303 Raven Mill-site.</p>
1320	<p>Cross wash 8 ft.wide course S 5°W</p>
1378.7	<p>Intersect line 4-1 sur.No.303 Raven M.S.at N 72°15'E 221.64 ft. from cor.No.1, also line 2-3, Sur. No. 305, Buzzard Mill-site at N. 72°15'E, 212.64 feet from Corner No.2 Buzzard M-S.</p>
1500.	<p>To Cor.No.2.</p> <p>Identical with the loc.</p> <p>A schist stone 5X12 X 23 ins.set 12 ins.in the ground with mound of stones chiseled 2-0-2943.No bearings available.Loc.cor.post 4X4 ins.X 4 ft.in mound.</p> <p style="text-align: center;">Thence S 63°20'W va. 14°E</p>
50 194.17	<p>Cross wash 8 ft.wide course S 10°E</p> <p>Intersect line 1-2 Sur.No.305 Buzzard Mill-site at S. 25°45'E 153.54 ft. from Cor.No.2.</p>
300 600	<p>S.C.End. Identical with the loc.a mound of stones 3X3 ft.</p> <p>To Cor.No.3.</p> <p>Identical with the loc.and with Cors No.1 Jumbo and No.2 Blue Dick lodes of this sur.</p> <p>A Schist stone 3X12X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-0.1-J.2-B-D-2943.No bearings available.Loc.cor.post 4X4ins.X 4 ft.in mound.</p> <p style="text-align: center;">Thence N 18°02'W va. 14°E</p>
750 1500	<p>W.C.S. Identical with the loc, post 3X4 ins.X 4 ft.in mound.</p> <p>To Cor.No.4.</p> <p>Identical with the loc.and with cor.No.1 Blue Dick lode of this sur.</p>

, Rose

Feet	<p>Beginning at Cor.No.1.          Identical with the loc.          A Schist stone 5X12X24 ins.set 12 ins.in the ground          with mound of stones, chiseled 1-0-2943, whence :-          U.S.M.M.No.2.brs.S61°53'E 666.7 feet.No bearings available.          Loc.cor.mound of stones 2X3 ft.high.</p>
750	<p style="text-align: center;">Thence S 18°02'E          va. 14°E</p> <p>E.C.S. Identical with the loc. post 3X4 ins. X 4 ft. in mound.</p>
813.31	<p>Intersect line 2-3 Sur.No.303 Raven Mill-site at N 72°          15'E 16.1 ft. from cor.No.1 thence S 3°W 600 ft. to cor.No.1          sur. 303 Raven Mill-site.</p>
1320	<p>Cross wash 8 ft. wide course S 5°W</p>
1378.7	<p>Intersect line 4-1 sur.No.303 Raven M.S. at N 72°15'E          221.64 ft. from cor.No.1, also line 2-3, Sur.No.305, Buzzard          Mill-site at N. 72°15'E, 212.64 feet from Corner cor.No.1          No.2 Buzzard M-S.</p>
1500.	<p>To Cor.No.2.          Identical with the loc.</p>
300	<p>A schist stone 5X12 X 23 ins.set 12 ins.in the ground          with mound of stones chiseled 2-0-2943.No bearings available.          Loc.cor.post 4X4 ins.X 4 ft.in mound.</p>
50	<p style="text-align: center;">Thence S 63°20'W          va. 14°E</p> <p>Cross wash 8 ft. wide course S 10°E</p>
194.17	<p>Intersect line 1-2 Sur.No.305 Buzzard Mill-site at          S 25°45'E 153.54 ft. from Cor.No.2.</p>
300	<p>S.C.End. Identical with the loc. a mound of stones 3X3 ft.</p>
600	<p>To Cor.No.3.          Identical with the loc. and with Cors No.1 Jumbo and No.2          Blue Dick lodes of this sur.</p>
600	<p>A Schist stone 3X12X24 ins.set 12 ins.in the ground          with mound of stones chiseled 3-0.1-J.2-B-D-2943.No          bearings available.Loc.cor.post 4X4ins.X 4 ft.in mound.</p>
750	<p style="text-align: center;">Thence N 18°02'W          va. 14°E</p> <p>W.C.S. Identical with the loc. post 3X4 ins. X 4 ft. in mound.</p>
1500	<p>To Cor.No.4.          Identical with the loc. and with cor.No.1 Blue Dick lode of          this sur.</p>

Feet. A Porphyry stone 6X8X24 ins. set 12' ins. in the ground, with mound of stones chiseled 4-0.1-B-D-2943. No bearings available. Loc. cor. post 4X4X 4 ft. in mound.

Thence N 63°20'E  
va. 14°

300 N.C. End. Identical with the loc. a mound of stones 3X3 ft.  
600 To Cor. No. 1 the place of beginning.

BLUE DICK

Beginning at cor. No. 1.

Identical with the loc. and with cor. No. 4 Ontario lode of this sur. hereinbefore described. Whence :-

U.S.M.M. NO. 2 bra. S 87°43'E 1125.07 feet.

Thence S 18°02'E  
va. 14°E

1500 To Cor. No. 2.

Identical with the loc. and with cor. No. 3 Ontario and with Cor. No. 1 Jumbo lodes of this sur. hereinbefore described.

Thence S 63°20'W  
va. 14°E

300 S.C. End. Identical with the loc. and with the N.C. End of Jumbo lode of this sur. a mound of stones 3X3 ft.

600 To Cor. No. 3.

Identical with the loc. and with cor. No. 4 Jumbo and Fairview lodes of this sur.

Cyanite stone 8X14X24 ins. set 12' ins. in the ground with mound of stones chiseled 3-B.D.4-J.2-F-2943. No bearings available. Loc. cor. mound of stones 2X3 ft. high.

Thence N 18°02'W

79.75  
1370 *Intersect line 3-5 Sur. No. 2943 Blue Dick lode at S. 66° 21' W. 592.8 ft. from Cor. No. 5.*  
Cor. No. 1 Fairview lode of this sur.

1500 To Cor. No. 4.

Identical with the loc.

A Quartz stone 9X10X24 ins. set 12' ins. in the ground with mound of stones chiseled 4-B-D-2943. Whence Cor. No. 1

sur. No. 2942 Nugget lode brs. N18°02'W 604 ft. A porphyry stone 8X8X24 ins. in mound of stones chiseled 1-N-2942.

No other bearings available. Loc. cor. post 4X4ins. X 4 ft. in mound of stones.

Thence N 63°20'E  
va. 14°E

Feet	<p style="text-align: center;">Thence N 63°20'E va. 14°E</p>
300 454.37 600	<p>N.C. End identical with the loc. a mound of stones 3X3 ft. Intersect line 5-6 Sur. No. 423 Blue Dick lode, at N. 23°39'W, 1437.34 ft. To Cor. No. 1 the place of beginning. Whence Cor. No. 6 (from Cor. No. 5) Sur. No. 423 Blue Dick lode, brs. S. 87°04'W. 155.49 ft.</p>
	<p style="text-align: center;">FAIRVIEW</p>
	<p>Beginning at Cor. No. 1.</p>
	<p>Identical with the loc.</p>
	<p>A Porphyry stone 6X8X24 ins. set 12 ins. in the ground with</p>
	<p>mound of stones chiseled 1-F-2943. Whence:-</p>
	<p>U.S.M.M. No. 2 brs. N 77°53'E 1657.03 ft.</p>
	<p>No bearings available. Loc. cor mound of stones. 2X3 ft. high.</p>
	<p style="text-align: center;">Thence S 18°02'E va. 14°E</p>
1290.25 1370	<p>Intersect line 3-5 Sur. No. 423 Blue Dick lode at N. 66°21'E. 7.2 ft. To Cor. No. 2. from Cor. No. 3.</p>
	<p>Identical with the loc. and with cor. No. 3 Blue Dick and</p>
	<p>No. 4 Jumbo lodes of this sur. hereinbefore described.</p>
	<p style="text-align: center;">Thence S <sup>S. 78°45'W</sup> 78°45'W Va. 14°E</p>
7.	<p>To Cor. No. 3. Identical with the S.C.E. loc. a mound 3X3 ft.</p>
	<p>A Porphyry stone 6X10X24 ins. set 12 ins. in the ground</p>
	<p>with mound of stones chiseled, 3-F-2943. Whence:-</p>
	<p>cor. No. 1 sur. No. 304 Buzzard lode identical with cor. No. 1, Raven lode,</p>
	<p>Sur. No. 302 brs. S 29°00'E. 83.8 ft. Loc. cor. a mound of stones</p>
	<p>3X3, brs. S 78°45'W 190 ft. No other bearings available.</p>
	<p style="text-align: center;">Thence N 28°54'W. va. 14°E</p>
	<p>To Cor. No 4.</p>
1427.62	<p>Identical with the loc.</p>
	<p>A Porphyry stone 4X7X24 ins. set 12 ins. in the ground</p>
	<p>with mound of stones chiseled 4-F-2943. No bearings</p>
	<p>available. loc. cor. mound of stones 3X3 ft.</p>
	<p style="text-align: center;">Thence N 78°45'E va. 14°E</p>
141.37 271	<p>Intersect line 2-3 Sur. No. 423 Blue Dick lode at N. 23°39'W. 1313.41 ft. N.C. End identical with the loc. a mound of stones 3X3 ft. from Cor. No. 3.</p>
278	<p>To Cor. No. 1 the place of beginning.</p>
	<p style="text-align: center;">JUMBO</p>
	<p>Beginning at Cor. No. 1.</p>

Cor. N<sup>o</sup>

Identical with the loc. and with cor. No. 2 Blue Dick and 3 Ontario lodes of this sur. hereinbefore described. Whence:  
U.S.M.M. No. 2 brs. N 25°32'E 1530.94 ft.

Thence S 18°02'E  
va. 14°E

1169

To Cor. No. 2.

Identical with the loc!

A Cyanite stone 5X11X24 ins. set 13 ins. in the ground with mound of stones chiseled 2-J-2943. No bearings available loc. cor. mound of stones 3X3 ft.

Thence S 63°20'W  
va. 14°E

150

s.e. end mound of stones 3X3 ft.

300

loc. monument for s.e. end.

450

To cor. No. 3.

A granite stone 4X6X23 ins. set 12 ins. in the ground with mound of stones chiseled 3-J-2943. whence loc. cor. a mound of stones 3X3 ft. brs. S 63°20'W 150 ft. No other bearings available.

Thence N 25°24'W  
va. 14°E

1156.

To Cor. No. 4.

Cor. N<sup>o</sup>

Identical with the loc. and with cor. No. 2 Fairview and 3 Blue Dick lodes of this sur. hereinbefore described.

Thence N 63°20'E  
va. 14°E

300

N.C. End identical with the loc. and with the s.e. of Blue Dick lode of this sur. hereinbefore described

600

To Cor. No. 1 the place of beginning.

AREA.

ONTARIO LODGE total area. 20.427 acres.

area in conflict with sur. No. 303 Raven Mill-site  
1.541 acres.

area in conflict with sur. No. 305 Buzzard Mill-site.  
0.620 0.640 acres.

BLUE DICK LODGE total area 20.427 acres.

Area in conflict with sur. No. 423 Blue Dick lode, 17.103 acres.

FAIRVIEW LODGE total area 4.450 acres.

Jumbo total area. 13.929 "

Area in conflict with Blue Dick lode, Sur. No. 423, 2.118 acres.

ADJOINING CLAIMS.

This claim is bounded on the North <sup>Moon's</sup> by Mark Twain lodes unsurveyed, Lookout Copper Co. claimant, and U.S. Land, on the East by sur. No. 303 Raven Mill-site, sur. No. 305 Buzzard Mill-site and U.S. Land. on the South by U.S. Land. and on the West by Sur. 304 Buzzard lode, This survey conformed with the Blue Dick lode, Sur. No. 423. Lookout Copper Co. claimant and U.S. Land.

LEDGES

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective end centers.

- Ontario lode 1500 ft. S 18°02'E from N.C.E. to S.C.E.
- Blue Dick lode 1500 ft. S 18°02'E " N.C.E. " S.C.E.
- Fairview lode 1370 " S 18°02'E from N.C.E. to Cor. No. 3
- Jumbo lode 1156 " S 25°24'E " N.C.E. " S.C.E.

LOCATION

This claim is located on unsurveyed land approximately in T.12 N.R.2 W. Hassayampa Mining District Yavapai County Arizona, Prescott, National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars for each <sup>lode</sup> and that said improvements consist of:-

Ontario  
 No. 1 dis tunnel which is on the lode line 70 ft. from the N.C. End 4X6X35 ft. course S 18°E value \$280.00  
 1/4 of the work in No. 2 shaft Blue Dick lode \$750.00  
 is credited to this lode.

BLUE DICK LODE.

No. 1 dis. shaft which is on the lode line 60 ft. from the N.C.E. 4X6X60 ft. value \$600.00  
 No. 2 shaft which brs. from the N.C.E. S. 41°E 110 ft. 4X6 X 200 ft. deep value .....\$3000.00 this shaft is

worked as a common improvement 1/4 of its value, \$750.00 is credited to each lode in this claim

FAIRVIEW LODGE.

No.1 dis.cut which is on the lode line 200 ft. from the N.C.E. 4X18X12 ft. .... value ..... \$50.00

1/4 of the work in No.2 shaft Blue Dick lode \$750.00 is credited to this lode.

Jumbo lode.

No.1 dis.tunnel which is on the lode line 230 ft. from S.C.E. 4X6X100 ft. course N 28°W value \$700.00 \$750.00

1/4 of the work in No.2 shaft Blue Dick lode is credited to this lode.....

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

NOTE.

- Raven Mill-site, cor.No.1 a slate stone 6X12X8 ins. high chiseled R.M.S.No.1
- " " Cor.No.2 a slate stone 18 ins. high chiseled R.M.S.2
- " " Cor.No.3 a slate stone 12X14X10 ins. chiseled R.M.S.3

Buzzard Mill-site cor.No.1 slate stone 6X12X8 ins. chiseled B-M-S-1.

" " Cor.No.2, I found only mound of stones.

Buzzard lode cor.No.1 Identical with cor.No.1 Raven lode sur.No.302 a slate stone 6X14 X12 ins in mound chiseled B.No.1-R-No.1.

Cor.No.2 sur.No.304 Buzzard lode I could not find.

The tie to Buzzard lode sur.No.304 identical with the tie to sur.No.302 Raven lode is in error.

Sur.No.423 Blue Dick lode. none of the corners are in place, the intersections were calculated from the official notes of said Sur. No. 423.

Shaft No.2 Blue Dick lode, common improvement, from which the surface ascends to the West and to the South for about 1200 feet, then descending to the south, descending from the shaft to the East, by drifting and cross-cuts from this shaft each lode in this claim can be developed with the greatest economy.

The difference between these notes and the location notice of the Fairview lode are due to errors and omissions in the later.

*William H. Merritt*  
U.S. Mineral Surveyor



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
Edward Bushnell  
 known as the Blue Dick, Jumbo, Fairview Ontario  
 and showing the respective capacities in which they acted.

\_\_\_\_\_, Chainman.  
Thos. Mammont, Chainman.  
 \_\_\_\_\_, Axeman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Thos. Mammont  
 and \_\_\_\_\_, do solemnly swear that we assisted William  
H. Merritt, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Edward Bushnell  
 known as the Blue Dick, Jumbo, Fairview Ontario  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of ~~our~~ <sup>my</sup> knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona

\_\_\_\_\_, Chainman.  
Thos. Mammont, Chainman.  
 \_\_\_\_\_, Axeman.  
 \_\_\_\_\_, Flagman

Subscribed and sworn to by the above-named persons before me this 18<sup>th</sup>  
 day of July, 1911.

My Commission  
 Expires Nov 1-1913.

Ziba O. Brown  
 Notary Public

### FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 22<sup>nd</sup> 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of E. H. Bushnell, known as the Blue Lick, Jumbo, Jairoco Ontario, situate in Haystack Mining District, Yavapai County, Arizona, in Section Approximately, Township No. 12N, Range No. 2W unsurveyed, and designated as Survey No. 2943, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt  
U. S. Mineral Surveyor, before me a Notary Public in and for  
Yavapai County, Arizona this 18<sup>th</sup>  
day of July, 1911.

Ziba O. Brown  
Notary Public

My Commission  
6-1041  
Expires Nov 1-1913.

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the BLUE DICK Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by T.H. Bushnell the undersigned, on the 19th day of September 1907

JUN 22 1911

The length of this claim is 1500 feet, and I claim 1500 feet, in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300- feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 1400 feet in a Westerly direction from U.S.M.M.N. 2 H.D.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Location Mon. shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N 63°20' E 300 feet to a Monument, being the N E No 1 corner of said claim; thence S 18°02' E 1500 feet to a Monument, being at the S E No 2 corner of said claim; thence S 63°20' W 300 feet to a Monument at the center of the South end of said claim; thence S 63°20' W 300 feet to a Monument, being at the S W No 3 corner of said claim; thence N 18°02' W 1500 feet to a Monument at the N.W No 4 corner of said claim; thence N 63°20' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Blue Dick Mining Claim, located by Ed.D.Ward, John McDonald, & Nelson Gabel on the 25- day of Octobe 1881 190..., and recorded in Book 12 of Records of Mines, at page 117, in the office of the County Recorder of the aforesaid County of ..... to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. without waiver of an\_ Previously acquired right

Dated and posted on the ground this 19th day of September 1907

T.H.Bushnell-

Filed and recorded at request of A.W.Edwards, Sept.20,A.D.1907, at 2:45 o'clock P.M., Book 82 of Mines, page 503, Records of Yavapai County, Arizona.

(SEAL) J.C .Bradbury,  
County Recorder.

By A.C.Gilmore,  
Deputy Recorder.

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the JUMBO Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by T.H. Bushnell the undersigned, on the 19th day of September 1907

The length of this claim is 1169 feet, and ...claim 269 - feet, in a Southerly direction and 900 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 1800 Ft. in a South westerly 1800 ft. direction from U.S.M.M. No 2 H D

The surface boundaries of the claim are marked upon the ground as follows: Beginning at..... at a point in a Northerly direction 900 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N 63°20' E 300 feet to a Monument, being the N E corner of said claim; thence S 18°02' E 1169 feet to a Monument, being at the S.E. corner of said claim; thence S.63°20' W 300 feet to a Monument at the center of the South end of said claim; thence S 63°20' W 300 feet to a Monument, being at the S.W. corner of said claim; thence N 18° 02' W 1169 feet to a monument at the N.W. corner of said claim; thence N 63° 20' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Jumbo Mining Claim, located by C.S. Gage, T.B. Bentley, J.H. Larson & J Phillips on the 3d day of March 1890, and recorded in Book 29 of Records of Mines, at page 382, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice without waiver of any previously acquired rights

Dated and posted on the ground this 19th day of September 1907

T.H. Bushnell

Filed and recorded at request of A.W. Edwards, Sept. 20, A.D. 1907, at 2:45 o'clock P.M., in Book 82 of Mines, page 504, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury,  
County Recorder.

By A.C. Gilmore,  
Deputy Recorder.

AMENDED  
NOTICE OF MINING LOCATION  
Lode Claim

-----

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the FAIRVIEW Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by T.H. Bushnell, a citizen of the United States, the undersigned, on the 14th day of June, 1911.

The length of this claim is Fifteen hundred (1500) feet, and I claim Two hundred (200) feet, in a northerly direction and Thirteen hundred (1300) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 1500, feet in a Westerly direction from the Dos Oris Gulch being about the same distance from the Government monument in the Gulch and adjoins the Buzzard mine, the latter, lying to the Westerly.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Northerly direction Two hundred feet from the discovery shaft (at which this notice is posted), being in the center of the northerly end line of said claim; thence Westerly 300 feet to a stone monument, being the North Westerly corner of said claim; thence Southerly 1500 feet to a monument of stone, being at the South Westerly corner of said claim; thence Easterly 300 feet to a monument at the center of the Southerly end of said claim; thence Easterly 300 feet to a monument, being at the South Easterly corner of said claim; thence Northerly 1500 feet to a monument at the North Easterly corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Fairview Mining Claim, located by T.G. Norris on the 10th day of August, 1907, and recorded in Book 82 of Records of Mines, at page 426, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14th day of June 1911.

T.H. Bushnell.

Filed and Recorded at request of Norris & Smith, June 15, A.D. 1911, at 3:22 o'clock P.M., Book 86 of Mines, page 239, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder.

By.....  
Deputy Recorder.

"Ontario"NOTICE OF MINING LOCATION  
QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Ontario Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by A.R.Fleischmann, Of Cleveland, O. ( A citizen of the United States) the undersigned, on the 24th day of March 1899.

The length of this claim is Fifteen hundred feet, and I claim Five hundred feet, in a North westerly direction and ...Thousand feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North west to the South east

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 12 miles South east of Prescott It immediately adjoins and lies parallel to the Blue Dick mine on the east its North west corner stake being beside the North east corner stake of the Blue Dick mine. U.S.M.M.No2.H.D. lies about 1300 feet South east of the North west corner of this claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stake at a point in a North westerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence North east 300 feet to a Stake, being the North east corner of said claim; thence Southeast 750 feet to a stake at the center of the East side line of said claim; thence South east 750 feet to a Stake being at the South east corner of said claim; thence South west 300 feet to a stake at the center of the South end of said claim; thence South west 300 feet to a stake, being at the South west corner of said claim; thence Northwest 750 feet to a Stake being at the center of the West side line of said claim; thence North west 750 feet to a Stake at the North west corner of said claim; thence North east 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "AN Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 24th day of March 1899.

Witness:

D.R.Williams.)

A.R.Fleischmann.

Filed and recorded at request of A.R.Fleischmann, June 20", A.D.1899, at 2:25 o'clock, P.M., Book 52 of Mines, Page 174, Records of Yavapai County, Arizona.

(SEAL.) W.I.Johnson

By E.C.Averyt .

Deputy Recorder.

County Recorder.

TERRITORY OF ARIZONA, }  
 County of Yavapai. } ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with, and that the same are true and correct copies of the Notices of Location, as the same appear of record in my said office, of the following named lode mining claims, situate in the Hassayampa Mining District, Yavapai County, Arizona, viz:

BLUE DICK, the amended notice of location whereof is of record in Book 82 of Mines, page 503, Records of Yavapai County, Arizona.

JUMBO, the amended notice of location whereof is of record in Book 82 of Mines, page 504, said records;

FAIRVIEW, THE amended notice of location whereof is of record in Book 86 of Mines, page 239, said records;

ONTARIO, the original notice of location whereof is of record in Book 52 of Mines, page 174, said records:

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 15th day of June, A.D. 1911.



*J. C. Bradbury*  
 County Recorder.

4-688.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 3, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Edward Bushnell,

known as the BLUE DICK, JUMBO, FAIRVIEW, ONTARIO,

situate in Hassayampa

Mining District, Yavapai County, Arizona, approximately

in Section , Township No. 12 N., Range No. 2 W., unsurveyed, and

designated as Survey No. 2943, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 tunnels, 2 shafts and 1 cut, total value \$4630.00.

No. 2, shaft on the Blue Dick lode being a common improvement for the benefit and development of this entire group of claims, an undivided 1/4 interest therein, value \$750.00, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 3, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Edward Bushnell,

known as the

BLUE DICK, JUMBO, FAIRVIEW, ONTARIO,

situate in Hassayampa mining district,

Yavapai County, Arizona, approximately

in Section, Township No. 12 N., Range No. 2 W., unsurveyed,

designated as Survey No. 2943,

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, July 14 - 18, 1911, under my instructions dated

June 22, 1911, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona,