

4-683.

MINERAL SURVEY No. 3011

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Michael McBride

KNOWN AS THE

Yellow Girl, Silver Bell, Alabama, Uncle Sam, and Little Annie,

Cottonwood Mining District,

Mohave County, Arizona.

Approx. Sections 30 & 31, Township 23 N., Range 12 W. Unsurveyed

Surveyed under instructions dated June 26th., 19 12.

by Herbert C. Shotwell U. S. Mineral Surveyor.

Claims located See location notices., 19

Survey commenced July 9 th., 1912.

Survey completed July 26th., 1912.

6-822

P.W.O'Sullivan, Attorney, Prescott, Arizona.

Mineral Survey No. 3011.

Feet.

YELLOW GIRL

- Beginning at cor. No. 1 a porphyry stone 8 X 4 X 24 inches long, set one half in ground and chiseled Y.G.-1- 3011 on N. E. face with + on top for exact cor. point and with substantial mound of stone alongside, from which a rock in place 1 x 1 x 1½ ft. exposed and chiseled B + R, Y. G.-1- 3011 brs. N. 58° 15' W. 32.2 ft. A rock in place 1½ x 1½ x 1 ft. exposed and chiseled B + R Y G-1- 3011 brs. N. 66° 50' E. 26.8 ft. Corner of secs. 30, 31, 25 and 36 T. 23 N. Rgs. 12 and 13 W. brs. N. 65° 34' W. 2155.8 ft.
- Thence N. 84° 12' E.
- 355.00 South Center end, a mound of stone.
- 497.14 Intersect the East side line of the Shamrock lode, unsurveyed S. 8° 55' W. 10.83 ft. from the N. E. cor.
- 747.00 Cor. No. 2, a rock in place 15x8x3 ft exposed and chiseled YG-2-3011 with + for exact cor, point, from which a rock in place 8x5x4 ft. exposed and chiseled B + R, Y G-2-3011 brs. S. 9° 48' E. 16.3 ft., a rock in place 5x2x3 ft. exposed and chiseled B +R, YG-2-3011 brs. N. 46° 37' E. 21.5 ft. I erected a substantial mound of stone alongside this cor.
- Thence N. 34° 21' E.
- 1033.10 Cor. No. 3, on line 1-2 of Alabama lode of this survey, a porphyry stone 5x6x24 in. long set one half in ground and chiseled YG-3-3011 on West face with + on top for exact cor. point and substantial mound of stone alongside, from which a rock in place 2½ x 2 x ½ ft. exposed and chiseled B + R, YG-3-3011 brs. S. 40° 15' E. 3.9 ft. no more bearings available.

Feet.	<u>YELLOW GIRL lode continued:</u>
	Thence N. 0° 21' E.
166.70	Cor. No. 4, identical with cor. No.1, Uncle Sam lode, Cor. No. 1, Alabama lode, and Cor. No. 2, Silver Bell lode, all of this survey, a porphyry stone 8x8x32 in. long set one half in ground and chiseled YG-4-3011, & SB-2-3011, on West face and a U. S.-1-3011 and A-1-3011 on East face with + on top for exact cor. point, and substantial mound of stone alongside, from which a cedar tree 8 in. in diam. blazed and scribed BT YG-4-3011, SB-2-3011, US-1-3011 and A-1-3011 brs. N. 62° 00' W. 19 ft. No more bearings available.
	Thence S. 84° 12' W.
270.00	North Center end identical with South Center end of Silver Bell lode of this survey, a mound of stone.
625.00	Cor. No. 5, identical with cor. No. 1, of Silver Bell lode of this survey, a porphyry stone 5x6x24 in. long set one half in ground and chiseled YG-5-3011, and SB-1-3011 on East face with + on top for exact cor. point, and a substantial mound of stone alongside. No bearings available.
	Thence S. 34° 21' W.
600.00	Southeast cor. of Alice lode, unsurveyed, a mound of stone.
1098.17	Intersect North end line of Shamrock lode, unsurveyed.
2000.00	N. 81° 05' W. 415.63 ft. from the N. E. cor.
1250.00	Cor. No. 1, the place of beginning. All corners are identical with their respective locations. Magnetic declination at each cor. 13° to East
	<u>SILVER BELL lode:</u>
	Beginning at Cor. No. 1, identical with cor. No. 5, of the Yellow Girl lode of this survey, on the East side line of the Alice lode, unsurveyed, cor. described above, from which cor. of secs. 30, 31, 25, and 36, T. 23 N. Rgs 12 and 13 West brs. S. 86° 59' W. 2671.8 ft.

Feet.

SILVER BELL lode continued:

Thence N. 84° 12' E.

- 355.00 South Center end identical with North Center end of
 375.00 Yellow Girl lode of this survey, a mound of stone.
 625.00 Cor. No. 2, identical with cor. No. 4, of Yellow
 Girl lode, cor. No. 1, Alabama lode and cor. No. 1,
 Uncle Sam lode, all of this survey. Corner described
 above.

Thence N. 34° 21' E.

- 900.00 Cor. No. 3, on line 4-1 of Uncle Sam lode of this
 survey S. 34° 21' W. 600.0 ft. from cor. No. 4, a
 porphyry stone 6x6x24 in. long set one half in ground
 and chiseled SB-3-3011 on West face with + on top
 for exact cor. point with a substantial mound of stone
 alongside, from which a pin on tree 5 in in diam.
 blazed and scribed BT, SB-3-3011 brs. N. 86° 40' E.
 11.6 ft. A cedar tree 6 in. in diam. blazed and
 scribed BT, SB-3-3011 brs. S. 56° 45' W. 62.5 ft.

Thence S. 84° 12' W.

- 270.00 North Center end identical with South West corner of
 Birdie lode and South East cor. of Esperanza lode
 both unsurveyed, a mound of stone .
 470.00 South Center end Esperanza lode unsurveyed, a mound
 of stone.
 625.00 Cor. No. 4, Identical with North East cor. of Alice
 lode unsurveyed, a porphyry stone 4x8x28 in. long
 set one half in ground and chiseled SB-4-3011 on East
 face with + on top for exact cor. point and with
 substantial mound of stone alongside, from which a
 cedar tree 12 in. in diam. blazed and scribed BT SB-4-
 3011 brs. N. 75° 15' W. 45.9 ft. no more bearings
 available.

Thence S. 34° 21' W.

- 900.00 Cor. No. 1, the place of beginning. All corners
 are identical with their respective locations.
 Magnetic declination at each cor. 13° to East.

Feet.	<u>UNCLE SAM</u>
	Beginning at cor. No. 1, identical with cor. No. 2, of Silver Bell lode, cor. No. 4, of Yellow Girl lode and cor. No. 1, of Alabama lode, all of this survey, cor. described above, from which cor. of secs. 30, 31, 25, and 36 T. 23 N., Rgs. 12 and 13 W. brs. S. 86° 28' W. 3296.1 ft.
	Thence S. 55° 39' E.
300.00	South Eenter end, a mound of stone.
475.00	Cross Gulch, flows Northeasterly.
600.00	Cor. No. 2, identical with cor. No. 1, of Little Annie lode of this survey, a schist stone 12x5x26 in long set one half in ground and chiseled US-2-3011 on North West face and LA-1-3011 on South East face, with + on top for exact cor. point, and substantial mound of stone alongside, from which a cedar tree 9 in. in diam. blazed and scribed BT US-2-3011, LA -1- 3011 brs. S. 76° 15' E., 11.8 ft. a piñon tree 12 in. in diam. blazed and scribed BT US-2-3011 and LA-1-3011 brs. N. 23° 45' E. 19.5 ft.
	Thence N. 34° 21' E.
138.72	Intersect line 4-3 of Alabama lode of this survey
990.00	S. 0° 21' W. 49.1 ft. from cor. No. 4.
990.00	Cross Gulch, flows northerly.
1500.00	Cor. No. 3, identical with cor. No. 4, of Little Annie lode of this survey and S. E. cor. of OO And The Green lode unsurveyed, a schist stone 6x6x26 in. long set one half in ground and chiseled US-3-3011 on N. W. face and LA-4-3011 on S. E. face with + on top for exact cor. point and substantial mound of stone alongside, from which a cedar tree 9 in. in diam. blazed and scribed BT LA-4-3011 brs. S. 15° 15' E. 12.3 ft. a cedar tree 20 in. in diam. blazed and scribed ^{BT} US-3-3011 brs. N. 44° 20' W. 21.7 ft.

Feet.	<u>UNCLE SAM lode continued:</u>
	Thence N. 55° 39' W.
250.00	Cross Gulch, flows northerly .
300.00	North Center end, identical with South Center end of OO And The Green lode unsurveyed, a mound of stone.
312.00	Cross Gulch, flows Easterly.
600.00	Cor. No. 4, Identical with the S. W. cor. of OO And The Green lode unsurveyed, a porphyry stone 4x12x24 in. long set one half in ground and chiseled US-4-3011 on S. E. face with + on top for exact cor. point and substantial mound of stone alongside, from which a cedar tree a 12 in. trunk in branching tree, blazed and scribed BT US-4-3011 brs. S. 84° 18' E. 11.0 ft. no more bearings available.
	Thence S. 34° 21' W.
325.00	Cross Gulch, flows Easterly.
600.00	Cor. No. 3, Silver Bell lode of this survey identical with South Center end of Birdie lode unsurveyed.
1500.00	Cor. No. 1, place of beginning. All corners are identical with their respective locations. Magnetic declination at each cor. 13° to East.
	<u>LITTLE ANNIE</u>
	Beginning at Cor. No. 1, identical with cor. No. 2, of the Uncle Sam lode of this survey, cor. described above, from which cor. of secs. 30, 31, 25, and 36 T. 23 N., Rgs. 12 and 13 W. brs. N. 87° 57' W. 3787.6 ft.
	Thence S. 55° 39' E.
93.57	Intersect line 4-3 of Alabama lode of this survey S. 0° 21' W. 216.43 ft. from cor. No. 4
300.00	South Center end, a mound of stone.
600.00	Cor. No. 2, a porphyry stone 6x12x30 in. long set one half in ground and chiseled LA-2-3011 on N. W. face with + on top for exact cor. point and substantial mound of stone alongside, from which a rock in place 2x2x3 ft. exposed and chiseled B+R LA-2-3011 brs. N. 7° 15' W. 27.6 ft

Feet.	<p><u>LITTLE ANNIE lode continued:</u></p> <p>No more bearings available.</p> <p>Thence N. 34° 21' E.</p>
150.00	Cross Gulch, flows northerly.
1500.00	<p>Cor. No. 3, a schist stone 6x10x27 in. long set one half in ground and chiseled LA-3-3011 on N. W. face with + on top for exact cor. point and a substantial mound of stone alongside, from which a rock in place 1x2x3 ft. exposed and chiseled B+R LA-3-3011 brs. S. 78° 15' E. 8.6 ft. no more bearings available.</p> <p>Thence N. 55° 39' W.</p>
300.00	North Center end, a mound of stone.
600.00	<p>Cor. No. 4, identical with cor. No. 3, of Uncle Sam lode of this survey, cor. described above.</p> <p>Thence S. 34° 21' W.</p>
510.00	Cross Gulch, flows northerly.
1361.28	<p>Intersect line 4-3 of Alabama lode of this survey S. 0° 21' W. 49.10 ft. from cor. No. 4.</p>
1500.00	<p>Cor. No. 1, the place of beginning. All corners are identical with their respective locations.</p> <p>Magnetic declination at each corner 13° East.</p>
	<p><u>ALABAMA lode:</u></p> <p>Beginning at cor. No. 1, identical with cor. No. 1, of the Uncle Sam lode, cor. No. 2, Silver Bell lode and cor. No. 4, of the Yellow Girl lode all of this survey, cor. described above from which cor. of secs. 30, 31, 25, and 36 T. 23 N., Rgs. 12 and 13 W. brs. S. 86° 28' W. 3296.1 ft. Cor. No. 2 Uncle Sam lode of this survey brs. S. 55° 39' E. 600 ft.</p> <p>Thence S. 0° 21' W.</p>
166.70	Cor. No. 3, of Yellow Girl lode of this survey.
780.00	<p>Cor. No. 2, Identical with N. W. cor. of Good Luck lode unsurveyed, a porphyry stone 4x3½x26 in. long</p>

Feet.

ALABAMA lode continued:

set one half in ground and chiseled A-2-3011 on East face with + on top for exact cor. point and substantial mound of stone alongside, from which a cedar tree 7 in. in diam. blazed and scribed BT A-2-3011 brs. S. 24° 10' W. 19.8 ft. a piñon tree 10 in. in diam blazed and scribed B.T. A-2-3011 brs. N. 19° 15' E. 16.8 ft.

Thence S. 73° 03' E.

100.00

Cross Gulch, flows northerly.

300.00

South Center end identical with North Center end of Good Luck lode unsurveyed, a post in mound of stone.

600.00

Cor. No. 3, a schist stone 6x8x30 in. long set one half in ground and chiseled A-3-3011 on W. face with + on top for exact cor. point and substantial mound of stone alongside, from which a cedar tree 8 in. in diam. blazed and scribed BT. A-3-3011 brs. S. 65° 28' E. 18.9 ft. a cedar tree 6 in. in diam blazed and scribed BT. A -3-3011 brs. S. 28° 15' E. 9.2 ft., identical with N. E. Cor. Good Luck lode, unsur.
Thence N. 0° 21' E.

563.57

Intersect line 1-2 of Little Annie lode of this survey S. 55° 39' E. 93.57 ft. from cor. No. 1

730.90

Intersect line 1-4 of Little Annie lode of this survey and line 2-3 of Uncle Sam lode of this survey. N. 34° 21' E. 138.72 ft. from cor. No. 1 of Little Annie lode and cor. No. 2, of Uncle Sam lode.

780.00

Cor. No. 4, a porphyry stone 3x6x25 in. long set one half in ground and chiseled A-4-3011 on W. face with + on top for exact cor. point and substantial mound of stone alongside, from which a piñon tree 12 in. in diam. blazed and scribed BT A-4-3011 brs. S. 72° 45' E. 67.7 ft. a cedar tree 8 in. in diam. blazed and scribed BT. A-4-3011 brs. S. 41° 40' W. 32.0 ft.

Thence N. 73° 03' W.

110.00

Cross Gulch, flows northerly.

300.00

North Center end, a mound of stone

Feet.

ALABAMA lode continued:

600.00 Cor. No. 1, the place of beginning. All corners are identical with their respective locations.
Magnetic declination at each corner 13° to East.=

L E D G E S

The presumed courses of the ledges of this survey, as near as can be traced upon the ground, are as follows:

YELLOW GIRL lode:

Course of ledge is from a point on line 1-2 N. $84^{\circ} 12'$ E. 355 ft. from Cor. No. 1; thence N. $34^{\circ} 21'$ E. 1250 ft. to intersection of line 4-5.

SILVER BELL lode:

Course of ledge is from a point on line 1-2 N. $84^{\circ} 12'$ E. 355 ft. from cor. No. 1; thence N. $34^{\circ} 21'$ E. 900 ft. to intersection of line 3-4.

UNCLE SAM lode:

Course of ledge is from a point on line 1-2 S. $55^{\circ} 39'$ E. 300 ft. from cor. No. 1; thence N. $34^{\circ} 21'$ E. 1500 ft. to intersection of line 3-4.

LITTLE ANNIE lode:

Course of ledge is from a point on line 1-2 S. $55^{\circ} 39'$ E. 300 ft. from cor. No. 1; thence N. $34^{\circ} 21'$ E. 1500 ft. to intersection of line 3-4.

ALABAMA lode:

Course of ledge is from a point on line 2-3 S. $73^{\circ} 03'$ E. 300 ft. from cor. No. 2; thence N. $0^{\circ} 21'$ E. 780 ft. to intersection of line 4-1.

I M P R O V E M E N T S

I certify that the value of labor and improvements upon the claims embraced in this survey placed thereon by the claimant and his grantors, is not less than \$500.00 for each claim, and that said improvements consist of:-

IMPROVEMENTS continued:

YELLOW GIRL lode:

No. 1. Discovery monument, a mound of stone 3 ft. base and 3 ft. high located on the presumed course of ledge from which cor. No. 4, brs. N. 70° 56' E. 346.3 ft.

No. 2. A shaft 4x6x70 ft deep at 60 ft. down this shaft a drift is run in the northeasterly direction 17 ft. From the collar of this shaft cor, No. 4; brs. N. 66° 30' E. 326 ft. This improvement is to be applied to both the Yellow Girl and the Silver Bell claim for the reason that it is a working shaft sunk for the purpose of developing and extracting the ores of these two claims and is located close to the South end line of the Silver Bell for that purpose. These claims lie on higher ground than the balance of the claims embraced in this survey and a shaft located as this is would not be a common improvement to the balance of the claims for the reason of its elevated position and the long distance which would necessarily have to be run in order that these other ledges be worked through this shaft. The cost of mining would be prohibitive under these conditions.

Value of shaft..... \$1050.00
Value of drift..... 170.00
Total value of improvement
1220.00

To be accredited to this claim is an undivided one half interest of said improvement.

Value..... \$610.00

No. 3. Shaft 4x6x10 ft deep, from center of which cor. No. 4 brs. N. 70° 18' E. 368 ft.

Value \$100.00

No. 4. Shaft 4x6x20 ft deep from center of which cor. No. 2 brs. S. 19° 30' W. 170 ft.

Value..... \$200.00

SILVER BELL lode:

*No. 1. (See bottom of page)

No. 2. Shaft 6x8x28 ft. deep, from center of which cor. No. 2 brs. S. 53° 15' E. 153 ft.

Value..... \$400.00

To be accredited to this claim is an undivided one half interest in improvement No. 2 of Yellow Girl lode.

Value..... \$610.00

UNCLE SAM lode:

No. 1. Discovery shaft 4x6x65 ft. deep, at a depth of 25 ft

*No. 1. Discovery shaft 4x6x10 ft. deep, from center of which cor. No. 2 brs. S. 88° 51' E. 246.7 ft.

Value, \$100.00

from collar the drift is run in a Southwesterly direction on the ledge 14 ft. to face, at 10 ft. in from shaft a cross cut is run in a Northwesterly direction 10 ft. from drift.

Value of shaft.....\$1300.00
 Value of drift..... 140.00
 Value of cross cut..... 100.00

From center of shaft cor. No. 1, brs. S. 54° 00' W. 892.0 ft.

Total value of improvement.....\$1540.00

No. 2. Shaft 4x6x40 ft. deep from center of which cor. No. 1, brs. S. 52° 45' W. 913 ft.

Value..... \$600.00

LITTLE ANNIE lode:

No. 1. Discovery point, a mound of stone 3 ft. base and 3½ ft. high located on the presumed course of ledge, from which cor. No. 1, brs. S. 51° 34' W. 1013.4 ft.

No. 2. Shaft 4x6x10 ft. deep from center of which cor. No. 1, brs. S. 40° 45' W. 974 ft.

Value..... \$100.00

No. 3. Shaft 4x6x36 ft. deep from center of which cor. No. 1, brs. S. 38° 06' W. 581 ft.

Value..... \$540.00

ALABAMA lode:

No. 1. Discovery point, a mound of stone 3 ft. base and 3 ft high located on the presumed course of ledge, from which cor. No. 2, brs. N. 83° 12' W. 289.2 ft.

No. 2. Shaft 4x6x45 ft. deep, at bottom of shaft a cross cut is run in a Northwesterly direction 4 ft. from center of shaft cor. No. 2, brs. N. 79° 15' W. 265 ft.

Value of improvement..... \$560.00

No. 3. Shaft 5x6x7 ft. deep, from center of which cor. No. 2, brs. S. 83° 00' W. 330 ft.

Value..... \$50.00

No. 4. Shaft 6x6x18 ft. deep, from center of which cor. No. 2, brs. S. 69° 12' W. 348 ft.

Value..... \$200.00

No. 5. Shaft 4x6x10 ft. deep, from center of which cor. No. 1, brs. N. 37° 18' W. 31 ft.

Value..... \$100.00

A R E A .

	Acres	Acres.
Total area of Yellow Girl lode.....		16.151

Area in conflict with Shamrock lode, unsurveyed714

<u>A R E A</u> continued:	Acres	Acres
Total area of Silver Bell lode.....	9.870	✓
Total area of Uncle Sam lode.....	20.661	✓
Total area of Little Annie lode.....	20.661	✓
Total area of Alabama lode.....	10.296	✓
Area in conflict with Uncle Sam lode, of this survey.....	1.279	✓
Area in conflict with Little Annie lode, of this survey.....	.149	✓

A D J O I N I N G C L A I M S .

The Silver Bell and Yellow Girl lodes are joined on the west by the Alice lode, unsurveyed, Michael McBride claimant.

The Silver Bell lode is joined on the north by the Birdie and the Esperanza lodes, both unsurveyed, L.W.Johnson and W.A.DeLier, claimants.

The Uncle Sam lode is joined on the west by the Birdie lode, Johnson and DeLier claimants, and on the north by the CO And The Green lode, unsurveyed, Michael McBride claimant.

The Alabama lode is joined on the south by the Good Luck lode, unsurveyed, Mrs. James E. Brown and Z.T.McAbee claimants.

The Yellow Girl lode conflicts with the Shamrock lode, unsurveyed, on the south end, James E. Brown claimant.

There are no more claims adjoining this group and so far as known, the balance of the ground surrounding these claims is Public Domain and subject to entry

L O C A T I O N .

These claims are located upon unsurveyed land; in the Cottonwood Mining District, Mohave County, Arizona, ~~Approximately~~ in sections 30 and 31, T. 23 N., R. 12 W. of the G. & S.R.B. & M.

I N S T R U M E N T .

This survey was made with a Burger instrument No. 1 C.; the distances were measured with a 600 and a 100 ft. steel tape. All courses were deflected from true meridian as determined by direct Solar observation.

R E P O R T .

The discrepancies between the claims of this survey as marked upon the ground by the location monuments, and as described in their respective location notices, are due to error in the location notices.

REPORT continued;

I thoroughly satisfied myself while on the ground making the survey, that the improvements mentioned above and accredited to the claims of this survey, were all made by the claimant and his grantore.

I have not shown any intersection with the lines of the Birdie lode for the reason that the Uncle Sam is the oldest location, ~~and there is no conflict.~~

The original order for this survey embraced the CO And The Green and the Alice lodes but they have been omitted as per authority given me in a letter dated from your office Aug. 15th. '12.

I found the Cor. of Secs. 30, 31, 25 & 36, T 23 N., Rgs. 12 & 13 W. properly marked and in a state of good preservation.

H. H. Shattuck
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim^s of Michael

McBride

known as the Yellow Girl, Silver Bell, Alabama, Uncle Sam, and Little Annie and showing the respective capacities in which they acted.

James E. Brown, Chainman.

E.H. Power, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, James E. Brown and E.H. Power

~~xxx~~ _____, do solemnly swear that we assisted Herbert C.

Shotwell

_____, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Michael McBride

known as the Yellow Girl, Silver Bell, Alabama, Uncle Sam, and Little Annie

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Jes. C. Brown, Chainman.

E.H. Power, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 23rd

day of August, 1902

my Comm Expires
Feb 22nd 1916

William Grant

Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert C. Shotwell, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 26th 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Michael McBride, known as the Yellow Girl, Silver Bell, Alabama, Uncle Sam and Little Annie, situate in Cottonwood Mining District, Mohave County, Arizona. Approx., in Sections 30 & 31, Township No. 23 N., Range No. 12 W. unsurveyed. and designated as Survey No. 3011, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Herbert C. Shotwell

U. S. Deputy Mineral Surveyor, before me, a Notary Public in and for Yavapai County, Arizona, this 5th day of September, 1912.

F. J. Harvick
 Notary Public.

o 3-154

My commission expires,
Feb. 19, 1916.

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the UNCLE SAM Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride. Z.F. McAbee.

both Citizens of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of March 1907.

The length of this claim is Fifteen Hundred feet, and we claim Seven Hundred and Fifty feet, in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Cotton Wood Mining District, in Mohave County, in the Territory of Arizona, about 1 Mile in a Westerly direction from Slate Mountain, about a mile east of Brownsville Camp and parallels the Kentucky on the East.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument

at a point in a Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a monument, being the North East corner of said claim; thence 1500 feet to a Monument, being at the South East corner of said claim; thence 300 feet to a Monument at the center of the South end of said claim; thence 300 feet to a Monument, being at the South West corner of said claim; thence 1500 feet to a Monument at the North West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of March 1907

Z.F. McAbee.

Michael McBride.

Filed and recorded at the request of M McBride May 29 A.D. 1907, at 9 O'clock, A.M. in Book Y at page 199. Thos Mc Neely, County Recorder.
 By Marie Carrow, Deputy.

Notice of Mining Location

JUN 26 1912

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Yellow Girl Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride and Z.T. McAbee

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 28 day of Jan 1904

The length of this claim is 1500 feet,

and we claim 1260 feet,

in a Southerly direction and 240

feet in a Northerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

South to the North

The claim is situated and located in the ----- Mining District, in

Mohave County, in the Territory of Arizona, about 1 1/2 miles

in a Westerly direction from Slate Mountain about 1

Mile Southerly from Cotton Wood Creek.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Stake-the North center

at a point in a Northerly direction 240 feet from

the discovery shaft (at which this notice is posted), being in the center of the North

end line of said claim; thence 300 feet to a Monument of Stone

, being the Northwest corner of said claim; thence

300 feet to a Monument of Stone, being at the

East Center corner of said claim; thence 1260 feet

to a South East Corner ~~at the center~~ of the 1260 end of said claim;

thence Southeast feet to a -----, being at the

----- corner of said claim; thence -----

feet to a ----- at the ----- corner of said claim;

thence ----- feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 28th day of Jan 1904

Michael McBride

Z.T. McAbee

Filed and recorded at request of Michael McBride February 3 A.D. 1904 at 9 o'clock A.M., Book V Page 27.

Jno. P. Feeny

County Recorder.

This mining Claim the name of which Is the Silver Bell
and Located for the purpose of exploration and purchase by
Michail McBride and Z.T.Meabe the length of this Claim Is 810 feet
x 600 and Joins the Exeter on the North and Yellow Girl on South and
the Kentucky on the East The asses work Is done Located Oct.20-
1904

Michail McBride

Z. T. Meabl

Recorded at request of McBride Dec. 30 A.D. 1904 at 10 minutes past
9 o'clock A.M. Book P,page 770

Jno. P. Feeny
County Recorder

By John Bomhoff Dpt.

This mining Claim the name of which is the Alabama and Located for the purchase and Exploration and purchase by Michail McBride and Z.T. McCabe the length of this Claim is 600 ft x 600 ft and Joins the Kentucky on the west and the Uncle Sam on the north

Located Oct. 28- 1904

Z. T. Mabee

Michail McBride

work done

Recorded at request of M. McBride Dec. 30 A.D.1904 at 10:9 o'clock A.M.
Book P page 769.

Jno. P. Feeny
County Recorder

by J. Bomhoff Deputy

RECORDER'S CERTIFICATE

STATE OF ARIZONA,)
) -SS-
County of Mohave...)

I, J. W. MORGAN, County Recorder of the County of Mohave,
State of Arizona, do hereby certify that I have compared the
foregoing and attached copies of Location Notices of the
YELLOW GIRL, SILVER BELL, ALABAMA, MOLE SAN, LITTLE ANNIE,
O O and the GREEN, and ALACE) Lode Mining Claims, located and
situated in the COTTONWOOD Mining District, Mohave County,
Arizona, and of the endorsement thereupon with the original
records of the same on file in this office, and that the same
are correct transcripts therefrom and of the whole of said
original records.

*omitted
from summary*

IN WITNESS my hand and the seal of said
office, this 22nd, day of June, A.D.1912.



J. W. Morgan.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 17, 1912

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Michael McBride

known as the YELLOW GIRL, SILVER BELL, ALABAMA, UNCLE SAM, LITTLE ANNIE.

situate in COTTONWOOD

Mining District, MOHAVE County, ARIZONA.

in Sections 30 & 31, Township No. 23 N., Range No. 12 W., Unsur., and

designated as Survey No. 3011, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of
 or for each of
 improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 13 shafts, 2 drifts and 2 crosscuts, total value \$5710.00.
 Shaft No. 2 on the Yellow Girl lode is a common improvement for the benefit and development of both said Yellow Girl lode and the Silver Bell lode, and an undivided one-half interest, value \$660, therein, is properly credited to each of the said two claims. The location of this improvement renders it unavailable for developing the remaining claims of this group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 17, 1912., 191

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Michael McBride

, known as the

YELLOW GIRL, SILVER BELL, ALABAMA, UNCLE SAM, LITTLE ANNIE.

situate in COTTONWOOD mining district,

MOHAVE County, ARIZONA

in Section s 30 & 31, Township No. 23 N., Range No. 12 W., Unsur.

, designated as Survey No. 3011

executed by Herbert C. Shotwell, U. S. Deputy Mineral

Surveyor, July 9-26, 1912., 191

June 26, 1912., 191

have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.