

DEC 10 1912

4-683.

MINERAL SURVEY No. 3016

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Inspiration Consolidated Copper Company

KNOWN AS THE

Joe Bush Mill Site, Pinto Mill Site, Apex Mill Site
Fraction Mill Site
Globe Mining District,

Gila County, Arizona

Section 19, Township 1 N., Range 15 E.
G. & S.R.B. & M.

Surveyed under instructions dated September 28, 1912

by Edwin T. Stewart
U. S. Mineral Surveyor.

Claim located see Location Notices, 19

Survey commenced September 28, 1912

Survey completed September 30, 1912

6-822

Edward W. Rice,
Globe, Arizona.
Attorney for Claimant.

Feet.

Survey No.3016.

Joe Bush Mill Site.

Beginning at Cor. No.1, identical with N.W. Cor. of the location.

At the intersection of line 3-4, Ford lode, Sur. 2500, with line 3-4, Legal Tender lode, of the unapproved Sur. 3015, being S. 46°-12' E. 73.8 ft. from Cor. No.4 of said Ford lode and S. 07°-04' W. 68.06 ft. from Cor. No. 3 of said Legal Tender lode.

A pine post, 5 ft. long, 4 x 6 ins. with nail at the exact corner, set 36 ins. in the ground, with mound of stone, scribed 1-J.B.M.S.-3016, whence

The north quarter corner of Sec. 19, T.1 N., R. 15 E., G.& S.R.B.& M., bears N. 03°-28'-40" E.1405.3 ft.

Cor. No.2, Joe Bush Lode, Sur. 2656, the lode claim in conjunction with which this mill site is held, bears S. 55°-12'-10" W. 6886.2 ft.

Thence S. 46°-12' E.

Along line 4-3, Ford lode, Sur. 2500.

207.40 To Southwest End Center of said Ford lode.

420.00 To Cor. No.2, identical with N.E. Cor. of the location and Cor. No.3, Pinto Mill site, of this survey.

On line 3-4, Ford lode, Sur. 2500, N.46°-12' W. 81.0 ft. from Cor. No.3.

A pine post, 5 ft. long, 4 x 6 ins., with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 2-J.B.M.S.-3016, for this claim.

Thence S. 07°-04' W.

Along line 3-2 of said Pinto mill site.

470.00 To Cor. No.3, identical with S.E.Cor. of the location; Cor. No. 2 of Pinto mill site, Cor. No.3 of Apex mill site and Cor. No.2, of Fraction mill site, all of this survey.

A pine post, 5 ft. long, 4 x 6 ins., with nail at the exact corner, set 30 ins. in the ground, with mound of stone, scribed 3-J.B.M.S.-3016, for this claim.

Thence N.53°-51' W.

Along line 2-1 of said Fraction mill site.

385.10 To Cor. No.4, identical with S.W.Cor. of the location;
Cor. No.1 of said Fraction mill site; Cor. No.2,
Brownie lode and Cor. No.4, Legal Tender lode, both of
the unapproved Sur. 3015.

A pine post, 5 ft. long, 4 x 6 ins. with nail at the
exact corner, set 36 ins. in the ground, with mound of
stone, scribed B-B-3015 and 4-L.T., to which I add
4-J.B.M.S.-3016, for this claim.

Thence N.07°-04' E.

Along line 4-3 of said Legal Tender lode.

280.50 To Northeast End Center of said Legal Tender lode.

534.04 To Cor. No.1, the place of beginning.

Pinto Mill Site.

Beginning at Cor. No.1, identical with east corner
of the location and Cor. No.4, Apex mill site, of this
survey.

At the intersection of line 2-3, Wednesday lode, Sur.
2498, with line 4-1, Tribune lode, Sur. 2841.

A redwood post, 4.5 ft. long, 4 ins. sq., with nail at
the exact corner, set 24 ins. in the ground, with mound
of stone, scribed 1-P.M.S.-3016, for this claim, whence

The quarter corner between Sections 19 and 20, T.1 N.,
R.15 E., G. & S.R.B. & M., bears S.87°-36'-40" E. 1692.8 ft.

Corner No.2, Pinto lode, Sur. 2656, the lode claim in
conjunction with which this mill site is held, bears
S. 68°-15' W. 6486.7 ft.

A granite stone, 7 x 10 x 34 ins. out of the ground,
chiseled cross B.R.-3016, bears S.17°-11' E. 24.2 ft.

Thence N. 75°-06' W.

Along line 4-3, Apex mill site, this survey.

779.30 To Cor. No.2, identical with S.W.Cor., of the location;
Cor. No.3, Apex mill site, Cor. No.2, Fraction mill site,
and Cor. No.3, Joe Bush mill site, all of this survey.

Previously described; to which I add 2-P.M.S., for this claim.

Thence N.07°-04' E.

Along line 3-2, of said Joe Bush mill site.

470.00 To Cor. No.3, identical with N.E.Cor. of the location and Cor. No.2 of said Joe Bush mill site.

On line 3-4, Ford lode, Sur. 2500.

Previously described; to which I add 3-P.M.S., for this claim.

Thence S.46°-12' E.

Along line 4-3, of said Ford lode.

81.00 To Cor. No.3, of said Ford lode, and Cor. No.3, Wednesday lode, Sur. 2498.

Along line 3-3 of said Wednesday lode.

963.40 To Cor. No.1, the place of beginning.

Fraction Mill Site.

Beginning at Cor. No.1, identical with N.W.Cor. of the location; Cor. No.4, Joe Bush Mill site, this survey; Cor. No.2, Brownie lode and Cor. No.4, Legal Tender lode, both of the unapproved Sur. 3015.

Corner previously described; to which I add 1-F.M.S., for this claim.

The north quarter corner of Section 19, T.1 N., R. 15 E., G.& S.R.B.& M., bears N.04°-28' E. 1938.6 ft.

Cor. No.1, Fraction lode, Sur. 2655, the lode claim in conjunction with which this mill site is held, bears S.60° 29'-40" W. 5695.3 ft.

Thence S. 53°-51' E.

Along line 4-3, Joe Bush mill site, this survey.

385.10 To Cor. No.2, identical with N.E.Cor. of the location; Cor. No. 3, Joe Bush millsite, Cor. No.2, Pinto mill site and Cor. No.3, Apex mill site, all of this survey.

Previously described; to which I add 2-F.M.S., for this claim.

Thence S. 07°--04' W.

Along line 3-2 of said Apex mill site.

- 106.77 Intersect line 4-1, Tribune lode, Sur. 2841, S. $82^{\circ}-58' E$.
253.4 ft. from Cor. No.4.
- 325.30 To Cor. No.3, identical with S.E.Cor. of the location and
Cor. No.2, of said Apex mill site.
On line 2-3, Tribune lode, Sur. 2841.
A pine post, 5 ft. long, 4 x 6 ins., with nail at the
exact corner, set 36 ins. in the ground, with mound of
stone, scribed 3-F.M.S.-3016, for this claim.
Thence, S. $88^{\circ}-55' W$.
Along line 2-3, Tribune lode, Sur. 2841.
- 256.90 To Cor. No.4, identical with S.W.Cor. of the location
and Cor. No.3 of said Tribune lode.
On line 3-4, Wild Air lode, Sur. 2841.
A pine post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 24 ins. in the ground, with mound of
stone, scribed 3-T-2841, to which I add 4- F.M.S.-3016
for this claim, whence
A granite stone, 12 x 18 x 30 ins. out of the ground,
chiseled cross B.R.-3016, bears N. $61^{\circ}-14' E$. 22.3 ft.
Thence N. $07^{\circ}-16' E$.
Along line 4-3, Wild Air lode, and line 3-4, Tribune lode,
both of Sur. 2841.
- 234.30 To West End Center of said Tribune lode.
- 254.80 To Cor. No.5, identical with monument of the location;
Cor. No.3, Wild Air lode and Cor. No.4, Tribune lode,
both of Sur. 2841.
A redwood post, 4.5 ft. long, 4 ins. sq., with nail at
the exact corner, set 18 ins. in the ground, with
mound of stone, scribed 3-W.A.-2841, and 4-T-2841, to
which I add 5-F.M.S.-3016, for this claim.
Thence S. $86^{\circ}-45' W$.
Along line 3-2, Wild Air lode, Sur. 2841.
- 42.20 To Cor. No.6, identical with monument of the location and
Cor. No.3, Brownie lode, of the unapproved Sur.3015.

On line 2-3, Wild Air lode, Sur. 2841.

A pine post, 5 ft. long, 4 x 6 ins., with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 3-B-3015, to which I add 6-F.M.S.-3016, for this claim, whence

A granite stone, 20 x 28 x 46 ins., out of the ground, chiseled cross B.R.-3015, to which I add 3016, bears S. 14°-25' E. 63.3 ft.

A granite stone, 7 x 20 x 40 ins. out of the ground, chiseled cross B.R. 3015, to which I add 3016, bears S. 47°-02' W. 28.8 ft.

Thence N.00°-47' W.

Along line 3-2, Brownie lode, of the unapproved Sur.3015.

15.50 To Northeast End Center, of said Brownie lode.

304.50 To Cor. No.1, the place of beginning.

Apex Mill Site.

Beginning at Cor. No.1, identical with S.E.Cor. of the location and S.W.Cor. of the Ellison Homestead (S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$, Sec. 19).

On line 2-3, Tribune lode, Sur. 2841, S. 88°-55' W. 51.4 ft. from Cor. No.2.

A pine post, 5 ft. long, 4 x 6 ins., with nail at the exact corner, set 36 ins. in the ground, with mound of stone, scribed 1-A.M.S.-3016, whence

The quarter corner between Sections 19 and 20, T.1 N., R.15 E., G. & S.R.B. & M., bears N.88°-55' E. 1277.5 ft.

Cor. No.1, Apex lode, Sur. 2655, the lode claim in conjunction with which this mill site is held, bears S. 71°-53'-20" W. 7853.4 ft.

A dacite stone, 7 x 10 x 18 ins. out of the ground, chiseled cross B.R.-3016, bears S.32°-14' W. 35.5 ft.

A cedar tree, 2 $\frac{1}{2}$ ins. in diameter, blazed and scribed cross B.T. only, bears S.52°-16' E. 9.05 ft.

Thence S.88°-55' W.

Along line 2-3, Tribune lode, Sur. 2841.

- 109.18 Intersect line 1-3, Wednesday lode, Sur. 2498, N.24°-20' E. 145.81 ft. from Cor. No.2.
- 304.00 Intersect line 2-3, Wednesday lode, Sur. 2498, N.46°-12' W. 186.63 ft. from Cor. No.2.
- 1207.20 To Cor. No.2, identical with S.W.Cor. of the location and Cor. No.3, Fraction mill site, this survey.
On line 2-3, Tribune lode, Sur. 2841.
Corner previously described; to which I add 2-A.M.S., for this claim.

Thence N.07°-04' E.
Along line 3-3 of said Fraction mill site.
- 318.53 Intersect line 4-1, Tribune lode, Sur. 2841, N.82°-58' W. 1246.04 ft. from Cor. No.1.
- 325.30 To Cor. No.3, identical with N.W.Cor. of the location; Cor. No. 3, Fraction mill site; Cor. No.3, Joe Bush mill site and Cor. No.2, Pinto mill site, all of this survey.
Corner previously described; to which I add 3-A.M.S., for this claim.

Thence S.75°-06' E.
Along line 2-1, of said Pinto mill site.
- 779.30 To Cor. No.4, identical with monument of the location and Cor. No.1, of said Pinto mill site.
At the intersection of line 2-3, Wednesday lode, Sur. 2498, with line 4-1, Tribune lode, Sur. 2841, being N. 46°-12' W. 338.94 ft. from Cor. No.2 of said Wednesday lode and N.82°-58' W. 473.99 ft. from Cor. No.1 of said Tribune lode.
Corner previously described; to which I add 4-A.M.S., for this claim.

Thence S.82°-58' E.
Along said line 4-1, Tribune lode.
- 334.70 To Cor. No.5, identical with monument of the location.
At the intersection of said line 4-1, Tribune lode, with line 1-2, Wednesday lode, Sur. 2498, being N.82°-58' W.

139.29 ft. from Cor. No.1 of said Tribune lode and N. 24°-20' E. 212.49 ft. from Cor. No.2 of said Wednesday lode.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 5-A.M.S.-3016.

Thence N.24°-20' E.

Along said line 2-1, Wednesday lode.

188.10 To Cor. No.6, identical with monument of the location. At the intersection of line 1-2, Wednesday lode, Sur. 2498, with the west line of the Ellison Homestead (the S.E.¼ of the N.E.¼ of Sec. 19).

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 14 ins. in the ground, on bed rock, with mound of stone, scribed 6-A.M.S.-3016, whence

A granite boulder, 1.5 x 5 x 5 ft., chiseled cross B.R. 3016, bears N.80°-37' W. 7.85 ft.

Thence S.01°-02' E.

Along the west line of Ellison Homestead.

181.40 Intersect line 4-1, Tribune lode, Sur. 2841, N.82°-58' W. 57.9 ft. from Cor. No.1.

230.10 To Cor. No.1, the place of beginning.

Magnetic variation at all corners 13°55' E.

oooooooooooooooooooo

Areas.

	Acres.	Acres.
Total Area Joe Bush Mill Site,		3.879 ✓
Total Area Pinto Mill Site,		4.165 ✓
Total Area Fraction Mill Site,		2.794 ✓
Area in conflict with Tribune lode, Sur. 2841	1.379 ✓	
Total Area Apex Mill Site,		4.770 ✓
Area in conflict with:		
Wednesday lode, Sur. 2498,	0.485 ✓	
Tribune lode, Sur. 2841,	3.655 ✓	
Common conflict with Tribune lode, Sur. 2841 and Wednesday lode, Sur. 2498,	0.485 ✓	

oooooooooooooooooooo

Location.

This survey is located in the SW¼ NE¼ and SE¼ NW¼ of

Section 19, T.1 N., R. 15 E., G. & S.R.B. & M.; Globe Mining District, Gila County, Arizona.

oooooooooooooooooooo

Improvements.

Fraction Mill Site.

A shaft, 4 x 6 x 9 ft., the center of which bears S. 82°-58' E. 77.0 ft. from a point on line 4-5, 234.3 ft. from Cor. No.4:

oooooooooooooooooooo

Instrument and Determination of Meridian.

This survey was made with a Berger Engineer's transit. The courses were deflected from the true meridian as determined by direct Solar observation, verified by Polaris observation. The distances were measured with a 650 ft. steel tape.

oooooooooooooooooooo

Adjoining and Conflicting Claims.

The Ford lode; of Sur. 2500, and the Wednesday lode, Sur. 2498; on the north. The Ellison Homestead, on the east. Santa Fe Scrip Entry Phoenix No.07767, and the Tribune lode of Sur. 2841; on the south. The Wild Air lode, of Sur. 2841; the Brownie and Legal Tender lodes; of the unapproved Survey 3015, on the west. All of the above surrounding claims being owned by the claimants of the claims in this survey:

oooooooooooooooooooo

Report.

The lines of the claims in this survey and all tie lines were run direct upon the ground.

The north quarter corner of Section 19, to which tie is given is a quartzite stone 6 x 6 x 6 ins. out of the ground, with mound of stone alongside, chiseled $\frac{1}{4}$ on east face.

The quarter corner between Sections 19 and 20, to which tie is given is a schist stone, 8 x 10 x 12 ins. out of

the ground, chiseled 20 in east face and $\frac{1}{4}$ 8 19 on west face, with mound of stone alongside.

Cor. No.2, Joe Bush lode, Sur. 2656; Cor. No.1, Fraction lode, Sur. 2655; Cor. No.2, Pinto lode, Sur. 2656 and Cor. No.1, Apex lode, Sur. 2655, to which ties are given, respectively from Corners Nos.1 of the Joe Bush, Fraction, Pinto and Apex mill sites, are 4 x 4 posts properly set and scribed.

Corners 3 and 4, Ford lode, Sur. 2500, are 4 x 4 redwood posts, properly set and scribed. The disagreement between these notes and line 3-4 of said Ford lode as approved is due to error in Sur. 2500. The disagreement between the tie to the north quarter corner of Sec. 19, from Cor. No. 1 of said Ford lode, as reported in the returns of Sur. 2500, and the same tie as computed through the lines of this survey, is due partially to errors in Sur. 2500 and to tie having been made to a point which was not the true north quarter corner of Section 19.

Corners 1,2 and 3, Wednesday lode, Sur. 2498, are 4 x 4 redwood posts, properly set and scribed.

I find the bearing of line 1-2, of said Wednesday lode, correct as approved. The disagreement between these notes and line 2-3 of said Wednesday lode is due to error in said Sur. 2498.

I establish the west line of the Ellison Homestead (S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$, Sec.19) by subdividing Section 19. The different position determined for this line in this survey and the same line in the execution of Sur. 2498 and in the execution of Sur. 2841, is due to having accepted for the north quarter corner and for the south quarter corner of Section nineteen points that were not the true quarter corners. All of the corners of Section 19 which govern the position of this line, except the south quarter corner, are in, and I establish it for the purpose of subdividing the section in its proper position by proportion-

ate measurement, in line between the S.E. and S.W. corners of the section.

Corners 1,2 and 3, Tribune lode and Corners 2,3 and 4, Wild Air lode, Sur. 2841, are 4 x 4 redwood posts properly set and scribed. Corner No.4 of said Tribune lode is a 4 x 4 pine post, properly set and scribed. I find lines 1-2 and 3-4, Tribune lode and (lines 2-3-4, Wild Air lode, correct as approved. There is a nominal disagreement between these notes and lines 2-3 and 4-1, Tribune lode, as approved, and between) the tie from Cor. No.1 of said Tribune lode to the quarter corner between Sections 19 and 20 as computed through the lines of this survey and the same tie as approved.

Corners 2 and 3, Brownie lode and 3 and 4, Legal Tender lode, both of the unapproved Sur. 3015, are pine posts as described herein.

Edwin J. Stewart
U.S. Mineral Surveyor.

Globe, Arizona, October 7th, 1912.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the ~~mining~~ claim of

Inspiration Consolidated Copper Company
Joe Bush Mill Site, Pinto Mill Site, Apex Mill Site

known as the Fraction Mill Site.

and showing the respective capacities in which they acted.

Percy Bee, Chainman.
Virgil Shrigley, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Percy Bell

and Virgil Shrigley, do solemnly swear that we assisted Edwin T.

Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the ~~mining~~ claim of Inspiration Consolidated Copper Company

Joe Bush Mill Site, Pinto Mill Site, Apex Mill Site
known as the Fraction Mill Site.

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Percy Bee, Chainman.
Virgil Shrigley, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 5th

day of October, 1912.

L. M. Brooks

Notary Public, Gila
County, Arizona.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated September 28, 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the ~~Mining~~ Claim of Inspiration Consolidated Copper Company, known as the Joe Bush Mill Site, Pinto Mill Site, Apex Mill Site ~~Fraction Mill Site.~~, situate in Globe Mining District, Gila County, Arizona, in Section 19, Township No. 1 N., Range No. 15 E., G. & S.R.B. & M., and designated as Survey No. 3016, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Deputy Mineral Surveyor, before me L.M. Brookner, a Notary
Public, this 2nd
day of October, 1912.

L.M. Brookner

Notary Public, Gila
County, Arizona.

o 3-154

My Commission Expires December 12, 1912.

MILL SITE LOCATION

AUG 12 1912

NOTICE IS HEREBY GIVEN, that Inspiration Consolidated Copper Company, a corporation organized under the laws of the State of Maine, has located and claimed and does locate and claim the JOE BUSH mill site, containing approximately 3.90 acres, of non-mineral land situated in Section 19, Township 1 N.R. 15 E., G. & S.R.B. & M., in the Globe Mining District, in Gila County, State of Arizona, and more particularly described as follows, to-wit;

Beginning at the Southeast corner of said mill site where this notice is posted, whence the West quarter corner of said Section 19 bears approximately S. 82° 00' W. 2675.0 feet distance; thence N. 53° 51' W. 385.1 feet to the Southwest corner, identical with the Northeast corner of the Brownie lode amended, and the Southeast corner of the amended Legal Tender lode, both unsurveyed; thence N. 07° 04' E. 534.04 feet to the Northwest corner, being a point on the Southwest side line, line 3-2 of the Wednesday lode, M.S.No. 2498; thence S. 46° 12' E. along said Wednesday side line, 420.0 feet to the Northeast corner; thence S. 07° 04' W. 470.0 feet to the place of beginning.

This mill site is located in connection with the Joe Bush lode, patented M.S. No. 2656, and is to be used for mining and milling purposes, in connection with said Joe Bush lode.

Dated and posted on the ground this 16th day of July, 1912.

Inspiration Consolidated Copper Company,
By W.C. Browning.

Filed and recorded at the request of E.W. Rice on the 17 day of July, A.D. 1912 at 30 minutes past 2 o'clock P.M.
E.T. Stewart, County Recorder.

State of Arizona,)
 : SS
County of Gila.)

I, E.T. Stewart, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the above and foregoing is a full, true and correct copy of the Location Notice of the JOE BUSH MILL SITE, as the same appears of record in my office in Book 16, Records of Mines, at page 132; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

7th GIVEN under my hand and seal of office, this day of August, A.D. 1912.

E. T. Stewart
County Recorder.

AUG 12 1912

MILL SITE LOCATION.

NOTICE IS HEREBY GIVEN, that Inspiration Consolidated Copper Company, a corporation organized under the laws of the State of Maine, has located and claimed and does locate and claim the PINTO mill site, containing approximately 4.11 acres of non-mineral land situated in Section 19, Township 1 N.R.15 E. G. & S.R.B. & M., in the Globe Mining District, in Gila County, State of Arizona, and, more particularly described as follows, to-wit:

Beginning at the South west corner of said mill site where this notice is posted, identical with the Southeast corner of the Joe Bush mill site, whence the West quarter corner of said Section 19 bears S.82° 00' W. 2675.0 feet, approximately; thence N.07° 04' E. 470.0 feet to a point on the Southwest side line, line 3-2 of the Wednesday lode, patented, M.S.No.2498, the Northwest corner; thence S. 46° 12' E. along said Wednesday side line, 963.4 feet to the Southeast corner; thence N.75° 06' W. 779.3 feet to the place of beginning.

This mill site is located in connection with the Pinto lode, patented M.S.No.2656, owned by the undersigned, and is to be used for mining and milling purposes in connection with said Pinto lode.

Dated and posted on the ground this 16th day of July, 1912.

Inspiration Consolidated Copper
Company,
By W.C.Browning.

Filed and recorded at the request of E.W.Rice on
the 17 day of July, A.D. 1912 at 30 minutes past 2 o'clock P.M.
E.T.Stewart, County Recorder.

STATE OF ARIZONA,)
 : SS
County of GILA.)

I, E.T.STEWART, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Location Notice of the PINTO MILL SITE as the same appears of record in my office in Book 16, Records of Mines, at page 132; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 17th
day of August, A.D. 1912.

E. T. Stewart
County Recorder.

AMENDED MILL SITE
LOCATION.

SEP. 28 1912

NOTICE IS HEREBY GIVEN that Inspiration Consolidated Copper Company, a corporation organized under the laws of the State of Maine, has located and claimed and does locate and claim the amended Apex mill site, containing approximately 4.63 acres of non-mineral land situate in Section 19, Township 1 N. R. 15 E. G. & S.R.B. & M., in the Globe Mining District, Gila County, Arizona, and more particularly described as follows, to-wit:

Beginning at the Northwest corner of said amended mill site, where this notice is posted, identical with the Southeast corner of the Joe Bush mill site and the Southwest corner of the Pinto mill site, whence the West quarter corner of said Section 19 bears approximately S. 82° 00' W. 2675 feet; thence S. 75° 06' E. 779.3 feet to the Southwest side line of the Wednesday lode, patented, M.S. 2498; thence S. 82° 58' E. 334.7 feet to the Easterly end line of said Wednesday lode; thence N. 24° 20' E. 188.1 feet; thence S. 01° 02' E. 230.1 feet to the Southeast corner; thence S. 88° 55' W. 1207.2 feet to the Southwest corner; thence N. 07° 04' E. 325.3 feet to the place of beginning.

This amended mill site is located in connection with the Apex lode, patented, M.S. 2655, owned by the undersigned, and is to be used for mining and milling purposes in connection therewith.

This is an amended location of the Apex mill site located July 16th., 1912, by the undersigned, the location notice of which was recorded on July 17, 1912, in Book 16, of Records of Mines, at page 133, and is made to correct errors in description in said original notice and without waiving any rights acquired by said original location.

Dated and posted on the ground this September 18th, 1912.

INSPIRATION CONSOLIDATED COPPER COMPANY,
By T. R. Drummond

Filed and recorded at the request of T. R. Drummond
on the 23 day of September, A.D. 1912 at 40 minutes past
9 o'clock A.M.

E. T. Stewart County Recorder.

State of Arizona,)
) ss.
County of Gila.)

I, E. T. Stewart, County Recorder in and for the
County of Gila, State of Arizona, do hereby certify that **the**
above and foregoing contain and constitute a full, true and
correct copy of Apex Mill Site Amended, as the same appears
of record in my office in Book 16, Records of Mines, at page 139;
that I have compared the same with the original record, and
that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this ^{24th} 24th,
day of September, A.D. 1912.

E. T. Stewart
County Recorder, Gila
County, Arizona.

MILL SITE LOCATION.

AUG 12 1912

NOTICE IS HEREBY GIVEN, THAT Inspiration Consolidated Copper Company, a corporation organized under the laws of the State of Maine, has located and claimed and does locate and claim the FRACTION mill site, containing approximately 2.87 acres, of non-mineral land, situated in Section 19, Township 1 N.R. 15 E., G. & S.R.B. & M., in the Globe Mining District, in the County of Gila, State of Arizona, and more particularly described as follows, to-wit:

Beginning at the Northeast corner of said mill site where this notice is posted, identical with the Southeast corner of the Joe Bush mill site, the southwest corner of the Pinto mill site, and the Northwest corner of the Apex mill site, whence the West quarter corner of said Section 19 bears approximately S. 82° 00' W. 2675.0 feet distant; thence S. 07° 04' W. 325.3 feet to the Southeast corner; thence S. 88° 55' W. 256.9 feet to a point on line 4-3 of the Wild Air lode, M.S. 2841, the Southwest corner; thence N. 07° 16' E. along said line 4-3, 254.8 feet to the Northeast corner of said Wild Air lode, thence S. 86° 45' W. along line 3-2 of said Wild Air lode, 42.2 feet to the Southeast corner of the Brownie lode, amended; thence N. 00° 47' W. 304.5 feet to the Northwest corner, identical with the Northeast corner of the Brownie lode, the Southeast corner of the amended Legal Tender lode, and the Southwest corner of the Joe Bush mill site; thence S. 53° 51' E. 385.1 feet to the place of beginning.

This mill site is located in connection with the Fraction lode, patented M.S. 2655, owned by the undersigned, and is to be used for mining and milling purposes in connection therewith.

Dated and posted on the ground this July 16th, 1912.

Inspiration Consolidated Copper
Company,

By W.C. Browning.

Filed and recorded at the request of E.W. Rice on
the 17 day of July, A.D. 1912 at 30 minutes past 2 o'clock P.M.
E.T. Stewart, County Recorder.

STATE OF ARIZONA,)
) L SS
County of GILA.)

I, E.T. STEWART, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Location Notice of the FRACTION Mill Site, as the same appears of record in my office in Book 16, Records of Mines, at page 132; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal, of office, this 7th day of August, A.D. 1912.

E. T. Stewart
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 21, 1913.

I, U. S. Surveyor General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

INSPIRATION CONSOLIDATED COPPER COMPANY

, known as the JOE BUSH MILL SITE, PINTO MILL SITE, APEX MILL SITE, FRACTION MILL SITE.

, situate in GLOBE

Mining District, GILA County,

ARIZONA, in Section 19, Township No. 1 N.,

Range No. 15 E., and designated as Survey

No. 3015, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 21, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

INSPIRATION CONSOLIDATED COPPER COMPANY

, known as the

JOE BUSH MILL SITE, PINTO MILL SITE, APEX MILL SITE, FRACTION MILL SITE.

situate in GLOBE mining district,

GILA County, ARIZONA.

in Section 19, Township No. 1 N., Range No. 15 E.

, designated as Survey No. 3016

executed by Edwin T. Stewart, United States Mineral

Surveyor, Sept. 28-30, 1912, 190, under my instructions dated

Sept. 28, 1912, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank Lyzack

U. S. Surveyor-General for Arizona.