

NOV 19 1912

JAN 14 1913

4-683.

MINERAL SURVEY No. 3022 A-B

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

CONSOLIDATED ARIZONA SMELTING COMPANY

KNOWN AS THE

Blue Thunder, Victory No. 1, victory No. 2, Victory #. 5, Victory #. 6
Victory #. 7 Lodes, and Blue Thunder, Victory No. 1, Victory No. 2
Victory No. 5, Victory No. 6, Victory No. 7 Mill-sites.

BIG BUG & AGUA FRIA Mining Districts.

YAVAPAI County, ARIZONA (partly surveyed)

Victory No. 2, No. 5, No. 6, & No. 7 Millsites in Sec. 23, T. 13 N. R. 1 E.

Lodes Sections Approx. 23-27, Township 11 1/2 N., Range 1 E. Unsurveyed.

Victory No. 1 and Blue Thunder Mill-sites, in Secs. 35-36 T. 12 N. R. 1 E.
Surveyed under instructions dated Sept. 16 th., 19 12 unaccepted

by J. William Wavra
U. S. Mineral Surveyor.

Claim located See location notices., 19

Survey commenced Sept. 21, 19 12

Survey completed Oct. 2, 19 12

6-822
Address

Anderson and Lamson Attys .

Prescott Arizona.

SURVEY NO. 3022 A & B.

BLUE THUNDER Lode.

Beginning at Cor. No. 1, identical with Cor. No. 3 Blue Coat Lode Sur. No. 1528, and Cor. No. 2 Victory No. 7 lode of this survey, a rock in place (diorite) 3x3x0.5 ft exposed, with a substantial mound of stone alongside, chiseled B T-1, V 7-2-3022A and B C-3-1528 ~~on top face~~ with cross on top for exact corner point, from which point,
 U.S.L.M. No. 1528 B.B.D. brs. N. 39°-15'E. 4341.68 ft.
 No bearings available.

Thence S. 50°-58'E.

- 40.0 Leave creek bottom, course of wash due south.
- 300.00 North center end, a mound of stone.
- 303.00 South center end Blue Coat Lode.
- 596.20 To Cor. No. 2 (~~Blue Thunder Lode~~) identical with Cor. No. 2 Blue Coat Lode Sur. No. 1528, a slate stone 4x10x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled B T-2-3022A on West face, and B C-2-1528 on North face with cross on top for exact cor. pt, from which point,
 A rock in place 5x3x4 ft. exposed, brs N. 4°-19'W. 68.7 ft. chisled BxR B T-2-3022A, and B C-2-1528.
 A rock in place 3x2x2 ft. exposed and chisled B T-2-3022A and B C-2-1528, BxR, brs. N. 47°-22'E. 66.8 ft.
 Thence S. 33°-23'W.
- 852.0 Cross wash course NW to SE.
- 1500.37 To Cor. No. 3 (~~Blue Thunder Lode~~), a shist stone 4x10x25 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled B T-3-3022A on north face with cross on top for exact corner point, from which point,
 A rock in place 1x2x2 ft. exposed and chisled BxR B T-3-3022A, brs. N. 11°-08'E. 37.9 ft.
 No other bearings available

Thence N.50°-58'W.

187.00 Cross small wash course NE to SW.
 300.00 South center end, a mound of stone.
 600.00 To Cor. NO. 4 (~~Blue Thunder Lode~~), a diorite stone 5x12x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled B T-4-3022A on east face with cross on top for exact corner point, from which point,

A rock in place 20x5x4 ft. exposed and chiseled BxR B T-4-3022A, brs. N. 16°-50'E. 9.75 ft.

No other bearings available.

Thence N.33°-32'E.

750.0 West side center location monument. Stake in mound of stone
 1500.00 To place of beginning.

All corners are identical with their respective locations. Variation at all corners, 14°-00'E.

VICTORY No. 7 Lode

Beginning at Cor. No.1, identical with cor.No.3 Victory No.6 Lode of this survey, and Cor. No.3 Blue Buck Lode and Cor. No.4 Blue Coat Lode Sur. No.1528, a porphyry stone 6x8x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled, V7-1, V6-2-3022A on West and north faces (respectively, and B C 4-1528. and B B-3-1528 on south and east faces respectively, with cross on top for exact corner point, from which point,

A rock in place 2x1.5x2 ft. exposed and chiseled

BxR V7-1-3022A and B C No.4-1528 brs. N.76°-18'W. 27.8 ft.
 U.S.L.M.No.1528, Brs. N.41-46'E.2883.87 ft.
 No other bearings available.

Thence S.34°-18'W.

290.0 cross wash course southerly,
 1466.12 To Cor.No.2, identical with Cor.No.1 Blue Thunder lode of this survey, previously described.
 Thence N.46-36'W.
 300.00 South center end, a mound of stone
 600.00 To Cor.No.3 (~~Victory No.7 Lode~~), being a point in wash where

it was impracticable to set a stone for cor., so I set a Witness Corner, a diorite stone 5x13x30 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled WC-V7-3-3022A, with cross for exact corner point, which point brs. N.34°-18'E. 12.7 ft. from the true corner point.

A rock in place, being face of fifteen foot bluff, and chiseled BxR-V7-3022A, brs. N.71°-53'W. 44.5 ³/₄ from W.C. Corner, and N.55°-20'W. 42.77 ft. from true pt. for Cor. No other bearings available.

Thence N, 34°-18'E. (from True Corner)

- 12.70 Witness Corner; previously described.
- 616.00 Cross small dry wash, course NW. to SE.
- 648.00 A point from which west side center location monument brs. N.46°-36'W. 48.0 feet, being a stake in mound of stone 2 ft. high.
- 1466.12 To Cor. No. 4 ~~Victory No. 7 lode~~, identical with Cor. No. 3 Victory No. 6 lode of this survey, a shist stone 4x16x24 inches long set twelve inches in the ground with a substantial mound of stone alongside, chiseled V7-4-3022A on SW face and V6-3 on NE face with cross on top for exact corner point; from which point,
 - A rock in place 1x2x1 ft. exposed and chiseled BxR V7-4-3022a, brs. N.5°-53'W. 13.8 ft.
 - A rock in place 1x2x1 ft. exposed and chiseled BxR V6-3-3022A brs. S.86°-33'E. 26.65 ft.
 - Thence S.46°-36'E.
- 278.0 Cross small dry wash, course, due south.
- 300.00 North center end, a mound of stone.
- 539.7 Cross road, course east and west.
- 600.00 To Cor. No. 1 the place of beginning.

All corners are identical with their respective locations, except where bearings are given. variation at all corners 14°-00'E.

VICTORY NO. 6 Lode.

Beginning at Cor. No. 1, identical with Cor. No. 2,

Victory No. 5 Lode of this survey, Cor. No. 3 Blue Bell Lode Sur. No. 1528, and Cor. No. 4 Blue Buck Lode Sur. No. 1528, a slate stone 4x8x24 inches long set 12 inches in the ground, with a substantial mound of stone alongside, chiseled V6-1-3022A on west face, V5-2 On north face, and also same stone marked BB-3-1528, and BB-4-1528, with cross on top for exact corner point, from which point,

A rock in place 2x2x2 ft. exposed and chiseled BxR, V5-2-3022A, brs. N. 9°-09' W. 38.9 ft.

A rock in place 6x4x2 ft. exposed and chiseled BxR-V6-1-3022A, brs. N. 50°-44' W. 18.4 ft.
U. S. L. M. No. 1528 BBD. brs N. 53°-30' E. 1450.11 ft.
Thence S. 30°-24' W.

- 100.0 Cross road NW. to SE.
- 595.0 Cross small dry wash, course, North to south.
- 1429.0 Cross road course west to east.
- 1493.28 To Cor. No. 2, identical with Cor. No. 1, Victory No. 7 lode of this survey, previously described.
Thence N. 46°-36' W.
- 60.3 Cross road course west to east.
- 300.0 A mound of stone, being South center End.
- 323.0 Cross small dry wash, course, due south.
- 600.00 To Cor. No. 3, identical with Cor. No. 4 Victory No. 7 lode of this survey, previously described.
Thence N. 30°-24' E.
- 750.0 West side center monument, being a stake in mound of stone 2 ft. base and 2 feet high.
- 1348.0 Cross small dry wash, course, west to east.
- 1493.28 To Cor. No. 4 ~~Victory No. 6 lode~~, identical with Cor. No. 3 victory No. 5 lode of this survey, a rock in place 10x6x3 feet exposed and chiseled V6-3022A and V5,-3, with cross on top for exact corner point.
- No bearings available.
- Thence S. 46°-36' E.
- 222.0 Cross road, course NE to SW.
- 300.0 North center end a mound of stone, in small gulch, course due east
- 600.0 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14°-00' E.

VICTORY ~~NO. 5~~ [#] Lode.

Beginning at Cor.No.1, identical with Cor.No.2, victory No.1 lode of this survey and Cor.No.4 Blue Bell Lode Sur.No.1528, a diorite stone 6x10x30 inches long, set 12 inches in the ground with a substantial mound of stone alongside, chiseled, V5-1-3022A on West face, V1-2 on east face, and BB-4-1528, with cross on top for exact corner point, from which point,

A rock in place, chiseled BxR V5-1-3022A, and BB-No.4-1528, brs. S.73°-16'W. 104.9 ft.

A rock in place, chiseled BxR-V1-2-3022A, and BB-No.4-1528, brs. S.25°-21'W. 38.0 ft.

U.S.L.M.No.1528 BBD. Brs. S.46°-34'E. 673.4 ft.
Thence S.27°-03'W.

- 75.0 Cross small dry wash, course, SW to NE.
- 1076.00 Cross road, course NW to SE
- 1143.0 Cross road, course NW to SE
- 1371.0 Cross small dry wash, course SE.
- 1488.3 To Cor.No.2, identical with Cor.No.1 Victory ~~no. 5~~ [#] lode of this survey, previously described
Thence N.46°-36'W.
- 300.00 South Center End a mound of stone, in small gulch, course due east.
- 378.00 Cross road, course, NE to SW.
- 600.0 To Cor.No.3, identical with Cor.No.4 Victory ~~no. 5~~ [#] lode of this survey, previously described.
Thence N.27°-03'E.
- 500.00 Cross small dry wash, course, west to east.
- 520.0 West side center monument, being a stake in mound of stone 2 foot base and two feet high.
- 1050.0 Cross road, course, due north.
- 1299.0 Cross old road, course, due north
- 1486.2 To Witness corner (~~Victory No.5 Lode~~) Cor.No.4, hereafter described.
- 1488.3 To point for Cor.No.4 (~~Victory no.5 Lode~~), I established a witness corner as it was impracticable to set a stone at the true corner, there being solid formation underneath the surface. I set the witness corner W.S.27°-03'W.2.1 ft. from the true corner point, being a diorite stone 4x12x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled WC-V5-4-3022A on South

face with cross on top for exact corner point.

No bearings available from either witness corner
or true point for corner.

Thence S.46°-36'E. (from true Cor.)
300.0 North center end, a mound of stone,
600.0 To place of beginning.

All corners are identical with their respective
locations. Variation at all corners 14°-00'E.

VICTORY NO.1 Lode.

Beginning at point for Cor.No.1, for which point
I established a witness corner, as it was impracticable to
set a stone at the true point for corner, there being solid
formation underneath, identical with Corner No. 1
Blue Bell Lode Sur.No.1528, a diorite stone 6x10x24 inches
long set 12 inches in the ground with a substantial mound
of stone alongside, chiseled WC-V1-1-3022A, and BB-No1-
1528, with cross on top for exact corner. point. from which
point, (Witness Corner)

A rock in place 4x2x3 feet exposed and chiseled
BxR-V1-1-3022A-WC and BB-No.1-1528, brs. N.35°-14'W. 52.9 ft.

A rock in place 3x2x1 ft exposed, and chiseled
BxR-V1-1-3022A-WC and BB-No1-1528 brs.S,19°-21'W. 33.6 ft.

U.S.L.M.No.1528 B.B.D. brs. S.19°-34'E. 99.5 ft.

True point for Cor.No.1 brs.S.27°-42'W. 5.22 ft.

From true point for Cor.No.1 Victory No.1 lode,
U.S.L.M.No.1528 brs. S.21°-50'E. 96.14 ft.

Thence N.50°-29'W. (from true pt.)

293.22 South Center End, a mound of stone.

327.0 Under aerial tram, course N.27°-00'E.

382.00 Cross wash, course N.E.

412.0 Cross old road. course SW to NE.

546.0 Cross small dry wash, course easterly.

587.17 To Cor.No.2, identical with Cor.No.1 Victory No.5 lode of
this survey, previously described.

Thence N.27°-13'E.

100.0 Cross road, course SW to NE.

- 750.00 West side center monument, being a stake in mound of stone two foot base and two feet high.
- 1501.32 To Cor.No.3 Victory No.1 lode, identical with Cor.No.2 Victory No.2 lode, a diorite stone 6x14x30 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled V1-3-3022A, and V2-2-3022A, with cross on top for exact corner point, from which point,
A rock in place 1x2x2 ft exposed, and chiseled BxR-V2-2-3022A, brs. N.24°-13'E. 21.75 ft.
No other bearings available.
Thence S.50°-29'E.
- 140.0 Cross road, course SW to NE.
- 260.0 Under aerial tram, course N.37°-00'E.
- 300.0 North Center End, a mound of stone.
- 432.0 Cross wash course NE.
- 600.0 To Cor.No.4 (~~Victory No.1 lode~~), identical with Cor. No.1 Victory No.2 lode of this survey, a diorite stone 8x10x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled V1-4-3022A and V2-1 with cross on top for exact corner point.
No bearings available.
Thence S, 27°-42'W.
- 1493.48 Witness corner to Cor.No.1 (~~Victory No.1 lode~~), identical with Cor.No.1 Blue Bell Lode Sur. No.1528, previously described, whence Cor.No.4 said Blue Bell Lode, brs. N.50°-58'W. 586.15 ft.
- 1498.70 To the place of beginning.
All corners are identical with their respective locations. Variation at all corners 14°-00'E.
- VICTORY NO.2 Lode.
Beginning at Cor.No.1, identical with Cor.No.4 Victory No.1 lode of this survey, previously described, from which point,
U.S.L.M.No.1528 B.B.D brs. S.25°-02'W. 1561.9 ft.
Thence N.50°-29'W.
- 168.00 Cross wash course, NE.
- 300.00 South Center End, a mound of stone.

- 340.00 Under aerial tram, course N.27°-00'E.
 460.00 Cross road, course SW to NE.
 600.00 To Cor.No.2 Victory No.1 lode, ^{identical with Cor.No.3 of this survey,} previously described.
 Thence N.27°-17'E.
 750.0 West side center monument, being a stake in mound of stone 2x2 ft.
 1290.00 Cross Dry wash, course SE.
 1321.70 Intersect line 1-4 May lode Sur.No.2783 N.51°-03'W.598.73
 ft. from Cor.No.1 May lode.
 1327.63 To Cor.No.3 ~~Victory No.2 Lode~~, a quartz diorite stone 6x
 12x30 inches long set 12 inches in the ground with a
 substantial mound of stone alongside, chiseled V2-3-3022A
 with cross on top for exact corner point, from which point
 A cedar 18 inches in diameter scribed BxT V2-3-
 3022A, and M-1-2783, and May-4-2783, brs. N.19-16'E. 28.2 ft.
 No other bearings available.
 Thence S.50°-29'E.
 255.00 Under aerial tram, course N.27°-00'E.
 300.00 North center end, a mound of stone.
 600.00 To Cor.No.4 ~~Victory No.2 Lode~~, identical with Cor.No.1
 May lode Sur.No.2783, a quartz diorite stone 10x10x30 inch-
 es long set 15 inches in the ground with a substantial mound
 of stone alongside, chiseled V2-4-3022A and M-1-2783, with
 cross on top for exact corner point.
 No bearings available.
 Thence S.27°-17'W.
 225.00 Cross small wash course south easterly.
 1014.00 Cross wash course easterly
 1327.63 To place of beginning.
 All corners are identical with their respective
 locations. Variation at all corners 14°-00'E.

VICTORY NO.7 Mill-Site.

Beginning at the point for Cor.No.1 Victory No.7
 mill-site, said point being in the Agua-Fria River where
 it was impracticable to set a stone for corner, said point
 being also the point for Cor.No.1 Victory No.6 Mill-site,
 and Cor.No.1 Victory No.5 Mill-Site, From which point, I

established a witness corner S.53°-49'E. 298.5 ft., a shist stone 6x12x20 inches long set 14 inches in the ground with a substantial mound of stone alongside, chiseled WC-V7-1-3022B with cross on top for exact corner point, from which point,

A Cottonwood tree 14 inches in diameter, and scribed BxT-WC-V7-No.1-3022B brs. N.80°-22'W. 53.20 ft.

From true point for Cor.No.1-V7, the North 1/4 Corner of Sec. 23 T.13 N.R.1 E., brs. N.26°-50'E. 3763.9 feet.

From true point for corner, the nearest corner of Victory No.7 lode being Cor. No.4 brs. S.3°-22'-24"W. 53226.8 ft.

Thence S.68°-53'E. (from true Corner pt.)

258.11 intersect line 3-4 Butterfly lode Sur. No.2223, N.22°-58'E

615.66 ft from Cor. No.3 Butterfly lode.

290.0 South bank Agua Fria River, flows westerly

810.62 Intersect line 1-2 Beetle and Butterfly lodes Sur.No.2223

N.22°-58'E. 398.69 ft. from Cor.No.3 Beetle and Butterfly lodes.

1286.7 To Cor.No.2 ~~Victory No.7~~ M.S. a shist stone 4x12x28 inches long set 14 inches in the ground with a substantial mound of stone alongside, chiseled V7MS-2-3022B with cross on top for exact corner point.

No bearings available.

Thence S.00°-04'E.

195.00 To Cor.No.3 ~~Victory No.7~~ M.S., identical with Cor.No.3 Beetle Lode Sur.No.2223, a porphyry stone 6x8x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled V7-MS-3-3022B and B-3-2223 with cross on top for exact corner point,

No bearings available.

Thence S/ 89°-56'W.

300.0 To Cor.No.4 ~~Victory No.7~~ M.S., identical with S.C.End Beetle lode, and Cor.No.2 ~~Victory No.6~~ M.S. of this survey, a shist stone 8x14x24 inches long set 12 inches in the ground with a substantial mound of stone alongside chiseled V7 MS-4, V6 MS-2-3022B, and S.C.E.B., with cross

on top for exact corner point.

No bearings available.

Thence N.53°-49'W.

- 283.55 intersect line 1-2 Butterfly and Beetle lodes N.22°-58'E.
182.22 ft. from Cor.No.2 Butterfly and Beetle Lodes.
- 817.3 Witness corner to Cor.No.1 Victory No.7 Mill site.
- 850.81 Intersect line 3-4 Butterfly lode, N.22°-58'E. 546.74 ft.
from Cor. No.3 Butterfly Lode.
- 875.8 South bank Agua Fria River, flows westerly.
- 1115.8 To the place of beginning.

All corners are identical with their respective locations. Variation at all corners Var. 14°-20'E.

VICTORY NO.6 Mill-Site.

Beginning at the point for Cor.No.1, identical with point for Corner No.1 Victory No.7 Mill-site of this survey, previously described, whence Cor.No.4 Victory No.6 lode, brs.

S.2°-37'-27"W. 51900.9 ft., the north 1/4 Cor. Sec. 23, T.13 N.R.1 E. brs. N.26°-50'E. 3766.9 ft., and Witness corner for Cor.No.1 Victory No.6 MS. and Victory No.5 M.S. brs.

S.24°-30'E. 219.4 ft., said witness corner being a shist stone 4x12x24 inches long set 15 inches in the ground with a substantial mound of stone alongside, chiseled WC-V6^{MS}-1, V5^{MS}-1-3022B with cross on top for exact corner point, from which point.

A cottonwood tree 20 inches in diameter, and scribed BxT-WC-V6 MS.-Nel-3022B, brs. N.71°-52'W. 24.73 ft.

No other bearings available.

Thence S.53°-49'E. (From True Corner)

- 240.0 South bank Agua Fria river, flows westerly.
- 264.99 Intersect line 3-4 Butterfly lode N.22°-58'E. 546.74 ft.
from Cor.No.3 Butterfly lode.
- 298.5 Witness corner to Cor.No.1 Victory No.7 M.S.
- 832.25 Intersect line 1-2 Butterfly and Beetle Lodes N.22°-58'E.
182.22 ft from Cor. No.2 Butterfly and Beetle lodes.
- 1115.80 To Cor.No.2 ~~Victory No.6 Mill-Site~~, identical with Cor. of this survey
No.4 Victory No.7 Mill-Site/previously described.

whence S.89°-56'W.

300.0 Cor.No.2 Butterfly Lode identical with Cor.No.2 Beetle lode, Sur.No.2223

600.0 To Cor.No.3 ~~Victory No.6 Mill site~~, identical with Cor. No.2 victory No.5 M.S. ^{of this survey} and S.C.E. Butterfly lode, Sur.No.2223, a Porphyry stone 6x8x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled V6-MS-3-3022B on east face V5-MS-2, on west face S C E 2223 on north face with cross on top for exact corner point.

No bearings available.

Thence N,24°-30'W.

374.66 intersect line 3-4 Butterfly lode N.22°-58'E. 370.66 ft. from Cor.No.3 Butterfly Lode.

404.74 Center of house 12x 15 ft.

505.34 Witness corner to Cor.No.1 Victory No.5 and 6 Mill-sites.

519.7 South bank Agua Fria River, flows westerly.

724.74 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14°-20'E.

VICTORY NO.5 Mill-Site

Beginning at ^{Pt for} Cor.No.1, identical with ^{Pt. for} Cor.No.1 Victory No.7 ^{of this survey} Millsite, previously described, whence Cor.No.4

Victory No.5 Lode, brs. S.1°-55'-37" W. 50549.47 ft. The N.1/4 cor. Sec.23, T.13 N.R.1 E. brs. N.26°-50'E. 3766.9 ft. Thence S.24°-30'E.

205.0 South bank Agua Fria River.

219.4 Witness Cor. to Cor.No.1 Victory No.5 and 6 Millsites.

320.0 Center of house 12 x 15 ft.

350.08 Intersect line 3-4 Butterfly lode N.22°-58'E. 370.66 ft. from Cor.No.3 Butterfly lode.

724.74 To Cor.No.2 identical with Cor.No.3 ~~Victory No.6 Mill-site~~ of this survey, previously described. Thence S.89°-56'W.

300.0 Cor.No.3 Butterfly lode, Sur.No. 2223.

660.0 To Cor.No.3 ~~Victory No.5 Mill site~~, a shist stone 4x12x24 inches long set 12 inches in the ground with a substantial

mound of stone alongside, chiseled V5-MS-3-3022B with cross on top for exact cor. pt. from which point,

A rock in place 3x4x0.5 ft. exposed and chiseled BxR-V5-MS-3-3022B, brs. S.75°-33'W. 26.9 ft.

No other bearings available.

Thence N.38°-34'E.

490.0 South bank Agua Fria River, flows westerly.

751.7 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14°-20'E.

VICTORY NO.2 Mill-Site.

Beginning at Cor.No.1, a ^{volcanic} stone 6x13x24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled V2-MS-1-3022B, with cross on top for exact corner point from which point,

A rock in place 4x3x3 ft. exposed, and chiseled BxR-V2-MS-1-3022B, brs. S.35°-12'E. 33.25 ft.

The north 1/4 corner of Section 23. T.13 N.R.1 E. brs. N.0°-18'W. 319.0 ft.

Cor.No.3 Victory No.2 Lode brs. S.2°-21'57"W. 51091.46 ft.

No other bearings available

Thence S.29°-02'E.

795.0 East bank Agua Fria River, flows southerly

1011.6 To point for Cor.No.2 ~~Victory No.2 Mill-site~~, in river bed, for which point I established a witness corner, S.89°-56'W. 176.6 ft., a post 4x4x4 ft. long set two ft. in the ground, and scribed WC-V2-MS-2-3022B, with nail in top for exact corner point, from which point,

A rock in place, being a reef in creek bed 50x30 x10 ft. exposed, and chiseled BxR-V2-MS-2-3022B, brs. S.42°-59'E. 145.5 ft.

A rock in place, being a reef in creek bed 30x20 x15 ft. exposed, and chiseled BxR-V2-MS-2-3022B, brs. S.61°-54'E. 172.6 ft.

Thence S.89°-56'W.(From true Cor.Pt.)

- 150.0 West bank Agua Fria River, flows Southerly .
- 176.6 Witness Cor.To Cor.No.2 ~~Victory No.2 Mill-site~~, heretofore described.
- 300.0 South center end. Admiral lode, identical with N.C.E. Rear Admiral lode Sur. No.2224.
- 490.0 To Cor.No.3 ~~Victory No.2 M.S.~~, identical with Cor. No. 2 Admiral lode and Cor. No.1 ^{Sur No 2224} Rear Admiral Lode, a volcanic stone 8x10x 24 inches long set 12 inches in the ground with a substantial mound of stone alongside, chiseled.V2-M.S.-3-3022B and A-2-2224 on northeast face, and R.A.-1-2224 on south face with cross on top for exact corner pt, from which point,

A rock in place 4x3x1.5 ft. exposed and chiseled BxR-V2-MS-3-3022B, brs. S.5°-23'E. 6.65 ft.

No other bearings available.

Thence N.00°-04'W.

- 342.0 South bank Agua Fria river, flows southeasterly
- 570.0 North bank Agua Fria River, flows Southeasterly.
- 885.0 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14°-20'E.

VICTORY NO.1 Mill-site.

Beginning at Cor.No.1 a pine post 4x6x5 ft. long set 15 inches in the ground and surrounded by a mound of stone, scribed V1-MS-1-3022B, with nail in top for exact corner point, from which point,

^{True pt. for}
The 1/4 cor. Secs.35-36, T.12 N.R.1E. (unaccepted) brs. S.3°-57'E. 285.97 ft. This pt. is south 79.2 ft. from the W.C. therefore Cor.No.3 V1 lode brs. S.29°-56'35"W. 11667.08 ft.

U.S.L.M.No 1528 brs, S.26°-49'-29"W.13343.51 ft.

The N.W.Corner of T.11 N.R.2 E. brs. S.61°-6'10" E. 6053.46 ft.

No other bearings available.

Thence S.30°-28'E.

- 38.85 Intersect the section line between sections 35 and 36, North 251.80 ft. from the ^{true} point for 1/4 corner, and South 2388.2 ft. from Cor.To Secs.35-36-35-36, T.12 N.R.1 E. (unaccepted).

413.0 Cross road course N. and S.

466.3 To Cor.No.2 Victory No.1 Mill-site, a shist stone 4x12x20 inches long set 14 inches in the ground, with a ^{Fine Post} 4x6x5 ft. set in the ground alongside, chiseled V1-MS-2-3022B, with cross on top for exact corner point.

No bearings available.

Thence S.59°-32'W.

51.0 Cross road course N, and S.

251.45 Intersect the section line between sections 35 and 36, south 244.12 ft. from the ^{true} point for 1/4 corner, and North 2395.9 ft. from Cor. to secs. 35-36-1-2, Ts. 11 1/2 & 12 N. R. 1 E.
409.0 Cross road course NW. to SE.

456.6 Witness corner to Cor.No.3 Victory No.1 MS. hereafter described

466.6 Point for Cor.No.3 Victory, ^{No. 1 Mill-site falls on roadbed of P & E. R.R.} where it was impracticable to set stone corner, so I established a witness corner N.59°-32'E. 10.0 ft. being a shist stone 4x10x18 inches long set 14 inches in the ground with a substantial mound of stone alongside, chiseled WC-V1-MS-3-3022B with cross on top for exact corner point.

No bearings available.

Thence N.30°-28'W. (From true Cor. along the roadbed of the P. & E. R. R.)
242.25 Cor.No.1 Blue Thunder Mill-site. (Point for Corner)

466.3 To Cor.No.4 Victory No.1 Mill-site, ^{falls in roadbed of P & E. R.R.} where it was impracticable to set stone corner, so I established a witness corner N.59°-32'E. 10.0 ft. being a shist stone 3x12x24 inches long set 14 inches in the ground with a substantial mound of stone alongside, chiseled WC-V1-MS-4-3022B with cross on top for exact corner point.

No bearings available.

Thence N.59°-32'E. (From true cor.pt.)
10.0 Witness Corner, heretofore described.

56.0 Cross road course NW. to SE.

305.0 Cross small dry wash, flows northwesterly.

466.6 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14-20'E.

BLUE THUNDER Mill-site.

Beginning at Cor.No.1 on line 3-4 Victory No,1 Mill-site, for which point I established a witness corner S.58°-46'W. 29.85 ft., being a shist stone 4x8x24 inches long set 14 inches in the ground, with a substantial mound of stone alongside, chiseled WC-BT-MS-1-3022B, with cross on top for exact cor.point. (See bearing ties on page 16) It was impracticable to set a corner at the true pt. therefor as it falls on the road bed of the P. & E. R. R.

Thence S.58°-46'W. (from true pt. for Cor.)

- 1.7 Center of north rail Prescott and Eastern R.R.
 13.3 Center of North rail of switch to terminal station
 29.85 Witness corner, to Cor.No.1, heretofore described.
 89.0 Cross road, course NW. to SE.
 466.6 To Cor.No.2 a pine post 4x8x 6 ft. long set 14 inches in the ground and surrounded by a mound of stone, scribed BT-MS-2-3022B, with nail in top for exact corner point.

No bearings available.

Thence N.30°-28'W.

- 62.0 Under aerial tram, course N.27°-00'E.
 466.6 To Cor.No.3 Blue Thunder Mill-site, a quartz diorite stone 8x8x24 inches long set 12 inches in the ground with a post set in the ground alongside, chiseled BT-MS-3-3022B, with cross on top for exact corner point.

No bearings available.

Thence N.58°-46'E.

- 382.8 North rail of switch, course northwesterly.
 443.15 Witness corner to Cor.No.4 Blue Thunder Mill-site, hereafter described.
 463.9 North rail main line Prescott and Eastern R.R.
 466.6 To Cor.No.4 Blue Thunder Mill-site, for which point, I established a witness corner S.58°-46'W. 23.45 ft. being a shist stone 4x12x30 inches long set 14 inches in the ground with a substantial mound of stone alongside, chiseled WC-BT-MS-4-3022B, with cross on top for exact corner point. It was impracticable to set a corner at the true point therefor, as it falls on the roadbed of the P. & E. R. R.

No bearings available.

Thence S.30°-28'E.

- 236.0 Cross road course Northeast to Southwest.

242,55 Cor.No.4 Victory No.1 Mill-site.
 466.6 To place of beginning, from which point;
 (Cor.No.1 Blue Thunder Lode brs. S.29°-44'45"W.
 17091.90 ft.
 U.S.L.M.No.1528 Brs.S.26°-32'-26"W. 12830.00 ft.
 The N.W.Corner of T.11 1/2 N.R.2 E. brs.
 S.65°-56'E. 6120.2 ft.
 The point for 1/4 cor.secs.35-36,T.12 N.R.1 E.
 (unaccepted) brs. N.64°-54'E. 340.44 ft.
 No other bearings available.)
 All corners are identical with their respective
 locations. Variation at all corners 14 -20'E.

AREAS.

	Area	Area
Total area BLUE THUNDER Lode -----		20.501
Total area VICTORY #.7 lode -----		19.939
Total area VICTORY #.6 Lode -----		20.041
Total area VICTORY #.5 Lode -----		19.670
Total area VICTORY NO.1 Lode -----		19.989
Area in conflict with Blue bell lode Sur.No.1528 -----	0.003	
Total area VICTORY NO.2 Lode -----		17.871
Area in conflict with May Lode survey No. 2783 -----	00.004	
Total area VICTORY NO.7 Mill-site -----		4.957
Area in conflict with Beetle Lode Survey No.2223 -----	2.943	
Area in conflict with Butterfly Lode Survey No.2223 -----	1.808	
Total area VICTORY NO.6 Mill-site -----		4.544
Area in conflict with Beetle Lode Survey No.2223 -----	0.579	
Area in conflict with Butterfly Lode Survey No.2223 -----	3.445	
Total area VICTORY NO.5 Mill-site -----		4.997
Area in conflict with Butterfly Lode Survey No.2223 -----	1.174	
Total area VICTORY NO.2 Mill-site -----		4.977
Area in conflict with Admiral Lode Survey No.2224 -----	4.977	
Total area VICTORY NO.1 Mill-site -----		4.994
Total area BLUE THUNDER Mill-site -----		4.997

LOCATION

The lode claims of this survey are located within the Prescott National Forest; in approximately Secs²³ T.11 1/2 N.R.1 E. unsurveyed, of the Gila and Salt River Base and Meridian, in the Big Bug Mining District, Yavapai County Arizona.

The Victory No.1 and Blue Thunder Mill-sites are located in Secs³⁵ and 36, T.12 N.R.1 E. (Unaccepted) Survey), within the Prescott National Forest, at what is known as the railroad terminal of the Blue Bell tram, in Big Bug Mining District, Yavapai County Arizona. Victory No.5, Victory No.6, and Victory No.7 Mill-sites are located on the Agua Fria River, about 3/8 ths. of a mile below where Chaparral Wash empties into the Agua Fria River, in approximately ~~the NW.1/4~~ of the SW 1/4 of Sec. 23 T.13 N.R.1 E. (being the unsurveyed part of Sec.23), in the Agua Fria Mining District, Yavapai County, Arizona. Victory No.2 Mill-site is located on the Agua Fria River in the NW 1/4 of NE 1/4 of Section 23 T.13 N.R.1 E., in the Agua Fria Mining District, Yavapai County, Arizona.

LODE LINES

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discovery points;

Blue Thunder Lode, N.33°-32'E. 725.0 ft. and S.33°-32'W. 775.0 ft. from the Discovery cut.

Victory No.7 Lode, N.34°-18'E. 736.0 ft. and S.34°-18'W. 730.12ft. from the Discovery monument located on the ledge.

Victory No.6 Lode, N.30°-24'E. 750.0 ft. and S.30°-24'W. 743.3 ft. from the Discovery monument located on the ledge.

Victory No.5 Lode, N.27°-03'E. 888.3 ft. and S.27°-03'W. 600.0 ft. from the Discovery Monument located on the ledge at the Disc. cut.

Victory No.1 Lode, N.27°-27'E. 750.0 ft. and S.27°-27'W.
750.0 ft. from the Discovery monument, located on the ledge.

Victory No.2 Lode, N.27°-17'E. 577.63 ft. and S.27°-17'W.
750.0 ft. from the Discovery monument, located on the ledge.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I hereby certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claims by the claimant or its grantors is not less than five hundred dollars, and that said improvements consists of:

BLUE THUNDER ~~ode~~.

No.1 Discovery Cut, the face of which brs. S.33°-32'W.
725.0 ft. from the North Center End, 4x3^{ft.} running south 15
ft.

Value \$75.00

No.2 shaft, 4x6x40^{ft.}, the center of which brs. S.54°-55'W.
697.0 ft. from Cor.No.2.

Value \$400.00

No.3 Shaft, 4x6x10^{ft.}, the center of which brs. S.33°-32'W.
575.0 ft. from the North Center End.

Value \$100.00

No.4 Cut and Tunnel, the mouth of cut, brs. S.61°-32'W.
723.0 ft. from Cor.No.2, 4x6^{ft.} running N.61°-00 E. 12.0 ft.
end of cut and mouth of tunnel, 32.0 ft. face of tunnel.

Value \$320.00

No.5 Shaft, 4x6x65 ft.deep. the center of which brs.
S.49°-18'W. 626.0 ft. from Cor.No.2

Value \$650.00

No.6 Tunnel, ^{4x6 ft.,} the mouth of which brs. N.59°-51'E. 804.0 ft.
from Cor.No.4, running N.59°-44'E. 68.3 to sta.1, thence
N.30°-16'W. at 60.0 ft. connect with Shaft.No.2, 65.7 ft to
face, also from sta. 1 N.59°-44'E. at 16 ft., runs a drift to
left/course N.33°-00'E. 30.0 ft., 86.0^{ft.} to face of tunnel.

Value \$2500.00

No.7 Tunnel, the mouth of which brs. N.17°-00'E.753.0 ft.

from Cor. No.3, 4x6^{ft} running S.30°-46'W. 13.5 ft. thence N.74°-25'W. 21.0 ft.

Value \$345.00

No.8 Tunnel, the mouth of which brs. N.13°-00'E. 765.0 ft. from Cor.No.3, 4x6^{ft} running S.76°-00'W. 54.0 ft.

Value \$540.00

No.9 Shaft, the center of which brs. N.47°-50'E. 55.0 ft. from the South Center End. 4x6x10 ft. deep.

Value \$100.00

VICTORY ~~No.~~[#] 7 Lode

No.1 Discovery monument, which brs. S.34°-18'W. 736.0 ft. from the North Center End.

No.2 Shaft, 4x6x15 ft. deep, the center of which brs. S.55°-43'W. 873.0 ft. from Cor.No.1

Value \$150.00

No.3 Open cut and tunnel, the mouth of cut, brs. S.67°-12'W. 718.0 ft. from Cor. No.1, 4x6^{ft} running N.67°-00 E. 10.0^{ft} end of cut and mouth of tunnel, 16.0 ft. face.

Value \$150.00

No.4 shaft 4x6x10, the center of which brs. S.00°-15'W.396.0 ft. from Cor. No.4.

Value \$100.00

No.5 Shaft 4x6x10, the center of which brs. S.3°-07'W. 411.0 ft. from Cor. No.4

Value \$100.00

To be credited to this claim is an equal undivided one seventh interest in workings on 800 ft. level as set forth under heading "Common Improvements"

Value \$2338.40

Diamond Drill Holes Nos 3-4-5-6-7 (See "Common Improvements") total depth 1146 ft. value \$4584.00

VICTORY ~~No.~~[#] 6 Lode

No.1 Discovery monument, which brs. S.30°-24'W. 750.0 ft. from the North Center End.

No.2 shaft 4x6x20, the center of which brs. S.88°-00'E. 300.0 ft. from Cor. No.3. Value \$200.00

No.3 Open Cut, the mouth of which brs. N.87°-02'E. 296.0 ft.

from Cor. No.3, 4x10^{ft.} running east. 10.0 ft.
Value \$100.00

No.4 Shaft 4x6x10^{ft.} the center of which brs. S.5°-00'W.
595.0 ft. from Cor. No.4
value \$100.00

No.5 Shaft 4x6x10^{ft.} the center of which brs. S.67°-20'W.
502.0 ft. from Cor. No.1 (caved)
Value \$100.0

No.6 Open Cut, the mouth of which brs. S.44°-34'W. 617.0
ft. from Cor. No.1, 4x10x7 ft. face, running northwest.
value \$100.00

To be credited to this claim is an equal undivided one
seventh interest in workings on 800 ft. level as set forth

under heading "Common Improvements" Value \$2338.40
Diamond Drill Hole No.9, ("See Common Improvements")
total depth 293.0 ft. value \$1172.00

VICTORY #.5

No.1 Discovery monument, which brs. S.27°-03'W. 888.3 ft.
from the North Center End.

No.2 Open cut, the mouth of which brs. N.5°-00'E. 735.0
ft. from Cor. No.2, 4x10x10 ft. face running southeast.
Value \$100.00

No.3 Shaft. 4x6x10^{ft.} the center of which brs. S.70°-03'E.
257.0 ft. from Cor. No.3 Value \$100.00

No.4 Shaft 4x6x10^{ft.} the center of which brs. S.80°-25'E.
357.0 ft. from Cor. No.3. Value \$100.00

No.5 Shaft 4x6x10^{ft.} (caved), the center of which brs.
S.69°-24'E. 413.0 ft. from Cor. No.3
Value \$100.00

No.6 Shaft 4x6x10^{ft.} the center of which brs. S.69°-15'W.
384.0 ft. from Cor. No.1 Value \$100.00

No.7 Shaft 4x6x10^{ft.} the center of which brs. S.1°-10'W. 45.0
ft. from Cor. No.4. Value \$100.00

To be credited to this claim is an equal undivided one
seventh interest in workings on 800 ft. level as set forth

under heading "Common Improvements".
Value \$2338.40

VICTORY NO.1

No.1 Discovery Monument, which brs. S.27°-27'W. 750.0 ft.

from the North Center End.

- No.2 Shaft 4x6x10 ϕ the center of which brs. N.59°-40'E.
756.0 ft. from Cor. No.2 Value \$100.00
- No.3 Shaft 4x6x43 ϕ , the center of which brs. N.52°-28'E
885.0 ft. from Cor. No.2 Value \$430.00
- No.4 Shaft 4x6x10 ϕ the center of which brs. N.75°-14'E.
679.0 ft. from Cor. No.2 Value \$100.00
- No.5 Shaft 4x6x10 ϕ the center of which brs. S.40°-42'W.
180.0 ft. from Cor. No.4 Value \$100.00

VICTORY NO.2

- No.1 Discovery monument, which brs. S.27°-17'W. 577.63 ft.
from North Center End.
- No.2 shaft 4x6x10 ϕ the center of which brs. N.51°-14'E.
337.0 ft. from Cor. No.2 Value \$100.00
- No.3 Open Cut, the mouth of which brs. S.89°-13'W.461.0
ft. from Cor. No.4, 4x20x10 ft. face, running north.
Value \$150.00
- No.4 Shaft 4x6x28 ϕ the center of which brs. N.80°-18'W.
417.0 ft. from Cor. No.4 Value \$280.00

COMMON IMPROVEMENTS

Extensive work has been done toward the developement of the Victory Nos 5-6-7 lodes, through the deep shaft located on the Blue Buck Lode Sur. No.1528. This shaft has a vertical depth of 750 ft. to what is known as the 800 foot level, from which level cross cuts were run toward the Victory lodes. These cross cuts ^{intersect} the boundaries of the Victory #.7 at a depth of 850.0 ft. and that of the Victory #.6 at a depth of 900.0 ft. It will be clearly seen that the most economic way of developing the lodes and veins passing through the Victory #.5-6-7 lodes of this survey, and Victory No.3-4-8-9 unsurveyed; the latter being extensions of the surveyed lodes north and south respectively, is through the main working shaft and the cross-cuts and drifts below. Exploration work by the use of the "Diamond Drill"

has been done on the Victory #.7 and Victory #,6 lodes on the 800 foot level. They vary in depth from 160 to 300 ft. below the 800 foot level. They were driven to further development of the veins and lode passing through the Victory claims. Following is a description of the workings designated as "Common Improvements". beginning with Sta.1; Cor.1 Victory #.7 lode, thence S.66°-31'E.293.52 ft. to collar of main shaft, thence down main shaft N.56°-18'W. ^{horizontal distance/} 166.1 ft./to sta. 1 on the 800 foot level at beginning of cross-cut, thence N.66°-17'W. 35.2 ft to sta.2, thence N.55°-41'W.57.4 ft. to sta.3, also 81.5 ft to sta.4, thence from sta.3 S.70°-05'W. 38.5 ft. to sta.5, thence S.42°-09'W. 25.8 ft. to sta.6, Thence S.12°-00'W, 14.2 ft. to sta.7, thence S.25°-18'E. 38.7 ft. to sta.8, thence S.36°-40'W, 52.4 ft. to sta.9, thence S.19°-50'W. 54.1 ft. to sta.10, thence S.46°-23'W. 64.1 ft. to sta. 11, thence S.31°-40'W. 21.5 to sta.11A, also 89.5 to sta.12. From sta.11A runs a cross-cut S.55°-41'E. 19.5 ft. to face, also N.55°-40'W. 29.0 ft. to face. From sta.12 runs a cross-cut N.67°-08'W.53.4 ft. to sta.12A, 76.6 ft. to sta.12b, 131.3 ft. to sta.12c, also S.30°-00'W. 35.8 ft. to sta. 13. From sta.12a S.39°-00'W. 7.5 ft. to No.3 Diamond drill hole depth 200.0 ft., 14.0 to face of drift. From 12b S.39°-00'W. 11.5 ft. to No.4 diamond Drill hole depth 207.0 ft., 17.0 ft. to face of drift. From 12c S.39°-00'W. 31.5 ft. to No.5 Diamond Drill hole depth 279.0 ft., 37.5 ft. to face of drift. From sta. 13 S.13°-31'W. 29.6 ft. to sta. 14, thence S.32°-20'W. 86.2 ft. to sta. 15, thence S.46°-50'W. 52.5 ft. to face, also N.55°-41'W. 75.2 ft. to sta. 15a, 117.5 ft. to sta. 16. From sta.15a S.28°-35'W, 6.8 ft. to No.6 Diamond Drill hole depth 160.0 ft., 9.5 ft. to face of drift. From Sta. 16 N.68°-30'W. 20.3 ft. to sta. 16a, 47.8 ft. to sta. 17, thence S.55°-40'W. 72.3 ft. to face. From sta 16a S.28°-35'W.11.0 ft. to No.7 Diamond Drill hole depth 300 ft., 13.5 ft. to face of drift.

From sta. 4 N.50°-10'W. 120.0 ft. to No.9 Diamond Drill hole depth 293 ft., 122 ft. to face, also N.24°-35'E. 17.5 ft. to

sta. 20, thence N.37°-05'E. 186.2 ft. to sta. 21, thence
 also N.89°-40'E. 44.5 ft. to face./
 N.27°-50'E. 59.7 ft. to face, I consider the above noted

workings to be an improvement of such character as to
 redound to the benefit of all the claims mentioned below
 Victory #.5, Victory #.6 and Victory #.7 of this survey,
 and Victory No.3, Victory No.4, Victory No.8, and Victory
 No.9 unsurveyed Consolidated Arizona Smelting Company,

Claimant. Total length of workings (exclusive of Diamond Drill
 Holes), 1636.9 ft. Value \$16369.00
 One seventh equal undivided interest. Value \$2338.40

(Note) Totals start from Sta.No.1 "Common Improvements" (con-
 tinued on page 28).

OTHER IMPROVEMENTS.

Victory #.7

About 600 ft. of new road on the north end of claim.

Victory #.6

About 75 ft. of new wagon road crosses the South
 corner. Also about 450 ft. of wagon road crosses along
 the north end of claim.

Victory #.5

About 1700 ft. of wagon road crosses this claim from
 the south end line to the north.

Victory No.1

The aerial tram between the mine and the Prescott and
 eastern railroad, passes lengthwise through the claim.
 About 2200 ft of old road passes through the claim end to
 end.

Victory No.2

The above mentioned aerial tram extends through the
 claim, lengthwise.

Blue Thunder

No other improvements.

Victory No.5 Mill-site.

A small house 12 x 16 ft. stands on the line between
 this mill-site and Victory No.6 Mill-site adjoining on
 the east side. No other improvements.

Victory No. 6 Mill-site.

Small house as mentioned for Victory No. 5 M.S. No other improvements.

Victory No. 7 Mill-site.

No. 1 a shaft 4x6x10 (caved), the center of which brs. N. 62°-28'W. 880.0 ft. from Cor. No. 3

No. 2 a shaft 4x6x10 (caved), the center of which brs. N. 64°-02'W. 877.0 ft. from Cor. No. 3. No other improvements

Victory No. 2 Mill-site.

No. 1 a shaft 4x6x24 ft., the center of which brs. from Witness Cor. Victory No. 2 cor. No. 2 N. 87°-31'W. 130.0 ft.

No. 2, a shaft 4x6x10 ft., the center of which brs. from witness cor. N. 78°-30'W. 143.0 ft.

No. 3 a shaft 4x6x14 ft., the center of which brs from witness corner. N. 61°-00'W. 177.0 ft. No other improvements.

Victory No. 1 Mill-site

A house (frame) 27x54 ft. the southeast gable of which brs. N. 3°-58'W. 192.0 ft. from Cor. No. 3

A house (frame) 18x42 ft., the southwest gable of which brs. N. 12°-02'W. 250.0 ft. from Cor. No. 3

A frame barn 15x 25 ft. , the northwest cor. of which brs. N. 76°-05'E. 265.0 ft. from Cor. No. 4.

No other improvements.

Blue Thunder Mill-site.

About 470 ft. of siding railroad track for ore cars.

Terminal station aerial tram from Blue Bell mine, 50x36x24 x27x54x36 ft. on the irregular sides, the north corner of which brs. S. 1°-44'E. 156.8 ft. from Cor. No. 4

A transformer station 12x15 brs. S. 19°-26'W. 154 ft. from Cor. No. 4

About 400 ft. of the aerial tram is located on this mill-site. No other improvements.

ADJOINING CLAIMS

Victory #. 7

On the southwest, Victory No. 8 Lode unsurveyed Consolidated

Arizona Smelting Company, Claimant.

On the Southeast, Blue Coat Lode Sur.No. 1528, Consolidated Arizona Smelting Company Claimant.

Blue Thunder

On the Southwest Victory No.10 Lode unsurveyed, Consolidated Arizona Smelting Company, Claimant.

On the Northwest Victory No,8 and southeast Victory No.12 unsurveyed, Consolidated Arizona Smelting Co, Claimant.

On the Northeast Blue Coat Lode Sur. No.1528, owned by Consolidated Arizona Smelting Company.

Victory #.6

On the southeast, Blue Buck Lode, Sur. No. 1528, owned by Consolidated Arizona Smelting Co.

Victory #.5

On the southeast , Blue Bell Lode, Sur. No.1528, owned by Consolidated Arizona Smelting Co.

On the Northeast , Victory No. 4 Lode unsurveyed, Consolidated Arizona Smelting Company, Claimant.

Victory No.1

On the Southwest, Blue Bell Lode Sur. No. 1528.

On the Northwest, victory No.4 Lode, previously mentioned.

Victory No.2

On the Northwest, Victory No.3 Lode unsurveyed, Consolidated Arizona Smelting Company, Claimant.

On the Northeast, May Lode Sur. No. 2783, owned May Malcolm Mining Company.

Victory No.7 Mill-site,
Victory No.6 Mill-site,
Victory No.5 Mill-site,

Conflicting with Butterfly and Beetle Lodes, Sur. No.2223 Consolidated Arizona Smelting Company, applicant.

Victory No.2 Mill-site

Overlaps Admiral Lode, and joins Rear Admiral Lode, Sur. No.2224/^{on the south /} Consolidated Arizona Smelting Company, applicant.

Victory No.1 Mill-site

No known adjoining claims.

Blue Thunder Mill-site.

No known adjoining claims.

INSTRUMENT

This survey was made with a Lietz Light Mountain transit-theodolite No.13-5929. The courses were deflected from the true meridian as determined by observations by the use of the Saegmuller Solar Attachment. The distances were measured with a 150 ft. and 300 ft. steel tape.

REPORT

U.S.L.M. No.1528 B.B.D. is a rock in place 3x3x2 ft. exposed, chiseled as above with a substantial mound of stone alongside. It stands on the slope of a ridge which hrs. north and south.

Survey No.1528, Blue Coat, Blue Buck and Blue Bell Lodes: All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

I do not agree with courses and distances of the above mentioned claims i.e.

South end line Blue Coat.

West side lines of Blue Coat, Blue Buck and Blue Bell.

North End line Blue Bell lode

Tie of Cor.No.1 of the respective lodes to U.S.L.M.No. 1528.B.B.D.

Survey No.2223, Butterfly and Beetle Lodes.

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I do not agree with courses and distances of the above mentioned claims i.e.

Courses of South end lines of Butterfly and Beetle Lodes
Lines 1-2 and 3-4 Butterfly and beetle lodes.

Survey No.2224, Admiral and Rear Admiral Lodes.

All ^{standing/}corners adjoining this survey are stones properly set

and chiseled with the number of the corner and survey. Cor. No.3 Admiral Lode, identical with Cor. No.4 Rear Admiral Lode, has been washed away by caving in of the banks of the Agua Fria River. I do not agree with courses and distances of above mentioned claims;

Line 1-2 Admiral Lode, which I find to be N. 0° 07' W. 150 4 ft.

Tie of Rear Admiral lode to N.1/4 cor. Sec. 23 T.13 N.R. 1 E. Point for Cor.No.3 Admiral Lode was determined from the calls in the official records of Sur.No.2224. The W.C. 1/4 Cor. between Sections 35-36 and the N.W. Corner and N. 1/4 Cor. Sec. 23, T.13 N.R. 1 E. / of T.11 N.R.2 E. / are corners properly set and marked as per field notes for same.

The point where the Corners Nos 1 and 4 Blue Thunder Mill-site and Corners 3 and 4 Victory No.1 Mill-site, fell, is on the road bed of the Prescott and Eastern Railroad, so witness corners were established far enough from the road-bed as not to interfere with railroad operation in any form.

Survey No.2783 May and Malcolm Lodes.

All corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey.

I do not agree with courses of the above mentioned claim i.e.

Tie of May and Malcolm Lodes to U.S.L.M. 1528.
Course of the South end line of May Lode.

The North 1/4 corner of Sec. 23 T.13 N.R.1 E. is the nearest corner of the public survey, to Cor. No.1 of the Victory Nos 5-6-7 Millsites, which can be found and identified, so I made ties to said corner. (continued next page)*

These discrepancies are due to errors in the returns of the prior surveys herein mentioned.

The discrepancies found existing between the claims as marked by location monuments and as described in the location notices, are due to errors in the location notices

— *William Waara* —
U.S. MINERAL SURVEYOR

This side has been rewritten on Pages 28-29.

* ~~I was unable to locate and identify the West 1/4 Cor. East 1/4 Cor. and N.W. Cor. of Sec. 23 T.13 N.R.1.E. after careful and diligent search therefor, all of which are near to the Victory Nos. 5-6-7 Mill-sites, than the North 1/4^{Cor.} of the same section, which I tied to.~~

COMMON IMPROVEMENTS (Continued from Page 23)

The "Common Improvements" credited to the Victory No. 5-6-7 Lodes and four unsurveyed claims, which are extensions of the claims of this survey, do not tend to develop the Blue Thunder, Victory No. 1 and 2 Lodes of this survey, and Blue Coat, Blue Buck and Blue Bell Lodes Sur. No. 1528, as they were run directly away from the ore bodies and veins, traversing the last mentioned lodes, and toward parallel veins and ore bodies traversing ^{the} first mentioned lodes. The development work done for the latter lodes extends on the vein northeast and southwest from the bottom of the shaft at sta. 1 of traverse. All the work intended for the development of the veins of the Blue Thunder, Victory No. 1 and No. 2 lodes of this survey and Blue Coat, Blue Buck, and Blue Bell Lodes Sur. No. 1528, and Victory No. 10 lode, unsur. has been done from Sta. 1. The development of the lodes paralleling these lodes, was started by running a cross-cut from Sta. 1 northwesterly or at right angles to the vein, to intersect ore bodies and veins in the lode lying in that direction. From this cross cut, drifts were run and from the latter cross-cuts were started to further develop and open up the veins of the parallel lodes to the northwest, viz, ^{three} the lodes of this survey ^{first above named} and their extensions.

As there are two distinct working plans and workings each having a different and separate purposes, I hold that one cannot redound to the benefit of the other. The main workings falling to the benefit of the lodes on that vein and the workings tributary to the cross-cut from sta. 1, redounding entirely to the lodes as heretofore mentioned, viz., Victory Nos. 5-6-7 of this survey and Victory Nos. 3-4-~~8~~ and 9, unsurveyed. (70)

* I was unable to locate and identify the West 1/4 Cor., East 1/4 Cor., and N.W. Cor. of section 23, T.13 N.R.1 E. after careful and diligent search therefor; all of which are nearer to the Victory No. 5-6-7 Mill-sites, than the North 1/4 cor. of the same section, ^{to} which I tied.

COMMON IMPROVEMENTS (Continued from Page 23)

The "Common Improvements" credited to the Victory # 5-6-7 Lodes of this survey and Victory Nos. 3-4-8-9, unsurveyed, do not tend to develop the Blue Thunder, Victory ^{lodes} Nos. 1-2 of this survey, Blue Coat, Blue buck and Blue Bell lodes, Sur. No. 1528, and Victory No. 10 lode, unsurveyed, as they were run directly away from the ore bodies and veins, traversing the last mentioned lodes and toward parallel veins and ore bodies, traversing the first mentioned lodes. The development work done for the Blue Thunder lode of this survey and Victory No. 10 lode, unsurveyed; Victory Nos. 1 and 2 lodes of this survey, has been done ^{with} in these lodes, while the the work intended for the development of the Blue Coat, Blue Buck, and Blue Bell Lodes Sur. No. 1528, has been done Southwesterly and Northeasterly from Sta. 1 on the 800 foot level of the main shaft. The development of the lodes traversing the victory # 5-6-7 Lodes of this survey and Victory Nos. 3-4-8-9, unsurveyed, was started by running a cross-cut from sta. 1 on the 800 foot level, northwesterly or at right angles to the workings, developing the Blue Coat, Blue buck, and Blue Bell Lodes, Sur. No. 1528, to intersect ore bodies and veins traversing the Victory # 5-6-7 Lodes of this survey and Victory Nos. 3-4-8-9 lodes, unsurveyed. This cross-cut has reached a point near Diamond Drill Hole No. 9 within the boundaries of victory # 6 lode of this survey. From Sta. 3 in this cross-cut, a drift was run southwesterly, and from sta. 4 a drift was run northeasterly. From these drifts, cross-cuts have been already started at stations 12 and 16, all of which has been done to further develop and open up the veins traversing

the last mentioned lodes.

As there are two distinct working plans and workings, each having a different and separate purpose, I hold that one cannot redound to the benefit of the other, the main working shaft, and ^{main} workings falling to the benefit of the Blue Coat, Blue ~~Buck~~ and Blue Bell Lodes Sur. No. 1528, and the workings tributary to the cross-cut running northwesterly from sta. 1, on 800 foot level, to Diamond Drill Hole No. 9, redounding entirely to ^{the benefit of/} the Victory #. 5-6-7 lodes of this survey, and victory nos 3-4-8-9, unsurveyed.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. WILLIAM WAARA

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of CONSOLIDATED

ARIZONA SMELTING COMPANY Known as the Blue Thunder, Victory No. 1, Victory No. 3, Victory # 6, Victory # 7, Victory # 5 Lodes and Victory No. 1 Blue Thunder, Victory No. 2, Victory No. 6, Victory No. 7 and Victory No. 5 Mill-sites
known as the
and showing the respective capacities in which they acted.

Chas. P. Henry, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas. P. Henry

and _____, do solemnly swear that ~~we~~ ^I assisted J. WILLIAM

WAARA, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of CONSOLIDATED ARIZONA SMELTING COMPANY

known as the Victory No. 1, Victory No. 2, Victory # 6, Victory # 7

known as the Victory # 5, and Blue Thunder Lodes, and Blue Thunder, Victory No. 1, Victory No. 2, Victory No. 6, Victory No. 7, Victory No. 5 Mill-sites

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

Chas. P. Henry, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 8th

day of October, 1902

M. E. McElroy
Notary Public

My Commission Expires February 10th, 1915

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, J. WILLIAM WAARA, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated Sept. 13, 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Consolidated Arizona Smelting Company, known as the Blue Thunder, Victory No.1, Victory No.2, Victory #6, Victory #7, Victory #5 lodes, and Blue Thunder, Victory No.1, Victory No.2, Victory No.6, Victory No.7, Victory No.5 Mill-sites, situate in BIG BUD AND AGUA BRIA Mining District, Yavapai County, Arizona (partly ~~part~~), in Section Victory No. 2, No. 5, No. 6 & No. 7 Mill-sites in Sec. 23, T.13 N.R.1 E. Lodes approx 35-37, Township No. 11 1/2 N, Range No. 1 E. unsurveyed and designated as Survey No. 3022 A & B (Unaccepted) and as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. William Waara
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said J. WILLIAM WAARA

U. S. ~~Deputy~~ Mineral Surveyor, before me M. E. McNeley
Notary Public this 4th
day of October 1912,

M. E. McNeley
Notary Public

o 3-154

My commission expires Feb - 18 - 1916 -

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge,
(from discovery shaft-

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred(300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W.corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E.corner of claim; thence at right angles across the ledge in a Westerly/^{direction}Six Hundred (600) feet to Monument of Stone at S.W.corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monygment on West boundary and place of beginning.

This ledge may be more generally described as situated 5 miles S.W. of Mayer, Az. 300 ft. W. of Virgin Mary Gulch & joining the Blue Coat M'n'g claim on the South.- in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Blue Thunder Mining Claim.

Dated On The Ground this First day of July 1899

Witness:-

E.A.Haggott.

Dan McGlone

Recorded at request of E.A.Haggott, Sept. 9 A.D. 1899, at 9 o'clock A.M., in Book 49 of Mines, page 474 Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson County Recorder.

By E.C.Averyt. Deputy.

"Victory No.1"

Notice of Location.

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge.

(from discovery shaft

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated about 5 miles S.of Mayer & joins Blue Bell claim on N. in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Victory No 1. Mining Claim.

Dated On The ground this 22 day of August 1899

Witness

E.A.Haggott.

Dan McGlone

Recorded at request of J.H.Jacks, Nov 7 A.D. 1899, at 11:30 o'clock

A.M., in Book 49 of Mines, page 526 Records of Yavapai County,
Arizona.

(SEAL) W.I.Johnson, County Recorder.

By F.E.Walker, Deputy.

37 4
"Victory No 2"

Notice of Location.

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge.

(from discovery shaft

The Exterior boundaries are as follows, viz:

Commencing at Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated about five miles south of Mayer and joins Victory No.1 on North. in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Victory No 2 Mining Claim.

Dated on the ground this 22 day of Aug. 1899.

Witness

E.A. Haggott

Dan McGlone

Recorded at request of J.H Jacks Nov 7 A.D.1899, at 11:30 o'clock A.M., in Book 49 of Mines, page 527, Records of Yavapai County, Arizona.

(SEAL) W.I. Johnson County Recorder.

By F.E. Walker Deputy.

"Victory # 5"

38

Notice of Location.

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) ~~I~~near feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge,
 (from discovery shaft
 " " "

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated about five miles south of Mayer and joins Victory No 4 on South-- in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the "Victory # 5" Mining Claim.

Dated On The Ground this 22 day of Aug 1899

Witness

Dan McGlone

E.A.Haggott

Recorded at request of J H Jacks Nov 7 A.D. 1899, at 11:30 o'clock A.M. in Book 49 of Mines, page 530, Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson, County Recorder.

By F.E.Walker Deputy.

Notice of Location

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) Linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge.
(from discovery shaft)

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monument of West boundary and place of beginning.

This ledge may be more generally described as situated about five miles south of Mayer and joins Victory No 5 on South--in Big Bug Mining District, Yavapai County, Arizona Territory and shall be known as the Victory # 6 Mining Claim.

Dated On The Ground this 22 day of Aug 1899.

Witness

E.A.Haggott

Dan McGlone

Recorded at request of J H Jacks Nov 7 A.D.1899, at 11:30 o'clock A.M. ,
in Book 49 of Mines, page 531, Records of Yavapai County, Arizona.

(SEAL)

W.I.Johnson County Recorder.

By F.E.Walker Deputy.

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals with all dips, spurs, angles and variations, with surface ~~XXXXXX~~ ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge.
(from discovery shaft)

The Exterior boundaries are as follows, viz:

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 750 feet to Monument of Stone at N.W. corner of claim; thence in a Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 750 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated about five miles south of Mayer and joins Victory No 6 on south.-in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Victory # 7 Mining Claim.

Dated On The Ground this 22 day of Aug 1899

Witness
Dan McGlone

E.A.Haggott

Recorded at request of J H Jacks Nov 7 A.D. 1899, at 11:30 o'clock A.M., in Book 49 of Mines, page 532, Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson County Recorder.

By F.E.Walker Deputy.

Location Notice

of

SEP. 16. 1912

The "Blue Thunder"

Mill-Site Claim

Know all Men by these Presents:

That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Blue Thunder" Mining Claim, situate in Bigbug Mining District, Yavapai County, Arizona Territory.

The exterior boundaries of said "Blue Thunder" Mill-Site Claim, are as follows, viz.:

Commencing at the north-east corner, marked by a post (No.7), and situated N.5°30' W.156.5 ft. from the north-west corner of the lower terminal of the Bluebell aerial tramway; and running thence S. 60° 45' W..466.6 ft. to the north-west corner, marked by a post (NO.8) ; thence S.29° 15' E.466.6 ft. to the south-west corner, marked by a post (No.9); thence N. 60° 45' E.466.6 ft. to the south-east corner, marked by a post (No.10) ; thence N.29° 15' W. 466.6 ft. to the place of beginning.

Dated on the ground, this 29th day of December, 1909.

Witness:

Consolidated Arizona Smelting Company

C.J.Adamy

By G.H.Cramer.

John Farley

Filed and recorded at request of LeRoy Anderson , December 30, A.D. 1909, at 10:36 o'clock A.M. Book 4, Mill-Sites and Water Rights, Page 238, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By G.H.Bishop, Deputy.

"Victory No.1"

42

Notice of Location Notice
of
The "Victory No.1"

Mill-Site Claim

Know all Men by these Presents:

That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Victory No.1" Mining Claim, situate in Bigbug Mining District, Yavapai County, Arizona Territory. The exterior boundaries of said "Victory No.1" Mill-Site Claim, are as follows, viz.:

Commencing at the north-west corner, marked by a post (No.1), and situated S.82° 37' E.83 ft. from the north-east corner of the lower terminal of the Bluebell aerial tramway; and running thence S.29° 15' E. 466.6 ft. to the south-west corner, marked by a post (No.2) ; thence N.60° 45' E. 466.6 ft. to the south-east corner, marked by a post (No.3); thence N. 29° 15' W. 466.6 ft. to the north-east corner, marked by a post (No.4); thence S. 60° 45' W. 466.6 ft. to the place of beginning.

Dated on the ground, this 29th day of December 1909

Witness:

C.J.Adamy

Consolidated Arizona Smelting Company.

John Farley

By G.H.Cramer

Filed and recorded at request of LeRoy Anderson, December 30, A.D. 1909, at 10:36 o'clock A.M., Book 4, Mill-Sites and Water Rights, Page 237, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By G.H.Bishop, Deputy.

Location Notice
of
The "Victory No.2"
Mill-Site Claim

Know all Men by these Presents:

That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Victory No.2" Mining Claim, said mill-site being situated in Agua Fria Mining District, and said mining claim being situated in Bigbug Mining district, both in Yavapai County, Arizona Territory.

The exterior boundaries of said "Victory No. 2" Mill-Site Claim, are as follows, viz.:

Commencing at Corner No. 1, situated 315 ft. due south of the quarter section corner between Section 14 and Section 23, Township 13, N.R.1.E., and marked by a post; and running thence S.885 ft. to corner no.2, marked by a post; thence E. 490. ft. to corner no.3, marked by a ~~post~~ post; thence N. about 28° 58' W.1011.6 ft. to place of beginning.

Dated on the ground, this 28th day of December, 1909.

Witness:

Consolidated Arizona Smelting Company

R T. Walker

By Harry Groves

Filed and recorded at request of LeRoy Anderson, December 29, A.D. 1909, at 10:45 o'clock A.M., Book 4 , Mill-Sites and Water Rights, Page 231, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By C.W.Bennett, Deputy.

"Victory No.5 "

44

Location Notice

of

The "Victory No.5"

Mill-Site Claim

Know all Men By these Presents:

That we the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Victory No.5 " Mining Claim, said mill-site being situated in Agua Fria Mining District, and said mining claim being situated in Bigbug Mining District, both in Yavapai County, Arizona Territory.

The exterior boundaries of said "Victory No.5" Mill-Site Claim, are as follows, viz.;

Commencing at Corner No.1 , situated near the center point of the south-west quarter of Section 23, Township 13, N.R.1.E., and marked by a post; and running thence N. about 24° 27' W. 725 ft. to Corner No. 2, marked by a post; thence S. about 28° 37' W. 751.7 ft. to corner No.3, marked by a post; thence E. 660 ft. to place of beginning.

Dated on the ground, this 28th day of December 1909.

Witness:

R.T.Walker

Consolidated Arizona Smelting Company,

By Harry Groves

Filed and recorded at request of Le Roy Anderson, Dec. 29, A.D. 1909, at 10:45 o'clock A.M., Book 4, Mill-Sites and Water Rights, Page 234, Records of Yavapai County, Arizona.

(SEAL) J.C. Bradbury, County Recorder.

By C.W. Bennett, Deputy.

Location Notice
of
The "Victory No.6 "
Mill-Site Claim

Know all Men by these Presents:

That we the undersigned, have this day located a Mill-site for the purpose of erecting suitable works for reducing the ores of the "Victory No.6" Mining Claim, said mill-site being situated in Agua Fria Mining District and said claim being situated ⁱⁿ Bigbug Mining District, both in Yavapai County, Arizona Territory.

The exterior boundaries of said "Victory No.6" Mill-Site Claim, are as follows, viz,:

Commencing at Corner No.1, situated near the center point of the south-west quarter of Section 23, Township 13, N.R.1 E., and marked by a post; and running thence N.about 24° 27' W.725 ft. to Corner No. 2; thence S.about 53° 45' E.1116 ft to Corner No3 , marked by a post; thence W. 600 ft. to place of beginning.

Dated on the ground, this 28th day of December, 1909.

Witness:

R.T.Walker

Consolidated Arizona Smelting Company,

By Harry Groves

Filed and recorded at request of Le Roy Anderson, December 29, A.D. 1909, at 10:45 o'clock A.M. Book 4, Mill-Sites and Water Rights Page 235, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By C.W.Bennett, Deputy.

"Victory No.7"

46

Location Notice

of

The "Victory No.7,"

Mill-Site Claim

Know all Men By these Presents:

That we the undersigned have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the "Victory No. 7" Mining Claim, said mill-site being situated in Agua Fria Mining District, and said claim being situated in Bigbug Mining District, both in Yavapai County, Arizona Territory.

The exterior boundaries of said "Victory No. 7" Mill-site Claim, are as follows, viz.:

Commencing at Corner No.1, situated about 400 yards south of the junction of Agua Fria and Chaparral Creeks , and marked by a post; and running thence N.about 68° 49' W.1287 ft. to Corner No.2, marked by a post; thence S.about 53°45' E. 1116 ft. to Corner No. 3, marked by a post; thence E. 300 ft. to Corner No.4, marked by a post; thence N. 195 ft. to place of beginning.

Dated on the ground, this 28th day of December, 1909.

Witness:

Consolidated Arizona Smelting Company.

R.T.Walker.

By Harry Groves.

Filed and recorded at request of LeRoy Anderson, December 29, A.D. 1909, at 10:45 o'clock A.M., Book 4, Mill-Sites and Water Rights, Page 236, Records of Yavapai County, Arizona.

(SEAL) J.C.Bradbury, County Recorder.

By C.W.Bennett, Deputy/

STATE OF ARIZONA,)
 :SS.
COUNTY OF YAVAPAI.)

I, L.S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Blue Thunder and Victory No.1 Mill-Site Claims, Location Notices, filed for record on December 30, A.D. 1909, at 10:36 o'clock A.M., and as the same appears of record in my office in Book 4, Mill-Sites and Water Rights at Pages, 238 and 237, respectively also Victory No 2, Victory No.5, Victory No. 6 and Victory No.7 Mill-Site Claims, Location Notices, filed for record on December 29, A.D. 1909, at 10:45 o'clock A.M., and as the same appears of record in my office in Book 4, Mill-Sites and Water Rights at Pages 231, 234, 235, and 236 respectively also

Notices of Location of Victory No.1, Victory No.2, Victory No.5, And Victory No.6 and Victory No.7 Mining Claims filed for record on Nov. 7, A.D. 1899, at 11:30 o'clock A.M. and as the same appears of record in my office in Book 49 of Mines, at pages 526, 527, 530, 531, and 532 respectively also

Blue Thunder Mining Claim, Location Notice, filed for record on ^{9 A.D.}Sept./1899 at 9:00 o'clock A.M., and as the same appears of record in my office in Book 49 of Mines, at page 474 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 13th day of September, A.D. 1912.



L. S. Colwell
County Recorder.

By W. T. King
Deputy Recorder

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

March 14, 1913.

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval

of the Survey of the mining claim of CONSOLIDATED ARIZONA SMELTING COMPANY known as the Blue Thunder, Victory No. 1, Victory No. 2, Victory #5, Victory #6, Victory #7 lodes and Blue Thunder, Victory No. 1, Victory No. 2, Victory No. 5, Victory No. 6, Victory No. 7 Mill Sites.

~~known as the~~

, situate in BIG BUG AND AGUA FRIA

Mining Districts YAVAPAI

County, ARIZONA

Victory No. 2, No. 5, No. 6 & No. 7 Mill Sites, Sec. 23 (partly sur) T. 13 N., R. 1 E. Lodes, Approx. Secs. 22, 23 and 27, T. 11½ N., R. 1 E., Unsur., (unaccepted. Victory No. 1 and Blue Thunder Mill Sites, Secs. 35-36, T. 12 N., R. 1 E. Range No. _____, and designated as Survey

No. 3022 A & B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or for each of or improvements made upon said mining claim^s by claimant or its grantors, and that said improvements consist of 7 cuts, 21 shafts, 5 tunnels, 6 drill holes and 1 drift, also 3/7 interest in 1636.9 ft. of workings from the main shaft on the Blue Buck lode, Sur. No. 1528, total value \$20,761.20. Said workings from the main shaft on the Blue Buck lode, value \$16369, comprise a system of common improvements for the benefit and development of the Victory #5, 6, 7 lodes of this survey, and the Victory Nos. 3, 4, 8 and 9 lodes, unsurveyed, and an undivided 1/7 interest therein, value \$2358.40 is properly credited to each said Victory #5, 6 and 7 lodes, and reserved for each the Victory Nos. 3, 4, 8 and 9 lodes. Said workings do not tend to develop the other claims in this survey, as they extend in an opposite direction from the veins thereon. and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

March 14, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of CONSOLIDATED ARIZONA SMELTING COMPANY

known as the
Blue Thunder, Victory No. 1, Victory No. 2, Victory #5, Victory #6,
Victory #7 lodes and Blue Thunder, Victory No. 1, Victory No. 2,
Victory No. 5, Victory No. 6, Victory No. 7 Mill Sites.

situate in BIG BUG AND AGUA FRIA Mining District,

YAVAPAI

County,

ARIZONA.

Victory No. 2, No. 5, No. 6 & No. 7 Mill Sites, Sec. 23 (partly sur) T. 13 N., R. 1 E.
Lodes in Section 22, 23 & 27, T. 11½ N, Range No. 1 E., Uns.
Victory No. 1 and Blue Thunder Mill Sites, Secs. 35-36, T. 12 N., R. 1 E. (unaccepted)
designated as Survey No. 3022 A & B

executed by J. William Waara, U. S. Deputy Mineral

Surveyor, Sept. 21-Oct. 2, 1912, 190, under my instructions dated

Sept. 16, 1912, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank Ingalls

U. S. Surveyor-General for Arizona.

NOV 13 1919

REPORT ON MINERAL SURVEY NO. 3022B

with reference to discrepancies with

MINERAL SURVEY NO. 3528

The tie from Cor. No.1 Victory No.1 Millsite to Cor. No. 3 Victory No. 1 lode is S.29°-58'-45"W. 11586.1 ft.

The tie from Cor. No.1 Victory No.1 Millsite to U.S.L.M. NO. 1528 is S. 26°-50'-20"W. 13261.5 feet.

The tie from Cor. No.1 Blue Thunder Millsite to Cor. No1 Blue Thunder lode is S.29°-46'-10"W. 17010.3 feet.

The tie from Cor. No.1 Blue Thunder Millsite to U.S.L.M. No. 1528 is S.26°-33'-15"W. 12748.0 feet.

J. William Waara
U.S. MINERAL SURVEYOR.

OCT. 25, 1919.

I, J. William Waara, U.S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above report is true and correct.

J. William Waara
U.S. MINERAL SURVEYOR

STATE OF ARIZONA
COUNTY OF YAVAPAI ss

Subscribed and sworn to by said J. William Waara before me a Notary Public in and for the County of Yavapai, State of Arizona, This 25 day of Oct 1919 A.D.

J. Brown
NOTARY PUBLIC

My commission expires.
11/19-20

H 6923
R 10/20/19
by 11/20/19

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3022B
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Victory No.5, Victory No.6 and Victory No.7 mill sites, Mineral Survey No. 3022B, located in section 23, Township 13 North, Range 1 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Victory No.5, Victory No.6 and Victory No.7 mill sites, M.S. 3022B, were canceled October 16, 2008, by memo 9605 (956) M.S. 3022B, which is now a part of the original field notes."

October 16, 2008
Date

Stephen H. Hansen
Chief Cadastral Surveyor of Arizona