

DEC 7-1912

JAN 8-1913

4-683.

MINERAL SURVEY No. 3032

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

ESTATE OF E.P. BRITTINGHAM, DECEASED,

KNOWN AS THE

L I D A

TIGER Mining District,

YAVAPAI County, ARIZONA

Section 26 Unsur., Township 10 N., Range 1 W.

Surveyed under instructions dated Nov. 27, 1912

by J. WILLIAM WAARA U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced Dec. 3, 1912

Survey completed Dec, 3, 1912

6-822

Address of Attorney for Estate

R.M. Bond,

Crown King, Arizona.

SURVEY NO. 3032

LIDA

Beginning at Cor.No.1, a shist stone 6x12x30 inches long set 12 inches in the ground with a substantial mound of stone alongside; chiseled L-1-3032 on south face with cross on top for exact corner point, from which point,

The 1/4 corner between Secs. 23-26 T.10 N.R.1 W. of the Gila and Salt River Base and Meridian, brs. N.2°-29'-10" W. 1722.0 ft.

U.S.M.M.No.1 Tiger District, brs. S.9°-18'-10"W. 1107.5 ft.

A Live Oak tree 14 inches in diameter, scribed BxT -L-1-3032, brs. S.76°-19'E. 10.0 ft.

No other bearings available.

Feet

Thence S.66°-31'E.

- 96.72 Intersect line 1-4 Hilda Lode Sur.No.3908, identical with southeast side line Wild Pigeon Lode unsurveyed, S.28°-12'W. 128.21 ft. from Cor. No.1 and North east cor. respectively.
- 121.0 Cross old road, course NE to SW.
- 196.5 Corner No.3 Discovery Location of the Eclipse Lode, Lot No.39
- 300.0 North Center End Lida Lode, a mound of stone.
- 347.8 To Cor.No.2 Lida Lode, a shist stone 4x14x24 inches long set 12 inches in the ground with a substantial mound of stone alongside; chiseled L-2-3032 on west face with cross on top for exact corner point, from which point,
- A Live oak tree 14 inches in diameter, and scribed BxT-L-2-3032, brs. N.23°-45'E. 5.55 ft. (from Cor. No. 2. On line 3-2, Dis.Loc. of the Eclipse lode Lot.No.39, 47.6 ft.
- No other bearings available.
- Thence S.26°-21'W.
- 372.0 Cross old road, course NW to SE.
- 461.4 To cor.No.3 Lida Lode, a shist stone 4x14x30 inches long set 14 inches in the ground with a substantial mound of stone alongside; chiseled L-3-3032 on North face with cross on top for exact corner point.

No bearings available.

Thence N.66-31'W.

- 47.8 South Center End Lida Lode, a mound of stone.
- 265.98 Intersect line 1-4 Hilda Lode Sur.No.2908, identical with southeast side line Wild Pigeon Lode unsurveyed, S.38-12'W. 590.64 ft. from Cor.No.1 and northeast corner, respectively.
- 269.0 To Cor.No.4 Lida Lode, a shist stone 4x12x24 inches long set 12 inches in the ground with a substantial mound of stone alongside; chiseled L-4-3032 on east face with cross on top for exact corner point, from which point,
 - A Live Oak tree 12 inches in diameter, scribed BxT-L-4-3032, brs. N.82-09'W. 67.0 ft.
 - A mound of stone 2 x 2½ ft. high around a Black Jack Oak tree, being the SW Cor. of location, brs. S.16-35'W. 26.6 ft. No other bearings available.
 - Thence N.16-35'E.

464.3 To place of beginning.

All corners are identical with their respective locations except cases where bearings are given.

Variation at all corners 14-00'E.

LODE LINE

As near as can be determined from present developments, the vein extends as follows from its discovery pt; Lida Lode, N.26-21'E. 94.0 ft. and S.36-21'W. 367.4 ft.

AREA

	Acres	Acres
Total area LIDA lode Sur.No.3032, -----		3.263
Area in conflict with		
Hilda Lode Sur.No.2908 -----	2.735	
Wild Pigeon Lode, Unsurveyed -----	0.528	

LOCATION

This survey is located within the Prescott National Forest, in the North half of Section 26, Unsur

T.10 N.R.1 W. of the Gila and Salt River base and Meridian,
in the Tiger Mining District, Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim, by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No.1 Discovery cut, 6x5x8 ft.long(caved), the center of which brs. S.27-09'W. 94.0 ft. from the North Center End.

value \$100.00

No.2 Open cut, 6x10x8^{ft}(caved), the center of which brs. S.21-20'W. 68.0 ft. from North Center End.

Value \$150.00

No.3 An incline shaft, 4x6x45 ft. deep, the center of which brs. N.22-37'E. 273.0 ft. from Cor.No.3

value \$450.00

No.6 A tunnel, the mouth of which brs. N.89-10'E. 219.0 ft. from Cor. No.4, 4x6^{ft} running N.74-29'E. 33.5 ft. to sta. 1, at drift, thence N.18-59'E. 70.6 ft. to sta.2 thence N.17-19'E. 111.0 ft. to bulkhead at cavein, from which point the drift extends on the vein about 60 ft. and is inaccessible

Value \$2750.00

No.5 Open cut, 6x5x8^{ft}(caved), the center of which brs. N.83-55'W.50.0 ft. from Cor. No.3

value \$100.00

No.4 A tunnel, the mouth of which brs. N.63-22'E. 255.0 ft. from Cor. No.4, 4x6^{ft} running S.85-41'E. at 26.0 ft. end of cut, 71.0^{ft} to sta. 1, at drift, thence N.24-09'W. at 67.0 ft. a drift to left (caved) / runs on hanging wall, 92 ft. and shaft No.3 connects from above; 134.0 ft. to sta.2, thence N.30-00'W. 15.0^{ft} a hole connects with hanging wall drift at its face; 31.0 ft. to sta. 3, thence N.24-00'E. 19.7 ft. to face.

(No. 4 continued) Total length 347.7 ft. Value
Value \$3477.00

OTHER IMPROVEMENTS

A Compressor House, 28x48 ft. the south gable of which brs. S.70°20'W. 121.0 ft. from the North center end. Made of corrugated iron

A n office building 14x20 ft. the west gable of which brs. S.77°42'E. 181.0 ft. from Cor. No.4. Made of corrugated iron.

No other improvements.

ADJOINING CLAIMS

On the north,

Daisy lode unsurveyed, estate of E.P. Brittingham claimant.

Discovery Location of the Eclipse Lode Sur. Lot. No. 39, Mr. Dougherty, claimant.

On the west,

Wild Pigeon Lode unsurveyed, Savoy Mining Co., claimant.

On the south and east

Hilda Lode Sur. No. 2908, Bernard Cunniff, claimant.

INSTRUMENT

This survey was made with a Lietz Light Mountain transit-theodolite No. 13-5929. The courses were deflected from the true meridian as determined by observations by the use of the Saegmuller Solar Attachment. The distances were measured with a 150 ft. and 300 ft. steel tape.

REPORT

U.S.M.M. No. 1 Tiger Mining District, is a rock in place being a large outcrop 10 x 15 x 20 ft. exposed, chiseled on its highest part U.S.M.M. No. 1 T.D.

The 1/4 corner between secs. 23-26 T.10 N.R.1 W. is monument of stone three ft. high from which a pine tree 24 inches in diameter and properly scribed brs westerly

19.4 ft., and a white oak tree 12 inches in diameter, properly scribed hrs. easterly 28.9 ft.

Survey No.2908. Hilda Lode;

All corners adjoining Lida Lode, are stones properly set and chiseled with the number of the corner and survey. I do not agree with courses and distances of the above mentioned claim:

N,C.End Hilda to Cor. No.1, tie of Cor.No.1 Hilda to 1/4 Cor. Between Secs. 23-26. Also position of U.S.M.M. No.1 T.D. There are no mounds of stone where the N.W. and S.W.Cors. of the Lida lode fell as reported in Sur. No.2908. Let No. 39, Dis. Loc. Eclipse Lode;

All corners adjoining Lida Lode are stones properly set and chiseled with the number of the survey. I do not agree with the courses and distances of the above mentioned survey.

South end line of ^{Dis. Loc. lode} Eclipse, and tie to 1/4 cor. between Secs. 23-26.

These discrepancies are due to errors in the returns of the prior surveys herein mentioned.

The discrepancies found existing between the claim as marked by location monuments and as described in the location notice, are due to errors in the location notice

J. William Waara
U.S. MINERAL SURVEYOR

x

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. WILLIAM WAARA

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Estate of

E.P. Brittingham, Deceased

known as the LIDA

and showing the respective capacities in which they acted.

John Purrott, Chainman.

, Chainman.

, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

we, John Purrott

and _____, do solemnly swear that we assisted _____

J. WILLIAM WAARA, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Estate of E.P. Brittingham, Deceased.

known as the LIDA

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of my knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for ARIZONA

John Purrott, Chainman.

, Chainman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this 4th

day of December, 1907.

J. H. Nelson
Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, J. WILLIAM WAARA, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ARIZONA, dated
Nov. 27, 1912, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Estate of E.P. Brittingham, Deceased,
known as the
L I D A,
situate in Tiger Mining District,
Yavapai County, Arizona, in Section
26 Uns, Township No. 10 N., Range No. 1 W. Unsurveyed,
and designated as Survey No. 3032, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

J. William Waara
U. S. Mineral Surveyor.

Subscribed and sworn to by the said J. WILLIAM WAARA
U. S. Mineral Surveyor, before me a Notary Public
this 6 th.
day of December, 1912

M. E. McNeely
Notary Public

My commission expires
6-1044
Feb-18-1916

Lida

Location Notice

NOV. 27. 1912

- Lida mine on the Eclipse Lode or Ledge, containing Gold and Silver and located as a Silver Mine.

The undersigned claim for mining purposes 500 feet of this Quartz Ledge in length along the ledge or vein ...each side of the middle of the vein at the surface, together, with all the dips, spurs and angles, and all valuable mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of an Act of Congress, approved May 10, 1872, antitled, "An Act to promote the development of the Mining Resources of this United States."

This claim commences at this Notice which is posted in a conspicuous place, running thence 50 feet thence to a stone monument easterly thence 500 feet at right angles southwardly to a stone monument thence 350 feet in a westwardly direction to a stone monument thence 500 . . . or right angle or northerly direction to a stone monument, thence 300 feet in an easterly direction to a stone monument the place of beginning.

- Tiger Mining District, Yavapai County, Arizona Territory, and shall be known as the Lida mine Ledge or Claim.

Dated on the ground, this 1st day of January January 1880.

K.P. Brittingham

Filed for record at the request of E.P. Brittingham February 18th 1880 at 11:40 o'clock A.M., and duly recorded in Book H.8 of Mines, Records Yavapai County Arizona at pages 539-540

William Wilkerson

County Recorder.

~~Filed and recorded at request of~~ _____
_____ A. D. 1912, at _____ o'clock

~~_____ M., Book _____ pages~~
Records of Yavapai County, Arizona.

{ SEAL }

~~L. S. COLWELL,
County Recorder,~~

By _____
Deputy Recorder.



STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Location Notice of the Lida Mine Ledge or Claim,

_____ filed for record on February 18th 1880 at 11:40 o'clock A.M. and as the same appears of record in my office in Book H.8 of Mines at pages 539-540 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 26th day of November, A. D. 1912

L. S. Colwell
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

March 19, 1913.

I, U. S. Surveyor General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of Estate of E. P. Brittingham, deceased, known as the LIDA, situate in Tiger Mining District, Yavapai County, Arizona, in Section 26 Uns., Township No. 10 N., Range No. R. 1 W., and designated as Survey No. 3032, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 4 cuts, 1 shaft and 2 tunnels, with drifts therefrom, total value \$7027.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

March 19, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Estate of E. P. Brittingham, deceased.

known as the

L I D A

situate in TIGER Mining District,

YAVAPAI County, ARIZONA

in Section 26 Uns., Township No. 10 N., Range No. 1 W.

designated as Survey No. 3032

executed by J. William Waara, U. S. Deputy Mineral

Surveyor, Dec. 3, 1912, 190, under my instructions dated

Nov. 27, 1912, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Lyall

U. S. Surveyor-General for Arizona.