

JUL 17 1913 1

(4-683.)

Mineral Survey No. 3065.

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizota Mining Company

KNOWN AS THE

Driscoll, Driscoll No. 1,

Harcuvar Mining District,

Yuma County, Arizona,

Section approx. 33, Township 7 N., Range 14 W., G.S.R.M.

Unsurveyed.

Surveyed under instructions dated April 9, 1913., 1

by C. C. Thompson,
U. S. Deputy Mineral Surveyor.

Claim located See location notices, 1

Survey commenced April 24, 1913., 1

Survey completed April 25, 1913., 1

o 6-100

Address of Claimant's Attorney:-

Chambers Kellar,

Lead City, South Dakota.

SURVEY NO. 3065.

DRISCOLL

Beginning at Cor. No. 1.

A stone 10 x 12 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1D-3065, and a cross at corner point,

whence,

U. S. M. M. No. 2927 bears S. 79° 01' 50" E. 4897.60 ft.

No other bearings available.

Feet.

whence S. 62° 56' W.

300

To south end center.

600

To Cor. No. 2.

A stone 8 x 12 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2D-3065, and a cross at corner point,

whence,

A cross on a 5 x 6 ft. face of a cliff, chiseled B.R.2D-3065, bears N. 17° 06' E. 34.5 ft.

No other bearings available.

1500

Thence N. 27° 04' W.

to Cor. No. 3.

Identical with Cor. No. 2 Driscoll No. 1 lode of this survey.

A stone 6 x 8 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3D,2D1-3065, and a cross at corner point.

No bearings available.

300

whence N. 62° 56' E.

To north end center.

600

To Cor. No. 4.

Identical with Cor. No. 1 Driscoll No. 1 lode of this survey.

A stone 8 x 8 x 24 ins., set 12 ins. in the ground,

SURVEY NO. 3065.

feet. with mound of stone, chiseled 4D, 1D1-3065, and a cross at corner point.

No bearings available.

Thence S. 27° 04' E.

1500 To Cor. No. 1, the place of beginning.

DRISCOLL NO. 1

Beginning at Cor. No. 1.

Identical with Cor. No. 4 Driscoll lode of this survey, previously described,

whence,

U. S. M. M. No. 2927 bears S. 67° 33' 30" E. 5940.52 ft.

Cor. No. 3 Nevin No. 5 lode Sur. No. 2982 bears S. 83° 50' 10" E. 2180. 48 ft.

Thence S. 62° 56' W.

300 To south end center.

600 To Cor. No. 2.

Identical with Cor. No. 3 Driscoll lode of this survey, previously described.

Thence N. 27° 04' W.

1500 To Cor. No 3.

On south end line Driscoll No. 2 lode, unsurveyed, claimant herein.

A stone 6 x 8 x 26 ins., set 13 ins. in the ground, with mound of stone, chiseled 3D1-3065, and a cross at corner point,

No bearings available.

Thence N. 62° 56' E.

300 To north end center.

470 The S. E. Cor. Driscoll No. 2 lode, unsurveyed, on line.

SURVEY NO. 3065.

Feet.
600

To Cor. No. 4.

A stone 6 x 8 x 28 ins., set 14 ins. in the ground, with mound of stone, chiseled 4D1-3065, and a cross at corner point.

No bearings available.

Thence S. 27° 04' E.

1500

To Cor. No. 1, the place of beginning.

All corners of this survey are identical with the corners of the locations, the end centers consisting of stone monuments.

Variation at all corners of this survey 14° E.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Driscoll lode, 620 ft. S. 27° 04' E. and 880 ft. N. 27° 04' W.

Driscoll No. 1 lode, 180 ft. S. 27° 04' E. and 1320 ft. N. 27° 04' W.

AREAS.

Total area Driscoll lode 20,661 Acres.

Total area Driscoll No. 1 lode 20,661 Acres.

Total area lode claim 41,322 Acres.

LOCATION.

This claim is located approximately in Sec. 33, T. 7 N., R. 14 W., G. & S. R. & M., ^{Unsur,} Harcuvar Mining District, Yuma County, Arizona.

SURVEY NO. 3065.

ADJOINING CLAIMS.

This survey is joined on the northwest by the Driscoll No. 2 lode, unsurveyed, claimant herein. Other adjoining claims unknown.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-

No.1 The discovery shaft of the ^{DRISCOLL} Driscoll lode is on the center line 620 ft. from the center of line 1-2, 4 x 6 ft. x 26 ft. deep.

Value \$325.00

Note:

This improvement is being made for the development of the entire claim, the purpose being to sink to greater depth and at appropriate points to drive drifts along the vein towards and into the Driscoll No. 1 lode. By so doing the development will be most miner-like and as only one plant of machinery will be necessary this mode of development may be made reasonably economical as well.

An undivided one half interest in this improvement is credited to each lode location of this claim.

No.2 Value apportioned to this lode, \$162.50
A shaft which from the north end center Driscoll lode bears S. 27° 04' E. 814 ft., 4 x 6 ft. x 9 ft. deep.

Value \$80.00

No.3 A shaft which from the north end center Driscoll lode bears S. 27° 30' E. 632 Ft., 4 x 6 ft. x 5 ft. deep.

Value \$35.00

No.4 A shaft which from the north end center Driscoll lode bears S. 30° 30' E. 366 ft., 8 x 8 ft. x 10 ft. deep.

Value \$150.00

SURVEY NO. 3065.

No.5. A shaft which from the north end center Driscoll lode bears S. 31° E. 282 ft., 5 x 7 ft. x 8 ft. deep.
Value \$80.00

No.6. A shaft which from the north end center Driscoll lode bears S. 30° E. 150 ft., 5 x 7 ft. x 8 ft. deep.
Value \$80.00

No.7. A shaft which from the north end center Driscoll lode bears S. 23° E. 89 ft., 5 x 6 ft. x 8 ft. deep.
Value \$70.00

No.8. A shaft which from the north end center Driscoll lode bears S. 14° E. 20 ft., 3½ x 6 ft. x 8 ft. deep.
Value \$70.00

No.9. A shaft which from the north end center Driscoll lode bears S. 13° E. 5 ft., 3 x 6 ft. x 9 ft. deep.
Value \$80.00

No.1. The discovery shaft of the ^{DRISCOLL NO. 1} Driscoll No. 1 lode is on the center line 180 ft. from the center of line 1-2, 4 x 6½ ft. x 10 ft. deep.
Value \$100.00

No.2. A shaft which from the north end center Driscoll No. 1 lode bears S. 20° 45' E. 438 ft., 4½ x 6½ ft. x 20 ft. deep.
Value \$250.00

Note; An undivided ½ interest in shaft No. 1 on the Driscoll lode credited to this lode, Value, \$162.50

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

This Survey was made with a C. L. Berger & Sons transit. The courses were deflected from a true meridian established from observing Polaris at elongation in connection with my Survey No. 2927.

Cor. No. 3 Nevin No. 5 lode Sur. No. 2982 is a stone showing 10 x 14 ins. x 12 ins. above ground, with mound of stone, chiseled a cross and 3N5-2982.

The S. E. Cor. Driscoll No. 2 lode, unsurveyed, is a stone monument.

SURVEY NO. 3065.

NOTE-The disagreement between these field notes and the location certificates is due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by C. C. Thompson,

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Arizota Mining Company.

known as the Driscoll, Driscoll No. 1,

and showing the respective capacities in which they acted.

S. J. Snapp, *Chainman.*

....., *Chainman.*

....., *Arman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We,~~ I, S. J. Snapp,

~~and~~....., do solemnly swear that ^I~~we~~ assisted.....

C. C. Thompson, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Arizota Mining Company,

known as the Driscoll, Driscoll No. 1,

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

S. J. Snapp, *Chainman.*

....., *Chainman.*

....., *Arman.*

....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 12

day of July, 1913. 190.....

Rowley

Notary Public.


FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, C. C. Thompson, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 9, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Arizota Mining Company, known as the Driscoll, Driscoll No. 1, situate in Harouvar Mining District, Yuma County, Arizona, approx., in Section 33, Township No. 7 N., Range No. 14 W., G.S.R.M., Unsurveyed and designated as Survey No. 3065, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

C. C. Thompson
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said C. C. Thompson,
U. S. Deputy Mineral Surveyor, before me a Notary Public
this 13
day of July, 1913.

Rowley
Notary Public.



NOTICE OF MINING LOCATION

APR 8-1910

LODE CLAIM

TO ALL WHOM IT MAY CONCERN :

This Mining Claim, the name of which is the Driscoll No 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Arizona Mining Company by Harry Nevin, Agent, a citizen of the United States, the undersigned, on the 22 day of March, 1910.

The length of this claim is 1500 feet and we claim 175 feet in a S 27° 30' E direction and 1325 feet in a N 27° 30' W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly .

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 1½ mile in a Northwesterly direction from Cottonwood Springs Its S.E. Cor is identical with the N.E. Cor Driscoll lode .

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument at a point in a S 27° 30' E. direction 175 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence S 62° 30' W 300 feet to a Monument , being the S.W. corner of said claim; thence N 27° 30' W 1500 feet to a Monument , being at the N.W. corner of said claim; thence N 62° 30' E 300 feet to a Monument at the center of the North end of said claim; thence N. 62° 30' E 300 feet to a Monument , being at the

20.
This is an Amended Location Notice of the Driscoll Mining Claim located by Seth Bullock on the 1 day of January 1910, and recorded in Book 5 of Mines at page 308, in the office of the County Recorder of the aforesaid County of Yuma to which reference is hereby made, and this Amended Location is made and posted to correct errors in the description in the said original Location Notice.

N.E. corner of said claim; thence S 27° 30' E 1500 feet to a Monument at the S.E. corner of said claim; thence S. 62° 30' W 300 feet to the place of beginning.

Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes, ^{of the United States} and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 22 day of March ,1910.

Arizota Mining Company
by Harry Nevin Agent

Filed and recorded at the request of Chambers Kellar Jun 23 , A.D. 1910, at 9:46 o'clock A.M.

J.M. Polhamus,
County Recorder

STATE OF ARIZONA)
) SS.
 COUNTY OF YUMA.)

I, James T. Hedges, County Recorder in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true full and correct copy of the Driscoll No.1, Mining Claim as filed for record in my office on the 23rd day of June, A.D. 1910 and which appears of record in Book 6 of Mines at Page .161 et seq., records of County and State aforesaid .

In witness whereof, I hereunto set my hand and affix my official seal this 8th day of March A.D. 1912 .

James T. Hedges

County Recorder Yuma County

State of Arizona .



NOTICE OF MINING LOCATION

APR 8 - 1911

LODE CLAIM

TO ALL WHOM IT MAY CONCERN :

This Mining Claim, the name of which is the Driscoll Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Arizona Mining Company by Harry Nevin Agent, a citizen of the United States the undersigned, on the 22 day of March ,1910.

The length of the claim is 1500 feet and we claim 620 feet in a S 27° 30' E direction and 880 feet in a N 27° 30' E/W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly .

M.R.G.

The claim is situated and located in the Ellsworth Mining District in Yuma County, in the territory of Arizona, about 1 mile in a Northwesterly direction from Cottonwood Springs Its N.W. Cor is identical with the S.W. Cor Driscoll No.1 lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument at a point in a S 27° 30' E direction 620 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence S 62° 30' W 300 feet to a Monument , being the S.W. corner of said claim; thence N. 27° 30' W 1500 feet to a Monument being at the N.W. corner of said claim; thence N. 62° 30' E 300 feet to a Monument at the center

This is an Amended Location Notice of the Driscoll Mining Claim located by Seth Bullock on the 1 day of January, 1910 and recorded in Book 5 of Records of Mines at page 307, in the office of the County Recorder of the aforesaid County of Yuma to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

of the North end of said claim; thence N 62° 30' E. 300 feet to a Monument being at the N.E. corner of said claim; thence S. 27° 30' E 1500 feet to a Monument at the S.E. corner of said claim; thence S 62° 30' W 300 feet to the place of beginning.

Varaition 14° E .

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16, 1901.

Dated and posted on the ground this 22 day of March ,1910.

Arizota Mining Company

by Harry Nevin , Agent .

.Filed and recorded at the request of Chambers Kellar Jun 23 ,A.D. 1910, at 9:45 o'clock A.M.

J.M. Polhamus ,

County Recorder

STATE OF ARIZONA)
) SS.
 COUNTY OF YUMA.)

I, James T. Hodges, County Recorder in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true full and correct copy of the Driscoll Mining Claim as filed for record in my office on the 23rd day of June, A.D. 1910 and which appears of record in Book 6 of Mines at Page 160 et seq., records of County and State aforesaid .

In witness whereof, I hereunto set my hand and affix my official seal this 8th day of March A.D. 1912 .

James T. Hodges
 County Recorder Yuma County
 State of Arizona .

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 19, 1913., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ARIZONA MINING COMPANY

known as the DRISCOLL, DRISCOLL No. 1.

situate in HARCUVAR

Mining District, YUMA County, ARIZONA.

in Section Approx. 33, Township No. 7 N., Range No. 14 E., Unsur., and

designated as Survey No. 3065, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 11 shafts, total value \$1320.00. Shaft No. 1 on the Driscoll lode being a common improvement for the benefit and development of both the Driscoll and Driscoll No. 1 lodes, an undivided one-half interest therein, value \$167.50, is properly credited to each of said claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 19, 1913, 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

ARIZOTA MINING COMPANY

, known as the

DRISCOLL, DRISCOLL NO. 1.

situate in HARCUIVAR mining district,

YUMA County, ARIZONA.

in Section Approx. 33., Township No. 7 N., Range No. 14 W., Unsur.

, designated as Survey No. 3065

executed by C. C. Thompson, U. S. Deputy Mineral

Surveyor, April 24, -25, 1913, 190, under my instructions dated

April 9, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.