

FEB 5-1914

FEB 5-1914

(4-683.)

Mineral Survey No. 3094

Lot No.

ARIZONA.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Consolidated Holding & Trust Co and John C Greenway,

KNOWN AS THE

Iron Cap and Mountain View

Pioneer

Mining District,

Pinal

County,

Arizona

Section 12, Township 2 S, Range 12 E. G & S R B & M

Surveyed under instructions dated August 18th, 1913.

by Ralph L. Metz,

U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced December 26th, 1913, 1

Survey completed December 26th, 1913, 1

6-189

Postoffice address of Claimant's attorney,
Frank H. Hereford,
Tucson, Arizona.

IRON CAP

Beginning at Cor No 1, the N W Cor, identical with location and with Cors 2, 4 and 4, respectively of Mountain View lode of this survey, Apex and Copper Bell lodes, Survey No 3093,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3094 ICL,

whence a limestone boulder 42 x 77 x 48 ins high chiselled BR x 1-2-3094 brs S 56° 24' E 11.6 ft, and a limestone rock in place 31 x 19 x 8 ins high with like chiselling brs N 39° 06' W 24.72 ft, and the W 1/4 Cor of Sec 12, T 2 S, R 12 E, G & S R B & M brs S 51° 10' W 1103.2 ft.

thence N 80° 54' E

300.0 to north end center, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECICL,

600.0 same bearing to Cor No 2, the N E Cor, identical with location, and with Cors 3, 4 and 1, Survey No 3093 Copper Bell lode, Survey No 2838 Monte Carlo and Belmont lodes, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3094 ICL,

whence a limestone rock in place 24 x 24 x 24 ins high chiselled BR x 2-3094 brs N 6° 53' E 20.65 ft and a second limestone rock in place 14 x 18 x 20 ins high with like chiselling brs S 8° W 9.1 ft.

thence S 33° 29' E

1500.0 to Cor No 3, the S E Cor, identical with location and with Cor No 4, Survey No 2838 Belmont lode, the N E Cor and N W Cor respectively of the Pacific No 7 and Pacific No 13 lodes unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3094 ICL,

whence a dacite rock in place 45 x 60 x 38 ins high chiselled BR x 3-3094 brs S 56° 39' E 16.2 ft and a second rock in place 55 x 50 x 17 ins high with like chiselling brs N 62° 21' E 35.7 ft,

thence S 80° 54' W

300.0 to south end center, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECICL,

600.0 same bearing to Cor No 4, the S W Cor, identical with location and with Cor No 3, the N E Cor and the N W Cor of Mountain View lode of this survey, Pacific No 1 and Pacific No 7 lodes unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3094 ICL,

whence a limestone ledge with 26 x 30 ins high exposure chiselled BR x 4-3-3094 brs N 60° 54' W 29.85 ft and a second limestone ledge with 23 x 12 ins high exposure with like chiselling brs N 19° 35' E 16.7 ft.

thence N 53° 29' W

1070.0 intersect road to main shaft,

1500.0 same bearing to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the north end center S 53° 29' E 1500.0 ft.

MOUNTAIN VIEW

Beginning at Cor No.1, the N W Cor, identical with location and with Cors Nos.4, 1 and 2 respectively of Survey No 3093, Annex lode, Survey No 3093 Apex lode, and Sur. No. 3095, Ajax lode.

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3094 MVL,

whence a quartzite ledge with 50 x 13 ins high exposure chiselled BR x 1-3094 brs N 70° 12' E 26.45 ft, and a limestone ledge with 50 x 16 ins high exposure with like chiselling brs S 44° 02' W 23.45 ft and the W 1/4 Cor of Sec 12, T 2 S, R 12 E, G & S R B & M brs S 24° 05' W 653.9 ft.

thence N 80° 54' E

300.0 to north end center, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3094 MVL,

600.0 same bearing to Cor No 2, the N E Cor, identical with location, and Cor. No. 1 Iron Cap lode of this survey, a pine post, heretofore described, additionally scribed 2-3094 MVL.

thence S 53° 29' E

450.0 intersect road to main shaft,

1500.0 same bearing to Cor No 3, the S E Cor, identical with location, and Cor. No. 4 Iron Cap lode of this survey, a pine post heretofore described, additionally scribed 3-3094 MVL.

thence S 80° 54' W

50.0 intersect road to main shaft,

700.0 same bearing to south end center, identical with location a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3094 MVL,

600.0 same bearing to Cor No 4, the S W Cor, identical with location and with Cor No 2, the N W Cor and Cor. No 3, of Survey No 2839 A Delaware lode, Pacific No. 1 lode and Ajax lode Sur. No. 3095 respectively,

a pine post 4 ft long 4 ins sq set 18 ins the ground in a mound of stones and scribed 4-3094 MVL,

Mountain View Lode (Cont'd)

whence a quartzite rock in place 26 x 33 x 19 ins high
chiselled 3 R x 4-3094 brs S 6° 54' W 9.6 ft and a second
quartzite rock in place 17 x 17 x 7 ins high with like
chiselling brs N 49° 23' W 26.2 ft,

thence N 53° 29' W

- 180.2 intersect road to main shaft,
- 618.9 same bearing, intersect road to main shaft,
- 1500.0 same bearing to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from
the north end center location S 53° 29' E 1500.0 ft.

AREAS.

Total and net area Iron Cap lode - - - - - 18.818 A.
Total and net area Mountain View lode - - - - - 18.818 A.
Total and net area of group 37.636 A.

IMPROVEMENTS.

I hereby certify that the value of the labor and
improvements made upon each claim or for the benefit
thereof, by the claimants or their grantors is not less
than five hundred dollars for each location, and that
said improvements consist of:-

Iron Cap

No.1.	Discovery cut 5 x 10 x 10 ft long brs from south end center N 53° 29' W 47.0 ft.	Value	\$ 55.00
No.2.	Open cut 5 x 9 x 14 ft long brg N 2° 50' W brs from Cor No 3, N 84° 22' W 188 ft.	Value	55.00
No.3.	Open cut 5 x 10 x 15 ft long brg N 2° 50' W brs from Cor No 3, N 84° 22' W 200 ft.	Value	50.00
No.4.	Shaft 5 x 7 x 60 ft deep brs from Cor No 2 S 18° W 207.7 ft.	Value - - - - -	600.00
No.5.	Shaft 6 x 21 x 725 ft deep, 3 compartments, timbered. \$50. a foot. Value.	\$36,250.00	
	Shaft brs from Cor No 1, S 45° 46' E 300 ft.		
	Drift on 500 ft level.		
	Shaft to St.1, N 79° 07' E 97.00ft		
	St. 1 to Face, N 79° 07' E 7.00 "		
	St. 1 to Face, S 59° 55' E 146.00 "		
	Total	250.00 "	
	Drift on 700 ft level.		
	Shaft to face, N 78° 00' E 85.00 "		
	Total drifts 735 ft at \$10. per foot	3,350.00	
		<u>\$39,600.00</u>	

Note: 1/2 value of main shaft and drifts allotted to
this claim - - - - - 19,800.00

No.6.	Road, commencing at intersection line 4-1 at N 53° 29' W 1070. ft from Cor No 4, thence N 59° 35' E 42.5 ft, thence N 49° 00' E 129.5 " , total 172.0 " Value	<i>not allowed see certificate Long Run.</i> \$172.00
-------	---	--

Note	1/2 interest in Main tunnel and drifts on Mountain View claim allotted to this claim. 10110.00 (Described under Mountain View)	10110.00
------	--	----------

Total improvements on or allotted to	\$50802.00
--------------------------------------	------------

MOUNTAIN VIEW

No.1.	Discovery Cut 5 x 9 x 19 ft long brs from south end center N 53° 29' W 29.0 ft Value	\$35.00
-------	---	---------

No.2.	Open cut 4½ x 10 x 11 ft long brg S 65° 10' E bears from Cor No 2, S 7° 10' W 271 ft Value	35.00
-------	--	-------

No.3.	Shaft 6 x 8 x 10 ft deep brs from Cor No 1 S 55° 35' E 687.2 ft. Value	75.00
-------	---	-------

No.4.	Open cut 4½ x 8 x 20 ft long, tunnel 4½ x 6 x 20 ft long brg N 76° 55' E, the mouth of open cut brs from Cor No 1, S 44° 35' E 707.8 ft. Value	150.00
-------	---	--------

No.5.	Open cut 3½ x 8 x 18 ft long brg S 7° W brs from Cor No 1 S 41° 14' E 770.2 ft. Value	55.00
-------	--	-------

No.6.	Open cut 6 x 14 x 27 ft long brg N 40° 12' E, the mouth of which brs from Cor No 1 S 39° 14' E 370.8 ft. Value	150.00
-------	--	--------

No.7.	Main tunnel, 5 x 7½, the mouth of which brs from Cor No 1 S 45° 23' E 366.8 ft.	
-------	--	--

St. 0 to St. 1, N 45° 00' E 50.00 ft.	
---------------------------------------	--

" 1 to " 3, N 57° 35' E 579.81 "	
----------------------------------	--

" 3 to " 4, N 57° 35' E 89.10 "	
---------------------------------	--

" 4 to intersect line 1-2	
---------------------------	--

Iron Cap lode 22.80 "	
-----------------------	--

" 5 to St. 5, S 16° 56' E 152.11 "	
------------------------------------	--

" 5 to " 13, S 15° 39' E 43.42 "	
----------------------------------	--

" 13 to Shaft, S 46° 36' W 31.05 "	
------------------------------------	--

" 5 to St. 40, N 70° 24' W 20.35 "	
------------------------------------	--

" 40 to Face, N 70° 24' W 11.00 "	
-----------------------------------	--

" 40 to Face, S 55° 35' W 23.00 "	
-----------------------------------	--

" 5 to St. 12, N 78° 44' E 60.01 "	
------------------------------------	--

At 5 + 46.1 ft winze 59 ft deep.	
----------------------------------	--

St. 12 to face, N 76° 09' E 93.50 "	
-------------------------------------	--

" 12 to St. 20, N 45° 11' E 45.61 "	
-------------------------------------	--

" 20 to face, N 12° 49' W 10.00 "	
-----------------------------------	--

" 4 to St. 8, S 77° 11' E 234.900 "	
-------------------------------------	--

" 8 to St. 10, S 77° 11' E 50.09 "	
------------------------------------	--

" 10 to face, S 75° 56' E 28.50 "	
-----------------------------------	--

" 10 to face, S 26° 14' E 176.00 "	
------------------------------------	--

At 10 + 17.55 ft winze 41 ft deep.	
------------------------------------	--

St. 8 to St. 11, N 53° 52' E 21.76 "	
--------------------------------------	--

" 11 to " 15, N 82° 17' E 17.69 "	
-----------------------------------	--

" 15 to " 16, N 50° 50' E 21.13 "	
-----------------------------------	--

" 16 to " 17, N 80° 55' E 29.56 "	
-----------------------------------	--

" 17 to " 18, N 64° 53' E 20.29 "	
-----------------------------------	--

" 18 to " 19, N 18° 04' E 22.04 "	
-----------------------------------	--

" 19 to face, N 4° 06' W 25.00 "	
----------------------------------	--

" 18 to intersection with	
---------------------------	--

line 2-3 Iron Cap lode	
------------------------	--

S 77° 53' E 63.28 ft	
----------------------	--

Total drifts and tunnel 1922.0 ft	
-----------------------------------	--

Total depth of winzes 100.0 ft.	
---------------------------------	--

(4.)

Value of 1222 ft of drifting and tunneling at \$10.00 per foot	\$19220.00
Value of 100 ft of winzing at \$10.00 per foot.	1000.00
Total value	<u>\$20220.00</u>

Note 1/2 value of tunnels and drifting allotted to this claim \$10110.00

No. 8. Road, commencing at intersection with line 3-4
at S 80° 54' E 50.0 ft from Cor No 3,
thence N 71° 20' W 18.6 ft
thence N 88° 10' W 99.6 "
thence N 51° 02' W 171.8 "
thence N 83° 01' W 83.2 "
thence N 64° 56' W 119.7 "
thence S 60° 15' W 251.2 "

No. 9. Road, commencing at intersection with line 4-1
at N 53 29' W 618.9 ft from Cor No 4,
thence east 201.4 ft.
thence N 53° 30' E 69.0 "
thence N 11° 17' E 137.7 "
thence N 40° 55' E 125.8 "
thence N 16° 31' W 174.5 "
thence N 39° 53' E 42.5 "

*not allowed, see certificate
sur. Gen.*

Total road 1475 ft at \$1.00 per foot. Value \$1475.00

Note 1/2 interest in Main shaft and drifts on
Iron Cap lode allotted to this claim \$19800.00

Total improvements on or allotted
to this claim \$31865.00

OTHER IMPROVEMENTS.

Iron Cap Lode.

~~No. 7.~~ Galvanized iron building. Hoist and compressor, 75 x 52
ft long, northwest corner of which bears from Cor No 1
S 54° 49' E 309.4 ft.

~~No. 6.~~ Galvanized iron building, change house, 12 x 16 ft long,
northwest corner of which bears from Cor No 1, S 61° 10'
E 292.8 ft.

~~No. 5.~~ Galvanized iron building, store house, 10 x 12, the north
west corner brs from Cor No 1, S 53° 12' E 287.2 ft.

Mountain View lode.

~~No. 10.~~ Galvanized iron building, blacksmith shop, 14 x 25 ft long
the northwest corner of which brs from Cor No 2, S 30°
25' E 537.0 ft.

ADJOINING CLAIMS.

North. Survey No 3093, Copper Bell and Apex lodes,

East. Survey No 2858, Belmont lode.

South. Pacific No 1 and Pacific No 7 lodes, both unsurveyed,
owned by John A. Sandul.

West. Ajax lode, Sur. No. 3095, owned by the Consolidated Holding
and Trust Co.

LOCATION.

LOCATION.

This group of claims is situated in the Crook National Forest, in the Pioneer Mining District, Pinal County, Arizona, in Sec 12, T 2 S, R 12 E, S 4 S R B & M.

INSTRUMENT.

This survey was made with a C I Berger No 6, Light Mountain transit. The courses were deflected from the true meridian as determined by solar observation. The distances were measured with a 100 foot steel tape. Magnetic variation 14° east at all corners.

REPORT.

Survey No. 2838 Belmont lode.

Cors Nos. 1 and 4 are pine posts scribed respectively 1-B-2838 and 4-B-2838.
I check line 4-1 in course and distance.

Survey No. 2839 A Delaware lode.

Cor No 2 is a pine post scribed 2-D-2839A.

W 1/4 Cor of Sec 12, T 2 S, R 12 E is a conglomerate rock 7 x 10 x 12 ins high set in the ground, surrounded by a mound of stones and chiselled 1/4 on west face. Monuments of rocks near.

Report as to reason for allotting work equally to Iron Cap and Mountain View claims, from main ^{tunnel} and shaft.

The main shaft and drifts on the Iron Cap and the main tunnel on the Mountain View lode are so located, that the most economical development of the two claims of this survey can be carried on from them. From the main shaft drifts from various levels may be run that tend to develop both of the claims in this survey. As the ground covered by the Iron Cap and Mountain View, gradually rises from the tunnel level, crosscuts run southerly tend to gain depth. For the above reasons I have allotted the work equally to the two claims of this survey.

Ralph L. Motz
U.S. MINERAL SURVEYOR

Dated at Bisbee, Arizona.
January 16th, 1914.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

THE CONSOLIDATED HOLDING & TRUST CO. AND JOHN C. GREENWAY

known as the IRON GAP, MOUNTAIN VIEW

and showing the respective capacities in which they acted.

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, George Powell

and W. C. Rice, do solemnly swear that we assisted

Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

THE CONSOLIDATED HOLDING & TRUST CO. AND JOHN C. GREENWAY

known as the IRON GAP, MOUNTAIN VIEW

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 29

day of December, 1913.

Le Roy Taft
Notary Public

My commission expires
Oct 8 1917

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 18th, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Consolidated Holding & Trust Co and John C Greenway, known as the Iron Cap, ~~and~~ Mountain View, situate in Pioneer Mining District, Pinal County, Arizona, in Section 12, Township No. 2 S, Range No. 12 E, G & S R B & N and designated as Survey No. 7094, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. ~~Deputy~~ Mineral Surveyor, before me
J. W. Ross, Notary Public this 16th
day of January, 1914.

J. W. Ross Notary Public,
In and for the County of Cochise,
~~State of Arizona.~~
My commission expires February 21, 1916

AMENDED NOTICE OF MINING LOCATION.
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the IRON CAP Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Consolidated Holding and Trust Company, a corporation, one third (1/3), and John C. Greenway two thirds (2/3), citizens of the United States, the undersigned, on the 4th day of June, 1913.

The length of this claim is Fifteen Hundred, (1500) feet, and we claim Fourteen Hundred Fifty-three (1453) feet in a Northerly direction, and Forty-seven (47) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in Arizona, about four miles in an Easterly direction from Picket Post Butte, the most prominent natural object in this horizon. It is also about two miles South of the mouth of Queen Creek Canon, and the westerly side line of which is identical with the easterly side line of the Mountain View Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a stone monument at a point in a northerly direction 1453 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N.80° 54'E.300.0 feet to a 4 x 4 post in stone monument, being the Northeast corner of said claim; thence S.33° 29'E,1500.0 feet to a 4 x 4 post in stone monument, being at the Southeast corner of said claim; thence S.80° 54'W.300.0 feet to a 4 x 4 post in stone monument at the center of the South end of

said claim; thence S.80° 54' W. 300.0 feet to a 4 x 4 post in stone monument, being at the Southwest corner of said claim; thence N.33° 29' W. 1500. to a 4 x 4 post in a stone monument at the Northwest corner of said claim; thence N.80° 54' E. 300. feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the IRON CAP Mining Claim, located by J. H. Thompson et al. on the 5th day of August 1902, and recorded in Book 20 of Records of Mines, at page 50, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of June 1913.

The Consolidated Holding and Trust Company
1/3 By H. R. Daggs, Vice Pres.

John C. Greenway 2/3.

Filed and recorded at request of J. K. Hooper, June 6th, 1913
at 9 A. M.

G. F. Watson, County Recorder.

State of Arizona,)
(ss.
County of Pinal.)

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the AMENDED NOTICE OF LOCATION of the IRON CAP Mining Claim, as the same appears of record in my office in Book No. 1 of Mines Amended, on page 500; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office, this 12th day of August
A. D. 1913.


County Recorder.

AMENDED NOTICE OF MINING LOCATION.
LODE CLAIM

Aug. 16. 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MOUNTAIN VIEW Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Consolidated Holding and Trust Company, a corporation, one third (1/3) and John C. Greenway two-thirds (2/3) citizens of the United States the undersigned, on the 4th day of June 1913.

The length of this claim is Fifteen Hundred (1500) feet and we claim -1471- feet in a Northerly direction and 29 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in Arizona, about $4\frac{1}{2}$ miles in an Easterly direction from Picket Post Butte and the Westerly side line of which is identical with the Easterly side line of the Ajax Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a stone monument at a point in a Northerly direction 1471 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N.80° 54'E.300.0 feet to a 4 x 4 post in a stone monument, being the North East corner of said claim; thence S.33° 29'E.300.0 feet to a 4 x 4 post in stone monument, being at the South East corner of said claim; thence S.80° 54'W.300. feet to a 4 x 4 post in stone monument at the center of the South end of said claim; thence S.80° 54'W.300. feet to a 4 x 4 post in stone monument, being at the Southwest corner of said claim; thence N.33° 29'W.1500.0 feet to a 4 x 4 post in a stone monument at the Northwest corner of said claim; thence N.80° 54'E.300 feet to the

place of beginning.

All done under the Provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the MOUNTAIN VIEW Mining Claim, located by J. H. Thompson et al. on the 5th day of August 1902, and recorded in Book 20 of Records of Mines, at page 49, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this ^{Location} Amended Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of June 1913.

The Consolidated Holding & Trust Company
1/3, by H. R. Daggs, Vice Pres.

John C. Greenway 2/3.

Filed and recorded at request of J. K. Hooper, June 6th 1913
at 9 A. M.

G. F. Watson
County Recorder.

State of Arizona,) (ss.
County of Pinal.)

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the MOUNTAIN VIEW Mining Claim, as the same appears of record in my office in Book No. 1 of Mines Amended, page 501; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office, this 12th day of August, A. D. 1913.

G. F. Watson
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

April 30, 1914.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

THE CONSOLIDATED HOLDING & TRUST CO. AND JOHN C. GREENWAY

, known as the IRON CAP, MOUNTAIN VIEW

, situate in PIONEER

Mining District, PINAL County,

ARIZONA, in Section 12, Township No. 2 S.,

Range No. 12 E., and designated as Survey

No. 3094, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or for each of improvements made upon said mining claims by claimants or their grantors, and that said improvements consist of 8 cuts, 3 shafts, 2 tunnels, 2 drifts and 2 winzes, total value \$61020. The value of improvement No. 6 on the Iron Cap lode and of Nos. 8 and 9 on the Mountain View lode, is not allowed, same being roads and not proper mining improvements. Tunnel No. 7 on the Mountain View lode, value \$20,220, and shaft No. 5 on the Iron Cap lode, value \$39,600, being of common benefit to both of the claims in this survey, the value of said improvements is properly apportioned equally between said two claims, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls.

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

April 30, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

THE CONSOLIDATED HOLDING & TRUST CO. AND JOHN C. GREENWAY.

, known as the

IRON CAP, MOUNTAIN VIEW.

situate in PIONEER mining district,

PINAL County, ARIZONA.

in Section 12, Township No. 2 S., Range No. 12 E.

, designated as Survey No. 3094

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, December 26, 1913, 190, under my instructions dated

August 18, 1913, 190, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.