

JUL 2-1915

JUL 20 1915
AUG 14 1915

4-683.

Platted
Mineral Survey No. 3188

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

United Eastern Mining Company.

KNOWN AS THE

Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View.

San Francisco Mining District,

Mohave County, Arizona

Sections 14 and 15 unapproved Township 19 N., Range 20 W. J. G. & S. R. B & M unapproved

Surveyed under instructions dated May 8, 1915,

by Edward L. Haff,
U. S. Deputy Mineral Surveyor

Claim located See ^{Location Notices} reverse side of this sheet 1

Survey commenced May 15, 1915

Survey completed June 15, 1915.

o 6-169

Address of claimant:

J. L. McIver, Sec'y.
Oatman, Arizona.

Name of claim	Located	Amended
Tom Reed Extension	Aug.7,1908	May 1,1915
Tom Reed Extension No.2	Oct.7,1908	May 1,1915
Daisy Fraction,	Nov.14,1908	May 1,1915
Standard,	Oct.24,1908	May1,1915
Stray Dog,	Jan.1, 1915	May1,1915
Easter,	Apr.2, 1915	
Red Cloud Extension,	Nov.1. 1908	May1,1915
Sunrise,	Oct.23,1913	May1,1915
Sunset,	Oct.23,1913	May1,1915
North Parallel,	May 20,1914	May1,1915
Great Western,	Jan.25,1915	May1,1915
Consolidated,	March 20,1915	
Mountain View	Feb.2,1915	May 1,1915

Mineral Survey No. 3188

Feet	Tom Reed Extension.
	Beginning at Cor.No.1. A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at corner point and T.R.Ext 1-3188 scribed on the east side, whence; U.S.L.M. No.1602, bears S.65°45'45" W.5849.47 ft. No other bearing objects available. Thence S.49°42'E.
871.76	Cor.Nos.3-2 Tom Reed Extension No.2 and Daisy Fraction lodes of this survey.
1312.54	Intersect line 1-2 Sur.No.2710 Tip Top lode, claimant unknown at S.37°55'W. 514.59 feet from Cor.No.2.
1472.10	To Cor.No.2 identical with Cor.No.3 Daisy Fraction lode of this survey. A pine post 4 ft long 4 ins.square set 18 ins. in ground with mound of earth and stone, nail at corner point, and scribed T.R.Ext.2 D.F.3-3188, whence; The S.W.Cor.Sec 14 T.19 N.R.20 W. unapproved, G.& S.R. B & M bears S.64°10'W.721.73 ft. No objects are available. Thence N.41°35'E.
75.	Wagon Road, course northwesterly and southeasterly
295.85	To Cor.No.3. A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at corner point, scribed T.R.Ext.3-3188, whence; Cor.No.2 Sur.No.2710 Tip Top lode bears N.0°22'W. 287.87 ft. No other bearing objects are available. Thence N.36°19'E.
249.18	Intersect line 2-3 Sur.No.2710 Tip Top lode, at S.59° 46'E.172.9 ft. from Cor.No.2.
300.00	To Cor.No.4, identical with Cor.No.3.Sunrise lode of this survey. A pine post 4 ft. long 4 ins. square set 18 ins in

Mineral Survey No.3188

Feet	
	<p>ground with mound of earth and stone, nail at corner point, scribed T.R.Ext.4-S-3-3188, whence;</p> <p>No bearing objects are available.</p> <p>Thence N.49°34'W.</p>
1396.89	<p>Intersect south end line Red Cloud lode (unsurveyed) claimant unknown, at N.42°56'E.529.10 ft. from the S.W. Cor.</p>
1499.60	<p>To Cor.No.5 identical with Cor.No.2 Sunrise lode and Cor.No.3 Sunset lode of this survey.</p> <p>A pine post 4 ft. long, 4 ins. square set 18 ins in ground with mound of earth and stone, a nail at corner point and scribed T.R.Ext,5-S-2-S-3-3188, whence;</p> <p>The S.E.Cor.Red Cloud lode (unsurveyed) bears S.84°42'E.129.57 ft.</p> <p>No other bearing objects available.</p> <p>Thence S.36°19'W.</p>
290.00	<p>Wagon road, course northwesterly and southeasterly.</p>
300.00	<p>To North end center.</p> <p>A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at center point and scribed N.End Cen T R Ext - 3188</p>
468.56	<p>Intersect line 2-3 Tom Reed Extension No.2 lode of this survey, whence Cor.No.3 said lode bears S.41°14'E.890.60 ft.</p>
523.31	<p>Intersect westerly side line Red Cloud lode (unsurveyed) at N.40°35'W.42.59 ft. from the S.W.Cor.</p>
600.00	<p>To Cor.No.1, the place of beginning.</p> <p>Tom Reed Extension No.2</p> <p>Beginning at Cor.Np.1, identical with Cor.No.1 Standard lode of this survey.</p> <p>A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at corner point and scribed T R Ext 2-1 , S-1-3188, whence;</p> <p>U.S.L.M. No.1602 bears S.61°34'20" W. 5275.47 ft.</p> <p>Cor.No.5 Sur.No.2610 Bessel lode, Tom Reed Gold Mines Co., claimant, bears S.57°41'E.143.52 ft.</p> <p>No other bearing objects available.</p>

Feet	Thence N.37°55'E.
60.70	Intersect line 2-3 Easter lode of this survey, at N.42°09' W. 297.03 ft. from Cor.No.3.
289.20	To North end center. A pine-post 4 ft. long 4 ins. square set 18 ins.in ground, with mound of earth and stone, nail at center point, scribed N.end Cen T R Ext- 2- S-end Cen-Standard-3188.
541.77	Intersect westerly side line Red Cloud lode (unsurveyed) at N.40°35'W.668.64 ft. from the S.W.Cor.
588.98	To Cor.No.2, identical with Cor.No.2 Standard lode of this survey. A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at corner point and scribed T R Ext-2-2-S-2-3188, whence; The S.W.Cor./Red Cloud lode (unsurveyed) bears S.36° 40'50"E.679.63 ft. No other bearing objects available.
	Thence S.41°14'E.
623.10	Intersect line 5-1-Tom Reed Ex'ension lode of this survey, at N.36°19'E.131.34 ft.from Cor.No.1
671.97	Intersect S end line Red Cloud lode (unsurveyed) at N. 42°56'E.54.23 ft. from the S.W.Cor.
1513.70	To Cor.No.3, identical with Cor.No.2 Daisy Fraction lode of this survey. On line 1-2 Tom Reed Extension lode of this survey, at S.49°42'E.871.76 ft. from Cor. No.1. A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at corner point and scribed T R Ext-2-3 D-F-2-3188, whence; No bearing objects are available.
	Thence S.37°55'W.
127.13	To south end center. A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at center point and scribed S.end Cen T R Ext 2-N-end Cen, D F-3188
167.80	To Cor No. 4, identical with Cor.No.1 Daisy Fraction lode

Mineral Survey No. 3188

Feet

of this survey.

On line 4-5 Sur.No.2610 Olla Oatman lode.

A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at corner point and scribed T R Ext 2-4, D-F-1-3188, whence;

The corner to Sections 14-15-22 and 23 T.19 N.R.20 W. unapproved, G and S R, B and M. bears S. $8^{\circ}50'W$. 577.29 ft.

No other bearing objects available.

Thence N. $61^{\circ}06'W$.

545.10 To Cor.No.5.

Identical with Cor.No.4 Sur.No.2610 Olla Oatman lode.

A pine post 4 ins. square, showing 18 ins. above a mound of stone, firmly set, nail at corner point, and scribed - O-4-2610 T R Ext 2-5-3188, whence;

No bearing objects are available.

Cor.No.3 said Olla Oatman lode bears N. $54^{\circ}44'30''W$. 705.7 ft.

Thence N. $55^{\circ}09'W$.

706.83 Intersect line 2-3 Sur.No.2610 Olla Oatman lode, at S. $47^{\circ}43'W$. 5.16 ft. from Cor.No.3.

706.84 Intersect line 3-4 Easter lode of this Survey, at S. $47^{\circ}51'W$. 5.17 ft from Cor.No.3.

805.54 Intersect line 5-6 Sur No.2610 Bessel lode at S. $28^{\circ}23'W$. 6.38 ft. from Cor.No.5.

910.47 Intersect line 4-5 Sur.No.2610 Bessel lode at N. $58^{\circ}38'W$. 104.40 ft. from Cor.No.5.

949.63 To Cor.No.1, the place of beginning.

Daisy Fraction.

Beginning at Cor.No.1

On line 4-5 Sur.No.2610 Olla Oatman lode,

Identical with Cor.No.4 Tom Reed Extension No.2 lode of this survey, heretofore described, whence;

U.S.L.M. No.1602 bears S. $73^{\circ}52'W$. 3137.60ft.

S.W. Cor. Sec.14 T.19 N.R.20 W. unapproved, G and S.R. B and M. bears S. $8^{\circ}50'W$. 577.29 ft.

Thence N. $37^{\circ}55'E$.

40.67 To North end center.

Feet	<p>Identical with South end center Tom Reed Extension No.2 lode of this survey.</p>
167.80	<p>To Cor.No.2.</p> <p>On line 1-2 Tom Reed Extension and identical with Cor.No.3 Tom Reed Extension No.2 lodes of this survey, heretofore described.</p> <p style="text-align: center;">Thence S.49°42'E.</p>
440.78	<p>Intersect line 1-2 Sur.No 2710 Tip Top lode, at N.37°55' E.85.41 ft. from Cor.No.1.</p>
600.34	<p>To Cor.No.3.</p> <p>Identical with Cor.No.2 Tom Reed Extension lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence S.37°55'W.</p>
27.46	<p>To south end center.</p> <p>A pine post 4 ft. long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at center point and scribed S.end Cen D.F.-3188</p>
57.28	<p>To Cor.No.4.</p> <p>On lines 3-4 and 4-1 Sur.Nos.2610 and 2710 Thos.B. Reed and Tip Top lodes respectively.</p> <p>A pine post 4 ft long 4 ins. square, set 18 ins in ground with mound of earth and stone, nail at corner point and scribed D F 4-3188, whence;</p> <p>No bearing objects are available.</p> <p style="text-align: center;">Thence N.59°46'W.</p>
160.87	<p>Cor.No.1, Sur.No.2710 Tip Top lode.</p>
408.69	<p>To Cor.No.5.</p> <p>Identical with Cor.Nos.3-5 Sur.No.2610 Thos.B.Reed and Olla Oatman lodes, respectively</p> <p>A pine post 4 ins. square showing 18 ins.above a mound of earth and stone, firmly set, nail at corner point and scribed T B R -3-0-5-2610 and D F - 5-3188, whence;</p> <p>No bearing objects are available.</p> <p style="text-align: center;">Thence N.61°06'W.</p>
197.24	<p>To Cor.No.1, the place of beginning.</p>

Mineral Survey No.3188

Feet	
	<p style="text-align: center;">Standard.</p> <p>Beginning at Cor.No.1</p> <p style="text-align: center;">Identical with Cor.No.1, Tom Reed Extension No.2 lode of this survey, heretofore described, whence;</p> <p style="text-align: center;">U.S.L.M.No.1602 bears S.61°34'20"W. 5275.47 ft.</p> <p style="text-align: center;">Thence N.37°55'E.</p>
60.70	Intersect line 2-3 Easter lode of this survey, at S.42°09'E. .642.97 ft. from Cor.No.2.
289.20	To south end center.
	Identical with North end center Tom Reed Extension No.2 lode of this survey, heretofore described.
541.77	Intersect westerly side line Red Cloud lode (unsurveyed) at S.40°35'E.831.36 ft. from the N.W.Cor.
588.98	To Cor.No.2.
	Identical with Cor.No.2 Tom Reed Extension No.2 lode of this survey, heretofore described, whence;
	The E.1/4 Cor.Sec.15 T. 19 N.,R.20W.(unapproved) G and S.R. B and M.bears N.44°47'E.1131.85 ft.
	The N.W.Cor.Red Cloud lode (unsurveyed) bears N. 43°48'20"W.823.26 ft.
	Thence N.39°44'W.
828.69	Intersect North end line Red Cloud lode (unsurveyed) at N.42°56'E.58.94 ft. from the N.W.Cor.also line 4-5 Red Cloud Extension lode of this survey, at N.42°56'E. 98.94 ft. from Cor.No.4.
1141.09	Intersect line 3-4 Red Cloud Extension lode of this survey, whence Cor.No.4 bears S,22°56'E.339.52 ft.
1183.44	To Cor.No.3.
	A pine post 4 ft.long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at corner point, and scribed S.3-3188, whence,
	No bearing objects are available.
	Thence S.37°55'W.
299.78	To north end center.
	A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at center

Mineral Survey No.3188.

Feet	
350.52	<p>point and scribed N end Cen Standard-3188.</p> <p>Intersect line 2-3 Stray Dog lode of this survey, at N.42°09'W.^{570.06}533.44 ft. from Cor.No.2.</p>
588.98	<p>To Cor.No.4.</p> <p>A pine post 4 ft. long 4 ins. square, set 18 ins. in ground, with mound of earth and stone, nail at corner point, and scribed S -4-3188, whence;</p> <p>No bearing objects are available.</p> <p>Thence S.39°44'E.</p>
529.40	<p>Intersect lines 1-2 Stray Dog and Easter lodes of this survey, at S.47°51'W.257.20 and 32.20 ft. respectively from Cor.No.2 Stray Dog and Cor.No.2 Easter lodes of this survey.</p>
1183.44	<p>To Cor.No.1, the place of beginning.</p> <p>Stray Dog.</p> <p>Beginning at Cor.No.1, identical with Cor.No.1, Easter lode of this survey,</p> <p>A pine post 4 ft. long 4 ins. square, set 18 ins in ground with mound of earth and stone, nail at corner point and scribed S D-1-E-1-3188, whence;</p> <p>U.S.L.M. No.1602 bears S.54°56'15"W. 4846.58 ft.</p> <p>Cor.No.3 Sur.No.2610 Bessel lode and S.E.Cor.Nancy Hanks lode (unsurveyed) claimant unknown, bears N.40°13' W.526.44 ft.</p> <p>No bearing objectd available.</p> <p>Thence N.47°51'E.</p>
143.59	<p>Intersect line 3-4 Sur.No.2610 Bessel lode, at S.55°36' E.540.97 ft. from Cor.No.3.</p>
251.00	<p>North end center, Easter lode of this survey.</p>
300.00	<p>To south end center.</p> <p>A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at center point, and scribed S end Cen S D - 3188</p>
342.80	<p>Intersect line 4-1 Standard lode of this survey, at S.39° 44'E.529.40 ft from Cor.No.4.</p>
375.00	<p>Cor.No.2 Easter lode of this survey.</p>
600.00	<p>To Cor.No.2.</p>

Mineral survey No.3188.

Feet	
	<p>A pine post 4 ft. long 4 ins.square set 18 ins.in ground, with mound of earth and stone, nail at corner point and scribed S D -2-3188, whence;</p> <p>The E.1/4 Cor.Sec.15 T/19 N.,R.20.W.(unapproved) G and S.R.B and M. bears N.66°52'E.1507.90 ft.</p> <p>Cor.No.4 Standard lode of this survey bears N.66°05'40" W.578.74 ft.</p> <p>No bearing objects available.</p> <p>Thence N.42°09'W.</p>
570.06	Intersect line 3-4 Standard lode of this survey at N.37° 55'W.238.46 ft. from Cor.No.4.
1246.20	Intersect south end line Mohawk Extension lode (unsurveyed) claimant unknown, at N.73°06'E.557.49 ft. from the S.W.Cor.
1500.00	To Cor.No.3.
	<p>A pine post 4 ft long 4 ins.square set 18 ins. in ground, with mound of earth and stone, nail at corner point, and scribed S D-3-3188, whence;</p> <p>The S.W.Cor.Mohawk Extension lode (unsurveyed) bears S.46°02'W.504.47 ft.</p> <p>No bearing objects available.</p> <p>Thence S.47°51'W.</p>
300.00	To North end center, a pine post 4 ft. long 4 ins. square set 18 ins in ground, with mound of earth and stone, nail at center point, scribed N.End Gen. S D -3188.
505.53	Intersect westerly side line Mohawk Extension lode, (unsurveyed) at N.46°50'W.16.05 ft. from the S.W.Cor.
600.00	To Cor.No.4.
	<p>A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, nail at corner point, scribed S D - 4-3188, whence;</p> <p>No bearing objects are available.</p> <p>Thence S 42°09'E.</p>
901.83	Intersect easterly side line Nancy Hanks lode (unsurveyed) at N.56°W.74.19 ft. from the S.E.Cor.
974.04	Intersect southerly end line Nancy Hanks lode (unsurveyed) at S.47°17'W.17.76fg. from the S.E.Cor.also line

Mineral Survey No.3188

Feet	
1500.00	<p>2-3 Sur.No.2610 Bessel lode, at S.47°17'W.17.76 ft.from Cor.No.3.</p> <p>To Cor.No.1, the place of beginning.</p> <p style="text-align: center;">Easter.</p> <p>Beginning at Cor.No.1.</p> <p style="padding-left: 40px;">Identical with Cor.No.1, Stray Dog lode of this survey, heretofore described, whence;</p> <p style="padding-left: 40px;">U.S.L.M. No.1602 bears S.54°56'15"W.4846.58 ft.</p> <p style="padding-left: 40px;">Cor.No.4 Sur.No.2610 Bessel lode bears S.72°04'40" E. 492.37 ft.</p> <p style="text-align: center;">Thence N.47°51'E.</p>
143.59	<p>Intersect line 3-4 Sur.No.2610 Bessel lode at N.55°36'W. 438.76 ft. from Cor.No.4. From Cor.No.4 Bessel lode Cor.No.5 thereof by S.58°38'E. 380.65 ft.</p>
251.00	<p>To north end center.</p> <p style="padding-left: 40px;">A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, nail at center point, scribed N.end Cen.Easter - 3188.</p>
300.00	<p>South end center Stray Dog lode of this survey.</p>
342.80	<p>Intersect line 4-1 Standard lode of this survey at N.39° 44'W.654.04 ft from Cor.No.1.</p>
375.00	<p>To Cor.No.2.</p> <p style="padding-left: 40px;">On line 1-2 Stray Dog lode of this survey.</p> <p style="padding-left: 40px;">A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, nail at corner point, scribed E-2-3188, whence;</p> <p style="padding-left: 40px;">No bearing objects are available.</p> <p style="text-align: center;">Thence S.42°09'E.</p>
642.97	<p>Intersect lines 1-2 Standard and Tom Reed Extension No.2 lodes of this survey, at N.37°55'E.60.7 ft. from Cor.No.1</p>
890.00	<p>To Cor.No. 3,</p> <p style="padding-left: 40px;">Identical with Cor.No.3 Sur.No.2610 Olla Oatman lode.</p> <p style="padding-left: 40px;">A pine post showing 18 ins. above a mound of earth and stone, firmly set, nail at corner point, scribed 0-3-2610- E-3-3188, whence;</p> <p style="padding-left: 40px;">Cor.No.5 Sur.No.2610 Bessel lode, bears N.54°24'W. 100.58 ft.</p>

Mineral Survey No. 3188

Feet	
	<p>Cor. Nos. 1 Standard and Tom Reed Extension No. 2 Lodes of this Survey, bears N. 56° 20' W. 244. ft.</p> <p>Cor. No. 2 Sur. No. 2610 Olla Oatman lode bears S. 47° 43' W. 301.4 ft.</p> <p>The S.E. Cor. Sec. 15, T. 19 N., R. 20 W. (unapproved) G and S.R. B and M. bears S. 37° 51' 30" E. 1572.15 ft.</p> <p>Thence S. 47° 51' W.</p>
5.17	Intersect line 5-1 Tom Reed Extension No. 2 lode of this survey, S. 55° 09' E. 242.79 ft from Cor. No. 1
134.00	To south end center.
	<p>A pine post 4 ft long 4 ins. square set 18 ins in ground with mound of earth and stone, nail at center point, scribed S. end Cen. Easter - 3188.</p>
299.35	Intersect line 5-6 Sur. No. 2610 Bessel lode at S. 28° 23' W. 294.94 ft. from Cor. No. 5.
375.00	To Cor. No. 4.
	<p>A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, nail at corner point, scribed E-4-3188, whence;</p> <p>No bearing objects are available.</p> <p>Thence N. 42° 09' W.</p>
890.00	To Cor. No. 1, the place of beginning.
	<p>Red Cloud Extension.</p> <p>Beginning at Cor. No. 1.</p> <p>A pine post 4 ft. long 4 ins. square, set 18 ins. in ground with mound of earth and stone, nail at corner point, scribed R.C. Ext. 1-3188, whence;</p> <p>U.S.L.M. No. 1699 A bears N. 39° 42' 30" E. 5005.52 ft.</p> <p>No bearing objects are available.</p> <p>Thence S. 42° 56' W.</p>
262.10	To North end center.
	<p>A pine post 4 ft. long, 4 ins. square set 18 ins. in ground, with mound of earth and stone, nail at center point, scribed N. end Cen. R.C. Ext. 3188.</p>
439.10	To Cor. No. 2.
	<p>A pine post 4 ft. long 4 ins. square, set 18 ins in ground with mound of earth and stone, nail at corner</p>

Mineral Survey No.3188

Feet	point, scribed R C Ext 2-3188, whence; No nearing objects are available. Thence S.10°23'E.
520.95	To Cor.No.3. A pine post 4 ft.long 4 ins.square, set 18 ins.in ground with mound of earth and stone, a nail at corner point, and scribed R.C.Ext.3-3188, whence; No bearing objects are available. Thence S.22°56'E.
480.00	Wagon road, course northwest and southeast.
695.99	Intersect line 2-3 Standard lode of this survey, at S.39° 44'E. 42.35 ft. from Cor.No.3.
1035.51	To Cor.No.4. A pine post 4 ft.long 4 ins.square set 18 ins.in ground with mound of earth and stone and a nail at corner point, scribed R.C.Ext.4-3188, whence; Cor.No.3 Standard lode of this survey bears N.24° 46'40" ^W 380.26 ft. Thence N.42°56'E.
40.00	N.W.Cor.Red Cloud lode (unsurveyed)
98.94	Intersect line 2-3 Standard lode of this survey at S.39° 44'E. 354.75 ft. from Cor.No.3.
150.00	Wagon road, course northwest and southeast.
322.34	To south end center. A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed S.end Cen.R.C.Ext-3188
643.74	To Cor.No.5. Identical with the N.E.Cor.Red Cloud lode (unsurveyed) and Cors, 2 and 3 respectively of Consolidated and Great Western lodes of this survey, A pine post 4 ft long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed N.E. R.C.-R.C.EXT.-5-G.W. 3-C 2-3188, whence; The E. 1/4 ^{Cor.} Sec.15 T.19 N.R.20W. (Unapproved) G and S. R. B and M. bears S.76°18'40"E. 983.90 ft.

Mineral Survey No.3188

Feet	No bearing objects are available. Thence N.25°49'W.
1348.07	Cor.No.2 Great Western lode of this survey.
1462.20	To Cor.No.1, the place of beginning. Sunrise lode. Beginning at Cor.No.1 A pine post 4 ft.long,4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed S-1-3188,whence; U.S.L.M. No.1699 A.bears N.13°02'40"E.5979.50 ft. The W 1/4 Cor.Sec.14,T.19 N. R.20 W.(unapproved) G and S.R. B and M. bears N.31°00'W.496.24 ft. Thence S.37°52'W.
82.78	Cor.No.4 Sunset lode of this survey, also intersect line 2-3 North Parallel lode of this survey at N.35°16'W. 455.16 376.74 ft. from Cor.No.3.
146.60	Intersect line 4-1 Consolidated lode of this survey , at N.40°35'W.180.33 ft. from Cor.No.4.
294.16	To northwest end center. A pine post 4 ft long 4 ins.square set 18 ins.in ground, a nail at center point and scribed N.W.end Cen-Sunrise - 3188.
390.78	South end center Sunset lode of this survey,
502.10	Cor.No.3 Consolidated lode of this survey, Cor.No.4 said lodes bears N.66°49'E.365 ft. also intersect the easterly side line Red Cloud lode (unsurveyed) at N.40°35'W.111.45 ft. from the S.E.Cor.
594.16	To Cor.No.2. Identical with Cor.No.5 Tom Reed Extension lode of this survey, heretofore described. Thence S.49°34'E.
102.71	Intersect south end line Red Cloud lode (unsurveyed) at S.42°56'W.74.64 ft. from the S.E.Cor.
1499.60	To Cor.No.3. Identical with Cor.No.4 Tom Reed Extension lode of this survey, heretofore described. Thence N.37°52'E.

Mineral Survey No.3188

Feet 300.00	South east end center. A pine post 4 ft. long 4 ins.square, set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed S.E.end Cen.Sunrise-3188.
427.29	Intersect south west side line Starlight lode (unsurveyed) claimant unknown, at S.51°06'E.1272.64 ft. from the west corner.
594.16	To Cor.No.4. A pine post 4 ft. long 4 ins. square set 18 ins.in ground, with mound Of earth and stone, a nail at corner point and scribed S-4-3188, whence; The west Cor.Starlight lode (unsurveyed) bears N.58° 35'10"W.1280.58 ft. No other bearing objects are available. Thence N.49°34'W.
1005.10	Intersect line 3-4 North Parallel lode of this survey, at N.54° 44' E 201.36 ft. from Cor. No. 3.
1270.12	Intersect northwest end line Starlight lode (unsurveyed) at N.38°54'E.200.83 ft. from the west corner.
1499.60	To Cor.No.1, the place of beginning. Sunset. Beginning at Cor.No.1. On lines 2-3 and 4-1 Mountain View and Great Western lodes of this survey, at N.20°26'W.404.35 and 268.35 ft. from Cors, 3 and 4 respectively. A pine post 4 ft long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point, and scribed S-1-3188, whence; U.S.L.M. No.1699 A.bears N.25°09'20"E.5225.47 ft. No other bearing objects available. Thence S.37°52'W.
308.00	To north end center. A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed N.end Cen.Sunset 3188.
447.86	To Cor.No.2. A pine post 4 ft. long 4 ins.square set 18 ins.in

Mineral Survey No.3188.

Feet	
	<p>ground with mound of earth and stone, a nail at Corner point and scribed S-2-3188,whence;</p> <p>No bearing objects are available.</p> <p>Thence S.32°51'E.</p>
52.00	Intersect lines 1-2 and 3-4 Consolidated and Great Western lodes of this survey, at S.66°49'W.263.60 and 370.29 ft.respectively from Cors.1 and 4 said lodes.
771.00	Intersect line 2-3 Consolidated lode of this survey,also the easterly side line Red Cloud lode,(unsurveyed) at N.40°35'W.645.77 ft and 757.22 ft. from Cor.No.3 and the S.E.Cor.respectively
1441.30	<p>To Cor.No.3.</p> <p>Identical with Cor.Nos 2 and 5 Sunrise and Tom Reed Extension lodes of this survey, heretofore described.</p> <p>Thence N.37°52'E.</p>
92.06	Cor.No.3 Consolidated lode of this survey also intersect easterly side line Red Cloud lode (unsurveyed) at N.40°35'W.111.45 ft. from the southeast corner.
203.38	<p>To south end center.</p> <p>A pine post 4 ft.long 4ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed S.end Cen.Sunset-3188</p>
300.00	North end center, Sunrise lode of this survey.
447.56	Intersect line 4-1 Consolidated lode of this survey at S.40°35'E.1208.22 ft. from Cor No.1.
511.38	<p>To Cor.No.4.</p> <p>On lines 1-2 and 2-3 Sunrise and North Parallel lodes of this survey.</p> <p>A pine post 4 ft. long 4 ins. square set 18 ins.in ground, a nail at corner point and scribed S-4-3188, whence;</p> <p>The W.1/4 Cor.Sec.14 T 19 N.R 20 W.(unapproved) G and S.R B and M. bears N.22°39'W.531.71 ft.</p> <p>No bearing objects are available.</p> <p>Thence N.35°16'W.</p>
1008.55	Intersect line 3-4 Mountain View lode of this survey, at

Mineral Survey No. 3188

Feet	
	N.66°49'E.105.86 ft.from Cor.No.3.
1044.84	Cor.No.2 North Parallel lode of this survey.
1421.58	To Cor.No.1, the place of beginning.
	North Parallel.
	Beginning at Cor.No.1
	Not set, as it falls on the face of an inaccessible cliff 40 ft.high, whence;
	U.S.L.M.No.1690 A.bears N.18°03'05"E.4948.48ft.
	Cor.of the location bears N.54°44'E. 8.65 ft.
	W.C. hereafter described bears S.54°44'W.40 ft.
	Thence S.54°44'W.
40.00	Witness corner to Cor.No.1.
	A pine post 4 ft.long 4 ins.square set on bed rock in a mound of stone 2 ft.high and 4 ft. at base a nail at corner point and scribed W.C.-N.P.-1-3188.
183.65	Intersect line 4-1 Mountain View lode of this survey, at
	N.24°41'W.117.65 ft.from Cor,No.4.
300.00	To North end center.
	A pine post 4 ft.long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed N.end Cen.N.P.-3188.
576.00	To Cor.No.2.
	On line 4-1 Sunset lode of this survey.
	A pine post 4 ft.long 4 ins.square set 18 ins.in ground, a nail at corner point and scribed N.P.2-3188 whence;
	The W.1/4 Cor.Sec.14 T.19 N.R.20W.(unapproved) G and S.R. B and M. bears S.47°43'10"E.538.63 ft.
	No bearing objects are available.
	Thence S.35°16'E.
36.29	Intersect line 3-4 Mountain View lode of this survey, at N.66°49'E.105.86 ft.from Cor.No.3, and S 66°49'W.379.14 ft. from Cor.No.4.
1044.84	Cor.Np.4 Sunset lode of this survey also Intersect line 1-2 Sunrise lode of this survey, at S.37°52'W.82.78 ft. from Cor. No.1.
1281.72	Intersect north west end line Starlight lode (unsurveyed)

Mineral Survey No. 3188.

Feet	at N.38°54'E.59.56 ft from the west corner, and S.38°54'W.540.44 ft. from the north corner.
1500.00	<p>To Cor.No.3.</p> <p>On the south west side line Starlight lode (unsurveyed) at S.51°06'E.210.ft from the west corner.</p> <p>A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed N.P.-3-3188,whence;</p> <p>Cor.No.1, Sunrise lode of this survey, bears N.25°52'45"W.485.68 ft.</p> <p>No other bearing objects available.</p> <p>Thence N.54°44'E.</p>
201.36	Intersect line 4-1 Sunrise lode of this survey, at S.49°34'E. 493.50 ft. from Cor.No.1.
276.00	<p>To south end center.</p> <p>A pine post 4 ft.long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed S.end.Cen.N P - 3188.</p>
576.00	<p>To Cor.No.4.</p> <p>A pine post 4 ft.long 4 ins.square set 18 ins in ground with mound of earth and stone, a nail at corner point and scribed N.P.4-3188, whence;</p> <p>No bearing objects are available.</p> <p>Thence N.35°16'W.</p>
168.01	Intersect Northeasterly side line Starlight lode,(unsurveyed) at S.51°06'E.205.52 ft. from the north corner,
1500.00	<p>To Cor.No.1, the place of beginning.</p> <p>Great Western.</p> <p>Beginning at Cor.No.1.</p> <p>Identical with Cor.No.2 Mountain View lode of this survey.</p> <p>A pine post 4 ft.long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed G.W.1-M.V.2-3188,whence;</p> <p>U.S.L.M. No.1699 A.Bears N.34°56'50"E.4535.88 ft.</p> <p>No other bearing objects available.</p>

Feet.	Thence S.66°49'W.
300.00	To north end center. A pine post 4 ft long 4 ins.square set on bed of rock in a mound of earth and stone 2 ft high and 4 ft. at base, a nail at center point and scribed N.end Cen.G.W.-3188.
598.31	To Cor.No.2. On line 5-1 Red Cloud Extension lode of this survey 114.13 ft.from Cor.No.1. A pine post 4 ft.long,4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed C.W.2-3188, whence; No bearing objects are available. Thence S.25°49'E.
1348.07	To Cor.No.3. Identical with Cor.No.5 Red Cloud Extension lode of this survey, heretofore described. Thence N.66°49'E.
65.00	North end center, Consolidated lode of this survey.
101.40	Intersect line 2-3 Sunset lode of this survey, at S.32° 51'E.52 ft.from Cor.No.2.
171.69	To south end center. A pine post 4 ft.long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at center point and scribed S.end Cen.G.W.-3188
365.00	Cor.No.1, Consolidated lode of this survey.
471.69	To Cor.No.4. On line 2-3 Mountain View lode of this survey. A cross (X) on top at corner point and G.W.4-3188 chiseled on the west face of an andesite rock in place, showing 2x4x2 ft.above the general surface,with a mound of stone 4 ft.at base and 3 ft.high along side whence; The E.1/4 Cor.Sec.15.T.19 N.R 20W(unapproved) G and S.R. B and M.bears S.51°17'50"E.669.34 ft. No bearing objects are available. Thence N.20°26'W.

Feet	
268.35	Cor.No.1, Sunset lode of this survey, whence Cor.No.2 said lode bears S.37°52'W.447.86 ft.
1348.20	To Cor.No.1, the place of beginning. Consolidated. Beginning at Cor.No.1. On line 3-4 Great Western lode of this survey at 106.69 ft. from Cor.No.4. A pine post 4 ft. long 4 ins.square set 18 ins.in ground with mound of earth and stone, a nail at corner point and scribed C-1-3188,whence; U.S.L.M. No.1699 A.bears N.23°53'50"E.5494.37 ft. The E.1/4 Cor.Sec.15 T 19 N.R.20 W (unapproved) G and S.R.B. and M.bears S.58°45'E.725.71 ft. No other bearing objects available. Thence S.66°49'W.
203.31	South end center Great Western lode of this survey,
263.60	Intersect line 2-3 Sunset lode of this survey, at S.32°51'E.52 ft. from Cor.No.2.
300.00	To North end center. A pine post 4 ft.long 4 ins.square set 18 ins in ground with mound of earth and stone, a nail at center point and scribed N.end Cen.C-3188
365.00	To Cor.No.2. Identical with the Northeast corner Red Cloud lode (unsurveyed) and Cor.Nos.3 and 5 Great Western and Red Cloud Extension lodes of this survey, heretofore described. Thence S.40°35'E
742.78	Intersect line 2-3 Sunset lode of this survey, at S.32°51'E.771 ft from Cor.No.2.
1388.55	To Cor.No.3. On the easterly side line Red Cloud lode,(unsurveyed) at N.40°35'W.111.45 ft. from the S.E.Cor.and on line 1-2 Sunrise and line 3-4 Sunset lode of this survey, 92.06 ft. from Cor.Nos 2 and 3, respectively. A pine post 4 ft. long 4 ins.square set 18 ins. in

Mineral Survey No.3188.

Feet	ground, a nail at corner point and scribed C-5-3188,
	whence;
	No bearing objects are available.
	Thence N.66°49'E.
65.00	To south end center.
	A pine post 4 ft. long 4 ins. square set 18 ins. in
	the ground, with mound of earth and stone, a nail at
	center point and scribed S end Cen C-3188
365.00	To Cor.No.4.
	A pine post 4 ft. long 4 ins. square set 18 ins. in
	ground with mound of earth and stone, a nail at corner
	point and scribed C-4-3188, whence;
	No bearing objects are available.
	Thence N.40°35'E.
180.33	Intersect lines 1-2 and 3-4 Sunrise and Sunset lodes of
	this survey, at N.57°52'E.447.56 ft from Cor.Nos.2 and 3.
1388.55	To Cor.No.1, the place of beginning.
	Mountain View.
	Beginning at Cor.No.1.
	A pine post 4 ft. long 4 ins. square set 6 ins. to bed
	rock with a mound of earth and stone 4 ft. at base and 2 ft.
	high, a nail at corner point and scribed M.V.1-3188,
	whence;
	U.S.L.M. No.1699 A. bears N.32°15'30"E.4222.02 ft.
	to
	The corner sections 10-11-14 and 15 T.19 N.R.20W.
	(unapproved) G and S.R. B and M. bears N.38°25'10"E.1034.78ft.
	No other bearing objects available.
	Thence S.66°49'W.
300.00	To north end center.
	A pine post 4 ft. long 4 ins. square set 18 ins. in
	ground with mound of earth and stone, a nail at center
	point and scribed N. end Cen. M.V.-3188,
374.97	To Cor.No.2.
	Identical with Cor.No.1, Great Western lode of
	this survey, heretofore described.
	Thence S.20°26'E.
1079.85	Cor.No.1 Sunset lode of this survey.

Mineral Survey No. 3188.

Feet.	
1348.20	Cor. No. 4. Great Western lode of this survey.
1484.20	To Cor. No. 3.
	A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, a nail at corner point and scribed M.V. 3-3188, whence;
	The E. 1/4 Cor. Sec. 15 T 19 N. R. 20 W. (unapproved) G. and S. R. B. and M. bears S. 58° 29' 40" E. 556.96 ft.
	No bearing objects are available.
	Thence N. 66° 49' E.
105.86	Intersect lines 4-1 and 2-3 Sunset and North Parallel lodes of this survey at S. 35° 16' E. 413.03 ft. and 36.29 ft. respectively from Cors. No. 1 and 2.
185.00	To south end center.
	A pine post 4 ft. long 4 ins. square set 18 ins. in ground with mound of earth and stone, a nail at center point and scribed S. end Cen M.V. -3188.
485.00	To Cor. No. 4.
	A pine post 4 ft. long 4 ins. square set 18 ins. in ground, a nail at corner point and scribed M.V. 4-3188, whence;
	Cor. No. 2 North Parallel lode, of this survey bears S. 72° 03' 30" W. 388.37 ft.
	No other bearing objects available.
	Thence N. 24° 41' W.
117.65	Intersect line 1-2 North Parallel lode of this survey, at N. 54° 44' E. 392.35 ft. from Cor. No. 2.
1483.00	To Cor. No. 1, the place of beginning.
	Magnetic variation at all corners 14° 30' east.
	Lode Lines.
	As near as can be determined from present development the lode lines of the several lodes in this survey extend from their respective discovery points as follows:
	Tom Reed Extension lode:
	N. 49° 34' W. 218 ft and S. 49° 34' E. 1281.6 ft.
	Tom Reed Extension No. 2 lode:
	N. 45° 41' W. 779.06 ft. and S. 50° 03' E. 712.83 ft.

Daisy Fraction lode:

N.59°11'W.320 ft. and S.59°11'E.284.45 ft.

Standard lode:

N.39°44'W.533.44 ft. and S.39°44'E.650 ft.

Stray Dog lode:

N.42°09'W.530 ft and S.42°09'E.970 ft.

Easter lode:

N.42°09'W.148.ft. and S.42°09'E.742 ft.

Red Cloud Extension lode:

N.23°41'W.874.72 ft. and S.23°41'E.610 ft.

Sunrise lode:

N.49°34'W.70 ft. and S.49°34'E.1429.6 ft.

Sunset lode:

N.35°16'W.1260.ft. and S.35°16'E.161.58 ft.

North Parallel lode:

N.35°16'W.1080 ft.and S.35°16'E.420 ft.

Great Western lode:

N.20°26'W.878.20 ft. and S.20°26'E.470 ft.

Consolidated lode:

N.40°35'W.60 ft. and S.40°35'E.1328.55 ft.

Mountain View lode:

N.24°41'W.891.ft. and S.24°41'E.592 ft.

AREA.

Total area Tom Reed Extension lode	20.449 acres.	
Area in conflict with Sur.No.2710 Tip Top lode	2.087	"
Red Cloud lode (unsurveyed)	0.872	"
Total area Tom Reed Extension No.2 lode .	13.530	"
Area in conflict with Sur. No.2610 Olla Oatman lode	0.041	"
Sur.No.2610 Bessel lode	0.008	"
Red Cloud lode (unsurveyed)	0.771	"
Tom Reed Extension lode of this survey ..	1.312	"
Tom Reed Extension lode of this survey exclusive of its common conflict.056 Acres with Red Cloud lode (unsurveyed).....	1.256	"
Total area Daisy Fraction lode	1.528	"
Area in conflict with Sur.No.2710 Tip Top lode	0.261	"
Total area Standard lode	15.631	"

Mineral Survey No.3188.

Area in conflict with Red Cloud lode (unsurveyed)	0.998 Acres	
Total area Stray Dog lode	20.661	"
Area in conflict with Sur.No.2610 Bessel lode	0.974	"
Nancy Hanks lode (unsurveyed)	0.015	"
Mohawk Extension lode (unsurveyed)	1.562	"
Standard lode of this survey	3.099	"
Total area Easter lode	7.662	"
Area in conflict with Sur.2610 Bessel lode	4.902	"
Tom Reed Extension No.2 lode of this survey	0.184	"
Tom Reed Extension No.2 lode of this survey exclusive of its common conflict 0.008 acres with Sur.No.2610 Bessel lode.....	0.176	"
Standard lode of this survey	0.682	"
Total area Red Cloud Extension lode	18.283	"
Area in conflict with Standard lode of this survey	0.352	"
Total area Sunrise lode	20.434	"
Area in conflict with Red Cloud lode (unsurveyed)	0.203	"
Starlight lode (unsurveyed)	5.364	"
Total area Sunset lode	14.979	"
Area in conflict with Red Cloud (unsurveyed)	0.669	"
Total area North Parallel lode	19.835	"
Area in conflict with Starlight lode (unsurveyed)	3.829	"
Sunrise lode of this survey	1.521	"
Sunrise lode of this survey exclusive of its common conflict .934 acres with Starlight lode (unsurveyed)	0.587	"
Total area, Great Western lode	16.539	"
Area in conflict with Sunset lode of this survey	1.392	"
Total area Consolidated lode	11.103	"
Area in conflict with Sunrise lode of this survey	0.721	"
Sunset lode of this survey	9.557	"
Total area Mountain View lode	14.634	"
Area in conflict with Sunset lode of this survey	0.491	"

North Parallel lode of this survey0.675 acres

The survey of each lode of this location is identical with the respective location with the exception of Cor.No.1, North Parallel lode, to which a connection is herein given, all corners and end centers having been found in place on the ground.

LOCATION.

This survey is located in sections 14 and 15, T.19 N.,R.20W. (unapproved) of G and S.R. B and M. in the San Francisco Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant, or its grantors, is less than Five Hundred Dollars, and that said improvements consist of,

On the Tom Reed Extension lode:

No.1

The discovery shaft which is on the lode line 218 ft.from the north end center, 7X9 ft.12 ft.deep in altered mineral bearing andesite and quartz.

Value\$ 75.00

No.2

A shaft which bears from Cor.No.1 S.79°45'E. 370. ft 4x6 ft 50 ft.deep on a quartz vein, dip N.85°

Value\$ 650.00

No.3.

A shaft which bears from Cor.No.2 N.25°40'W. 402 ft.4.5x6.5 ft. in the clear 590 ft.deep.Timbered.

Value\$14750.00

On the Tom Reed Extension No.2 lode:

No.1

The discovery shaft which is on the lode line at S.45°41'E.779.06 ft. from the north end center 4x6 ft. 10 ft deep on a quartz vein in andesite.

Value\$ 60.00

No.2

A shaft on the lode line at S.45°41'E.673.ft from the north end center 4x6 ft 60 ft.deep on a quartz vein in andesite.

Value\$ 750.00

Mineral Survey No.3188

- No.3 A shaft which bears from Cor.No.1 S.77°35'E.320 ft.
5x7 ft.50 ft.deep on a quartz ledge in andesite.
Value\$ 650.00
- No.4 A shaft which bears from Cor.No.4 N.45°10'W.330 ft
4x8 ft 15 ft deep, in quartz and andesite.
Value\$ 100.00
- On the Daisy Fraction lode:
- No.1 The discovery shaft which is on the lode line at
S59°11'E.320 ft.from the north end center 5x7 ft 60 ft
deep, on a quartz ledge in andesite.
Value\$ 750.00
- No.2 A shaft which bears from Cor.No.5 N.43°40'W.59 ft
5x7 ft 11 ft deep on a quartz ledge in andesite.
Value\$ 100.00
- On the Standard lode:
- No.1 The discovery shaft which is on the lode line at
S.39°44'E.533.44 ft.from the north end center 4x6 ft.
50 ft deep on a quartz ledge in andesite.
Value\$ 650.00
- No.2 A shaft which bears from Cor.No.1 N.16°05'W.660 ft.
5x7 ft 10 ft deep in mineralized andesite.
Value\$ 75.00
- No.3 A shaft which bears from Cor.No.1 N.12°50'W.430 ft
5x7ft.7ft.deep on a white spar ledge.
Value\$ 50.00
- No.4 A shaft which bears from Cor.No.1 N.0°15'W.446 ft.
5x7 ft12 ft.deep on a quartz ledge in andesite.
Value\$ 100.00
- On the Stray Dog:
- No.1 The discovery shaft which is on the lode line at
S.42°09'E.530 ft. from the north end center 4x7 ft 8 ft.
deep in altered andesite and quartz.
Value\$ 50.00
- No.2 A shaft which bears from Cor No.3 S.10°10'E.627.ft
4x6 ft 8 ft deep in altered quartz and spar.
Value\$ 50.00

- No.3 A shaft which bears from Cor.No.3 S.5°50'E.608 ft.
4x6 ft.8ft,deep in altered andesite.
Value\$50.00
- No.4 A shaft which bears from Cor.No.3 S.13°35'E.755 ft.
4x6 ft 16 ft.deep on a quartz ledge in andesite, dip
N.E. 70°
Value\$160.00
- No.5 A cut, the mouth of which bears from Cor.No.3 S.7°.
50'E.570 ft.4 ft.wide runs S.60°E.18 ft. to an 8 ft.face
in quartz and spar and andesite.
Value\$ 50.00
- No.6 A cut, the mouth of which bears from Cor.No.3 S.12°
15'E.515 ft , 4 ft.wide runs S.46°E.12 ft to a 6 ft.face,
in decomposed andesite and spar.
Value \$ 25.00
- No.7 An open cut, the S.end of which bears from Cor.No.1
N.24°15'W.648 ft, average 3 ft.wide, 4 ft.deep 40 ft.long
course N.17°E.
Value \$ 50.00
- On the Easter lode:
- No.1 The discovery cut, the face of which is on the lode
line at S.42°09'E.148 ft.from the north end center,4 ft.
wide 8.5 ft.face runs N.42°W.13ft.to mouth in altered
andesite,spar and quartz.
Value \$ 50.00
- On the Red Cloud Extension lode.
- No.1 The discovery cut, the mouth of which is on the lode
line at N.23°41'W.610 ft.from the south end center,4 ft.
wide runs N.24°W.20ft.to an 8 ft.face, at face of cut a
shaft 5x7 ft.12 ft.deep, all on a quartz and spar ledge
in andesite, the shaft is incline to the west 80° dip.
Value of cut and shaft\$ 150.00
- No.2 A shaft which bears from Cor.No.4 N.3°50'W.680 ft.
4x7 ft 54 ft.deep, timbered 20 ft.
Value \$675.00
- On the Sunrise lode:
- No.1 The discovery shaft which is on the lode line at

Mineral Survey No. 3188

- S.49°34'E.70 ft. from the north end center 5x8 ft.9ft.
deep.
Value\$ 50.00
- No.2 A shaft, which bears from Cor.No.2 N.71°15'E.250 ft.
4x6 ft.10 ft.deep.
Value \$ 75.00
- On the Sunset lode:
- No.1 The discovery shaft, which is on the lode line at
N.35°16'W.161.58 ft. from the south end center 4x8 ft.
8 ft.deep.
Value \$ 50.00
- No.2 A shaft, which bears from Cor.No.4, S.73°25'W.295ft.
4x8 ft.8ft deep.
Value \$ 50.00
- No.3 A cut, the mouth of which bears from Cor.No.1 S.14°
15'E.450 ft.4 ft wide runs N.38°E.12 ft.to an 8 ft.face
in decomposed andesite, quartz and spar.
Value \$ 50.00
- No.4 A cut, the mouth of which bears from Cor.No.4, N.37°
30'W.645 ft.4 ft.wide runs N.28°E.23 ft. to a 10 ft.face,
at face of cut a shaft 5x8 ft.5ft deep below floor of
cut in decomposed andesite, quartz and spar.
Value of cut and shaft... \$ 100.00
- On the North Parallel lode:
- No.1 The discovery shaft which is on the lode line at
N.35°16'W.420 ft.from the south end center 4.5x6.5 x8ft.
deep in altered andesite and quartz.
Value\$ 50.00
- On the Great Western lode:
- No.1 The discovery cut, the face of which is on the lode
line at N/20°26'W.470 ft. from the south end center 5 ft.
wide 10 ft.face, runs S.80°W.14 ft.to mouth, at face of
cut a tunnel 4x6 ft.runs N.80°E.6 ft to face in altered
andesite.
Value of cut and tunne'....\$100.00
- On the Consolidated lode:
- No.1 The discovery shaft, which is on the lode line at
S.40°35'E.60 ft.from the north end center 5x7 ft 8 ft.

Mineral Survey No.3188.

deep in altered andesite.

Value\$ 60.00

On the Mountain View Lode:

No.1

The discovery shaft which is on the lode line at N.24°41'W.592 ft from the south end center, 4x7 ft.9 ft. deep in altered andesite.

Value\$ 50.00

OTHER IMPROVEMENTS.

A frame office building 16x30 ft., the south east corner of which bears from Cor.No.2 Tom Reed Extension lode N.10°50'W.380 ft.course of long side N.50°W.

A frame and iron blacksmith shop, the south east corner of which bears from Cor.No.2 Tom Reed Extension lode N.20°30'W.383 ft. 12x16 ft. course of long side N.23°W.

A frame and iron engine room, the southeast corner of which bears from Cor.No.2, Tom Reed Extension lode N.26°W.436 ft. 20x24 ft.course of long side N.64°E. This building is the housing for a complete hoisting and compressor plant of machinery,

The above improvements all belong to claimant herein.

INSTRUMENT.

This survey was made with a C.L.Berger & Sons No.2 Transit, the courses were deflected from the true meridian as determined by direct solar and polaris observations taken on the ground.

The distances were measured with 100 and 500 ft. steel tapes.

REPORT.

All lines and ties in this survey were run direct on the ground and the courses and distances found to be as herein stated.

U.S.L.M. No.1602 is basalt stone 8x15x14 ins. above ground, properly set, chiseled with a cross (X) on top and U.S.L.M. 1602 on the south face.

Mineral Survey No. 3188.

U.S.L.M. No. 1699 A. is a pine post 8x8 in. x 4 ft. above a mound of stone properly set, with a nail on top and U.S.L.M. 1699 A. scribed on the south face.

The northeast and southeast corners to unapproved section 15 T 19 N.R., 20W. G and S.R. B. and M. to which connections are herein given, are each 2 in. iron pipes with brass caps properly set and marked.

The E. 1/4 Cor. to unapproved Sec. 15 T. 19 N., R 20 W. G and S.R. B and M. is a 1 in. iron pipe with a brass cap, properly set and marked.

I find the W. line Sec. 14, T. 19 N., R 20 W. (unapproved) G and S.R. B. and M. to be as follows; to wit:

S.W. Cor. to W. 1/4 Cor. N. 0° 11' 10" W. 2644.54 ft. W. 1/4 Cor. to N.W. Cor. N. 0° 06' 50" W. 2640.24 ft.

Sur. No. 2610 Bessel lode:

All corners are pine posts 4 ins. square properly set and scribed.

I find line 1-2 to be N. 27° 28' E. 282.63 ft. instead of N. 28° 33' E. 282.9 ft.

Line 2-3 is N. 47° 17' E. 286.74 ft. instead of N. 47° 51' E. 287.6 ft.

Line 3-4 is S. 55° 36' E. 979.73 ft. instead of S. 54° 37' E. 893.8 ft.

Line 4-5 is S. 58° 38' E. 380.65 ft. instead of S. 58° 36' E. 381.50 ft.

Line 5-6 is S. 28° 23' W. 593.05 ft. instead of S. 28° 33' W. 593.10 ft.

The tie from Cor. No. 1 to U.S.L.M. No. 1602 is S. 50° 10' 10" W. 4279.20 ft. instead of S. 51° 16' 40" W. 4335.7 ft.

Sur. No. 2610 Olla Oatman lode.

All corners are pine posts properly set and scribed.

I find line 1-2 is N. 28° 23' E. 296.10 ft. instead of N. 28° 33' E. 296.4 ft.

Line 2-3 is N. 47° 43' E. 301.4 ft. instead of N. 47° 47' E. 301.3 ft.

Line 3-4 is S.54°44'30"E. 705.51 ft. instead of S.54°36'E. 706.10 ft.

Line 4-5 is S.61°06'E. 742.34 ft. instead of S.61°06'E. 742.8 ft.

Line 5-6 is S.47°51'W. 291.00 ft. to southeast end center, thence S.47°49'W. 291.77 ft instead of S.47°47'W. 583.50 ft.

The tie from Cor.No.1 to U.S.L.M. No.1602 is S.66°52'20" W. 4870.22. ft. instead of S.66°56'40"W. 4892.8 ft. Sur.No.2610, Thos.B.Reed lode.

All corners are pine posts 4 ins.square properly set and marked.

I find line 1-2 is N. 37°58'E. 276.50 ft. instead of N.37°55'E. 278.9 ft.

Line 2-3 is N.47°51'E. 291.ft instead of N.47°47'E. 291.75 ft.

Line 3-4 is correct as approved.

The tie from Cor.No.1 to U.S.L.M. 1602 is S.78°06'30" W. 5807.35 ft. instead of S.78°10'W. 5829 ft.

Sur.No.2710 Tip Top lode:

All corners are pine posts 4 ins.square properly set and marked.

I find the bearing and distances of each line to be correct as approved.

The tie from Cor.No.1 to U.S.L.M. No.1602 is S.76°42'W 6455.82 ft. instead of S.79°16'27"W. 6343.76 ft. as approved.

Starlight lode (unsurveyed)

All corners are pine posts, 4 ins.square, properly set and marked.

Red Cloud lode (unsurveyed)

All corners are pine posts 4 ins.square, properly set and marked.

Nancy Hanks lode (unsurveyed)

All corners are pine posts, 4 ins.square, properly set and marked.

Mohawk Extension lode (unsurveyed)

All corners are pine posts 4 ins. square, properly set and marked.

NOTE.

The disagreement between these field notes and the amended location certificates with regard to the courses and distances of the boundary lines and ties are due to errors in the latter.

Survey No. 3188

~~(Location)~~ Adjoining Claims.

Adjoining claims are as follows to wit:-

On the South west side, Sur.No.2610 Thos.B.Reed,Olla Oatman and Bessel lodes, Tom Reed Gold Mines Company claimant, Nanch Hanks lode (unsurveyed) Claimant unknown.

On the Northwest side, Mohawk Extension lode(unsurveyed) claimant unknown.

On the South east side, Sur.No.2710 Tip Top lode, Tom Reed Gold Mines Company, claimant. Starlight lode(unsurveyed) claimant unknown.

The Red Cloud lode(unsurveyed) Tom Reed Gold Mines Company claimant, is entirely surrounded by the lodes of this survey.

Edward L. Huff
U.S. Min. Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

United Eastern Mining Company

Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard, known as the Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View.

and showing the respective capacities in which they acted.

..... R. L. D. Arcy., *Chainman.*
....., *Chainman.*
....., *Arman.*
....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~WXX~~ I, R. L. Darcy,

I
and....., do solemnly swear that ~~we~~ assisted Edward L. Haff
....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of United Eastern Mining Company

Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard,
known as the Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

..... R. L. Darcy, *Chainman.*
....., *Chainman.*
....., *Arman.*
....., *Flagman.*

Subscribed and sworn to by the above-named person~~s~~ before me this 30th

day of June 1915, 190

..... A. K. Wheeler,
Notary Public

My Commission Expires June 15, 1918

Amended Location Certificate

MALB-7015

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining

Company by George W. Long President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

..... Mining District, hereby make and file this..... amended location of the Tom Reed Extension Lode, claiming by right of discovery, location, primal appropriation

and possession..... 1499.6 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing..... gold, silver and other valuable min-

erals, with all dips, variations and angles the same being N.49°38'W.218 feet along the ledge ~~to~~ a ~~xxxxxx~~ from the discovery ~~xxx~~ and S.49°38'E.1281.6

feet along the ledge ~~to~~ a ~~xxxxxxxx~~ therefrom, together with 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave

State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the N.W.Cor. a 4 x 4 in.post 4 ft.long.

Thence S.49°46'E.-1472.06 ft.to the S.E.Cor.No.2 Whence Cor.No.5

Sur.No.2610 Olla Oatman lode bears N.67°35'W.-420.18 ft.

Thence N.41°31'E.-295.85 ft. to Cor.No.3

Thence N.36°15'E.-300 ft.to S.E.Cor.No.4

Thence N.49°38'W.-1499.6 ft. to N.E.Cor.No.5

Thence S.36°15'W.- 300 ft.to North end center and 600 ft. to Cor

No.1 the place of beginning. Var 14° E.

THIS AMENDED LOCATION is made in conformity with the original location, made August 7th.1908, recorded 1....., in Book A.A.of Mines Page 533....., of ~~xxxxxxxxxxxx~~, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... August 7th.1908..... A. D. 1.....

Date of Amended Location..... May 1st.1915..... A. D. 19.....

Attest: United Eastern Mining Company

..... By George W. Long President.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 72-73, Records of Mohave County, Arizona. J. W. Morgan

County Recorder.

STATE OF ARIZONA, }
 County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "TOM REED EXTENSION" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
 Recorder of Mohave County.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "TOM REED EXTENSION NO. 2" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
Recorder of Mohave County.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

..... Mining District, hereby make and file this..... amended location of

the Tom Reed Extension No. 2 Lode, claiming by right of discovery, location, primal appropriation

and possession 1491.89 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being N.45°45'W.-779.06 feet along the

ledge ~~xx~~ ~~xxxxxx~~ from the discovery ~~xxxxx~~ ^{shaft} and S.50°07'E.-712.83

feet along the ledge ~~ixx~~ ~~xxxxxx~~ therefrom, together with 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at N.W. Corner No.1 Whence Cor.No.4 Sur.No.261Q Olla

Oatman lode bears S.55°13'10"E.-949.67 ft.

Thence N.37°51'E.-289.20 ft. to the N.end center and 588.98 ft.

to the N.E.Cor.No.2

Thence S.41°18'E.-1513.7 ft. to S.E.Cor.No.3

Thence S.37°51'W.- 127.13 ft. to south end center and 167.80 ft

to S.W.Cor.No.4

Thence N.61°10'W.- 545.10 ft. to West angle corner No.5

Thence N.55°13'10" W.-949.67 ft. to Cor.No.1, the place of

beginning. All corners are marked by 4 x 4 in. posts 4 ft.

long. Variation 14° E.

THIS AMENDED LOCATION is made in conformity with the original location, made Oct.7th.1908, recorded 1....., in Book A.A. of Mines Page 604, of ~~xxxxxx~~, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery October 7th.1908 A. D. 1.....

Date of Amended Location May 1st.1915 A. D. 19.....

Attest: United Eastern Mining Company
By Geo. W. Long President..

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3, 1915 in Book I.I. of Mining Claims, page 73, Records of Mohave County. J. W. Morgan
County Recorder.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "DAISY FRACTION" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 1915.



J. W. Morgan
Recorder of Mohave County.

Amended Location Certificate

MAY

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this..... amended location of

the Daisy Fraction Lode, claiming by right of discovery, location, primal appropriation and possession 604.45 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being N.59°15'W.-320 feet along the ledge ~~in a~~ shaft ~~xxxxxx~~ from the discovery ~~xxxx~~ and S.59°15'E.-284.45

feet along the ledge ~~in a~~ xxxxxx therefrom, together with 127.13 ft. on the East side and 40.67 ft. on the west side ~~xxxxxx of the middle of said ledge,~~ and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the N.W.Cor.No.1 identical with Cor.No.4 Tom Reed Extension No. 2 lode, Thence N.37°51'E.-40.67 ft.to N.end center post and 167.80 ft.to N.E.Cor.No.2
Thence S.49°46'E.- 600.34 ft.to S.E.Cor.No.3
Thence S.37°51'W.-27.46 ft.to south end center post and 57.66 ft. to S.W.Cor.No.4
Thence N.59°46'W.- 408.63 ft. to West angle corner No. 5
Thence N.61°10'W.-197.24 ft. to N.W.Cor.No.1 the place of beginning. All corners and end centers are pine posts 4 ins. square 4½ ft.long properly set and scribed Variation 14° E.

THIS AMENDED LOCATION is made in conformity with the original location, made Nov.14th.1908, recorded 1....., in Book A.A. of Mines Page 678, of ~~xxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Nov.14th.1908 A. D. 1.....
Date of Amended Location May 1st.1915 A. D. 19.....

Attest: United Eastern Mining Company
By George W. Long President..

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 73-74, Records of Mohave County, Arizona. J.W.Morgan, County Recorder...

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "STANDARD" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
Recorder of Mohave County.

MAY 1 1915

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

..... Mining District, hereby make and file this..... amended location of the Standard

Lode, claiming by right of discovery, location, primal appropriation and possession 1183.44

feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver

and other valuable minerals, with all dips, variations and angles the same being N.39°48'W.-533.44 feet along the ledge ~~ix~~ a shaft ~~xxxxxx~~ from the discovery ~~xxxx~~ and S.39°48'E.-650

feet along the ledge ~~ix~~ a ~~xxxxxx~~ therefrom, together with 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the S.W.Cor.No.1 identical with N.W.Cor.No.1 Tom Reed Extension No.2 lode Thence N.37°51'E.-289.20 ft.to S.end

center/post and 588.98 ft.to S.E.Cor.No.2 Thence N.39°48'W.-1183.44 ft. to N.E.Cor.No.3

Thence S.37°51'W.-299.78 ft.to N.end center post and 588.98 ft. to N.W.Cor.No.4

Thence S.39°48'E.- 1183.44 ft.to S.W.Cor.No.1,the place of beginning.

All corners and end centers are pine posts 4 ins. square 4 1/2 ft.long Variation 14°E.

THIS AMENDED LOCATION is made in conformity with the original location, made October 24th.1908, recorded 1....., in Book A.A. of Mines Page 591, of ~~xxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery October 24th.1908 A. D. 1.....
Date of Amended Location May 1st.1915 A. D. 19.....

Attest: United Eastern Mining Company
By Geo. W. Long Prsident.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 74-75, Records of Mohave County, Arizona. J. W. Morgan,
County Recorder..

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "STRAY DOG" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th day of May, 1915.



J. W. Morgan
Recorder of Mohave County.

44 5
MAY 3 1915

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

.....Mining District, hereby make and file this.....amended location of

the Stray Dog lode Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or

lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being N.42°13'W.-530 feet along the

ledge ~~xx~~ ~~direction~~ from the discovery ~~xxx~~ ^{shaft} and S.42°13'E.970 feet along the ledge ~~x~~ a ~~xxxxxx~~ therefrom, together with 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the S.W.Cor.No.1 Identical with the N.W.Cor.No.1

of the Easter lode. Thence N.47°47'E.-300 ft.to South end

center post and 600 ft.to S.E.Cor.No.2

Thence N.42°13'W.- 1500 ft.to N.E.Cor.No.3

Thence S.47°47'W.-300 ft.to North end center post and 600 ft.

to N.W.Cor.No.4

Thence S.42°13'E.- 1500 ft.to S.W.Cor.No.1 the place of beginning.

All corners and end centers are pine posts 4 ins.square and 4½ ft.

long. Variation 14° E.

ST
C

THIS AMENDED LOCATION is made in conformity with the original location, made Jany.1st.1915 1....., recorded March 23rd.1915 1....., in Book J.J.of Mines

Page 695....., of ~~xxxxxxxxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... Jany.1st.1915 A. D. 1.....

Date of Amended Location..... May 1st.1915 A. D. 19.....

Attest: United Eastern Mining Company
By George W. Long Prseident.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 75-76, Records of Mohave County, Arizona. J. W. Morgan,
County Recorder.

STATE OF ARIZONA, }
 County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Notice of Location of

the "EASTER" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
 Recorder of Mohave County.



MAY 5 1915

NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Easter Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George W. Long citizen

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.") the undersigned, on the 2nd. day of April, 1915.

The length of this claim is 890 feet, and I claim 148 feet, N.42°13'W and 742 feet S.42°13'E from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with 251 ft. on the S. W. side and 124 ft. on the N E Side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the San Francisco Mining District, in Mohave County in the State of Arizona,.....

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the N. W. Cor. No. 1 which is identical with S. W. Cor. No. 1 of the Stray Dog lode; thence N.47°47'E.251 feet to a 4 x 4 Post, being the N. End Center said claim; thence N.47°47'E-124 feet to a 4 x 4 Post, being at the N. E. Cor. No 2 of said claim; thence S 42°13' E. 890 feet to a 4 x 4 Post being the S. E. Cor. No. 3 of said claim; and Identical with Cor. No. 3 Sur. No. 2610 Olla Oatman lode, thence S.47°47' W 124 feet to a 4 x 4 Post, being at the S. End Center of said claim; thence S.47°47'W.251 feet to a 4 x 4 Post at the S. W. Cor No 4 of said claim; thence N.42°13' W.-890 feet to the place of beginning.

Dated and posted on the grounds this 2nd day of April, 1915.

George W. Long

Filed and Recorded at request of J. L. McIver May 3rd A. D. 1915 at 10:45 Oclock A. M., Book K.K. of Mines, Pages 119.

J. W. Morgan,
County Recorder.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "RED CLOUD EXTENSION" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
Recorder of Mohave County.

Amended Location Certificate

MAY 15 1915

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this.....amended location of the Red Cloud Extension Lode, claiming by right of discovery, location, primal appropriation and possession 1484.72 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being N.23°45'W.874.72 feet along the ledge ~~xx~~ ~~xxxxx~~ from the discovery ~~xxxx~~ ^{cut} and S.23°45'E.610 feet along the ledge ~~xx~~ ~~xxxxxx~~ therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, ~~xxxxxx~~ described as follows, to-wit:

Beginning at N.E.Cor.No.1 Thence S.42°52'W.- 262.1 ft.to the North end center post and 439.10 to N.W.Cor.No.2 Thence S.10°27'E.- 522.85 ft.to West angle corner No.3. Thence S.23°0'E.- 1035.69 ft.to S.W.Cor.No.4. Thence N.42°52'E.-322.34 ft.to south end center post and 643.74 ft.to S.E.Cor.No.5 identical with S.W.Cor.No.3 Great Western and N.W.Cor.No.2 Consolidated lodes of this group. Thence N.25°53'W.- 1462.20 ft.to N.E.Cor.No.1, the place of beginning. Variation 14° E All corners are marked by pine posts 4 ins. square, 4½ ft.long.

STA
Cc

THIS AMENDED LOCATION is made in conformity with the original location, made November 1st, 1908, recorded 1, in Book J.J. of Mines Page 603, of ~~xxxxxx~~, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Nov. 1st. 1908 A. D. 1908
Date of Amended Location May 1st. 1915 A. D. 1915

Attest: United Eastern Mining Company
By George W. Long Prsident.

Recorded at the request of United Eastern Mining Co. at 45 minutes past '10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 76-77, Records of Mohave County, Arizona. J. W. Morgan
County Recorder.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "SUNRISE" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th
day of May, 191 5.



J. W. Morgan
Recorder of Mohave County.

MAY 3-1915

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this..... amended location of the Sunrise Lode, claiming by right of discovery, location, primal appropriation and possession..... 1499.60 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing..... gold, silver and other valuable minerals, with all dips, variations and angles the same being N.49°38'W.-70 feet along the ledge ~~xxx~~..... ~~xxxxxxx~~ from the discovery ~~xxxx~~ and S.49°38'E 1429.6 feet along the ledge ~~xxx~~..... ~~xxxxxxx~~ therefrom, together with 300 ft. on the S.W. side and 294.16 on the S.E. side ~~xxxxxxxxxxxxxxxxxxxx~~ of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the N.E. Cor. No. 1. Thence S.37°48'W.-294.16 ft. to North end center post and 594.16 ft. to the N.W. Cor. No. 2 identical with N.E. Cor. No. 5 Tom Reed Extension lode. Thence S.49°38'E.-1499.60 ft. to the S.W. Cor. No. 3 identical with Cor. No. 4 Tom Reed Extension lode. Thence N.37°48'E.-300 ft. to the South end center post and 594.16 ft. to the S.E. Cor. No. 4. Thence N.49°38'W.-1499.6 ft. to N.E. Cor. No. 1 the place of beginning. Variation 14° E. All corners and end centers are pine posts 4 ins. square, 4½ ft. long.

THIS AMENDED LOCATION is made in conformity with the original location, made October 23rd. 1913, recorded 1....., in Book J.J. of Mines Page 36....., of ~~County location~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... October 23rd. 1913..... A. D. 1.....
Date of Amended Location..... May 1st. 1915..... A. D. 191.....

Attest: United Eastern Mining Company
By George W. Long President.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 77-78, Records of Mohave County, Arizona. J. W. Morgan County Recorder.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "SUNSET" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May 191 5.



J. W. Morgan
Recorder of Mohave County.

MAY 3 1915

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining

Company by Geroge W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

.....Mining District, hereby make and file this..... amended location of

the Sunset lode. Lode, claiming by right of discovery, location, primal appropriation

and possession..... 1421.58 feet, linear and horizontal measurement, on this vein or

lode of quartz, or other rock in place, bearing..... gold, silver and other valuable min-

erals, with all dips, variations and angles the same being N.35°20'W.-1260 feet along the

ledge ~~xxx~~..... ~~xxxxxxx~~ ^{shaft} from the discovery ~~xxx~~ and S.35°20'E.161.58

feet along the ledge ~~xxx~~..... ~~xxxxxx~~ therefrom, together with..... 300

feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in..... San Francisco Mining District, County of Mohave,

State of Arizona, in..... and more particularly described as follows, to-wit:

Beginning at N.E.Cor.No.1. Thence S.37°48'W.-308 ft.to North end center post and 447.86 ft.to N.W.Cor.No.2 Thence S.32°55'E.-1441.30 to S.W.Cor.No.3 Identical with Cor.No.5 Tom Reed Extension lode. Thence N.37°48'E.- 203.38 ft.to South end center post and 511.38 ft.to S.E.Cor.No.4. Thence N.35°20'W.- 1421.58 ft.to N.E. Cor.No.1, the place of beginning. Variation 14° E.

All corners and end centers are pine posts 4 ins. square, 4 1/2 ft. long.

THIS AMENDED LOCATION is made in conformity with the original location, made October 23rd.1913, recorded.....1....., in Book J.J. of Mines Page.....37....., of ~~xxxxxxxxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... October 23rd.1913..... A. D. 1.....

Date of Amended Location..... May 1st.1915..... A. D. 191.....

Attest:..... United Eastern Mining Company
By George W. Long President.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 78-79, Records of Mohave County, Arizona. J.W.Morgan, County Recorder.

STATE OF ARIZONA, }
 County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location Certifi-

cate of the "NORTH PARALLEL" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
 Recorder of Mohave County.



Amended Location Certificate

MAY 3 1915

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this..... amended location of the North Parallel Lode, claiming by right of discovery, location, primal appropriation and possession..... 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing..... gold, silver and other valuable minerals, with all dips, variations and angles the same being N. 35° 20' W. 1080 feet along the ledge ~~xx~~..... ~~xxxxxx~~ from the discovery ~~xxx~~ shaft S. 35° 20' E. 420 feet along the ledge ~~xx~~..... ~~xxxxxx~~ therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in..... San Francisco Mining District, County of..... Mohave State of Arizona, in..... and more particularly described as follows, to-wit:

Beginning at N. E. Cor.No.1; Thence S.54°40'W.-300 ft.to North end center post and 583.65 ft.to the N.W.Cor.No.2 on N.E. side line 4-1 Sunset lode at S.35°20'E.-376.74 ft.from Cor.No.1 Thence S.35°20'E.-1500 ft.to S.W.Cor.No.3. Thence N.54°40'E.-283.65 ft.to South end center post and 583.65 ft.to S.E.Cor.No.4 Thence N.35°20'W.- 1500 ft.to N.E.Cor.No.1 Variation 14°E. All corners are marked with pine posts 4 ins.square 4½ ft.long.

THIS AMENDED LOCATION is made in conformity with the original location, made May 20th.1914, recorded..... 1....., in Book J.J. of Mines Page 332....., of ~~xxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... May 20th.1914..... A. D. 1.....
Date of Amended Location..... May 1st.1915..... A. D. 191.....

Attest: United Eastern Mining Company
By George W. Long President.

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, pages 79-80, Records of Mohave County, Arizona. J. W. Morgan County Recorder.

STATE OF ARIZONA, }
 County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "GREAT WESTERN" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 191 5.



J. W. Morgan
 Recorder of Mohave County.



Amended Location Certificate

MAY 3 - 1915

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this..... amended location of the Great Western Lode, claiming by right of discovery, location, primal appropriation and possession..... 1348.20 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing..... gold, silver and other valuable minerals, with all dips, variations and angles the same being N.20°30'W.-878.20 feet along the ledge ~~xxx~~ ~~xxxxxx~~ from the discovery ~~xxx~~ ^{cut} and S.20°30'E.470 feet along the ledge ~~xx~~ ~~xxxxxx~~ therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at N.E.Cor.No.1 identical with Cor.No.2 Mountain View lode. Thence S.66°45'W.- 300 ft.to North end center post and 598.31 ft.to N.W.Cor.No.2. Thence S.25°53'E.- 1348.07 ft. to S.W. Cor.No.3 identical with N.W.Cor.No.2 Consolidated lode of this group Thence N.66°45'E.- 171.69 ft.to south end center post and 471.69 ft.to S.E.Cor.No.4. Thence N.20°30'W.- 268.35 ft.to Cor. No.1 Sunset lode and 1348.20 ft.to N.E.Cor.No.1, the place of beginning. Variation 14° E. All corners and end centers are pine posts 4 ins. square, 4½ ft.long.

THIS AMENDED LOCATION is made in conformity with the original location, made January 25th.1915, recorded March 16th.1915....., in Book J.J.of Mines Page 661....., of ~~xxxxxxx~~ in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... January 25th.1915..... A. D. 1.....
Date of Amended Location..... May 1st.1915..... A. D. 191.....

Attest: United Eastern Mining Company
By George W. Long President.

Recorded at the request of United Eastern Mining Co at 45 minutes past 10 o'clock A.M., May 3, 1915 in Book I.I. of Mining Claims, page 80, Records of Mohave County, Arizona. J. W. Morgan County Recorder.

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Notice of Location of
the "CONSOLIDATED" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and
that the same are correct transcripts therefrom and of the whole of
said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 1915.



J. W. Morgan
Recorder of Mohave County.

MAR 1915

NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Consolidated Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. L. McIver and George W. Long citizens (Locator must insert either "a citizen of the United States," or "who) (has declared his intention to become a citizen of the United States.") the undersigned, on the 20th. day of March 1915 , 191__.

The length of this claim is 1388.55 feet, and it claims N.40° 39'W.-60 ft. feet, from the discovery shaft and S.40°39'E.1328.55 feet from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the to the.....

The claim is situated and located in the San Francisco Mining District, in Mohave County in the State of Arizona, about..... in adirection from.....

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the N.E.Corner No.1 on line 3-4 Great Western lode Thence S.66°45'W.- 300 ft.to North end center post and 365 ft. to N.W.Cor.No.2 identical with S.W.Cor.No.3 Great Western lode and S.E.Cor. No.5 Red Cloud Extension lode. thence S.40°39'E.- 1388.55 feet to a 4 x 4 post, being the S.W.Cor.No.3 of said claim; thence N.66°45'E.-65 feet to a 4 x 4 post, being at the South end center of said claim; thence N.66°45'E.-300 feet to a 4 x 4 post at the S.E.Cor.No.4 of said claim; thence N.40°39'W.-1388.55 feet to the N.E.Cor.No.1, the place of beginning.

Dated and posted on the grounds this 20th. day of March 1915, 191__.

J. L. McIver &

Geo. W. Long

Filed and Recorded at request of J. L. McIver May 3rd A. D. 1915 at 10:45 Oclock A.M., Book K.K. of Mines, Pages 118.

J. W. Morgan
County Recorder.

c

STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,


do hereby certify that I have compared the foregoing copy of Amended Location

Certificate of the "MOUNTAIN VIEW" lode mining claim,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 5th

day of May, 1915.



J. W. Morgan
Recorder of Mohave County.

Amended Location Certificate

MAR 3-1915

KNOW ALL MEN BY THESE PRESENTS, That United Eastern Mining Company by George W. Long, President

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this..... amended location of the Mountain View Lode, claiming by right of discovery, location, primal appropriation and possession 1483 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being N.24°45'W. 891 feet along the ledge in a shaft ~~xxxxx~~ from the discovery ~~xxx~~ and S.24°45'E.592 feet along the ledge ~~xx~~ a ~~xxxxxxxx~~ therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at N.E.Cor.No.1 Thence S.66°45'W.- 300 ft.to North end center post and 373.37 ft.to N.W.Cor.No.2 identical with N.E.Cor.No.1 Great Western lode of this group.
Thence S.20°30'E.- 1484.20 ft.to S.W.Cor.No.3. Thence N.66°45'E. 185 ft.to South end center post and 485 ft.to S.E.Cor.No.4
Thence N.24°45'W.- 1483 ft.to N.E.Cor.No.1 the place of beginning. Variation 14°E. All corners and end centers are pine posts 4 ins. square 4 1/2 ft. long.

THIS AMENDED LOCATION is made in conformity with the original location, made Feby.2nd.1915, recorded March 29th. 1915, in Book JJ of Mines Page 758, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... Feby.2nd.1915 A. D. 1.....
Date of Amended Location..... May 1st.1915 A. D. 191.....

Attest: United Eastern Mining Company
By George W. Long President

Recorded at the request of United Eastern Mining Co. at 45 minutes past 10 o'clock A.M., May 3rd, 1915 in Book I.I. of Mining Claims, page 81, Records of Mohave County, Arizona. J.W.Morgan County Recorder..

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 29, 1915.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of United Eastern Mining Company

Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, known as the Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View. situate in San Francisco

Mining District, Mohave County, Arizona.

in Section s 14 & 15, Township No. 19 N., Range No. 20 W., unapproved, and designated as Survey No. 3188,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of each the Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard and Red Cloud Extension lodes, by claimant or its grantors, and that less than five hundred dollars' worth of labor has been expended or improvements made upon each the Stray Dog, Easter, Sunrise, Sunset, North Parallel, Great Western, Consolidated and Mountain View lodes, at time of survey, and that said improvements consist of 8 cuts, 27 shafts and 1 tunnel, total value \$20,705.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 29, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

UNITED EASTERN MINING COMPANY

known as the Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View.

situate in San Francisco Mining District, Mohave County, Arizona.

in Sections 14 & 15, Township No. 19 N., Range No. 20 W., unapproved, designated as Survey No. 3188

executed by Edward L. Haff, U. S. Deputy Mineral

Surveyor, May 15-June 15, 1915, under my instructions dated

May 8, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona.

MINERAL SURVEY NO. 3188

SUPPLEMENTAL AFFIDAVIT

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant, or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of,

On the Tom Reed Extension lode:

No. 1

The discovery shaft which is on the lode line 218 ft. from the north end center 7x9 ft. 12 ft. deep in altered mineral bearing andesite and quartz.

Value.....\$ 75.00

No. 2

A shaft which bears from Cor. No. 1 S. 79° 45' E. 370. ft. 4x6 ft. 50 ft. deep on a quartz vein, dip N. 85°

Value.....\$ 650.00

No. 3

A shaft which bears from Cor. No. 2 N. 25° 40' W. 402 ft. 4. 5x6. 5 ft. in the clear 694 ft. deep. Timbered. At the 465 ft. level in said shaft a cross cut 5x7 ft. runs N. 1° E. 11 ft. to station 1

Thence N. 42° 34' E. 19 ft. to Station 2

Thence N. 81° 34' E. 41 ft. to Station 3

Thence N. 86° 00' E. 31 ft. to Station 4 at junction of drifts whence a drift 5x7 ft. runs

S. 19° 30' E. 26 ft. to Station 6

Thence S. 4° 00' E. 39 ft. to Station 8

Thence S. 37° 30' E. 43 ft. to face. Whence a cross cut 5x7 ft runs S 58° W. 15 ft. to face.

From Station 4 a drift 5x7 ft. extends N. 28° W.

41 ft. to Station 5.

Thence N. 13° 11' E. 29 ft. to Station 11

Thence N. 30° W. 25 ft. to a point whence a cross cut 5x7 ft. runs S. 60° W. 38 ft. to face.

590 ft. long

Thence N. $30^{\circ} 00'$ W. 27 ft. to Station 13
 Thence N. $24^{\circ} 00'$ W. 62 ft. to Station 15
 Whence a cross cut 5x7 ft. runs S. $64^{\circ} 00'$ W. 27 ft.
 to face.

Thence N. $29^{\circ} 30'$ W. 64 ft. to Station 17
 Thence N. $44^{\circ} 19'$ W. 30 ft. to a point, whence; a
 cross cut 5x7' runs N. $12^{\circ} 30'$ E. 21 ft. to
 face and a cross cut 5x7 ft. runs S. $57^{\circ} 00'$
 W. 17 ft. to face.

Thence N. $44^{\circ} 19'$ W. 70 ft. to Station 19
 Thence N. $38^{\circ} 27'$ W. 81 ft. to Station 21
 Thence N. $31^{\circ} 28'$ W. 71 ft. to Station 23
 Thence N. $30^{\circ} 00'$ W. 113 ft. to face and N. $77^{\circ} 12'$ W.
72 ft. to face. All in mineralized andesite
 and quartz.

Value of shaft, drifts and cross cuts.....\$29380.00

An undivided 1/13 interest in this improvement prop-
 erly accredited to this claim..value..... \$ 2260.00

This shaft being advantageously located is a practi-
 cable and feasible main working shaft for the entire
 group. The general surface of the claims is rugged
 and rises rapidly to the north and northwest from the collar
 of the shaft, so that by drifting and cross cutting at
 the present level (465 ft.) all of the veins and ore
 bodies in each claim of the group will be cut at great
 depth and the entire group may be advantageously developed
 and ore extracted therefrom. This improvement, therefore,
 is a common improvement for the benefit of each claim of
 the group, and a 1/13 undivided interest of the total
 value of same (\$29380.00) is properly accredited to each
 lode claim of this group.

Several hundred tons of commercial ore has been ex-
 tracted through this shaft from the drifts and cross cuts
 already run.

14750

have

On the Tom Reed Extension No. 2 lode:

No. 1

The discovery shaft which is on the lode line at S. 45° 41' E. 779.06 ft. from the north end center 4x6 ft. 10 ft. deep on a quartz vein in andesite.

Value.....\$ 60.00

No. 2

A shaft on the lode line at S. 45° 41' E. 673 ft. from the north end center 4x6 ft. 60 ft. deep on a quartz vein in andesite.

Value.....\$ 750.00

No. 3

A shaft which bears from Cor. No. 1 S. 77° 35' E. 320 ft. 5x7 ft. 50 ft. deep on a quartz ledge in andesite.

Value.....\$ 650.00

No. 4

A shaft which bears from Cor. No. 4 N. 45° 10' W. 330 ft. 4x8 ft. 15 ft. deep in quartz and andesite.

Value.....\$ 100.00

~~No. 5~~

An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Daisy Fraction lode:

No. 1

The discovery shaft which is on the lode line at S. 59° 11' E. 320 ft. from the north end center 5x7 ft. 60 ft. deep on a quartz ledge in andesite.

Value.....\$ 750.00

No. 2

A shaft which bears from Cor. No. 5 N. 43° 40' W. 59 ft. 5x7^{ft.} 11 ft. deep on a quartz ledge in andesite.

Value.....\$ 100.00

~~No. 3~~

An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Standard lode:

No. 1

The discovery shaft which is on the lode line at S. 39° 44' E. 533.44 ft. from the north end center

4x6 ft. 50 ft. deep on a quartz ledge in andesite.

Value.....\$ 650.00

No. 2

A shaft which bears from Cor. No. 1 N. 16° 05' W. 660 ft. 5x7 ft. 10 ft. deep in mineralized andesite.

Value.....\$ 75.00

No. 3

A shaft which bears from Cor. No. 1 N. 12° 50' W. 430 ft. 5x7 ft. 7 ft. deep on a white spar ledge.

Value.....\$ 50.00

No. 4

A shaft which bears from Cor. No. 1 N. 0° 15' W. 446 ft. 5x7 ft. 12 ft. deep on a quartz ledge in andesite.

Value.....\$ 100.00

~~No. 5~~

An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Stray Dog:

No. 1

The discovery shaft which is on the lode line at S. 42° 09' E. 530 ft. from the north end center 4x7 ft. 8 ft. deep in altered andesite and quartz.

Value.....\$ 50.00

No. 2

A shaft which bears from Cor. No. 3 S. 10° 10' E. 627 ft. 4x6 ft. 8 ft. deep in altered quartz and spar.

Value.....\$ 50.00

No. 3

A shaft which bears from Cor. No. 3 S. 5° 50' E. 608 ft. 4x6 ft. 8 ft. deep in altered andesite.

Value.....\$ 50.00

No. 4

A shaft which bears from Cor. No. 3 S. 13° 35' E. 755 ft. 4x6 ft. 16 ft. deep on a quartz ledge in andesite, dip N.E. 70°.

Value.....\$ 160.00

No. 5

A cut, the mouth of which bears from Cor. No. 3 S. 7° 50' E. 570 ft. 4 ft. wide runs S. 60° E. 18 ft. to an 8 ft. face in quartz and spar and andesite.

Value.....\$ 50.00

No. 6

A cut, the mouth of which bears from Cor. No. 3

S. 12° 15' E. 515 ft. 4 ft. wide runs S. 46° E. 12 ft. to a 6 ft. face, in decomposed andesite and spar.

Value.....\$ 25.00

No. 7 An open cut, the S. end of which bears from Cor. No. 1 N. 24° 15' W. 648 ft. average 3 ft. wide, 4 ft. deep and 40 ft. long course N. 17° E.

Value.....\$ 50.00

~~No. 8~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Easter lode:

No. 1 The discovery cut, the face of which is on the lode line at S. 42° 09' E. 148 ft. from the north end center 4 ft. wide 8.5 ft. face runs N. 42° W. 13 ft. to mouth in altered andesite, spar and quartz.

Value.....\$ 50.00

~~No. 2~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Red Cloud Extension Lode:

No. 1 The discovery cut, the mouth of which is on the lode line at N. 23° 41' W. 610 ft. from the south end center, 4 ft. wide runs N. 24° W. 20 ft. to an 8 ft. face, at face of cut a shaft 5x7 ft. 12 ft. deep, all on a quartz and spar ledge in andesite, the shaft is incline to the west 80° dip.

Value of cut and shaft..\$ 150.00

No. 2 A shaft which bears from Cor. No. 4 N. 3° 50' W. 680 ft. 4x7 ft. 54 ft. deep, timbered 20 ft.

Value.....\$ 675.00

~~No. 3~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Sunrise lode:

No. 1 The discovery shaft which is on the lode line at S. $49^{\circ} 34'$ E. 70 ft. from the north end center 5x8 ft. 9 ft. deep.

Value.....\$ 50.00

No. 2 A shaft, which bears from Cor. No. 2 N. $71^{\circ} 15'$ E. 250 ft. 4x6 ft. 10 ft. deep.

Value.....\$ 75.00

No. 3 A shaft, which bears from Cor. No. 3 N. $44^{\circ} W.$ 738 ft. 5x16 ft. in the clear, 60 ft. deep. Timbered.

Value.....\$ 2400.00

~~No. 4~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Sunset lode:

No. 1 The discovery shaft, which is on the lode line at N. $35^{\circ} 16'$ W. 161.58 ft. from the south end center 4x8 ft. 8 ft. deep.

Value.....\$ 50.00

No. 2 A shaft, which bears from Cor. No. 4, S. $73^{\circ} 25'$ W. 295 ft. 4x8 ft. 8 ft. deep.

Value.....\$ 50.00

No. 3 A cut, the mouth of which bears from Cor. No. 1 S. $14^{\circ} 15'$ E. 450 ft. 4 ft wide runs N. $38^{\circ} E.$ 12 ft. to an 8 ft. face in decomposed andesite, quartz and spar.

Value.....\$ 50.00

No. 4 A cut, the mouth of which bears from Cor. No. 4, N. $37^{\circ} 30'$ W. 645 ft. 4 ft. wide runs N. $28^{\circ} E.$ 23 ft. to a 10 ft. face, at face of cut a shaft 5x8 ft. 5 ft. deep below floor of cut in decomposed andesite, quartz and spar.

Value of cut and shaft.....\$ 100.00

~~No. 5~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the North Parallel lode:

No. 1 The discovery shaft which is on the lode line at N. 35° 16' W. 420 ft. from the south end center 4.5x6.5x8 ft. deep in altered andesite and quartz.

Value.....\$ 50.00

~~No. 2~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Great Western lode:

No. 1 The discovery cut, the face of which is on the lode line at N. 20° 26' W. 470 ft. from the south end center 5 ft. wide 10 ft. face, runs S. 80° W. 14 ft. to mouth, at face of cut a tunnel 4x6 ft. runs N. 80° E. 6 ft. to face in altered andesite.

Value of cut and tunnel.....\$ 100.00

~~No. 2~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Consolidated lode:

No. 1 The discovery shaft, which is on the lode line at S. 40° 35' E. 60 ft. from the north end center 5x7 ft. 8 ft. deep in altered andesite.

Value.....\$ 60.00

~~No. 2~~ An undivided 1/13 interest in improvement No. 3 on the Tom Reed Extension lode of this Survey, previously described.

Value.....\$ 2260.00

On the Mountain View lode:

No. 1 The discovery shaft which is on the lode line at N. 24° 41' W. 592 ft. from the south end center 4x7 ft. 9 ft. deep in altered andesite.

Value.....\$ 50.00

~~No. 2~~

An undivided 1/13 interest in improvement
No. 3 on the Tom Reed Extension lode of this Survey,
previously described.

Value.....\$ 2260.00

OTHER IMPROVEMENTS.

A frame office building 16x30 ft., the south east
corner of which bears from Cor. No. 2 Tom Reed Extension
lode N. 10° 50' W. 380 ft. course of long side N. 50° W.

A frame and iron blacksmith shop, the south east
corner of which bears from Cor. No. 4 Tom Reed Extension
lode N. 20° 30' W. 383 ft. 12x16 ft. course of long side
N. 26° W.

A frame and iron engine room, the south east
corner of which bears from Cor. No. 4, Tom Reed Extension
lode N. 26° W. 436 ft. 20x24 ft. course of long side N. 64°
E. This building is the housing for a complete hoist-
ing and compressor plant of machinery.

The above improvements all belong to claimant
herein.

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edward L. Haff, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 8-1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of UNITED EASTERN MINING COMPANY KNOWN AS THE Tom Reed Extension, Tom Reed Extension No. 2, Daisy ~~known as the~~ Fraction, Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise ~~known as the~~ Sunset, North Parallel, Great Western, Consolidated, Mountain View, situate in San Francisco Mining District, Mohave County, Arizona, in Section unsurveyed, Township No. 19 N., Range No. 20 W.G. & S.R.B. & M., and designated as Survey No. 3 1 8 8, as represented ~~in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.~~

Edward L. Haff
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff,
 U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public in and for
Mohave County, Arizona. this 24th.
 day of February 1916

Gad S. Sheffield
 Notary Public

(My Commission expires June 28th, 1917)

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or its grantors, ^{or for each of} upon the mining claims of

Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction,
known as the Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise,
Sunset, North Parallel, Great Western, Consolidated, Mountain View.
situate in San Francisco mining district,

Mohave County, Arizona.

in Section unsurveyed, Township No. 19 N, Range No. 20 W;

that said improvements consist of

8 cuts, 28 shafts, 1 tunnel and 1013 feet of drifts and crosscuts,
from Shaft No. 3 on the Tom Reed Extension lode, total value \$35,575.
Improvement No. 3 on the Tom Reed Extension lode, being the main
working shaft for this entire group of thirteen claims, and consti-
tuting a feasible method of developing the group, an undivided 1/13
interest therein, value \$2,260, is properly credited to each of the
claims in this survey.

....., and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Edward L. Haff, U. S. ~~Deputy~~ Mineral Surveyor, dated
February 24, 1916, is hereto attached.



U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona,

March 1, 1916.

DEPARTMENT OF THE INTERIOR
Office of U. S. Surveyor General,

AMENDMENT TO FIELD NOTES OF MINERAL SURVEY NO. 3188.

Beginning at Cor. No. 3 Stray Dog lode, Mineral Survey No. 3188, thence along line 3-4 said Stray Dog lode, S. 47° 51' W. 65.05 ft. to intersect line 4-1 Arizona lode, Sur. No. 3301, thence along said line 4-1, S. 40° 28' 30" E. 945.75 ft. to Cor. No. 1 said Arizona lode, thence along line 1-2 said Arizona lode, N. 42° 39' E. 93.11 ft. to intersect line 2-3 Stray Dog lode, thence along said line 2-3, 937.25 ft. to the place of beginning.

AREAS.

Stray Dog lode, Sur. No. 3188, in conflict with;

Arizona lode, Sur. 3301, 1.703 Acres


Arizona lode, Sur. 3301, exclusive of its conflict with Mohawk Extension lode, unsurveyed, 1.331 Acres

Arizona lode, Sur. 3301, exclusive of its conflict with Standard lode, Sur. 3188, 1.695 Acres

Arizona lode, Sur. 3301, exclusive of its conflict with Standard lode, Sur. 3188, and Mohawk Extension lode, unsurveyed. 1.323 Acres

I, U. S. Surveyor General for Arizona, do hereby certify that the above and foregoing correctly describes the conflict between the Stray Dog lode, of Mineral Survey No. 3188, and the Arizona lode, Sur. No. 3301, as shown by the record of Sur. No. 3301 on file in this office, and that the plats of Sur. 3188 have been amended in red, to show such conflict.

This amendment is made in accordance with G.L.O. letter "N" (Phoenix 029021 UEG), dated June 19, 1923.


Surveyor General for
Arizona.

Phoenix, Arizona,
July 12, 1923.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward L. Haff, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 8, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of United Eastern Mining Company

known as the Tom Reed Extension, Tom Reed Extension No. 2, Daisy Fraction, Standard, Stray Dog, Easter, Red Cloud Extension, Sunrise, Sunset, North Parallel, Great Western, Consolidated, Mountain View. situate in San Francisco Mining District,

Mohave County, Arizona, in Section

Sec's. 14 and 15 unapproved Township No. 19 N., Range No. 20 W. G. & S. R. B. & M. (unapproved)

and designated as Survey No. 3188, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edward L. Haff
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff
U. S. Deputy Mineral Surveyor, before me A. K. Wheeler

this 30th day of June 1915

A. K. Wheeler
Notary Public

o 4-154

My Commission Expires June 15, 1918