

DEC 22 1915

12-2-1916

Platted

4-683.

Mineral Survey No. 3191

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

LEXINGTON ARIZONA MINING COMPANY

KNOWN AS THE

Andy, Big Andy

San Francisco Mining District,

Mohave County, Arizona

Section 27, Township 19 N., Range 20 W. unapproved
G. & S.R.B. & M.

Surveyed under instructions dated May 21, 1915,

by Edward L. Haff,
U. S. Deputy Mineral Surveyor

Claim located (See location notices) 1

Survey commenced August 15, 1915

Survey completed December 1, 1915

o 6-160

Address of Claimant

Lexington Arizona Mining Company
Oatman, Arizona.

Mineral Survey No. 3191

Feet	Big Andy
	Beginning at Cor. No. 1, a pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed B.A.1-3191, whence, U.S.L.M. No.1602, bears N.36°51'W.-5779.80 ft. N.1/4 Cor. of Sec.27, unapproved, T.19N., R.20 W. G & S.R. B. & M. bears N. 29°09'50" W.-572.30 ft. Cor. Nos. 3-2 Sur. No. 2822 Surprise and Surprise East Extension Lodes, Boundary Cone Gold Mining Company, claimant, bears S.39°28'40"E.-117.88 Ft. No bearing objects available. Thence S.16°52'W.
76.22	Intersect line 2-3 Sur.No.2822, Surprise lode at N.79° 28'W.-98.72 ft. from Cor.No.3.
300.00	West End Center. A pine post, 4 ft.long, 4 ins.square, set 18 ins. in the ground, with mound of earth and rock, a nail at center point, scribed B.A.W.End C.-3191.
542.15	Intersect North side line of the Handy lode, unsurveyed, claimants unknown, at N.80°10'W.-494.27 ft. from the N.E. Cor.
600.00	To Cor. No.2. Identical with Cor.No.1, Andy lode of this survey, on a smooth face of rock 10' x 20' a cross (X) on North side, chiseled at corner point, with B.A.2-A. 1-3191, whence, N.E.Cor. of the Handy lode, unsurveyed, bears S.86°42'E.-504.63 ft. Thence S.73°08'E. Along line 1-4 Andy lode of this survey.
396.97	Intersect West side line of the Homesite Placer, unsurveyed, claimants unknown, at S.25°40'W.-107.70 ft. from the N.W.Cor. N.E.Cor.said Homesite Placer and intersection of North line thereof with east end line Handy lode, unsurveyed,

Mineral Survey No. 3191

Feet	
	bears S.72°30'E.590 ft. and 72.86 ft. respectively from the N.W.Cor. thereof.
451.21	Intersect East End line of the Handy lode, unsurveyed, at S.35°15'W.-124.77 ft. from the N.E.Cor. and 111.30 ft. from its intersection with North line of the Homesite Placer, unsurveyed.
595.00	Wagon road, course Northeast and Southwest.
770.00	West Side of improved highway.
850.00	East side of improved highway, course northeasterly and southwesterly.
986.16	Intersect East side line of the Homesite Placer, unsurveyed, at S.26°40'W.-101.39 ft. from the N.E.Cor.
991.51	Intersect West End line of the Boundary Cone Extension No.1 lode, unsurveyed, claimants unknown, at S.23°40'W. 400.61 ft. from the N.W.Cor. The N.E.Cor. of the Homesite Placer, unsurveyed, is on the West End line of the Boundary Cone Extension No. 1 lode, unsurveyed, at N.23°40'E.-100.61 ft. from this intersection.
1365.30	To Cor.No.3. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at corner point, scribed B.A.3-3191, whence, S.W.Cor. of Boundary Cone Extension No.1 lode, unsurveyed, bears S.80°23'W.-444.00 ft. N.E.Cor. of Homesite Placer, unsurveyed, bears N. 57°42'10"W.-375.42 ft. No bearing objects available. Thence N.16°52'E.
148.49	Intersect line 2-3 Sur.No.2775 Alice lode, Lexington Arizona Mining Company, claimant, at S.85°28'E.-22.16 ft. from Cor.No.2.
300.00	East End Center. A-pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at the center point, scribed B.A.E.End C.-3191

Mineral Survey No. 3191.

Feet	
358.87	Intersect the North Side line of the Boundary Cone Extension No.1 lode, unsurveyed, at S.66°20'E.-328.67 ft. from the N.W.Cor. and 43.62 ft. from its intersection with line 1-2 Sur.No.2775 Alice lode.
600.00	To Cor.No.4. Identical with Cor.No.4 Sur.No.2822 Surprise East Extension lode and Cor.No.2, Sur.No.2775 Boston lode. A pine post, 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed S-E-Ext.-4-2822, B-2-2775-B-A-4-3191, whence, Cor.No.2 Sur.No.2775 Alice lode bears S.19°35'W. 456.76 ft.
	Cor.No.3 Sur.No.2822, Surprise East Extension lode bears N.73°10'W.-741.17 ft. Intersection of line 2-3 said lode with line 1-2 Sur. No. 2775, Alice lode, brs. N. 73°10' W. 66.52 ft. No bearing objects available.
	Thence N.73°08'W.
66.52	Intersect line 1-2 Sur.No.2775 Alice lode at N.11°15'E. -458.45 ft. from Cor.No.2, and 237.11 ft. from its intersection with North Side line Boundary Cone Extension No.1 lode, unsurveyed, and .04 ft. from its intersection with line 3-4, Sur. No. 2822, Surprise East Extension lode.
170.00	East Side of improved highway.
236.00	West Side of improved highway, course northeasterly and southwesterly.
570.00	Wagon road, course northerly and southerly.
1260.62	Intersect lines 1-2 and 3-4 of Sur.No.2822 Surprise East Extension and Surprise lodes respectively at N.22°36'E. -65.66 ft. from Cor.Nos. 2-3. Cor.No.3 said Surprise East Extension lode bears S.80°10'E.-530 ft. from Cor. No.2 thereof.
1365.30	To Cor.No.1, the place of beginning.
	Andy.
	Beginning at Cor.No.1 Identical with Cor.No.2, Big Andy lode, of this survey, previously described, whence, U.S.L.M.No. 1602 bears N.32°20'30"W.-6153.86 ft.

Feet	
	N. 1/4 Cor. of Sec.27, unapproved, T.19.N., R.20 W.
	G. & S.R. B. & M. bears N.5°34'20"W.-1079.04 ft.
	No bearing objects available.
	Thence S.16°52'W.
300.00	West End Center.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed, A-W-End C-3191.
488.18	Intersect South Side line of the Handy lode, unsurveyed, and the North side line of the Point lode, unsurveyed, claimants unknown, at N.80°10'W.-303.60 ft. from the S.E.Cor. of the Handy lode, unsurveyed, and the North Angle Cor. of the Point lode, unsurveyed.
	From said angle corner of the Point lode, unsurveyed, the N.E.Cor. and the intersection of the north line of said Point lode, unsurveyed, with west line Home-site Placer, unsurveyed, bears S.56°15'E.-168.ft. and 25.76 ft. respectively.
585.72	To Cor.No.2.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed A-2-3191, whence,
	The N.E.Cor. of the Point lode, unsurveyed, and the N.W.Cor. of the Point No.2 lode, unsurveyed, claimants unknown, bears S.83°40'E.-470 ft.
	No bearing objects available.
	Thence S.72°35'E.
305.83	Intersect West Side line of the Homesite Placer, unsurveyed, at S.25°40'W.-703.40 ft. from the N.W.Cor.-131.72 ft. and 281.43 ft. respectively from its intersection with North line of the Point lode, unsurveyed, and with the east end line of the Handy lode, unsurveyed.
370.00	West Side of improved highway, course, northeasterly and southwesterly.
394.58	Intersect East End line of the Point lode, unsurveyed, and West End line of the Point No.2 lode, unsurveyed, at

Feet	
	S.53°50'W.-112.28 ft. from the N.E.Cor. of the Point Lode, unsurveyed, and the N.W.Cor. of the Point No.2 lode, unsurveyed,
454.00	East side of improved highway, course northeasterly and southwesterly.
883.55	Intersect East Side line of the Homesite Placer, unsurveyed, at S.26°40'W.-704.43 ft. from the N.E.Cor. and 14.39 ft. from its intersection with North Side line of the Point No. 2 lode, unsurveyed.
965.07	Intersect North Side line of Point No. 2 lode, unsurveyed, at S.62°25'E.-511.87 ft. from the N.W.Cor. and 80.47 ft. from its intersection with east line of the Homesite Placer unsurveyed.
1444.18	Intersect the West End line of the Boundary Cone Extension No. 2 lode, unsurveyed, claimants unknown, at S.23°22'W. 394.99 ft. from the N.W.Cor. and 342.36 ft. from its intersection with South Side line of the Boundary Cone Extention No. 1 lode, unsurveyed.
1487.87	<p>To Cor.No.3.</p> <p>A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at the corner point, scribed, A-3-3191, whence,</p> <p>S.W.Cor.of the Boundary Cone Extension No.2 lode, unsurveyed, bears S.35°05'W.-214.ft.</p> <p>No bearing objects available.</p> <p>Thence N.16°52'E.</p>
300.00	<p>East End Center.</p> <p>A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed A-E-End-C-3191.</p>
339.99	Intersect south side line of the Boundary Cone Extension No.1 lode, unsurveyed, at S.66°20'E.-523.58 ft. from the S.W.Cor. and 4.97 ft. from its intersection with the West End line of the Boundary Cone Extension No.2 lode, unsurveyed.
383.89	Intersect West End line of the Boundary Cone Extension.

Feet	
600.00	No.2 lode, unsurveyed, at S.23°22'W.-9.04 ft. from the N.W.Cor. To Cor.No.4.
	A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed A-4-3191, whence,
	S.W.Cor. of the Boundary Cone Extension No.1 lode, unsurveyed, bears S.86°01'W.-556.33 ft.
	No bearing objects available.
	Thence N.73°08'W.
122.50	Cor.No.3 Big Andy lode of this survey.
496.29	Intersect West End line of the Boundary Cone Extension No.1 lode, unsurveyed, at N.23°40'E.-199.39 ft. from the S.W.Cor.
501.64	Intersect East Side line of the Homesite Placer, unsurveyed, at S.26°40'W.-101.39 ft. from the N.E.Cor.
637.80	East Side of improved highway.
717.80	West Side of improved highway, course northeasterly and southwesterly.
892.80	Wagon road, course northeast and southwest.
1036.59	Intersect East End line of the Handy lode, unsurveyed, at N.35°15'E.-475.23 ft. from the S.E.Cor.322.03 ft. from its intersection with west line of the Homesite Placer, unsurveyed.
1090.83	Intersect West Side line of the Homesite Placer, unsurveyed, at S.25°40'W.-107.70 ft. from the N.W.Cor.
1487.80	To Cor.No.1, the place of beginning.
	Variation at all corners 14°30'E.
	Lode Lines.
	As near as can be determined from present developments the veins of the two locations, embraced in this claim, extend as follows, from their respective discovery points:
	Big Andy lode: 300 ft.N.73°08'W. and 1065.3 ft.S.73°08'E.

Feet

Andy lode, 300 ft. S. 73° 08' E. and 1187.8 ft. N. 73° 08' W.

Areas

Total area Big Andy lode, 18.806 Acres. ✓

Area in conflict with
Sur. No. 2775 Alice lode, 0.461 Acres. ✓

Sur. No. 2775 Alice lode, exclusive of its common conflict
.000+ Acres, with Sur. No. 2822 Surprise East Extension lode, 0.461
Survey No. 2822 Surprise lode, 0.164 ✓ "

Sur. No. 2822 Surprise East
Extension lode, 0.396 ✓ "

Handy lode, unsurveyed, 0.941 ✓ "

Boundary Cone, Extension

No. 1 lode, unsurveyed, 3.051 ✓ "

Boundary Cone Extension
No. 1 lode, unsurveyed,
exclusive of its common
conflict .161 Acres, with
Sur. No. 2775 Alice lode, 2.890 ✓ "

Homesite Placer, unsurveyed, 1.398 ✓ "

Homesite Placer, unsurveyed,
exclusive of its common con-
flict .155 acres with Handy
lode, unsurveyed, 1.243 ✓ "

Total Area Andy lode 20.250 " ✓

Area in conflict with
Boundary Cone Extension
No. 1 lode, unsurveyed, 2.679 ✓ "

Boundary Cone Extension
No. 2 lode, unsurveyed, 0.193 ✓ "

Boundary Cone Extension No. 2
No. 2 lode, unsurveyed,
exclusive of its common
conflict .003 acres with
Boundary Cone Extension
No. 1 lode, unsurveyed, 0.190 ✓ "

Handy lode, unsurveyed, 4.024 ✓ "

Point lode, unsurveyed, 1.164 ✓ "

Point No. 2 lode, unsur-
veyed, 0.592 ✓ "

Homesite Placer, unsurveyed, 7.928 ✓ "

Homesite Placer, unsurveyed,
exclusive of its common con-
flict .190 acres with Handy
lode, unsurveyed, 7.738 ✓ "

Homesite Placer, unsurveyed,
exclusive of its common con-
flict .305 acres with Point
lode, unsurveyed, 7.623 ✓ "

Homesite Placer, unsurveyed,
exclusive of its common con-
flict .578 acres with Point
No. 2 lode, unsurveyed, 7.350 ✓ "

Homesite Placer, unsurveyed,
exclusive of its conflicts
with Handy, Point, and Point
No.2 lodes, unsurveyed,

6.855 Acres ✓

The survey of the Big Andy and the Andy lodes
is identical with the location as staked upon the
ground.

Location

This survey is located in the N1/2 of Sec.27
unapproved, T.19 N., R.20 W.G.& S.R. B. & M. San Fran-
cisco Mining District, Mohave County, Arizona.

Adjoining Claims.

On the North by Sur.No.2822, Surprise and Sur-
prise East Extension lodes, Boundary Cone Gold Mining
Company, claimant, and Sur.No.2775 Alice lode, Lexington
Arizona Mining Company, claimant, on the East by Sur.No.
2775 Alice lode, Boundary Cone Extension No. 1 and
Boundary Cone Extension No.2 lodes, unsurveyed, claimants
unknown.

On the South by the Boundary Cone Extension
No.2, Point and Point No.2 lodes, unsurveyed, claimants
to these lodes unknown and by the Homesite Placer, un-
surveyed, claimants unknown.

On the West by the Point and Handy lodes, un-
surveyed, claimants unknown.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and im-
provements made upon or for the benefit of each of the
locations embraced in said mining claims by the claimant
or its grantors is less than Five Hundred Dollars, and
that said improvements consist of:

On the Big Andy Lode:

No. 1

The discovery cut, the face of which is on the lode
line 300 ft. from the west end center 4 x 6 ft.9 ft.face,
running S.73°08'E. from face to mouth in altered mineral-
ized andesite and quartz.

Value \$50.00

Mineral Survey No.3191.

No. 2 A cut, the face of which bears from Cor.No.1 S.37° 15'E.-533 ft. 4 x 30 ft.9 ft.face, running S.20°W.from face to mouth in altered mineralized andesite and quartz.

Value \$100.00

No. 3 A cut, the face of which bears from Cor.No.1 S.65° 10 ft. 40'E.-780 ft. 5x12 ft.face, running S.50°E. from face to mouth in altered mineralized andesite and quartz.

Value \$60.00

No. 4 A shaft, 2.5x6 ft. 5 ft.deep, which bears from Cor.No.1 S.43°30'E.-700.5 ft. in rock.

Value \$15.00

No. 5 A shaft 5x6 ft. 3 ft. deep, which bears from Cor. No.1 S.39°25'E.-732.ft. in rock.

Value \$15.00

No. 6 A shaft 4x6 ft. 31 ft. deep, which bears from Cor. No.4 S.20°25'W.-100 ft. in altered mineralized andesite and quartz.

Value \$310.00

On the Andy Lode.

No. 1 The discovery shaft 5x7 ft. 9 ft. deep, which is on the lode line 300 ft. N.73°08'W. from the East End Center.

Value \$25.00

No. 2 A shaft 4x6 ft.9 ft.deep, which bears from Cor.No.3 N.46°15'W.-440. ft.

Value \$20.00

No. 3 A shaft 4x6 ft.9 ft. deep, which bears from Cor.No. 3, N.53°10'W.-368 Ft. in gravel.

Value \$20.00

Other Improvements.

A shaft 5x5 ft. 7 ft. deep which bears from Cor.No. 1 Andy lode S.7°50'E.-87 ft. in gravel, claimants unknown.

A shaft 6x8 ft. 9 ft. deep, which is on line 2-3 Andy lode at S.72°35'E.-110.ft. from Cor.No.2 in rock, claimants unknown.

10A

A shaft 5x7 ft. 7 ft. deep, which bears from Cor. No.1 Andy lode S.56°30'E.-763.ft in gravel, claimants unknown.

Instrument.

This survey was made with a C. L. Berger & Sons No.2 Transit. The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 100 and 500 ft. steel tapes.

Report.

The lode line of each location of this claim was run direct upon the ground, and the several corners established by means of offsets from the lode lines.

All tie lines were run either directly upon the ground or by traverses run upon the ground and submitted in a separate report herewith.

U.S.L.M.No.1602 is a basalt stone 8x15x14 ins. above ground, properly set, chiseled with a cross (X) on top and U.S.L.M.No. 1602 on the south face.

The N.1/4 Cor. to unapproved Sec.27 T. 19 N., R.20 W. G. & S.R. B. & M., is a lin. iron pipe with a brass cap, properly set and marked.

Sur. No. 2775 Alice Lode.

All corners are pine posts, properly set and scribed, with the number of the corner and survey.

I find all courses and distances to be correct as approved.

Sur.No.2822, Surprise and Surprise East Extension Lodes:

All the corners are pine posts properly set and scribed with the number of the corner and survey.

I find all courses and distances to be correct as approved.

Boundary Cone Extension No. 1 and Boundary Cone Extension No. 2 lodes, unsurveyed.

All corners are pine posts, 4 ins. square, properly set and marked.

Handy Lode:

The East and West End centers, the northwest and southeast corners were the only ones found. They are monuments of rock. There were not any markings to identify them but were pointed out to me as the corners by an old resident.

The East End line was extended for 300 ft. north easterly from the East End Center on a direct line with the S.E. Corner, and the West End Line was extended southwesterly for 300 ft. from the West End Center on a direct line with the N.W. Corner.

Point Lode:

All corners are monuments of rock without any notices in them but were identified by an old resident.

Point No. 2 Lode:

All corners are monuments of rock without any notices in them but were identified by an old resident.

Homesite Placer:

All corners are monuments of rock, each contains a notice identifying the corner.

The wagon road shown on the plat and in these notes is merged with the improved highway before it reaches line 2-3 Andy lode at 40 ft. northerly from said line.

Note.

The differences between these field notes and the location notices are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Lexington Arizona Mining Company

known as the Andy, Big Andy

and showing the respective capacities in which they acted.

R.L.D'Arcy, Chainman.

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I R.L.D'Arcy

and _____, do solemnly swear that ~~we~~ I assisted

Edward L. Haff, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Lexington Arizona Mining Company

known as the Andy, Big Andy

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

R.L. D'Arcy, Chainman.

Chainman.

Arman.

Flagman

Subscribed and sworn to by the above-named person before me this 20th

day of December, 19 15

Jacob Heffered
Notary Public

(My Commission expires,
June 28th, 1919)

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward L. Haff, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 21-1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Lexington Arizona Mining Company, known as the Andy, Big Andy, situate in San Francisco Mining District, Mohave County, Arizona, in Section 27, Township No. 19 N., Range No. 20 W. unapproved G. & S. R. B. & M. and designated as Survey No. 3191, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edward L. Haff
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff, U. S. Deputy Mineral Surveyor, before me Jacob Sheffield, a Notary Public, this 20th day of December A.D. 1915

Jacob Sheffield
Notary Public

o 3-164

(my Commission Expires June 28th, 1919)

Amended Location
Notice of Mining Location
LODE CLAIM

MAR 21 1915

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Big Andy
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by E. A. Bassett

Citizen
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 24 day of feb. 1915.

The length of this claim is 1500 feet,
and I claim 300 feet,
in a North westerly direction and 1200
feet in a south easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each side
of the center of said claim. The general course of the lode deposit and premises is from the
North westerly to the south easterly

The claim is situated and located in the sanfrancisco Mining District, in
Mohave County in the State of Arizona, about side lines
in a the Boundary Cone ^{mines} direction from
1200 feet I claim all wood & water and all surface rights on
this claim there is one side moument 300 feet to the south of
location Monument.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
A monument of -- 300 south east of the north west end center
thence
at a point in a North westerly direction 300 feet from
the discovery shaft (at which this notice is posted), being in the center of the North west
end line of said claim; thence 300 feet to a Monument
of stone, being the North west corner of said claim; thence
1500 feet to a monument of stone, being at the
North east corner of said claim; thence 300 feet
to a monument of stone at the center of the south east end of said claim;
thence 300 feet to a monument of stone, being at the
south east corner of said claim; thence 1500
feet to a monument of stone at the south west corner of said claim;
thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the grounds this 24 day of feb, 1915.

E. A. Bassett.

Filed and recorded at the request of E. A. Bassett February 26th,
A. D. 1915, at One o'clock P.M., in Book J.J. at Page 621.
J. W. Morgan
County Recorder.



Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Andy"
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by E. A. Bassett

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the Fourteenth day of February, 1915.

The length of this claim is Fifteen hundred (1500) feet,
and I claim Twelve Hundred (1200) feet,
in a North Westerly direction and Three
hundred (300) feet in a South Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three hundred (300) feet in width of the surface grounds, on each side
of the center of said claim. The general course of the lode deposit and premises is from the.....

North West to the South East

The claim is situated and located in the San Francisco Mining District, in
Mohave County in the State of Arizona, about six hundred feet
in a Southerly direction from the "Surprise East Extension"
U. S. Patent Survey No 2822.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post marked "Andy" East End Center

at a point in an Easterly direction three hundred feet from
the discovery shaft (at which this notice is posted), being in the center of the East
end line of said claim; thence three hundred feet to a post
being the North East corner of said claim; thence
fifteen hundred feet feet to a post, being at the
North West corner of said claim; thence three hundred feet
to a post at the center of the West end of said claim;
thence three hundred feet to a post, being at the
South West corner of said claim; thence fifteen hundred
feet to a post at the South East corner of said claim;
thence three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the grounds this Fourteenth day of February, 1915.

E. A. Bassett.

Filed and recorded at the request of J. C. Denton April 2nd,
A. D. 1915, at 10 o'clock A.M., in Book J.J. at Page 798.

J. W. Morgan
County Recorder.



STATE OF ARIZONA,)
(ss.
County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of notices of location of the

BIG ANDY (Amended Location) and ANDY

lode mining claims, situated in the San Francisco Mining District, Mohave County, State of Arizona, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 17th day of MAY, A. D. 1915.



J. W. Morgan
Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 6, 1916.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

LEXINGTON ARIZONA MINING COMPANY

known as the ANDY, BIG ANDY.

situate in SAN FRANCISCO

Mining District, MOHAVE County, ARIZONA.

in Section 27, Township No. 19 N., Range No. 20 W., unappd., and

designated as Survey No. 3191, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of Big Andy lode, and that less than five hundred dollars' worth of labor has been expended or improvements made upon said Andy lode, at time of survey, by the claimant or its grantors, and that said improvements consist of 3 cuts and 6 shafts, total value \$615.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 6, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

LEXINGTON ARIZONA MINING COMPANY

, known as the

ANDY, BIG ANDY.

situate in SAN FRANCISCO mining district,

MOHAVE County, ARIZONA.

in Section 27, Township No. 19 N., Range No. 20 W., unappd.

, designated as Survey No. 3191

executed by Edward L. Haff, U. S. Deputy Mineral

Surveyor, August 15, - December 1, 1915, under my instructions dated

May 21, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or its grantors, ^{each of} upon the mining claim of
Lexington-Arizona Mining Company

known as the Andy, Big Andy,
situate in San Francisco mining district,
Mohave County, Arizona.

in Section 27, Township No. 19 N., Range No. 20 W., unapproved.;
that said improvements consist of, in addition to those reported at time of
survey; 1 drift, 2 shafts, 2 cuts, and an extension of 13 ft. in
Shaft No. 1 on the Andy lode, value \$ 701.00.

....., and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, dated
September 12, 1916, is hereto attached.



U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona,

September 22, 1916

Mineral Survey No. 3191

Supplemental Report of Improvements.

Big Andy lode.

I hereby certify that the value of the labor performed and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 3191 by the claimant or its grantors is not less than \$500.00 for each claim and that said improvements, in addition to those which were reported at the time of making the survey, consist of:-

Big Andy lode

No. 7 A drift 3 x 6.5 ft. running West 10 ft. from bottom of 31ft. shaft which bears from Cor. No. 4 S. 20° 25' W. - 100 ft.

In mineralized andesite and quartz.

Value of Drift \$75.00

No. 8 A shaft which bears from Cor. No. 1 S. 69° 30' E. - 520 ft. 5 x 8 ft. 9 ft. deep in rock.

Value \$85.00

No. 9 An open cut, the South end of which bears from Cor. No. 2 S. 89° E. - 640 ft. Running thence N. 40° E. - 70 ft. 3 ft. wide 2.7 ft. deep in rock.

Value \$75.00

Andy Lode.

No. 1 The discovery shaft. on the lode line at N. 73° 08' W. 300 ft. from the East End Center, 5 x 7 ft. 22 ft. deep.

Value of additional 13 ft. of depth. \$100.00

No. 2 A shaft which bears from Cor. No. 3 N. 53° 10' W. - 368 ft. 4 x 6 ft. 36 ft. deep.

Value of additional 27 ft. of depth \$216.00

No. 4 An open cut, the South end of which bears from the East End center S. 80° W. - 135 ft. Running N. 25° E. - 75 ft. 3 ft. wide 5.5 ft. deep in rock.

Value \$150.00

Alfred B. Colwell
U.S. Mineral Surveyor.

I Alfred B.Colwell, U.S.Mineral Surveyor for the District of Arizona, first being sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced within Mineral Survey No.3191

Alfred B. Colwell
U.S.Mineral Surveyor.

State of Arizona)
County of Mohave)ss

Subscribed and sworn to by the said Alfred B.Colwell before me a Notary Public in and for the County of Mohave State of Arizona, this 12th.day of September 1916 A.D.

Joy Day Dartz
Notary Public.

my commission expires March 4, 1920.

4-690.

Report of Expenditures upon Mining Claim, Filed by U. S. Deputy Mineral Surveyor after Return of Survey.

I, Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that ~~(in pursuance of instructions received from the United States Surveyor General for Arizona, dated _____, 190-),~~ I have made a personal and thorough examination upon the premises, to ascertain the value of the labor expended and improvements made by claimant or its grantors upon the mining claim of

Lexington-Arizona Mining Company

, known as the Andy, Big Andy

, situate in

San Francisco mining district, Mohave

County, Arizona, in Section 27, Township

No. 19 N., Range No. 20 W. ~~unapproved G. & S. R., surveyed by me~~ B. & M.

, ~~190-~~, and designated as Survey No. 3191;

that the value of the labor so expended and improvements so made are as fully stated in my report of said examination, hereto attached; that the character, extent, location, and itemized value of said improvements are specified therein with particularity and full detail, and that no portion of said labor or improvements, so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell,

U. S. ~~Deputy~~ Mineral Surveyor, before me this 12th.

day of September, ~~xxx~~ 1916

Joy Gray Porty

Notary Public

My commission expires March 4-1920.