

SEP. 14 1915

4-683.

Mineral Survey No. 3215

Lot No.

Arizona. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Bunker Hill Mines Company

KNOWN AS THE

Silver Brick

Tombstone Mining District,

Cochise County, Arizona

Section 12, Township 20 South, Range 22 E. ? G & S R
B & M.

Surveyed under instructions dated July 12th, 1915.

by Ralph L. Motz
U. S. Deputy Mineral Surveyor

Claim located see location notice, 1

Survey commenced August 18th, 1915. 1

Survey completed August 18th, 1915. 1

o 6-160

Postoffice address of claimants attorneys,
ELLINWOOD & ROSS,
Bisbee, Arizona.

MINERAL SURVEY NO 3215.

SILVER BRICK.

Beginning at Cor. No 1, the S. W. Cor, identical with location and situated on line 5-6 Sur No 808 North Point lode at N 22° 54' E 318.2 ft from Cor No 6, and S 22° 54' W 1056.4 ft. from Cor No 5,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3215 SB,

whence the 1/4 Cor between Secs 11 and 12, Tp 20 S., R 22 E., G & S R B & M-brs N 59° 41' W 1045.5 ft. No bearings available.

thence N 22° 54' E

- 10.1 intersect line 5-6 Lot No 82 Cocopah lode at N 16° 25' W 13.4 ft from Cor No 6, and S 16° 25' E 1486.6 ft. from Cor No 5,
- 90.9 cross railroad running from town of Tombstone to Mill of Bunker Hill Mines Company,
- 429.0 intersect south line of Tombstone Townsite survey at N 67° 18' W 716.8 ft from the southeast corner, and S 67° 18' E 4564.2 ft from the southwest corner, and N 67° 18' W 244.10 ft. from intersection of said south line with line 2-3 Lot No. 82, Cocopah lode.
- 727.9 intersect line 2-3 Lot No 82, Cocopah lode at N 16° 25' W 963.2 ft from Cor No 2, and S 16° 25' E 536.8 ft from Cor No 3, also N 16° 25' W. 385.20 ft. from intersection of said line 2-3 with the south line of the Tombstone Townsite.
- 1056.4 along line 6-5 Sur No 808 North Point lode to Cor No 5 Sur No 808 North Point lode,
- 1169.4 cross road running from Tombstone to Bisbee,
- 1500.0 to Cor No 2, the N. W. Cor, identical with location,
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3215 SB. No bearings available.
thence S 65° 29' E
- 300.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECT-SB-3215,
- 600.0 to Cor No 3, the N. E. Cor, identical with location
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3215 SB. No bearings available.
thence S 22° 54' W
- 233.0 cross road running from Tombstone to Bisbee,
- 1052.0 intersect the south line of Tombstone Townsite survey, at N 67° 18' W 117.1 ft from the southeast corner, and S 67° 18' E 5163.9 ft from the southwest corner,
- 1487.5 intersect line 2-3 Lot No 82 Cocopah lode at N 16° 25' W 16.6 ft from Cor No 2, and S 16° 25' E 1483.4 ft from Cor No 3,
- 1500.0 to Cor No 4, the S E. Cor, identical with location, and situated on line 1-2 Lot No 82 Cocopah lode and 2-3 Lot No 70, Cincinnatti lode, at N 65° 29' W 10.5 ft from Cors No 2 and 2 of Cocopah and Cincinnatti lodes, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3215 SB. No bearings available. The southeast corner of Tombstone Townsite survey brs N 37° 32' E 463.4 ft.

thence N 65° 29' W

- 290.0 along line 2-3 Lot No 70, Cincinnatti lode, ^{and line 2-1-6 Lot No. 82, Cocopah lode,} to Cor No 1, ~~Gen No 266 Cocopah lode,~~
- 300.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECT-SB-3215,
- 555.8 cross railroad running from town of Tombstone to Mill of Bunker Hill Mines Company,
- 591.5 to Cors No 3 and 6 of Lot No 70 Cincinnatti lode and Lot No 82, Cocopah lode, respectively,
- 600.0 to Cor No 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the north end center S 22° 54' W 1500.0 ft.

AREA.

Total area of Silver Brick lode - - - - - 20.653 Acres.

Conflict with Tombstone Townsite survey - - - - - 14.615 Acres.

Conflict with Lot No 82, Cocopah lode - - - - - 5.096 Acres.

Common conflict with Lot No 70, Cocopah lode and Tombstone Townsite survey - - - - - 0.837 Acres.

IMPROVEMENTS.

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors, is not less than five hundred dollars and that said improvements consist of:-

- No.1. Discovery shaft 4 x 6 x 14 ft deep brs from north end center on lode line 740 ft. Value \$ 84.00
- No.2. Shaft 4 x 6 x 25 ft deep brs from a point on lode line 710.6 ft from north end center, N 71° 30' W 13.0 ft. Value \$170.00
- No.3. Shaft 4 x 6 x 69 ft deep brs. from same point S 41° 15' W 60.0 ft. Value \$552.00
- No.4. Shaft 4 x 6 x 29 ft deep brs. from same point S 12° 20' W 89.0 ft. Value \$262.00

Total improvements \$1008.00

ADJOINING CLAIMS.

North and East. Claims and claimants unknown.

South. Lot No 70, Gen No 254 Cincinnatti lode.

West. Lot No 82, Gen No 266 Cocopah lode, and Survey No 808 North Point lode. Conflicts with Tombstone Townsite on the northeast.

LOCATION.

This survey is located in the Tombstone Mining District, Cochise County, Arizona, in Section 12, T 20 S., R 22 E., G & S R B & M.

INSTRUMENT..

This survey was made with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 foot steel tape. Magnetic variation $12^{\circ} 15'$ East at all corners.

REPORT.

1/4 Cor for Secs 11 and 12, T 20 S, R 22 E, G & S R B & M is a limestone rock 11 x 13 x 6 ins high above ground, chiseled 1/4 on west face. A monument of stones 2 feet west.

Lot No 70 Gen No 254 Cincinnatti lode.

Cors No 2 and 3 are monuments of rocks.

I find line 2-3 to be N $65^{\circ} 29'$ W 602.0 ft instead of N $65^{\circ} 42'$ W 599.61 ft.

Lot No 82, Gen No 266 Cocopah lode.

Cors No 1, 2, 3, 5 and 6 are monument of rocks, posts gone.

I find line 1-2 to be S $65^{\circ} 29'$ E 300.5 ft instead of S 66° E 300.0 ft.

I find line 2-3 to be N $16^{\circ} 25'$ W 1500.0 ft instead of N $16^{\circ} 35'$ W 1500.0 ft.

I find line 5-6 to be S $16^{\circ} 25'$ E 1500.0 ft instead of S $16^{\circ} 35'$ E 1500.0 ft.

I find line 6-1 to be S $65^{\circ} 29'$ E 301.5 ft instead of S 66° E 300.0 ft.

Sur No 808 North Point lode.

Cor No 5 is a 4 x 4 post scribed N.P.M.C.N.5.

Cor No 6 is a monument of stones with bottom of old post remaining.

I find line 5-6 to be S $22^{\circ} 54'$ W 1374.6 ft instead of S $22^{\circ} 54'$ W 1373.0 ft.

Tombstone Townsite Survey.

The southeast and southwest corners are monuments of rocks. Posts missing.

I find line to be N $67^{\circ} 18'$ W 5281.0 ft instead of N $67^{\circ} 10'$ W 5280.0 ft.

Ralph L. Mohz

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

September 10th, 1915.

oooooooooooooooooooo

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz,
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Bunker Hill Mines Company
 known as the Silver Brick
 and showing the respective capacities in which they acted.

P. H. Halleck, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, P. H. Halleck
 and _____, do solemnly swear that ^Iwe assisted
Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of
Bunker Hill Mines Company,
 known as the Silver Brick
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ^{my}~~our~~ knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

P. H. Halleck, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th
 day of August, 1915, 190...

J. W. Ross
 Notary Public in and for the County of
 Cochise, State of Arizona.
 My commission expires February 21st, 1916.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12th, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Bunker Hill Mines Company, known as the Silver Brick, situate in Tombstone Mining District, Cochise County, Arizona, in Section 12, Township No. 20 S., Range No. 22 E. G. & S. R. B. & M., and designated as Survey No. 3215, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Deputy Mineral Surveyor, before me J. W. Ross, Notary Public
this 10th
day of September, 1915.

JW Ross
Notary Public in and for the County of Cochise, State of Arizona.
My commission expires February 21st, 1916.

JUL 12 1915

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "Silver Brick" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 18 day of June, 1915.

The length of this claim is 1500 feet, and we claim 740 feet of the lode in a northeasterly direction and 760 feet of the lode in a southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Northeast to the Southwest.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 4000 feet in an northeasterly direction from United States Mineral Monument No. 1 of said mining district; and is bounded on the South by the "Cincinnati" mining claim, Lot No. 70, and the "Cocopah" mining claim, Lot No. 82, and on the West by the "North Point" mining claim, Survey No. 808.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northeasterly direction 740 feet from the discovery shaft, (at which this notice is posted, being in the center of the North end line); thence Southeasterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1500 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being in the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post being the Southwest corner of said claim; thence Northeasterly 1500 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "Silver Brick" mining claim, located by C. W. Leach on the 24th day of August, 1887, and recorded in Book 11, Record of Mines, at page 390, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18 day of June 1915.

BUNKER HILL MINES COMPANY,

By *C. G. Grebe*
Superintendent

INDEXED

1041

Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of
Bunker Hill M Co

at JUN 19 1915 A. D. 1917

Book 50 Record of Mines FD M.

Pages 216

Owen E. Murphy
County Recorder

STATE OF ARIZONA,
County of Co.^{CHISE}

I, Owen E. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at 10 o'clock,
10 M., on this

Record of Mines and duly recorded
in Book No. JUN 19 1915 of

50 records of Cochise
County, Arizona, at pages 216
Witness my hand and official seal the day
and year first above written.

By W. L. Hutchison Deputy
Owen E. Murphy
County Recorder

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

November 5, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

BUNKER HILL MINES COMPANY

known as the SILVER BRICK

situate in TOMBSTONE

Mining District, COCHISE County, ARIZONA.

in Section 12, Township No. 20 S., Range No. 22 E., and

designated as Survey No. 3215, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 4 shafts, total value \$1008.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

November 5, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

BUNKER HILL MINES COMPANY

known as the

SILVER BRICK

situate in TOMBSTONE Mining District,
COCHISE County, ARIZONA.

in Section 12, Township No. 20 S., Range No. 22 E.
designated as Survey No. 3215

executed by Ralph L. Motz, U. S. ~~Deputy~~ Mineral

Surveyor, August 18, 1915, under my instructions dated

July 12, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.