

DEC 16 1915

NOV 15 1915

4-683.

Mineral Survey No. 3223

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Bunker Hill Mines Company.

KNOWN AS THE

Bon Ton

Tombstone Mining District,

Cochise County, Arizona

Sections 11 and 14, Township 20 S., Range 22 E. G & S R B & M.

Surveyed under instructions dated July 12th, 1915., 1

by Ralph L. Motz, U. S. Deputy Mineral Surveyor

Claim located see location notice attached.

Survey commenced August 9th, 1915.

Survey completed August 11th., 1915.

o 6-163

Postoffice address of claimants attorneys,

Ellinwood & Ross,

Bisbee, Arizona.

BON TON.

- Beginning at Cor No 1, the N E Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3223 BT, No bearings available.
- The Cor for Secs 11, 12, 13 and 14, T 20 S., R 22 E., G & S R B & M brs S 82° 09' E 771.1 ft.
- thence S 35° 08' W
- 24.3 to Cor No 7, Sur No 388 Bon Ton lode,
- 128.8 intersect the section line between Secs 11 and 14, at west 838.0 ft from the corner for Secs 11, 12, 13 and 14, and east 1810.9 ft from the 1/4 Cor between Secs 11 and 14,
- 251.8 intersect line 1-2 Gen No 258 Flora Morrison lode at S 71° 38' E 146.6 ft from Cor No 2, and N 71° 38' W 153.0 ft from Cor No 1, (line 4-5 Gen No 148 Naumkeag lode is identical with line 1-2 Gen No 258 Flora Morrison lode. Cor No 3 said Flora Morrison lode brs N 69° W 223.7 ft from Cor No 2 thereof, and the intersection of line 2-3 said Flora Morrison lode with line 4-5 Gen No 227 Addie lode brs N 69° W 168.3 ft from Cor No 2 Flora Morrison lode)
- 767.0 intersect line 5-6 Gen No 148 Naumkeag lode at S 18° 36' W 493.3 ft from Cor No 5, and N 18° 36' E 909.5 ft from Cor No 6, also intersect line 1-2 Sur No 757 Black Prince lode at S 18° 36' W 279.7 ft from Cor No 1, and N 18° 36' E 538.5 ft from Cor No 2, (Cor No 7 Sur No 757 Black Prince lode brs from Cor No 1 of said survey N 58° 02' W 88.3 ft. Cor No 7 of said survey being situated on line 5-6 Gen No 227 Addie lode at S 57° 56' W 35.6 ft from Cor No 5 Addie lode.)
- 1458.0 to Cor No 2, the S E Cor, identical with location, and with Cors No 3 and 6 of Sur No 530 Minnet lode and Sur No 388 Bon Ton lode, respectively,
- a pine post 4 ft long 4^{x6} ins sq set 18 ins in the ground in a mound of stones and scribed 2-3223 BT, No bearings available.
U.S.M.M.No.1 Tombstone Mining District brs. N. 13° 08' E. 308.8 ft.
thence N 62° 02' W
- 104.0 to Cor No 2 Sur No. 530 Minnet lode,
- 253.9 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECT-BT-3223,
- 300.5 to Cor No 5 Sur No 388 Bon Ton Lode,
- 399.7 intersect line 7-8 Sur No 289 Alta lode at S 45° 48' W 498.3 ft from Cor No 7, and N 45° 48' E 740.5 ft from Cor No 8,
- 402.7 to Cor No 6 Sur No 530 Minnet lode,
- 404.0 intersect line 5-6 Sur No 757 Black Prince lode at S 34° 56' W 446.4 ft from Cor No 6, and N 34° 56' E 221.6 ft from Cor No 5,
- 553.8 to Cor No 3, the S W Cor, identical with location and with the S E Cor, Cor No 2 and 4, of Emilie lode, unsurveyed, Sur No 289 Alta lode, and Sur No 388 Bon Ton lode, respectively,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3223 B T,
- whence a sandstone rock 22 x 13 x 8 ins high and chiseled BR x 3-3223 brs N 75° 27' E 60.3 ft., and a stump of a redwood telephone post set in the ground, 4.6 ft above ground and scribed BP x 3-3223 brs N 6° 29' W 60.7 ft.
- thence N 37° 08' E
- 383.2 intersect line 2-6 Gen No 227 Addie lode at N 12° 31' W
(1.)

- 97.2 ft from Cor No 6, and S 12° 31' E 410.2 ft from Cor No 2, (Cor No 5 Gen No 227 Addie lode brs N 57° 56' E 801.2 ft from Cor No 6 of said survey. The intersection of said line 5-6 Addie lode with line 6-7 Sur No 289 Alta lode brs N 57° 56' E 238.8 ft from said Cor No 6 Addie lode, and Cor No 6 Sur No 757 Black Prince lode brs N 57° 56' E 160.1 ft from said Cor No 6 Addie lode.)
- 604.5 intersect line 6-7 Sur No 289 Alta lode at S 31° 51' E 29.3 ft from Cor No 6, and N 31° 51' W 243.4 ft from Cor No 7, (the intersection of lines 5-6 Gen No 227 Addie lode and 6-7 Sur No 289 Alta lode brs from this point S 31° 51' E 170.2 ft)
- 790.7 intersect line 6-7 Sur No 1012 Am May Flower lode at N 44° 27' E 146.4 ft from Cor No 6, and S 44° 27' W 694.6 ft from Cor No 7, (the intersection of lines 6-7 Sur No 1012 Am May Flower lode and 3-4 Gen No 227 Addie lode, brs from this point N 44° 27' E 529.1 ft.)
- 1037.7 intersect the section line between Secs 11 and 14, T 20 S, R 22 E at east 1183.1 ft from the 1/4 Cor between Secs 11 and 14, and west 1465.8 ft from the Cor of Secs 11, 12, 13 and 14
- 1231.9 intersect line 2-3 Gen No 227 Addie lode at S 65° 20' W 109.7 ft from Cor No 3, and N 65° 20' E 661.6 ft from Cor No 2, (Cor No 5 Addie lode brs S 12° 39' E 401.6 ft from Cor No 3 thereof, and the intersection of line 3-4-5 said Addie lode with 6-7 Sur No 1012 Am May Flower lode brs S 12° 39' E 20.4 ft from Cor No 3 said Addie lode, the intersection of line 3-4-5 said Addie lode with 3-4 Sur No 258 Flora Morrison lode brs S 12° 39' E 108.5 ft from Cor No 3 said Addie lode, and the intersection of line 2-3 Gen No 258 Flora Morrison lode with 3-4-5 said Addie lode brs S 12° 39' E 198.6 ft from Cor No 3 said Addie lode.)
- 1441.5 to Cor No 3 Sur No 388 Bon Ton lode, (Cors No 2 and 7 Sur No 388 Bon Ton lode br S 61° 58' E 202.4 ft and S 61° 58' E 503.0 ft, respectively from this point. The intersection of line 2-3 Sur No 388 Bon Ton lode with 6-7 Sur No 1012 Am May Flower lode brs S 61° 58' E 86.4 ft., and the intersection of line 2-3 Sur No 388 Bon Ton lode with 3-4 Gen No 258 Flora Morrison lode brs S 61° 58' E 94.5 ft from same point.)
- 1465.3 to Cor No 4, the N W Cor, identical with location,
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3223 BT. No bearings available.
thence S 62° 02' E
- 89.6 to Cor No 7 Sur No 1012 Am May Flower lode, and intersect line 3-4 Gen No 258 Flora Morrison lode at N 25° 10' E 301.8 ft from Cor No 3, and S 25° 10' W 304.9 ft from Cor No 4, (also the intersection of lines 2-3 Sur No 388 Bon Ton lode and 6-7 Sur No 1012 Am May Flower lode brs S 44° 27' W 24.6 ft., the intersection of lines 2-3 Sur No 388 Bon Ton lode and 3-4 Gen No 258 Flora Morrison lode brs S 25° 10' W 23.6 ft., the intersection of lines 3-4 Gen No 258 Flora Morrison lode and line 4-5 Gen No 227 Addie lode, which is Cor No 4 Gen No 227 Addie lode, brs S 25° 10' W 226.6 ft.)
- 300.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECT-BT-3223,
- 502.4 to Cor No 1, the place of the beginning.
LODE LINE.
The presumed course of the vein on this claim is from the north end center S 37° 08' W 1465.3 ft.
AREA .
Total area of Bon Ton lode - - - - - 17.538 A.
Conflict with Sur No. 388 Bon Ton lode - - 17.260 A.

- Conflict with Sur No 1012 Am
May Flower lode - - - - - 0.685 A.
- Conflict with Sur No 1012 Am
May Flower lode and Sur No
388 Bon Ton lode (common) - - - - - 0.637 A.
- Conflict with Gen No 258^{Lot No. 74} Flora
Morrison lode - - - - - 2.478 A.
- Conflict with Gen No 258^{Lot No. 74} Flora
Morrison lode and Sur No 388
Bon Ton lode (Common) - - - - - 2.253 A.
- Conflict with Gen No 227^{Lot No. 61} Addie
lode and Sur No 388 Bon Ton
lode (Common) - - - - - 4.830 A.
- Conflict with Gen No 227^{Lot No. 61} Addie lode,
Sur No 1012 Am May Flower Lode,
and Sur No 388 Bon Ton lode
(Common) - - - - - 0.367 A.
- Conflict with Gen No 227^{Lot No. 61} Addie lode,
Gen No 258 Flora Morrison lode,
and Sur. No 388 Bon Ton lode
(Common) - - - - - 0.048 A.
- Conflict with Sur No 289 Alta lode,
and Sur No 388 Bon Ton lode
(Common) - - - - - 2.416 A.
- Conflict with Sur No 289 Alta lode,
Gen No 227^{Lot No. 61} Addie lode, and Sur
No 388 Bon Ton lode (Common) - - - - - 0.655 A.
- Conflict with Sur No 757 Black Prince
lode and Sur No 388 Bon Ton lode
(Common) - - - - - 7.306 A.
- Conflict with Sur No 289 Alta lode,
Sur No 757 Black Prince lode,
and Sur No 388 Bon Ton lode (Common) 0.592 A.
- Conflict with Gen No 148^{Lot No. 44} Naumkeag lode,
and Sur No 388 Bon Ton lode
(Common) - - - - - 0.830 A.

IMPROVEMENTS.

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:-

- No.1. Incline shaft 5 x 7 x 39 ft deep, incline 22°
brg S 76° 30' E, at bottom of shaft is a drift
4 x 6 x 16 ft long brg N 13° 30' E. The mouth
of incline shaft is located on lode line 720
ft from north end center. Value \$ 550.00
- No.2. Open cut 5 x 8 x 22 ft long, with tunnel at
face 4 x 6 x 80 ft long, both brg S 49° 30' E,
the mouth of open cut brs N 72° 28' E 369.6
ft from a point on line 3-4 which is N 37°
08' E 383.2 ft from Cor No 3. Value \$ 910.00
- No.3. Shaft 4 x 6 x 9 ft deep brs from same point
S 86° 18' E 402.4 ft. Value \$ 75.00
- No.4. Shaft 4 x 6 x 21 ft deep brs from same point
N 55° 39' E 663.2 ft. Value \$ 210.00

No.5.	Shaft 4 x 6 x 17 ft deep brs from Cor No 3 N 83° 38' E 440.1 ft.	Value	\$ 170.00
No.6.	Shaft 4 x 6 x 39 ft deep brs from Cor No 1, S 49° 07' W 530.5 ft.	Value	\$ 390.00
No.7.	Shaft 4 x 6 x 23 ft deep brs from Cor No 1, S 43° 37' W 557.7 ft.	Value	\$ 230.00
No.8.	Open Cut 4½ x 8 x 21 ft long brg S 46° W, the mouth of which brs from Cor No 1, S 45° 06' W 496.5 ft.	Value	\$ 100.00
No.9.	Open cut 5 x 8 x 20 ft long brg S 46° W, the mouth of which brs from Cor No 1, S 50° 45' W 438.9 ft.	Value	\$ 100.00
No.10.	Shaft 4 x 6 x 50 ft deep brs from Cor No 1, S 59° 13' W 402.9 ft.	Value	<u>\$ 500.00</u>
	Total improvements on claim		\$3235.00

OTHER IMPROVEMENTS.

- No.11. Shaft 6 x 6 x 23 ft deep brs from Cor No 2 N 10° 39' W
131.4 ft.
- No.12. Shaft 4 x 6 x 12 ft deep brs from Cor No 4 S 25° 57' W
570.8 ft.
- No.13. Shaft 4 x 13 x 5½ ft deep brs from Cor No 4 S 16° 32' W
423.4 ft.
- No.14. Shaft 5 x 10 x 5½ ft deep brs from Cor No 4 S 9° 56' W
315.8 ft.
- No.15. Shaft 4 x 6 x 8 ft deep brs from Cor No 4 S 12° 11' W
262.0 ft.

Reservoir, concrete, 98.5 ft x 87.0 ft., long side of
which brs N 61° 13' W. The northeast corner of reservoir
brs from Cor No 1 S 40° 25' W 707.3 ft.

ADJOINING CLAIMS.

- North. Sur No 1012 Am May Flower lode; Gen No 258^{Lot No. 74} Flora Morrison
lode.
- East. Gen No 148^{Lot No. 44} Naumkeag lode.
- South. Sur No 530 Minnet lode; Sur No 289 Alta lode; Sur No 757
Black Prince lode.
- West. Sur No 1012 Am May Flower lode; Gen No 227^{Lot No. 61} Addie lode;
Sur No 289 Alta lode; and Emilie lode unsurveyed.
This survey covers the Bon Ton lode, Sur. No. 388.

LOCATION.

This survey is located in the Tombstone Mining District,
Cochise County, Arizona, in Sections 11 and 14, T 20 S.,
R 22 E., G & S R B & M.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No 1 C
transit. The courses were deflected from the true meridian
as determined by a Solar observation. The distances were
measured with a 300 ft steel tape. Magnetic variation
12° 15' East at all corners.

REPORT.

Corner of Secs 11,12,13 and 14 is a sandstone rock 12 x 8 x 8 ins above ground, chiseled I on east face, IIII on south face. A monument of rocks 2 ft west.

1/4 Cor of Secs 11 and 14 is a granite rock 10 x 9 x 10 ins above ground, chiseled 1/4 on north face. A monument of rocks 3 ft north.

Gen. No. 148. Naumkeag lode.

Cor No 5 is a 2 x 4" post scribed N M C No 5.

Cors No 4 and 6 are monuments of rocks.

I check line 4-5 in course and distance.

I find line 5-6 to be S 18° 36' W 1402.8 ft instead of S 18° 48' W 1399.86 ft.

Gen. No. 227. Addie lode.

Cor No 1 is missing.

Cors No 2, 3, 4 and 6 are monuments of rocks.

Cor No 5 is a 4 x 4" post scribed A M C No 5.

I find line 2-3 to be N 65° 20' E 771.3 ft instead of N 65° 20' E 782.0 ft.

I find line 3-4 to be S 12° 39' E 109.5 ft instead of S 12° 30' E 109.0 ft.

I find line 4-5 to be S 12° 39' E 292.1 ft instead of S 12° 30' E 297.0 ft.

I find line 5-6 to be S 57° 56' W 801.2 ft instead of S 58° W 808.0 ft.

I find line 6-2 to be N 12° 31' W 507.4 ft instead of N 12° 30' W 526.5 ft.

Gen. No. 258. Flora Morrison lode.

Cors No 1 and 3 are monuments of rocks.

Cor No 2 is a 4 x 4" post scribed F M M C No II.

Cor No 4 is a 4 x 4" post scribed F M M C No IV.

I check line 1-2 in course and distance.

I find line 2-3 to be N 69° W 223.7 ft instead of N 68° 44' W 225.06 ft.

I find line 3-4 to be N 25° 10' E 606.7 ft instead of N 25° 20' E 607.2 ft.

Sur No 280 Alta lode.

Cor No 2 was an iron pin in center of monument of rocks.

Cors No 3, 6 and 7 are 4 x 4" posts scribed ALTA M C No 3, ALTA M C No 6, and ALTA M C No.7, respectively.

Cor No 8 is monument of rocks.

I find line 6-7 to be S 31° 31' E 272.7 ft instead of S 31° 42' E 275.0 ft.

I find line 7-8 to be S 45° 48' W 1238.8 ft instead of S 45° 49' W 1240.0 ft.

Sur No 388 Bon Ton lode.

Cors No 2 and 6 are 4 x 6" posts scribed No II B T M C, and No VI B T M C., respectively.

Cors No 3, 5 and 7 are monuments of rocks.

Cor No 4 was an iron pin in center of monument of rocks.

I find line 2-3 to be N 61° 58' W 202.4 ft instead of N 61° 42' W 199.0 ft.

I find line 3-4 to be S 37° 08' W 1441.5 ft instead of S 36° 58' W 1441.0 ft.

I find line 4-5 to be S 62° 02' E 253.4 ft instead of S 61° 42' E 252.0 ft.

I find line 5-6 to be S 62° 02' E 300.5 ft instead of S 61° 42' E 300.0 ft.

I find line 6-7 to be N 35° 08' E 1433.7 ft instead of N 35° 04' E 1441.0 ft.

I find line 7-2 to be N 61° 58' W 300.6 ft instead of N 61° 42' W 300.0 ft.

Sur. No. 530. Minnet lode.

Cors No 2, 3 and 6 are 4 x 4" posts scribed MMCNO.2, MMCNO.3, and MMCNO.6, respectively.

I find line 6-2 to be S 62° 02' E 298.7 ft instead of S 62° 03' E 281.0 ft.

I find line 2-3 to be S 62° 02' E 104.0 ft instead of S 62° 03' E 104.0 ft.

Sur. No. 757. Black Prince lode.

Cor No 1 is a 4 x 4" post scribed BLACK PRINCE No 1. Cors No 2 and 7 are 4 x 4" posts scribed B P M C No2, and B P M C No7, respectively.

Cor No 5 is a 4 x 4" post not scribed for this claim.

Cor No 6 is monument of rocks.

I find line 1-2 to be S 18° 36' W 818.2 ft instead of S 18° 50' W 822.0 ft.

I find line 5-6 to be N 34° 56' E 668.0 ft instead of N 37° 12' E 635.0 ft.

I find line 6-7 to be N 57° 56' E 605.5 ft instead of N 57° 35' E 609.0 ft.

I find line 7-1 to be S 58° 02' E 88.3 ft instead of S 57° 50' E 89.0 ft.

Sur. No. 1012 Am. May Flower lode.

Cor No 6 is a 4 x 4" post scribed M F M C N 6.

Cor No 7 is a monument of rocks.

I find line 6-7 to be N 44° 27' E 841.0 ft instead of N 44° 27' E 847.0 ft.

Ralph L. Mohr

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

November, 11, 1915.

oooooooooooo

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Metz,
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
 Bunker Hill Mines Company
 known as the Bon Ton
 and showing the respective capacities in which they acted.

P. H. Halleck, Chainman.
, Chainman.
, Axman.
, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~ I, P. H. Halleck
 and ~~we~~, do solemnly swear that ^I ~~we~~ assisted
Ralph L. Metz, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of
 Bunker Hill Mines Company
 known as the Bon Ton
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

P. H. Halleck, Chainman.
, Chainman.
, Axman.
, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th
 day of August, 1915., 1905.

JW Ross

Notary Public in and for the County
 of Cochise, State of Arizona.
 My commission expires February 21st, 1916.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12, 1915., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Bunker Hill Mines Company, known as the Bon Ton, situate in Tombstone Mining District, Cochise County, Arizona, in Sections 11 and 14, Township No. 20 S., Range No. 22 E. G & S R B & M, and designated as Survey No. 3223, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz,
 U. S. ~~Deputy~~ Mineral Surveyor, before me J. W. Ross, Notary Public
 this 11th
 day of November, 1915.

J W Ross
 Notary Public in and for the County
 of Cochise, State of Arizona.
 My commission expires February 21st, 1916.

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

JUL 12 1915

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "BON TON" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 18 day of June, 1915.

The length of the claim is 1500 feet, and we claim 720 feet of the lode in a Northeasterly direction and 780 feet of the lode in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Northeast to the Southwest.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about three-quarters of a mile in a Southerly direction from the City of Tombstone, in Sections 11 and 14, Township 20 South, Range 22 ^{East} Gila and Salt River Base and Meridian; and is bounded on the North by Lot No. 74, "Flora Morrison," on the East by Lot No. 44, "Naumkeag," on the South by Survey No. 530, "Minnet," on the West by Survey No. 289, "Alta," "Emilie," unsurveyed, and

Survey No. 1012, amended, "Mayflower."

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northeasterly direction 720 feet from the discovery shaft, (at which this notice is posted), being in the center of the North end line of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1500 feet to a monument of stones and a post, being at the Southeast corner of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being at the Southwest corner of said claim; thence Northeasterly 1500 feet to a post being the Northwest corner of said claim; thence Southeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1915.

This is an amended locaton notice of the "Bon Ton" mining claim, located by J. Dawson, J. C. Handy, S. W. Carpenter and M. Katz, on the 6th day of May, 1878, the notice of said location being recorded in the office of the County Recorder of Pima County, and of the amended location thereof, by A. H. Emanuel, T. J. Jeffries and E. P. Voisard, upon the 6th day of August, 1881, the notice of location being recorded in Book 2, Record of Mines, page 584, in the office of the County Recorder in the County of Cochise, to both of which records reference is hereby made. And this amended location notice is made and posted by the Bunker Hill Mines Company, the present owner of said claim, to correct errors in the description in said above mentioned former location, and without waiving any right, title or interest heretofore acquired by virtue of said former location.

Dated and posted on the ground this 18 day of June, 1915.

BUNKER HILL MINES COMPANY,

By

C. Grob
Superintendent

Shelton

RECORDED
COMPARED
294
Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of

Quaker Hill M. Co.

JUN 19 1915 A. D. 1915

at 4 P. M.

Book 50 Record of Mines

Pages 221
Quaker Hill M. Co.

Mary C. Barton
County Recorder
Deputy

INDEXED

STATE OF ARIZONA
County

I, Owen E. Owen, Recorder in
and for the County of Cochise, Arizona,
do hereby certify that the within instru-
ment was filed for record at 4 o'clock,
P. M., on this JUN 19 day of 1915

in Book No. 50 and duly recorded
of
~~Record of Mines~~ records of Cochise
County, Arizona, at pages 221
Witness my hand and official seal the day
and year first above written.

Quaker Hill M. Co.

By *Mary C. Barton*
County Recorder
Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 2, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

BUNKER HILL MINES COMPANY

known as the BON TON

situate in TOMBSTONE

Mining District, COCHISE County, ARIZONA,

in Section s 11 & 14, Township No. 20 S., Range No. 22 E., and

designated as Survey No. 3223, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 7 shafts, 1 drift, 3 cuts and 1 tunnel, total value \$3235.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

February 2, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

BUNKER HILL MINES COMPANY

, known as the

BON TON

situate in TOMBSTONE Mining District,

COCHISE County, ARIZONA

in Sections 11 and 14, Township No. 20 S., Range No. 22 E.

, designated as Survey No. 3223

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, August 9--11, 1915, under my instructions dated

July 12, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.