

Recd. Aug. 5, 1915

Copied Sept. 21, 1915,

A L H

1

Platted

4-683.

Mineral Survey No. 3229

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Standard Mining Company

KNOWN AS THE

Legal Tender

Cochise Mining District,

Cochise County, Arizona

Section 6 ³¹, Township 16 S ^{15 S}, Range 23 E ^{23 E, Uninc. 80} G.S.R.M.

Surveyed under instructions dated July 16, 1915

by John A. Rockfellow
U. S. Deputy Mineral Surveyor

Claim located See location notice, 1904.

Survey commenced July 19, 1915

Survey completed July 23, 1915

o 6-163

Attorney for claimant

C. O. Anderson

Dragoon,

Ariz.

Survey No. 3229

LEGAL TENDER

Feet

Beginning at Cor. No. 1, the N. E. corner of claim: Set a redwood post 4 ins. sq. 4 ft. long 18 ins. in the ground, in a mound of stone, scribed N.E.C.-L.T. 1-3229

Whence:

Cor. of location, a mound of stone bears N.79°02' E. 31.5 ft.

The closing corner bet. secs. 5-6^{T₁₆S, R₂₃E} on 3rd Standard Parallel South bears S.73°29' E. 885.2 ft.

X.B.R. 1-3229 chiseled on a quartzite rock 8 x 4 ins. 2 ins. above ground bears S.24°12' E. 61.5 ft.

Thence S.18°03' E. Va. 13°20' E.

261.85 Intersect 3rd Standard Parallel South at N.89°48' W. 767.55 ft. from the Closing Corner of Secs. 5-6^{T₁₆S, R₂₃E} and S. 89°48' E. 3119.05 ft. from Closing Corner Tps. 16 S. Rs. 22-23 E.

1500. To Cor. No. 2, Set a redwood post 4 ins. sq. 4 ft. long 10 ins. in the ground to hardpan, in a mound of stone, scribed S.E.C.-L.T. 2-3229

Whence:

Cor. of location a stake in a mound of stone bears S.18°03' E. 164.0 ft.

X.B.R. 2-3229 chiseled on a quartzite rock 12 x 12 ins. level with the ground bears N.56°32' W. 12.15 ft.

No other rocks or tree bearing available.

Thence S.79°02' W. Va. 13°20' E.

302.3 S. Center End. Set a redwood post 4 ins. sq. 4 ft. long 12 ins. in the ground to hardpan, in a mound of stone, scribed S.C.E.-LT 3229

Whence Monument of location a stake in a mound of stone bears S.18°03' E. 130.6 ft.

604.6 To Cor. No. 3, Set a redwood post 4 ins. sq. 4 ft. long, 14 ins. in the ground to hard pan, in a mound of stone, scribed S.W.C.-L.T. 3-3229

Whence:

Cor. of location a post in a mound of stone bears S.59°44' W. 120.6 ft.

X.B.R. 3-3229 chiseled on a quartzite rock 7 x 5 ins. 1 in. above ground bears N.66°57' W. 27.7 ft.

No other rock or tree ^{bearings} available.

Thence N.18°03' W. Va. 13°20' E

1361.4 Intersect 3rd Standard Parallel South at N.89°48' W. 1399.3 ft. from Closing Corner bet. secs. 5-6 and S.89°48' E. 2487.3 ft. from Closing Corner Tps. 16 S. Rs. 22-23 E.

1500 To Cor. No. 4, identical with location, a stake in a mound of stone, Set a redwood post 4 ins. sq. 4 ft. long 12 ins. in the ground to hard pan, in a mound of stone, scribed N.W.C.-L.T. 4-3229

Whence:

X.B.R. 4-3229 chiseled on a quartzite rock 7 x 5 ins. 1 in. above ground bears S.52°02' E. 44.3 ft.

No other rock or tree bearings available.

This monument also contains notice of location of Globe lode located Jan. 2, 1906 by A.M.Tong, claiming 10 ft. southerly and 1490 ft. Northerly from discovery.

Thence N.79°02' E, Va. 13°15' E.

302.3 N.Center End. Set a redwood post 4 ins. sq. 4 ft. long 12 ins. in the ground to hard pan, in a mound of stone, ~~bears~~ scribed N.C.E.-L.T. 3229

Whence: Monument of location a post in a mound of stone bears N.18°03' W. 6.0 ft.

604.6 To Cor. No. 1, the place of beginning.

AREA

Area of Legal Tender lode, 20.661 acres.

Location.

This claim is located in Cochise Mining Dist., Cochise County Arizona.

It is partly in sec 6 Tp 16 S. R. 23 E. and partly in the

Sec.31
unsurveyed, Tp. 15 S. R. 23 E.-

Vein.
The presumed course of the lode or vein is N.18°03' W.

1500 ft. from S. Center End to N. Center End.

Adjoining claims on the North:

Globe lode, unsurveyed, A.M.Tong Claimant.

Legal Tender No.6 and Legal Tender No. 7 lodes.~~xxxxxx~~

~~xxxx~~ On the East:

Legal Tender No. 4 lode.

On the South:

Legal Tender No. 2 lode.

On the West:

Legal Tender No. 5 lode.

All of the above lode claims unsurveyed and claimed by Standard Mining Co.

Five Hundred Dollars Improvement.

I certify that the value of labor and improvements placed upon this claim by the claimant and its grantors exceeds five hundred dollars and that said improvements consist of:

No.1) Discovery shaft, the S.E. Corner of which bears from N. Center End S.18°03' E. 833.6 ft. Shaft 6x4 ft. now 6½ ft. deep, partly filled with loose rock, work all in rock.

Value \$35.

~~2~~ From point on lode line S.18°03' E. 385.9 ft. from N.C.E.

No.2) Center of cut and tunnel bears S.32°06' E. 334 ft. Cut 4 ft. wide S.32° E. 24 ft. to face of 9 ft.: thence tunnel 5x4 ft. same course 17 ft. all in rock.

Value of cut 17 ft. \$80.

Value of tunnel at \$8 per foot \$136.

Total value of cut and tunnel \$216.

No.3) Center of shaft bears S.50°43' E.356.0ft. Shaft 7x5 ft. 6½ ft. deep.

On surface about shaft is much uncovering of bed rock.

Value of shaft \$30.

From a point on lode line at S.18°03' E. 835.3 ft. from

N.C.E. ~~xxxxxi8208ixFxx885x5xfxx~~

- No. 4) Center of foot wall of incline shaft bears N.72°15' W. ~~ipq~~ 101.8 ft. Incline toward E.N.E., 6x4 ft., first 4½ ft., timbered, 168 ft. deep. At 78 ft. a station is cut out. At bottom a drift 6x4 ft. extends eastward 30 ft. and a drift 6x4 ft. extends westerly 10 ft.

Value of 208 ft. of shafts and drifts at \$10. per foot \$2080.

- No. 5) S.E. Corner of an open stope bears N. ~~24°15' E. 98.5 ft.~~ 21° E. 27 ft. stope 10 ft. Easterly and Westerly by 5 ft. average 4 ft. deep.

Value \$40.

- No. 6) Center of a shaft bears N.24°15' E. 98.5 ft. Shaft 6x4 ft. 29 ft. deep with some stoping.

Value 29 ft. at \$10 per foot \$290.

From a point on lode line at S.18°03' E. 1059.3 ft. from N.C.E.

- No. 7) The center of foot wall of an incline (eastward) bears S.52° W. 16 ft. Incline 5x4½ ft. 30 ft. deep.

Value at \$10 per foot \$300.

- No. 8) Center of a shaft bears S.13°12' W. 161.5 feet. Shaft 10x6 ft. 6 ft. deep.

Value \$50.

Other Improvements.

The Northerly end of discovery shaft shows stoping or sinking: now filled with loose rock said to have been done by parties unknown.

From Cor. No. 4, the center of a shaft bears S.40°30' E. 132 ft., shaft 6x3½ ft. caved now 7 ft. deep, Claimants unknown. Alongside is a monument and rusty can containing fragments of old notice not legible.

Instrument.

This survey was made with a Young & Son Mountain Transit provided with Smith Solar Attachment (No. ⁶⁸⁵⁵~~6055~~) The courses were deflected from true meridian as obtained by direct solar observations. The distances were measured by 500 and 50 ft. steel tapes.

Report.

The Closing Corner of Tps. 16 S. Rs. 22-23 E, on 5rd Standard Parallel South is a quartzite rock 12x6 ins. 8 ins. above ground chiseled six notches on the East, South, and West sides.

The closing Corner bet. secs. 5-6 on 3rd Standard is a limestone 14x6 ins. 14 ins. above ground chiseled C.C. on the South, five notches on East, and one notch on West edges. There is no corner on said 3rd Standard between the two corners described.

Tombstone Ariz.

July 30 1915.


U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Philip Rockefeller
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

Standard Mining Company
known as the Legal Tender

and showing the respective capacities in which they acted.

Philip Rockefeller, Chainman.

D. Morse, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Philip Rockefeller

and D. Morse, do solemnly swear that we assisted John

Rockefeller, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Standard Mining Company

known as the Legal Tender

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona

Philip Rockefeller, Chainman.

D. Morse, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 28th

day of July, 1905.

R. C. Ashman

Notary Public

My commission expires April 28th, 1917.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 16, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Standard Mining Company, known as the Legal Tender, situate in Cochise Mining District, Cochise County, Arizona, in Section 31, Township No. 15 S., Range No. 23 E., Unsur. and T. S. R. M., and designated as Survey No. 3229, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Deputy Mineral Surveyor, before me

R. D. Seney this 2
day of August 1915.

R. D. Seney
Notary Public

My commission expires Feb. 18, 1917.

JUN 7 - 1915

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the **Legal Tender** Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by O.T.Smith, L. E. Smith & James Busenbark ----- the undersigned, on the 26 day of January 1904.

The length of this claim is 1500 feet and This claim 500 feet, in a North direction, and 1000 feet in a South direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Cochise Mining District in Cochise County, in the Territory of Arizona, about 3 Mile in a North direction from Dagoon Station.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a North direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence West 300 feet to a Monument, being at the North West corner of said claim; thence South 1500 feet to a Monument, being at the South West corner of said claim; thence East 300 feet to a Monument at the center of the South end of said claim; thence East 300 feet to a Monument, being at the South East corner of said claim; thence North 1500 feet to a Monument at the North East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16th, 1901.

Dated and posted on the ground this 26 day of January 1904.

O. T. Smith

L. E. Smith

James Busenbark

Filed and recorded at request of O. T. Smith, April 16th A.D. 1904 at 9 A. M. and recorded in Book 30 Record of Mines, Page 544.

OFFICE OF THE COUNTY RECORDER.

STATE OF ARIZONA)
) ss
 County of Cochise.)

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid. DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Location Notice of the **Legal Tender** Mining Claim, filed in this office on the 16th day of April A.D. 1904 at 9:00 A.M., and recorded in Book 30 Record of Mines, Page 544. and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 12th day of May. A.D. 1915.

Owen E. Murphy

County Recorder.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 5, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Standard Mining Company

known as the Legal Tender

situate in Cochise

Mining District, Cochise County, Arizona.

in Section 31, Township No. 15 S., Range No. 23 E., unsur. and 6, 16 S., 23 E.

designated as Survey No. 3229, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 shafts, 1 cut and tunnel, 2 drifts, 1 station and 1 stope, total value \$13041.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

.....Phoenix, Arizona,.....

.....October 5....., 1915.

I, U. S. Surveyor-General for.....District of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of.....

.....Standard Mining Company.....

....., known as the

.....Legal Tender.....

situate in.....Cochise.....Mining District,
.....Cochise.....County,.....Arizona.

in Section.....31....., Township No. 15 S.,....., Range No. 23 E., unsur. and
" 6 " " 16 S., " " 23 E.
....., designated as Survey No. 3229

executed by.....John A. Rockefeller....., U. S. ~~Deputy~~ Mineral

Surveyor,.....July 19-23,....., 19 15, under my instructions dated

.....July 16,....., 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for.....Arizona.....