

platted

(4-683.)

Mineral Survey No. 3264

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

New Constock Mining Company

KNOWN AS THE

Big Dan, Dam Site and Pyramid Rock Lodes

San Francisco Mining District.

Mohave County, Arizona

Section S. 6 & 12, Township 21 N., Range S 21 & 22 W. (unapp'd)
un-approved survey

Surveyed under instructions dated Jan. 22, 1916

by O. M. Enslow,
U. S. ~~Deputy~~ Mineral Surveyor

Claim located ~~and~~ See location notices. 1

Survey commenced Jan. 26, 1916

Survey completed Jan. 31 1916

Address of claimant
Phillip I. Manson
Attorney

Rooms 307-308 Kohl Building,
San Francisco, Calif.

Feet	Survey No. 3264 / Big Dam Lode
	<p>Beginning at cor. No. 1., identical with location cor. & with cor. No. 1, Pyramid Rock Lode of this survey.</p> <p>A volcanic rock 24x18x8 ins, set 12 ins. in the ground, with a conical mound of stone, 1½ ft. high, 2 ft. base alongside, chiseled B-D-1-3264 and P-R-1-3264.</p> <p>The N.E. Cor. of sec. 12, T. 21 N. R. 22 W. G. & S. R. M. (un-approved survey), bears S. 79° 20' W. 321.6 ft. U.S.L.M. No. 3264 bears N. 63° 28' W. 3390.3 ft.</p> <p>No bearings available.</p> <p>Thence N. 65° 44' E.</p>
1310.5	<p>To Cor. No. 2, identical with location cor.</p> <p>A volcanic rock, 24x18x20 ins. set 12 ins. in the ground, with a conical mound of stone 1½ ft. high, 2 ft. base alongside, chiseled, B-D-2-3264. No bearings available.</p> <p>Thence S. 21° 42' E.</p>
300	<p>To the east end center, A volcanic rock, 26x10x8 ins. set 12 ins. in the ground, with a conical mound of stone, 1½ ft. high, 2 ft. base alongside, chiseled B-D-E-E-C-3264.</p>
600	<p>To cor. No. 3.</p> <p>A volcanic rock 24x16x8 ins. set 12 ins. in the ground, with a conical mound of stone, 1½ ft. high, 2 ft. base alongside, chiseled B-D-3 - 3264. The old location corner bears S. 32° 30' E. 10 ft. No bearings available.</p> <p>Thence S. 65° 44' W.</p>
1310.5	<p>To corner No. 4. Identical with location corner and with cor. No. 2, Pyramid Rock Lode of this survey.</p> <p>A granite rock 26x16x14 ins., set 12 ins. in the ground, with a conical mound of stone 1½ ft. high, 2 ft. base alongside, chiseled, B-D-4-3264, and P-R-2-3264. No bearings available.</p> <p>Thence N. 21° 42' W.</p>
300	<p>To the W.E.C, Identical with the E.E.C. Pyramid Rock Lode of this survey. A granitic rock, 28x12x10 ins., set 12 ins., in the ground, with a conical mound of stone 1½ ft. high, 2 ft. base alongside, chiseled, B-D-W-E-C-3264 and P-R-E-E-C-3264.</p>
600	<p>To cor. No. 1, the place of beginning.</p>

Feet.	Survey No.3264 ,continued.
	Pyramid Rock Lode.
	Beginning at Cor.No.I, identical with Cor.No.I, Big Dam Lode of this survey, previously described. The N.E.corner of sec.12, T.21 N.R.22 W.G.& S.R.M.(un-approved survey), bears S.79° 20' W.321.6 ft. U.S.L.M.No.3264 bears N.63° 28' W.3390.3 ft.
	Thence S.21° 42' E.
300	To E.E.C., identical with W.E.C. Big Dam Lode of this survey, previously described.
600	To Cor.No.2, Identical with corner No.4 Big Dam Lode of this survey, previously described.
	Thence S.64° 08' W.
597.74	Intersect E.line sec.12, at S.758.78 ft.from the N.E.corner of said sec., and 1881.22 ft.north of the E.¼ sec.cor.to said sec.12.The said intersection is N.289.38 ft.from the S.W. corner of sec.6, T.21 N.R.21 W.G.& S.R.M.(un-approved survey).
1402.	To corner No.3, identical with corner No.2, Dam Site Lode of this survey. A granite boulder 24x12x10 ins.set 12 ins.in the ground, with a conical mound of stone 1½ ft.high, 2 ft. base alongside, chiseled P-R-3-3264 and D-S-2-3264.
	No bearings available.
	Thence N.21° 42' W.
300	To the W.E.C. Identical with the E.E.C. Dam Site Lode of this survey. A granite stone 30x8x6 ins.set 12 ins.in the ground, with a conical mound of stone 1½ ft.high, 2 ft.base alongside, chiseled, P-R-W-E-C-3264 and D-S-E-E-C-3264.
600	To Cor.No.4, identical with Cor.No.I, Dam Site Lode of this survey. A volcanic rock 24x12x8 ins., set 12 ins.in the ground, with a conical mound of stone, 1½ ft.high, 2 ft.base alongside, chiseled P-R-4-3264 and D-S-I-3264.
	No bearings available.
	Thence N.64° 08' E.
1050.76	Intersect E.line sec.12 at 93.7 ft.south of the N.E.corner of said section, and 2546.3 ft. north of the E ¼ Sec.Cor.to said section.
1402	To corner No.1, the place of beginning.

Feet.

Survey No.3264 continued.

DAM SITE LODE.

Beginning at corner No.1, identical with corner No.4 Pyramid Rock Lode of this survey, previously described. The N.E.cor. of sec.12, T.21 N.R.22 W.G.&.S.R.M. (un-approved survey), bears N.59° 43' E.1095 ft. U.S.L.M.No.3264, bears N.39° 48' W.2768.3 ft.

Thence S.21° 42' E.

300

To E.E.C.identical with the W.E.C. Pyramid Rock Lode of this survey, previously described.

600

To corner No.2, identical with corner No.3, Pyramid Rock Lode of this survey, previously described.

Thence S.64° 11' W.

1500

To Cor.No.3.

A granite rock 24x16x10 ins., set 12 ins.in the ground, with a conical mound of stone 1½ ft.high, 2 ft.base alongside, chiseled, D-S-3-3264.

A granite boulder 2x2x4 ft.long wedged between two other boulders, bears N.38° 08' W.73.3 ft., chiseled D-S-3-3264, BXR.

No other bearings available.

Thence N.21° 42' W.

176

Face of bare wall of rock 8 ft.high, chiseled D-S-3264-B-R. bears S.89° 22' W.105.5 ft.

300

To W-E-C. A granite rock 30x16x16 ins.set 12 ins.in the ground, with a conical mound of stone 1½ ft.high, 2 ft.base alongside, chiseled D-S-W-E-C-3264.

600

To corner No.4.

A steel pin 1 inch diam., 6 ins.long, driven 4 ins.in top of decomposed granite reef, 6 ft.high, 3 ft.wide, bearing N.& S. Rock chiseled, D-S-4-3264 and a cross cut in the top of steel pin for exact center point. A conical mound of stone 1½ ft.high, 2 ft.base alongside. No bearings available.

Thence N.64° 11' E.

1500

The place of beginning.

Variation at all corners 15° E.

Survey No. 3264 Continued.

LODE LINES.

As near as can be determined from present developments, the vein of the several locations embraced in this claim, extend as follows from their respective discovery points:
BIG DAM LODE, 1260.5 ft. N. 65° 44' E., and 50 ft. S. 65° 44' W.

PYRAMID ROCK LODE.

652 ft. N. 64° 08' E., and 750 ft. S. 64° 08' W.

DAM SITE LODE.

50 ft. N. 64° 11' E., and 1450 ft. S. 64° 11' W.

AREAS.

	Acres.
Total area Big Dam Lode	18.031
Total area Pyramid Rock Lode	19.260
Total area Dam Site Lode	20.607

The survey of each lode of this location, excepting the Big Dam Lode, is identical with the respective locations as monumented upon the ground.

LOCATION.

This survey is located in the NE $\frac{1}{4}$ of sec. 12, T. 21 N. R. 22 W. and the S.W. $\frac{1}{4}$ of sec. 6, T. 21 N. R. 21 W., G. & S. R. M. (un-approved survey).

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

Big Dam lode.

No. 1-The discovery shaft of the Big Dam on the center line, 50 ft. from ^{the W. E. C.} ~~line I-4, 300 ft. from cor. No. 1, 4x10 ft.,~~ 6 ft. deep.

Value of shaft, \$ 20.00

No. 2-A tunnel, the mouth of which, bears from a point on the center line, 260 ft. from ^{the W. E. C.} ~~line I-4, 300 ft. from cor. No. 1,~~ N. 21° 42' W. 34 ft., 5x7 ft., running S. 51° 30' W. 50 ft. to face

Value of tunnel \$500.00

Survey No. 3264, continued.

No. 3-A shaft, which bears from a point on the center line, ^{the W. E. C.} 82 ft. from ~~line I-4, 300 ft. from cor. No. 1,~~ N. 25° W. 14 ft., 4x6 ft., 20 ft. deep.

Value of shaft, \$ 300.00

No. 4-A tunnel, the mouth of which bears from a point on the center line, ^{the E. E. C.} 827 ft. from ~~line 2-3, 300 ft. from cor. No. 2,~~ N. 2° E., 214 ft., 5x7 ft., running S. 2° W. 100 ft. Thence S. 56° 15' W. at 67 ft., to foot of upraise, 4x5 ft., bearing S. 43° 45' E. 71 ft. on a slope of 57° 45', and at 130 ft. to station. Thence S. 70° W. 20 ft. to station. Thence S. 59° 45' W. 50 ft., to face of tunnel.

This tunnel being a common improvement, ~~2/3~~ of the value of the tunnel is credited equally to the ^{Big Dam} Pyramid Rock and Dam Site Lodes of this survey.

Value of tunnel, \$3000.00, Value of upraise, \$700.00. Value of tunnel and upraise \$3700.00
Value of 1/3 interest credited to this claim, \$1233.33
PYRAMID ROCK LODE.

No. 1-The discovery cut of the Pyramid Rock the face of which, being the discovery point, is on the center line, ^{the W. E. C.} 750 ft. from ~~line 3-4, 300 ft. 300 ft. from cor. No. 3,~~ 5 ft. wide, 10 ft. face, running S. 26° W. 15 ft.

Value of cut, \$150.00
Value of 1/3 interest in tunnel No. 4 on the Big Dam lode, credited to this claim, \$1233.33
Dam Site, Lode.

No. 1- The discovery shaft of the Dam Site is on the center line, ^{the E. E. C.} 50 ft. from ~~line I-2, 300 ft. from cor. No. 1,~~ 5x6 ft., 8 ft. deep.

Value of shaft \$10.00
Value of 1/3 interest in tunnel No. 4 on the Big Dam lode credited to this claim, \$1233.33
INSTRUMENT.

This survey was made with a Lietz Mining Transit, No. 460. The courses were deflected from the true meridian as determined by astronomical observations. The distances were measured with 50 ft., and 200 ft. steel tapes.

MERIDIAN.

Jan. 24, 1916, I wish to observe Polaris at western elongation.

Survey No. 3264, continued.

My latitude, U.S.G.S., $35^{\circ} 15' N.$

	H.	M.
From Table 5, U.C. Feb. 1, Reduced to Jan. 24.	4	47
Time to add until elongation	5	55

Time of western elongation II 13.6

About 10 30 P.M. I commence observing the western progress of Polaris; when the star begins to recede, I mark the maximum position in azimuth upon the ground.

From Table 4, the corresponding azimuth is found to be $1^{\circ} 24'$.

Jan. 25, I lay off the meridian $1^{\circ} 24'$ to the east of the line of observation.

Report.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground, and submitted in a separate report herewith.

The N.E. cor. of sec. 12, T. 21 N. R. 22 W. G. & S. R. M. (un-approved survey), is an iron pipe 4 ins. diam., 1 ft. above ground, stamped on brass cap, S. 1 on the N. & S. 12 on the S. of a line pointing W. Also stamped T. 21 N. R. 22 W. A stone mound 3 ft. high, 3 ft. base alongside. The S.W. corner of sec. 6, T. 21 N. R. 21 W. G. & S. R. M. (un-approved survey), is an iron pipe 1 inch in diam., 1 ft. above ground, with brass cap stamped, C. C. T. 21 N. R. 21 W., and S. 6 on the north, and S. 7 on the S. of a line pointing E. A line on the N. side of plate or cap points W.

A stone mound 3 ft. high, 3 ft. base alongside. The E. $\frac{1}{4}$ sec. cor. to the said sec. 12, is an iron pipe 1 inch in diam., 1 ft. above ground, with a brass cap stamped $\frac{1}{4}$ s., S. 12 on the W. and S. 7 on the E. of a N. & S. line.

The location corners of the various claims are rock mounds averaging about 3 ft. in height and 3 ft. base. No end or side center monuments could be found.

Improvement No. 4, Big Dam Lode of this survey, is a common improvement, and is properly located to make a development of the claim as a whole.

Survey No. 3264, continued.

The center line of the Big Dam Lode rises gradually from the easterly end center and so continues through the Pyramid Rock Lode, so that the crest of the ridge or lode line is several hundred feet above the level of the tunnel, designated as improvement No. 4 of the Big Dam Lode. The center or lode line descends abruptly at the westerly end center of the Pyramid Rock Lode, so much so that certain parts of the Dam Site Lode line are as much as 15 to 20 ft. below the level of said tunnel.

It is however the ordinary and common practice in mining operations to begin the development either by tunnel or shaft at the supposed most favorable point. Then in the case of the former by branch tunnels or drifts, the ore bodies lying above the tunnel level are stoped out, after which by means of inclines or shafts to lower levels along the pitch of the vein are reached. By the time the ore bodies along the line of the Dam Site Lode are reached it is more than probable that the workings will have reached many hundreds of feet beneath the surface.

I see nothing un-usual in this particular case. The owners are evidently acting in good faith, and are making the development along lines which appear to them to be ideal, and most efficient.

It was about forty miles from the claims to the nearest point where the assistants could be sworn. I took their affidavits upon the ground.

O. M. Encelow

U. S. Mineral Surveyor.

Detailed description of U.S.L.M.No.3264.

This monument is located on the left bank of the Colorado River and fifty feet from the edge of the water, in latitude $35^{\circ} 15' N$. It is also 100 ft. from the right bank of Sheep Trail Wash at its junction with the said Colorado River.

The Sheep Trail quartz mill bears north easterly about 400 ft. The monument is a rock in place, 25 ft. square at the base, 2 ft. square at the top and 25 ft. high, chiseled U.S.L.M.No.3264, with a cross for exact center point.

This monument is located in the S.W. $\frac{1}{4}$ of sec.I, T.21 N. R.22 W.G.& S.R.M.(un-approved survey). A U.S.post office, at one time at the Sheep Trail Mill, was called the Pyramid P.O.so named from this particular prominent rock.

J. M. Enslow

U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by O. M. Enslow
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
New Comstock Mining Company
 known as the Big Dam, Dam Site and Pyramid Rock, Lodes
 and showing the respective capacities in which they acted.

Chas. P. Sherman , *Chainman.*
W. C. Howard , *Chainman.*
 , *Arman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, Chas. P. Sherman
 and W. C. Howard , do solemnly swear that we assisted
O. M. Enslow , United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of New Comstock Mining Company
 known as the Big Dam, Dam Site and Pyramid Rock Lodes.
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Chas. P. Sherman , *Chainman.*
W. C. Howard , *Chainman.*
 , *Arman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 31st.
 day of Jan. 1916, 190.....

O. M. Enslow
U.S. Mineral Surveyor

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, O.M. Enslow, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan. 23 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of New Comstock Mining Company

known as the Big Dam, Dam Site, Pyramid Rock lodes

situate in San Francisco Mining District, Mohave County, Arizona, in Section ⁸

6 & 12, Township No. 21 N., Range No. 21 & 22 W.G. & S.R.M. respectively ~~un-approved survey~~

and designated as Survey No. 3264, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

O.M. Enslow

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said O.M. Enslow

U. S. ~~Deputy~~ Mineral Surveyor, before me E. Chuo Ballinger

a Notary Public this 22nd

day of Feb. 1916.

E. Chuo Ballinger
Notary Public.

• 6-114

My comm. Expires 7/15/19.

NOTICE OF MINING LOCATION

QUARTZ CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Pyramid Rock Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Ira W. Hawkins

Citizen of the United States of America

the undersigned, on the 24th day of June 1899.

The length of this claim is Fifteen Hundred feet, and I claim Seven Hundred & Fifty feet in a Easterly direction and Seven Hundred & Fifty feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about one Half Mile in a South Easterly direction from The Sheep Trail Mill & Pyramid Rock & one Half mile East from Colorado River.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Location Monument & running Seven Hundred & Fifty feet to a Monument

at a point in a Easterly direction Seven Hundred & Fifty feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Three Hundred feet to a Monument being the North East corner of said claim; thence Seven Hundred & Fifty feet to a Monument at the center of the North side line of said claim; thence Seven Hundred & Fifty feet to a Monument being at the North West corner of said claim; thence Three Hundred feet to a Monument at the center of the West end of said claim; thence Three Hundred feet to a Monument being at the South West corner of said claim; thence Seven Hundred & Fifty feet to a Monument being at the center of the South side line of said claim; thence Seven Hundred & Fifty feet to a Monument at the South East corner of said

claim; thence Three Hundred feet to the place of beginning. ~~This being relocation of Abandoned & Forfeited Claim none of the old works used.~~ All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 2nd, 1899.

Dated and posted on the ground, this 24th day of June 1899 ~~xxxx~~

Ira W. Hawkins



Filed and recorded at request of I. W. Hawkins Aug. 11th ~~xxxx~~ ~~xxxx~~

A. D. 1899, at 9 o'clock - - - A. M.

Book 0 at page 292.

Jno. P. Feeny

County Recorder.

By F. A. Pomeroy.

NOTICE OF MINING LOCATION

MINERAL CLAIM

To All Whom It May Concern:

This mining claim, the name of which is the Dam Site

mineral Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable ~~mineral~~ deposits, was entered upon and located for the purpose of exploration and purchase by

S. C. Bagg

the undersigned citizen, on the 21st day of October 1903

The length of this claim is Fifteen Hundred (1500) feet and I claim Fifty feet in a north easterly direction and 1450 feet in a south westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South west to the North east.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about one half mile in a Easterly direction from Pyramid Rock on the Colorado River and two miles north east of Bulls Head and is the south westerly extension of the Pyramid Rock mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a northerly direction fifty feet from the discovery shaft (at which this notice is posted), being in the center of the North east end line of said claim; thence south easterly Three Hundred (300) feet to a monument of stone, being the north east corner of said claim; thence south westerly Seven Hundred and Fifty (750) feet to a monument of stone, at the center of the south easterly side line of said claim; thence south westerly Seven Hundred and Fifty (750) feet to a monument of stone, being at the south easterly corner of said claim; thence north westerly Three Hundred (300) feet to a monument of stone at the center of the South west end of said claim; thence north westerly Three Hundred (300) feet to a monument of stone, being at the South west corner of said claim; thence North easterly Seven Hundred and Fifty (750) feet to a monument of stone, being at the center of the south westerly side line of said claim; thence North easterly Seven Hundred and Fifty (750) feet to a monument of stone at the North west corner of said claim; thence south easterly Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2^d 1899, and March 16th 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 21st day of October 1903

S. C. Bagg



Filed and Recorded at request of S. C. Bagg this 16th day of Dec A. D. 1903, at 9 o'clock 30 minutes A. M.

Book U at page 568.

Jno. P. Feeny

County Reorder.

NOTICE OF MINING LOCATION

3264

MINERAL CLAIM

AN. 2 1916

To All Whom It May Concern:

This mining claim, the name of which is the Big Dam Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

S. C. Bagg

the undersigned citizen, on the twenty first day of October 1903

The length of this claim is Fifteen Hundred (1500) feet and I claim fifty feet in a southwesterly direction and 1450 feet in a north easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North east to the south west.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about one half mile in a Easterly direction from Pyramid Rock on the Colorado River and two miles North east of Bulls Head and is the north east Extension of the Pyramid Rock Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N. Easterly direction 1450 feet from the discovery shaft (at which this notice is posted), being in the center of the North East end line of said claim; thence south easterly Three Hundred (300) feet to a monument of stone, being the North East corner of said claim; thence south westerly Seven Hundred and Fifty (750) feet to a monument of stone, at the center of the south easterly side line of said claim; thence south westerly Seven Hundred and Fifty (750) feet to a monument of stone, being at the south easterly corner of said claim; thence North westerly Three Hundred (300) feet to a monument of stone at the center of the South west end of said claim; thence North westerly Three Hundred (300) feet to a monument of stone, being at the South west corner of said claim; thence North Easterly Seven Hundred and Fifty (750) feet to a monument of stone, being at the center of the South westerly side line of said claim; thence North Easterly Seven Hundred and Fifty (750) feet to a monument of stone at the North west corner of said claim; thence South Easterly Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 21, 1899, and March 16th 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 21st day of October 1903

S. C. Bagg

Filed and Recorded at request of S. C. Bagg this 16th day of Dec A. D. 1903, at 9 o'clock 30 minutes A. M.

Book U at page 569.

Jno. P. Feeny

County Recorder.



RECORDER'S CERTIFICATE.

STATE OF ARIZONA,)
)-ss.
 County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of notices of location of the

BIG DAM, DAMSITE, ³²⁶⁶(KATHERINE,) and PYRAMID ROCK lode mining claims, located and situated in the San Francisco mining district, County of Mohave, State of Arizona, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal this 4th day of December,
 A. D. 1915.



J. W. Morgan
 Recorder of Mohave County, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 1, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

NEW COMSTOCK MINING COMPANY

known as the BIG DAM, DAM SITE AND PYRAMID ROCK LODES

situate in SAN FRANCISCO

Mining District, MCHAVE County, ARIZONA.

in Sections 6 & 12., Township No. 21 N., Range No. 21 & 22, W. unapproved

designated as Survey No. 3264, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 shafts, 1 cut, 2 tunnels and 1 upraise, total value \$4580. Improvement No.4 on the Big Dam lode being a common improvement for the benefit and development of this entire group of claims, an undivided one-third interest therein, value \$4580, is properly credited to each claim in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 1, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

NEW COMSTOCK MINING COMPANY

, known as the

BIG DAM, DAM SITE AND PYRAMID ROCK LODES

situate in SAN FRANCISCO mining district,

MOHAVE County, ARIZONA.

in Section s 6 & 12, Township No. 21 N., Range No. 21 & 22, W. (unapproved.

, designated as Survey No. 3264

executed by O. M. Enslow, U. S. Deputy Mineral

Surveyor, January 26-31, 1916, under my instructions dated

January 22, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank P. Frost

U. S. Surveyor-General for Arizona.