

APR 4 - 1916

Platted

4-683.

MINERAL SURVEY No. 3269.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thomas House and R. McMahan

KNOWN AS THE

Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat,

Jack Rabbit, Plomosa Mining District,

Yuma County, Arizona.

Sections 7 and 18, Township 7 N., Range 17 W., G.S.R.M.

Surveyed under instructions dated February 5, 1916.

by C. C. Thompson, U. S. Deputy Mineral Surveyor.

Claim located (See location notices.) 19

Survey commenced February 15, 1916.

Survey completed February 25, 1916.

6-822

Address of Atty. in fact:

Fen S. Hildreth,

Phoenix,

Arizona.

SURVEY NO. 3269.

FLYING DUTCHMAN LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 3 Peekaboo lode of this survey, Cor. No. 3 Adele M. lode and on line 4-1 Big Swede lode, both of Sur. No. 2170.

A stone 7 x 14 ins. showing 4 ins. above ground, with mound of stone, chiseled 1F-3P-3269, 3 and a cross at corner point,

whence,

Cor. to Secs. 7, 18, 12 and 13, T. 7 N., Rs. 17 and 18 W., G. S. R. M. bears S. 89° 05' W. 867.4 ft.

No other bearings available.

Feet.

Thence N. 61° 43' E.

300

To north end center.

600

To Cor. No. 2.

Identical with Cor. No. 3 Hail Storm lode and on line 2-3 Peekaboo lode, both of this survey. Also on line 4-1 Big Swede lode Sur. No. 2170.

A stone 12 x 14 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3F-3H-3269 and a cross at corner point.

no bearings available.

Thence S. 28° 17' E.

347.99

Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 993.97 ft. from the 1/4 Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 1560.53 ft. from Cor. to Secs. 7, 18, 12 and 13.

553.80

Intersect line 4-1 Peekaboo lode of this survey, N. 61° 43' E. 285.70 ft. from Cor. No. 4.

911.0

Cor. No. 2 Hail Storm lode of this survey, identical with the N. W. Cor. Standard lode unsurveyed, J. V. Smale claimant, on line.

1500

To Cor. No. 3.

On west side line Standard lode and identical with the N. E. Cor. Standard No. 1 lode, both unsurveyed, J. V. Smale claimant.

SURVEY NO. 3269.

Feet. A stone 8 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3F-3269 and a cross at corner point.

No bearings available.

Thence S. 61° 43' W.

300 To south end center.

600 to Cor. No. 4.

Identical with Cor. No. 4 Adele M. lode Sur. No. 3170 and on north side line Standard No. 1 lode unsurveyed.

A stone 10 x 12 ins. showing 8 ins. above ground, with mound of stone, chiseled 4F-3269, 4 and a cross at corner point.

No bearings available.

Thence N. 38° 17' W.

1478.73 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 1677.13 ft. from the 1/4 Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 877.38 ft. from Cor. to Secs. 7, 18, 12 and 13.

1500 To Cor. No. 1 the place of beginning.

HAIL STORM.

Beginning at Cor. No. 1.

On line 4-1 Red Dick lode of this survey and identical with the N. E. Cor. Standard lode unsurveyed.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 1H-3269 and a cross at corner point,

whence, The 1/4 Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. bears N. 43° 59' E. 286.3 ft.

No other bearings available.

Thence S. 61° 43' W.

300 To south end center.

SURVEY NO. 3269.

Feet.  
600

To Cor. No. 2.

on line 3-3 Flying Dutchman lode of this survey and identical with the N. W. Cor. Standard lode unsurveyed.

A stone 6 x 9 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 2H-3269 and a cross at corner point.

No bearings available.

Thence N. 28° 17' W.

357.20 Intersect line 4-1 Peekaboo lode of this survey, N 61° 43' E. 285.70 ft. from Cor. No. 4.

563.01 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 993.97 ft. from the  $\frac{1}{4}$  Cor. to said sections 7 and 18, and at S. 89° 41' E. 1560.53 ft. from Cor. to Secs. 7, 18, 12 and 13.

911.0 To Cor. No. 3.

Identical with Cor. No. 2, Flying Dutchman lode and on line 2-3 Peekaboo lode, both of this survey, previously described. Also on line 4-1 Big Swede lode Sur. No. 2170.

Thence N. 61° 43' E.

300 To north end center.

600 To Cor. No. 4.

on line 2-3 Peekaboo lode of this survey and on line 4-1 Big Swede lode Sur. No. 2170.

A stone 7 x 9 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4H-3269 and a cross at corner point.

No bearings available.

Thence S. 28° 17' E.

553.80 Intersect line 4-1 Peekaboo lode of this survey, at N 61° 43' E. 385.70 ft. from Cor. No. 4, also Cor. No. 1 Red Dick lode of this survey on line,

675.12 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 310.59 ft. from the  $\frac{1}{4}$  Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 2343.91 ft. from Cor. to Secs. 7, 18, 12 and 13.

## SURVEY NO. 3369.

Feet.  
911.0 To Cor. No. 1 the place of beginning.

## PEEKABOO LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Wildcat lode, Cor. no. 2 Red Dick lode, and on line 4-1 Jack Rabbit lode, all of this survey.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 1P-1W-2R-3369 and a cross at corner point,

whence,

Thence to Cor. to Secs. 7 and 18, T. 7 N., R. 17 W.,

G. S. R. M. bears S. 22° 11' 50" W. 424.30 ft.

No other bearings available.

Thence N. 57° 50' W.

318.3 To east end center.

514.20 Cor. No. 1 Jack Rabbit lode of this survey on line.

636.6 To Cor. No. 2.

A stone 4 x 6 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3P-3369 and a cross at corner point.

No bearings available.

Thence S. 61° 43' W.

818.70 Cor. No. 4 Big Swede lode Sur. No. 2170 on line.

885.70 Cor. No. 4 Hail Storm lode of this survey on line.

885.70 Cor. no. 3-3 Flying Dutchman and Hail Storm lodes respectively, both of this survey, on line.

1485.7 To Cor. No. 3.

Identical with Cor. no. 1 Flying Dutchman lode of this survey, Cor. no. 3 Adele M. lode and on line 4-1 Big Swede lode, both of Sur. No. 2170, previously described.

Thence S. 57° 50' E.

35.38 Intersect section line between Secs. 7 and 18, T. 7 N.,

SURVEY NO. 3269.

Feet. R. 17 W., G. S. R. M. at N. 89° 41' W. 1657.25 ft. from the 1/4 Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 897.25 ft. from Cor. to Secs. 7, 18, 12 and 13.

318.3 To west end center.

<sup>36</sup>  
618.6 To Cor. No. 4.

A stone 7 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4P-3269 and a cross at corner point.

No bearings available.

Thence N. 61° 43' E.

385.70 Intersect line 2-3 Flying Dutchman and Hail Storm lodes both of this survey, S. 28° 17' E. 553.80 ft. from Cor. Nos 2 & 3 respectively.

663.18 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 564.03 ft. from the 1/4 Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 1990.47 ft. from Cor. to Secs. 7, 18, 12 and 13.

885.70 Intersect line 4-1 Hail Storm lode, at Cor. No. 1 Red Dick lode, both of this survey, S. 28° 17' E. 553.80 ft. from Cor. No. 4 said Hail Storm lode.

1485.7 To Cor. No. 1 the place of beginning.

RED DICK LODE.

Beginning at Cor. No. 1.

on line 4-1 Hail Storm and Peekaboo lodes both of this survey.

A stone 12 x 20 x 30 ins. set with its flat side 4 ins. in the ground to bed rock and firmly imbedded in mound of earth and stone, with mound of stone, chiseled 1R-3269 and a cross at corner point,

whence,

The 1/4 Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. bears S. 73° 34' E. 383.75 ft.

No other bearings available.

Thence N. 61° 43' E.

300 To north end center.

600 To Cor. no. 2.

Feet. Identical with Cor. No. 1-1 Peekaboo and Wildcat lodes and on line 4-1 Jack Rabbit lode, all of this survey, previously described.

-----  
Thence S. 28° 17' E.

446.85 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at S. 89° 54' E. 372.03 ft. from the  $\frac{1}{4}$  Cor. to said Secs. 7 and 18, and at N. 89° 54' W. 2275.67 ft. from Cor. to Secs. 7, 8, 17 and 18.

1500 to Cor. No. 3.

Identical with Cor. No. 4 Wild Cat lode of this survey.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3R-4W-3269 and a cross at corner point.

No bearings available.

-----  
Thence S. 61° 43' W.

300 To south end center.

600 to Cor. No. 4.

On east side line Standard lode unsurveyed.

A stone 8 x 12 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4R-3269 and a cross at corner point.

No bearings available.

-----  
Thence N. 28° 17' W.

1142.80 Cor. No. 1 Hail torn lode of this survey identical with the N. E. Cor. Standard lode unsurveyed on line.

1378.68 Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at N. 89° 41' W. 310.59 ft. from the  $\frac{1}{4}$  Cor. to said Secs. 7 and 18, and at S. 89° 41' E. 2243.91 ft. from Cor. to Secs. 7, 18, 12 and 13.

1500 to Cor. No. 1 the place of beginning.

-----  
WILDCAT.

Beginning at Cor. No. 1.

SURVEY NO. 3269.

Feet.	<p>Identical with Cor. No. 1 Peekaboo lode, Cor. No. 2 Red Dick lode, and on line 4-1 Jack Rabbit lode, all of this survey, previously described, N. 57° 50' W. 985.80 ft. from Cor. No. 4 said Jack Rabbit lode.</p> <p>whence,</p> <p>The <math>\frac{1}{4}</math> Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. bears S. 23° 11' 50" W. 424.30 ft.</p> <p>Thence N. 61° 43' E.</p>
300	to north end center.
600	to Cor. No. 2.
	<p>A stone 10 x 14 x 24 ins. set 14 ins. in the ground with mound of stone, chiseled 2W-3269 and a cross at corner point.</p> <p>No bearings available.</p> <p>Thence S. 28° 17' E.</p>
771.37	<p>Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at S. 89° 54' E. 1053.97 ft. from the <math>\frac{1}{4}</math> Cor. to said Secs. 7 and 18, and at N. 89° 54' W. 1593.73 ft. from Cor. to Secs. 7, 8, 17 and 18.</p>
793.33	<p>Intersect line 3-4 Jack Rabbit lode of this survey, N. 32° 10' E. 130.78 ft. from Cor. No. 4.</p>
1500	to Cor. No. 3.
	<p>A stone 6 x 12 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3W-3269 and a cross at corner point.</p> <p>No bearings available.</p> <p>Thence S. 61° 43' W.</p>
300	to south end center.
600	to Cor. No. 4.
	<p>Identical with Cor. No. 3 Red Dick lode of this survey, previously described.</p> <p>Thence N. 28° 17' W.</p>
1053.18	<p>Intersect section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at S. 89° 54' E. 372.03 ft. from the <math>\frac{1}{4}</math> Cor. to said Secs. 7 and 18, and at N. 89° 54' W.</p>



SURVEY NO. 3269.

Feet. 2275.67 ft. from Cor. to Secs. 7, 8, 17 and 18.  
 1500 To Cor. No. 1 the place of beginning.

-----  
 JACK RABBIT LODE.

Beginning at Cor. No. 1.  
 on line 1-2 Peekaboo lode of this survey.  
 A stone 12 x 14 x 24 ins. set 14 ins. in the ground,  
 with mound of stone, chiseled 1J-3269 and a cross at  
 corner point,  
 whence,  
 The  $\dagger$  Cor. to Secs. 7 and 18, T. 7 N., R. 17 W.,  
 G. S. R. M. bears S. 32° 35' E. 721.09 ft.  
 no other bearings available.

-----  
 thence N. 32° 10' E.

300 To west end center.  
 600 To Cor. No. 2.

A stone 10 x 12 x 24 ins. set 14 ins. in the ground,  
 with mound of stone, chiseled 2J-3269 and a cross at  
 corner point.  
 no bearings available.

-----  
 thence S. 57° 50' E.

1500 To Cor. No. 3.

A stone 10 x 10 x 24 ins. set 14 ins. in the ground,  
 with mound of stone, chiseled 3J-3269 and a cross at  
 corner point.  
 no bearings available.

-----  
 thence S. 32° 10' W.

300 to east end center.  
 446.32 Intersect section line between Secs. 7 and 18, T. 7 N.,  
 R. 17 W., G. S. R. M. at S. 89° 54' E. 1076.61 ft. from  
 the said  $\dagger$  Cor. to said Secs. 7 and 18, and at N. 89° 54'  
 W. 1571.09 ft. from Cor. to Secs. 7, 8, 17 and 18.

469.32 Intersect line 2-3 Wild Cat lode of this survey, 528° 17' E. 793.33  
 ft. from Cor. No. 2.  
 600 To Cor. No. 4.

SURVEY NO. 3269.

Feet. A stone 10 x 12 x 26 ins. set 14 ins. in the ground with mound of stone, chiseled 4J-3269 and a cross at corner point.

No bearings available.

---

thence N. 57° 50' W.

245.31 Intersect section line between secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M. at S. 89° 54' E. 787.13 ft. from the  $\frac{1}{4}$  Cor. to said Secs. 7 and 18, and at N. 89° 54' W. 1860.57 ft. from Cor. to Secs. 7, 8, 17 and 18.

985.80 Cor. Nos. 1-2-1 Peekaboo, Red Dick and Wildcat lodes respectively, all of this survey,

1500 To Cor. no. 1 the place of beginning.

---

All corners of this survey are identical with the corners of the locations. The end centers consist of stone monuments.

---

Variation at all corners of this survey 14° 30' E.

---

LODE LINES.

As near as can be determined from present developments the veins of the locations embraced in this survey extend as follows from their respective discovery points:

Flying Dutchman lode, 750 ft. N. 38° 17' W. and 750 ft. S. 28° 17' E. ✓

Hail Storm lode, 10 ft. S. 28° 17' E. and 901 ft. N. 38° 17' W. ✓

Peekaboo lode, 200 ft. N. 61° 43' E. and 1285.7 ft. S. 61° 43' W. ✓

Red Dick lode, 525 ft. N. 38° 17' W. and 975 ft. S. 28° 17' E. ✓

Wild Cat lode, 600 ft. S. 28° 17' E. and 900 ft. N. 38° 17' W. ✓

Jack Rabbit lode, 750 ft. N. 57° 50' W. and 750 ft. S. 57° 50' E. ✓

---

SURVEY NO. 3269.

AREAS.

Total area Flying Dutchman lode 30.661 ✓ Acres.  
 Total area Hail Storm lode 12.549 ✓ "  
 Total area Peekaboo lode 18.889 "  
 Total area Red Dick lode 30.661 ✓ "  
 Total area Wildcat lode 30.661 ✓ "  
 Total area Jack Rabbit lode 30.661 ✓ "  
 Peekaboo lode, conflict with Flying Dutchman lode 5.629 Acres.  
 Peekaboo lode, conflict with Hail Storm lode 7.629 Acres.  
 Wild Cat lode, conflict with Jack Rabbit lode 6.943 Acres.

LOCATION.

This claim is located in the S.  $\frac{1}{2}$  Sec. 7 and in the N.  $\frac{1}{2}$  Sec. 18, T. 7 N., R. 17 W., G. & S. R. M., Plomosa Mining District, Yuma County, Arizona.

ADJOINING CLAIMS.

This survey is joined on the north and west sides by Big Swede and Adele M. lodes respectively, both of Sur. No. 2170, and on the south by Standard and Standard No. 1 lodes, both unsurveyed, J. V. Smale claimant. Other boundaries unknown.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in this claim, by the claimants or their grantors, is not less than five hundred dollars, and that said improvements consist of:-

No. 1 Flying Dutchman lode.  
 The discovery shaft Flying Dutchman lode is on the center line 750 ft. from the center of line 1-2, 4 x 6 ft. in the clear, 50 ft. deep, timbered. At 40 ft. from the surface a crosscut 4 x 6 ft. runs N. 60° E. 12 ft. and S. 60° W. 18 ft. From bottom a drift 4 x 6 ft. runs

SURVEY NO. 3369.

S. 30° E. 50 ft.

value \$1800.00

Value of one-sixth interest credited to this claim \$300.00

No. 3 A shaft which from Cor. no. 3 bears N. 52° W. 734 ft., 4 1/2 x 7 ft. x 70 ft. deep. At 32 ft. from surface a drift runs N. 30° W. 20 ft., its cross section being 5 x 7 ft.

Value \$900.00

Value of one-sixth interest credited to this claim \$150.00

No. 3 A shaft which from Cor. no. 4 bears N. 10° 30' W. 848 ft., 7 x 8 ft. x 12 ft. deep.

Value \$130.00

No. 4 A shaft which from Cor. No. 4 bears N. 10° 15' W. 741 ft., 5 x 16 ft. x 7 ft. deep.

Value \$100.00

No. 5 A shaft which from Cor. No. 4 bears N. 14° 15' W. 566 ft., 4 x 6 ft. x 7 ft. deep.

Value \$50.00

No. 6 A out the face of which from Cor. No. 4 bears N. 14° 15' W. 790 ft., 5 1/2 ft. face, 6 ft. wide running N. 25° E. 13 ft.

Value \$50.00

No. 7 A shaft which from Cor. no. 1 bears S. 49° E. 595 ft., 4 x 14 ft. x 5 ft. deep.

Value \$50.00

No. 8 A shaft which from Cor. No. 1 bears S. 56° 50' E. 460 ft., 7 x 8 ft. x 9 ft. deep.

value \$100.00

No. 9 A out the face of which from Cor. no. 2 bears S. 25° E. 580 ft., 5 ft. face, 6 ft. wide running N. 70° E. 10 ft.

Value \$50.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

No. 2 Peekaboo lode, value \$250.00 and No. 3 Wild Cat lode, value \$60.00

## SURVEY NO. 3269.

## Peekaboo Lode.

no. 1 The discovery cut Peekaboo lode the mouth of which being the discovery point is on the center line 300 ft. from the center of line 1-2, 4 ft. wide running S. 25° E. 15 ft., thence 7 ft. wide running S. 64° W. 18 ft. to 10 ft. face.

Value \$300.00

no. 2 A shaft which from Cor. No. 4 bears N. 39° W. 87 ft., 4 x 6 ft. in the clear x 75 ft. deep, timbered.

Value \$1500.00

value of one-sixth interest credited to this claim  
\$250.00

no. 3 A shaft which from Cor. no. 4 bears N. 37° W. 390 ft., 6 x 8 ft. x 6 ft. deep.

Value \$60.00

No. 4 A cut the face of which from Cor. No. 4 bears N. 40° E. 238 ft., 4 ft. face, 6 ft. wide running S. 40° W. 14 ft.

Value \$50.00

no. 5 A cut the face of which from Cor. No. 4 bears N. 45° E. 233 ft., 4 ft. face, 6 ft. wide running N. 45° E. 7 ft.

Value \$30.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

Nos. 1 and 2 Flying Dutchman lode, value \$300.00 and \$150.00 respectively, and No. 3 Wild Cat lode, value \$60.00

## Hail Storm Lode.

No. 1 The discovery cut Hail Storm lode the face of which being the discovery point is on the center line 10 ft. from the center of line 1-2, 9 ft. face, 4 ft. wide running N. 28° W. 12 ft.

Value \$60.00

no. 2 A cut the face of which from Cor. No. 1 bears S. 64° 40' W. 283 ft., 10 ft. face, 4 ft. wide running N. 75° W. 14 ft.

Value \$80.00

no. 3 A cut the face of which from Cor. no. 1 bears S. 85° W.

293 ft., 6½ ft. face, 4½ ft. wide running S. 22° W. 10 ft.

Value \$40.00

No. 4 A shaft which from Cor. No. 2 bears N. 50° 30' E. 296 ft., 4 x 6 ft. x 8 ft. deep.

Value \$60.00

No. 5 A shaft which from Cor. No. 2 bears N. 29° E. 312 ft., 4 x 8 ft. x 4 ft. deep.

value \$30.00

No. 6 A cut the face of which from Cor. No. 2 bears N. 18° 30' E. 294 ft., 6½ ft. face, 4 ft. wide running N. 15° W. 14 ft.

Value \$60.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

Nos. 1 and 2 Flying Dutchman lode, value \$300.00 and \$150.00 respectively, No. 2 Peekaboo lode, value \$250.00 and No. 3 Wild Cat lode, value \$60.00

Red Dick lode.

No. 1 The discovery cut Red Dick lode the face of which being the discovery point is on the center line 535 ft. from the center of line 1-2, 8 ft. face, 4 ft. wide running S. 60° W. 12 ft.

Value \$60.00

No. 2 A cut the face of which from Cor. No. 2 bears S. 2° 40' E. 580 ft., 10 ft. face, 7 ft. wide running N. 30° W. 12 ft.

Value \$100.00

No. 3 A cut the face of which from Cor. No. 2 bears S. 9° 15' W. 435 ft., 9 ft. face, 4 ft. wide running N. 40° E. 14 ft.

Value \$70.00

No. 4 A cut the mouth of which from Cor. No. 4 bears N. 61° E. 140 ft., 4 ft. wide running N. 20° W. 14 ft. to 8 ft. face.

Value \$60.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

Nos. 1 and 2 Flying Dutchman lode, value \$300.00 and \$150.00 respectively, No. 2 Peekaboo lode, value \$250.00 and No. 3 Wildcat lode, value \$60.00

Wildcat Lode.

No. 1 The discovery out Wildcat lode the face of which being the discovery point is on the center line 600 ft. from the center of line 3-4, 8 ft. face, 4 ft. wide running N. 60° E. 14 ft.

Value \$60.00

No. 2 A cut the face of which from Cor. No. 4 bears N. 15° 15' W. 465 ft., 8 ft. face, 4 ft. wide running S. 80° W. 11 ft.

Value \$60.00

No. 3 A shaft which from Cor. No. 4 bears N. 15° 15' W. 488 ft. 4 x 6 x 36 ft. deep.

Value \$360.00

Value of one-sixth interest credited to this claim \$60.00

No. 4 A cut the face of which from Cor. No. 4 bears N. 13° W. 513 ft., 7 ft. face, 4 ft. wide running N. 48° W. 12 ft.

Value \$50.00

No. 5 A cut the face of which from Cor. No. 4 bears N. 11° 45' W. 567 ft., 8 ft. face, 4 ft. wide running S. 80° W. 14 ft.

Value \$60.00

No. 6 A cut the face of which from Cor. No. 4 bears N. 11° 45' W. 785 ft., 9 ft. face, 4 ft. wide running N. 67° E. 16 ft.

Value \$80.00

No. 7 A cut the face of which from Cor. No. 4 bears N. 11° 45' E. 810 ft., 6 ft. face, 5 ft. wide running N. 80° E. 12 ft.

Value \$40.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

Nos. 1 and 2 Flying Dutchman lode, value \$300.00 and \$150.00 respectively, No. 2 Peekaboo lode, value \$250.00

Jack Rabbit Lode.

No. 1 The discovery shaft Jack Rabbit lode is on the center line 750 ft. from the center of line 1-2. This shaft is claimed to have been sunk to a depth of 40 ft. but is

SURVEY NO. 3269.

- now caved so completely as to have no assigned value.

No. 2 A shaft which from Cor. No. 4 bears N. 42° 15' W. 840 ft., 4 x 6 ft. x 11 ft. deep.

Value \$100.00
- No. 3 A shaft which from Cor. No. 4 bears N. 35° 45' W. 788 ft., 5 x 6 ft. x 6 ft. deep.

Value \$40.00
- No. 4 A shaft which from Cor. No. 3 bears N. 61° 40' W. 687 ft., 5 x 6 ft. x 5½ ft. deep.

Value \$40.00
- No. 5 A cut the face of which from Cor. No. 3 bears N. 82° 20' W. 571 ft., 11 ft. face, 8 ft. wide running N. 5° W. 22 ft.

Value \$200.00
- No. 6 A shaft which from Cor. No. 3 bears N. 82° 20' W. 536 ft., 10 x 12 ft. x 6 ft. deep.

Value \$100.00
- No. 7 A cut the face of which from Cor. No. 3 bears N. 81° W. 484 ft., 4 ft. face, 6 ft. wide running N. 42° E. 16 ft.

Value \$50.00
- No. 8 A shaft which from Cor. No. 4 bears N. 24° W. 548 ft., 6 x 6 ft. x 5 ft. deep.

Value \$50.00
- No. 9 A cut the face of which from Cor. No. 3 bears N. 82° 20' W. 400 ft., 5 ft. face, 7 ft. wide running N. 10° W. 13 ft.

Value \$70.00

Note: An undivided one-sixth interest in each of the following improvements is also credited to this claim.

Nos. 1 and 2 Flying Dutchman lode, value \$300.00 and \$150.00 respectively, No. 2 Peekaboo lode, value \$250.00 and No. 3 Wild Cat lode, value \$60.00

The surface ground embraced in this survey consists for the greater part of choppy hills none of which are believed to rise to a higher elevation than about 150 ft. above the lowest point on the ground. For this reason the claim as a whole can only be advantageously developed through shafts, drifts and crosscuts. The purpose of the owners is to sink improvements Nos. 1 and 2 on the Flying Dutchman lode, improvement No. 2 on the Peekaboo



## SURVEY NO. 3269.

lode and improvement No. 3 on the Wildcat lode to greater depths and from appropriate points to drive drifts and crosscuts which eventually will connect the said improvements and develop the entire claim with convenience and to advantage. Therefore, an undivided one-sixth interest in each of the said improvements has been credited to each lode location of this claim.

## OTHER IMPROVEMENTS.

Since this survey was made improvement No. 1 on the Flying Dutchman lode has been equipped with hoisting engine and head frame and sinking of this shaft is in full progress.

## INSTRUMENT.

This survey was made with a C. L. Berger & Sons transit No. 4. The courses were deflected from a meridian established in connection with my Sur. No. 3157. The distances were measured with a Lufkin 660 ft. steel tape.

## REPORT.

The Cor. to Secs. 7, 18, 12 and 13, T. 7 N., Rs. 17 and 18 W., G. S. R. M., is a stone 7 x 9 ins. set in rock monument to near its top and has 3 notches on its north edge and 4 notches on its south edge.

The  $\frac{1}{4}$  Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M., is a stone 7 x 8 ins. showing 3 ins. above ground and having  $\frac{1}{4}$  chiseled on its north face.

Cor. No. 4 Big Swede lode Sur. No. 2170 is a stone 7 x 12 ins. showing 7 ins. above ground, chiseled 4BS-2170. Cor. No. 1 said lode is a stone 12 x 16 ins., showing 8 ins. above ground, with mound of stone, chiseled  $\frac{1}{4}$  and a cross at corner point.

I find the west  $\frac{1}{2}$  of section line between Secs. 7 and 18, T. 7 N., R. 17 W., G. S. R. M., to be S. 89° 41' E. 2554.5 ft. and the east  $\frac{1}{2}$  of the said section line between the said Secs. 7 and 18 to be S. 89° 54' E. 2647.7 ft.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by C. C. Thompson,  
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of.....  
Thomas Bouse and R. McMahan  
 known as the Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat,  
Jack Rabbit,  
 and showing the respective capacities in which they acted.

..... Harry Fuller ....., *Chainman.*  
 ....., *Chainman.*  
 ....., *Arman.*  
 ....., *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, I, Harry Fuller  
 and....., do solemnly swear that <sup>I</sup>~~we~~ assisted C. C. Thompson,  
 ....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Thomas Bouse and R. McMahan  
 known as the Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat,  
Jack Rabbit.  
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona.

..... Harry Fuller *Chainman.*  
 ....., *Chainman.*  
 ....., *Arman.*  
 ....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 3.....

day of April, 1916......, 190.....

*My Commission Expires December 18, 1917.* A. C. Hamilton  
 .....  
 Notary Public.

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, C. C. Thompson, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 5, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Thomas Bouse and R. McMahan, known as the Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat, Jack Rabbit, situate in Plomosa Mining District, Yuma County, Arizona, in Section 7 and 18, Township No. 7 N., Range No. 17 W., G. S. R. M., and designated as Survey No. 3269, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

C. C. Thompson  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said C. C. Thompson,  
 U. S. ~~Deputy~~ Mineral Surveyor, before me H. C. Hamlin,  
a Notary Public this 3  
 day of April, 1916.

H. C. Hamlin  
 Notary Public.

My Commission Expires December 18, 1917

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Flying Dutchman Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas Bouse and R. McMahan Citizens of the United States the undersigned, on the 27th day of January 1909.

The length of this claim is fifteen hundred feet and we claim seven hundred and fifty feet, in a Southeasterly direction, and Seven hundred and fifty feet in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about five miles in a westerly direction from Bouse station on the Arizona and California Railroad and is bounded on the west by the Adelle patented Lode location and on the east by the Ohio and Hail Storm lode locations.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Southeasterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the southeasterly end line of said claim; thence Northeasterly 300 feet to a monument of stones, being the Southeasterly corner of said claim; thence northwesterly 1500 feet to a monument of stones, being at the northeast corner of said claim; thence southwesterly 300 feet to a monument of stones at the center of the northwest end of said claim; thence Southwesterly 300 feet to a monument of stones, being at the northwest corner of said claim; thence Southeasterly 1500 feet to a monument of stones at the Southwesterly corner of said claim; thence North-easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Flying Dutchman Mining Claim located by Thomas Bouse, Thomas Saunders and R. McMahan on the 5th day of February 1900 and recorded in Book J. of Records of Mines at page 575, in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the original Location notice.

Dated and posted on the ground this 27th day of January 1909.

Witness  
Thos. P. Quinn.

Thomas Bouse  
R. McMahan

Filed and recorded at request of R. McMahan Jan. 30th, 1909, at  
9:18 A. M.

J. M. Polhamus,  
County Recorder.

STATE OF ARIZONA )  
 ) SS.  
 COUNTY OF YUMA )

I, JAMES T. HODGES, COUNTY RECORDER, in and for the aforesaid County and State, do hereby certify that the foregoing is a full, true and correct copy of the Flying Dutchman Amended Mining Claim, located by Thomas Bouse et al., as filed in my office on the 30th day of January 1909, and which appears of record in Book "Z" of Mines at page 334. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 2nd, day of February A. D. 1916.



*James T. Hodges*  
 .....  
 County Recorder.

By *Jennie Thomas*,  
 Deputy Recorder

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the Peekaboo Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thos Bouse and R. McMahan Citizens of the U. S. of A. the undersigned, on the 8 day of February 1908.

The length of this claim is 1500 feet, and we claim 200 feet, in a North Easterly direction, and 1300 feet in a South Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North Easterly to the South Westerly.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about 5 miles in in a Westerly direction from Bouse a station on the A & C. R. R.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone at a point in a North Easterly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the North East end line of said claim; thence Northerly 300 feet to a monument of stone, being the North West corner of said claim; thence Westerly 1500 feet to a Monument of stone being at the South West corner of said claim; thence Southerly 300 feet to a monument of stone at the center of the South West end of said claim; thence Southerly 300 feet to a Monument of stone, being at the South East corner of said claim; thence Easterly 1500 feet to a monument at the North East corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title ~~XXXII~~, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 8 day of February 1908.

Thos. Bouse  
R. McMahan

Filed and recorded at request of R. McMahan Mar 19, 1908, at 1:10 P.M.

J. M. Polhamus,  
County Recorder.

STATE OF ARIZONA )  
 ) SS.  
 COUNTY OF YUMA )

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County and State aforesaid, do hereby certify that the foregoing is a full true and correct copy of the Peekaboo Mining Claim, located by Thos. Bouse et al, as filed in my office on the 19th day of March 1908 and which appears of record in Book "Y" of Mines at page 311. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 2nd, day of February A. D. 1916.



*James T. Hodges*  
 .....  
 County Recorder.

By *Jennie Thomas*,  
 Deputy Recorder

5  
24

AMENDED  
NOTICE OF MINING LOCATION  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Hail Storm Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by R. McMahan and Thomas Bouse Citizens of the United States the undersigned, on the 27th day of January 1909.

The length of this claim is Seven hundred and sixty feet and we claim Ten feet, in a Southeasterly direction, and Seven hundred and fifty feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the northwesterly.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about five miles in a westerly direction from Bouse Station on the Arizona & California Railroad, and is bounded on the South by the Ohio Lode location and on the west by the Flying Dutchman lode Location.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of Stones at a point in a Southeasterly direction ten feet from the discovery shaft, (at which this notice is posted), being in the center of the Southeast end line of said claim; thence Northeasterly 300 feet to a monument of stones, being the southeast corner of said claim; thence northwesterly 760 feet to a monument of stones, being at the northeast corner of said claim; thence Southwesterly 300 feet to a monument of Stones at the center of the Northwest end of said claim; thence Southwesterly 300 feet to a monument of Stones, being at the northwest corner of said claim; thence Southeasterly 760 feet to a monument of Stones at the Southwest corner of said claim; thence northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, approved March 16th, 1901.

This is an Amended Location notice of the Hail Storm Mining Claim located by R. McMahan on the 1st day of January 1907, and recorded in Book V. of Records of Mines, at page 352 in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 27th day of January, 1909.

Witness  
Thos. P. Quinn.

Thomas Bouse  
R. McMahan

Filed and recorded at request of R. McMahan Jan. 30th, 1909 at 9:19 A. M.

J. M. Polhamus,  
County Recorder.



STATE OF ARIZONA    )  
                           )    SS.  
 COUNTY OF YUMA     )

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Hail Storm Amended Mining Claim, located by Thomas Bouse et al as filed in my office on the 30th day of January 1909 and which appears of record in Book "Z" of Mines at page 335. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 2nd, day of February, A. D. 1916.



*James T. Hodges*  
 .....  
 County Recorder.

*Janice Thomas*  
 Deputy Recorder

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Red Dick Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas Bouse and R. McMahan Citizens of the United States the undersigned, on the 27th day of January 1909.

The length of this claim is fifteen hundred feet and we claim 975 feet, in a Southeasterly direction, and 525 feet in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim. together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about five miles (in a westerly direction from Bouse Station on the Arizona and California Railroad, and is bounded on the west by the Ohio Lode location and on the northerly by the Peek a boo location.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a Southeasterly direction 975 feet from the discovery shaft (at which this notice is posted), being in the center of the Southeasterly end line of said claim; thence easterly 300 feet to a monument of stones, being the southeast corner of said claim; thence northerly 1500 feet to a monument of stones, being at the northeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the northerly end of said claim; thence westerly 300 feet to a monument of stones being at the northwest corner of said claim; thence southerly 1500 feet to a monument of stones at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended location notice of the Red Dick Mining Claim, located by R. McMahan on the 1st day of January 1906, and recorded in Book T. of Records of Mines, at page 530 in the office of the County recorder of the aforesaid County of Yuma, to which reference is hereby made and this Amended Location is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 27th day of January 1909.

Witness  
Thos. P. Quinn.

Thomas Bouse  
R. McMahan.

Filed and recorded at request of R. McMahan Jan. 30th, 1909, at 9:15 A. M.

J. M. Polhamus,  
County Recorder.

STATE OF ARIZONA )  
                          ) SS.  
COUNTY OF YUMA )

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Red Dick Amended Mining Claim, located by Thomas Bouse et al, as filed in my office on the 30th day of January 1909 and which appears of record in Book "Z" of Mines at page 331. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 2nd, day of February, A. D. 1916.



*James T. Hodges*  
.....  
County Recorder.

*Jennie Thomas*  
Deputy Recorder

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the Jack Rabbit Mining Claim, situate on lands belonging to the United States of America, and in which there valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas Bouse and R. McMahan Citizens of the United States the undersigned, on the 27th day of January 1909.

The length of this claim is fifteen hundred and fifty feet, and we claim Seven hundred and fifty feet in a Southeasterly direction, and Seven hundred and fifty feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South Easterly to the northwesterly.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about five miles in a Westerly direction from Bouse Station on the Arizona & California Railroad and the west side of this location is the east side line of the Peek-a Boo Lode Location and touches the northeast corner of the Red Dick Lode locion .

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a southeasterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the Southeast end line of said claim; thence North-easterly 300 feet to a monument of stones, being the southeast corner of said claim; thence northwesterly 1500 feet to a monument of stones, being at the northeast corner of said claim; thence southwesterly 300 feet to a monument of stones at the center of the northwest end of said claim; thence south-westerly 300 feet to a monument of stones, being at the northwest corner of said claim; thence Southeasterly 1500 feet to a monument of stones at the southwest corner of said claim; thence northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location notice of the Jack Rabbit Mining Claim located by Thomas Bouse and R. McMahan and Thomas Saunders on the 5th day of February 1900 and recorded in Book J of Records of Mines at page 581, in the office of the Dounty Recorder of the aforesaid County of Yuma, to which reference is hereby made, and this amended Location notice is made and posted to correct errors in the description in said original Location Notice.

Dated and posted on the ground this 27th day of January 1909.

Witness

Thos. P. Quinn.

Thomas Bouse

R. McMahan

Filed and recorded at request of R. McMahan Jan. 30th 1909, at 9:20 A. M.

J. M. Polhamus,  
County Recorder.

STATE OF ARIZONA )  
 ) SS.  
 COUNTY OF YUMA )

I, JAMES T. HODGES, COUNTY RECORDER in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Jack Rabbit Amended Mining Claim, located by Thomas Bouse et al as filed in my office on the 30th day of January 1909 and which appears of record in Book "Z" of Mines at page 336. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 2nd, day of February, A. D. 1916.



*James T. Hodges*  
 .....  
 County Recorder.

*Genie Thomas*  
 Deputy Recorder

## LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Wildcat Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. W. Callaway the undersigned, on the 1 day of Jan, 1911.

The lenth of this claim is 1500 feet, and I claim 900 feet, in a Northerly direction and 600 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about 3/4 of one \* mile Easterly from U. S. Mineral Monument and is a relocation of the Big Rock Mining Claim which was abandoned.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a Southerly direction 600 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Easterly 300 feet to a Monument, being the S. E. corner of said claim; thence Northerly 1500 feet to a Monument, being at the N. E. corner of said claim thence Westerly 300 feet to a Monument at the center of the North end of said claim; thence Westerly 300 feet to a Monument being at the N. W. corner of said claim; thence 1500 Southerly feet to a Monument at the S. W. corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of Jan. 1911.

J. W. Callaway.

Filed and recorded at <sup>the</sup> request of R. McMahan Jan. 4-1911, A. D. 1911, at 11:07 o'clock A. M.

J. M. Polhamus,  
County Recorder.

\* in a direction from

STATE OF ARIZONA     )  
                           ) SS.  
 COUNTY OF YUMA       )

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Wildcat Mining Claim, as filed in my office on the 4th day of January 1911 and which appears of record in Book 6 of Mines at page 476. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 2nd, day of February, A. D. 1916.

*James T. Hodges*  
 .....  
 County Recorder.

*Jennie F. Thomas*  
 Deputy Recorder



## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 31, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THOMAS BOUSE AND R. MC MAHAN

known as the FLYING DUTCHMAN, PEEKABOO, HAIL STORM, RED DICK,  
WILDCAT, JACK RABBIT.

situate in PLOMOSA

Mining District, YUMA County, ARIZONA.

in Sections 7 and 18, Township No. 7 N., Range No. 17 N.,

designated as Survey No. 3269, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon, said mining claim<sup>s</sup> by claimant<sup>s</sup> or their grantors, and that said improvements consist of 18 shafts, 22 cuts, 1 crosscut and 2 drifts, total value \$7050.

Improvements Nos. 1 and 2 on the Flying Dutchman lode, No. 2 on the Peekaboo lode, and No. 3 on the Wildcat lode, being common improvements for the benefit and development of this group of claims, an undivided one-sixth interest in each of said improvements, value \$300, \$150, \$250 and \$60.00, respectively, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.



SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 31, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

THOMAS BOUSE AND R. MC MAHAN

, known as the

FLYING DUTCHMAN, PEEKABOO, HAIL STORM, RED DICK, WILDCAT, JACK RABBIT

situate in PLOMOSA mining district,

YUMA County, ARIZONA.

in Sections 7 and 18, Township No. 7 N., Range No. 17 W.

, designated as Survey No. 3269

executed by C. C. Thompson, U. S. Deputy Mineral

Surveyor, February 15-25, 1916, under my instructions dated

February 5, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3269  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat and Jack Rabbit lodes, Mineral Survey No. 3269, located in sections 7 and 18, Township 7 North, Range 17 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Flying Dutchman, Peekaboo, Hail Storm, Red Dick, Wildcat and Jack Rabbit lodes, M.S. 3269, were canceled April 16, 2002, by memo 9605 (956) M.S. 3269, which is now a part of the original field notes."

April 16, 2002  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona