

4-683.

Mineral Survey No. 3286

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Ella Galliver and Adele Hauxhurst

KNOWN AS THE

Furlough No. 1, Furlough No. 2 Furlough No. 3 Furlough No. 4,
Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8,
Furlough No. 9, Furlough No. 10. lodes.

Big Horn Mining District,

Maricopa County, Arizona, in sec. 31, T.5 N.,
R.7 W, Unapproved and in sec. 6, T.4 N., R. 7 W., unsurveyed.

Section Township, Range

Surveyed under instructions dated April 7, 1916.

by Edwin T. Stewart
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced April 9, 1916.

Survey completed April 18, 1916.

o 6-160

Address;

Alderman & Elliott

Globe, Arizona

Attorneys for claimants.

MAY 15 1916
2

-1-

Mineral Survey No.3286

Furlough No.1 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location.

On line 2-3, Furlough No.2 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-F.1-3286, whence

U.S.L.M. No. 3286 bears N. 43° 41' 50" E. 3080.1 ft.

No other bearings available.

Thence S. 11° 28' W.

1499.00 To Cor. No.2, identical with S.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 2-F.1-3286, whence

A cross on rhyolite in place, about which is chiseled

B.R. 3286, bears S. 79° 19' W. 27.1 ft.

No other bearings available.

Thence N. 71° 24' W.

302.00 To S.E.C. monument of the location, from which the discovery cut bears N. 11° 28' E. 1485.00 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, on bed rock, with mound of stone, scribed F.1 on the side facing the claim.

604.00 To Cor. No.3, identical with S.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-F.1-3286, whence

A rhyolite boulder, 1 x 2 x 4 ft., out of the ground, chiseled cross B.R. 3286, bears N. 14° 19' W. 50.0 ft.

No other bearings available.

Thence N. 11° 28' E.

1499.00 To Cor. No.4, identical with N.W.Cor. of the location.

On line 2-3, Furlough No.3 lode, this survey, S. 71° 24' E. 301.1 ft. from Cor. 3.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-F.1-3286.

No bearings available.

Thence S. 71° 24' E.

Along line 3-2, Furlough No.3 lode, this survey.

29.9 To S.E.C. of said Furlough No.3 lode.

302.0 To N.E.C. monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set on bed rock, with mound of stone, scribed F.1 on the side facing the claim.

360.9 To Cors. 2 and 3, respectively of Furlough No.3 and Furlough No.2 lodes, this survey.

Along line 3-2 of said Furlough No.2 lode.

604.0 To Cor. No.1, the place of beginning.

Furlough No.2 lode

Beginning at Cor. No.1, identical with N.E. Corner of the location and Cors. 2 and 3, respectively of Furlough No.5 and Furlough No.6 lodes, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-F.2-3286, for this claim.

U.S.L.M. No.3286 bears N. 28° 27' E. 1454.5 ft.

No other bearings available.

Thence S. 43° 49' W.

1499.00 To Cor. No.2, identical with S.E. Corner of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-F.2-3286, whence

A rhyolite boulder, 2 x 5 ft., flush with the ground, chiseled cross B.R. 3286, bears S. 09° 38' W. 64.0 ft.

No other bearings available.

Thence N. 71° 24' W.

331.00 To S.E.C. monument of the location from which the discovery shaft bears N. 43° 49' E. 1186.0 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed F.2 on the side facing the claim.

418.90 To Cor. 1, Furlough No.1 lode, this survey.

Along line 1-4 of said Furlough No.1 lode.

662.00 To Cor. No.3, identical with S.W. Corner of the location and Cor. No.2, Furlough No.3 lode, this survey.

On line 4-1, Furlough No.1 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 15 ins. in the ground, on bed rock, with mound of stone, scribed 3-F.2-3286, for this claim.

No bearings available.

Thence N. 43° 49' E.

Along line 2-1, Furlough No.3 lode, this survey.

1499.00 To Cor. No.4, identical with N.W. Corner of the location and Cors. 1, 2 and 3, respectively, of Furlough No.3, Furlough No.4 and Furlough No.5 lodes, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 8 ins. in the ground, on bed rock, with mound of stone, scribed 4-F.2-3286 for this claim.

No bearings available.

Thence S. 71° 24' E.

Along line 3-2, Furlough No.5 lode, this survey.

331.00 To N.E.C. identical with monument of the location and S.E.C. of said Furlough No.5 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, on bed rock, with mound of stone, scribed F.2 on the side facing the claim.

662.00 To Cor. No.1, the place of beginning.

Furlough No.3 lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location and Cors. 2,3 and 4, respectively, of Furlough No.4, Furlough No.5 and Furlough No.2 lodes, this survey.

A redwood post, previously described, to which I add 1-F.3 for this claim.

U.S.L.M. No.3286 bears N. 51° 02' 20" E. 1698.0 ft.

Thence S. 43° 49' W.

Along line 4-3, Furlough No.2 lode, this survey.

1499.00 To Cor. No.2, identical with S.E.Cor. of the location and Cor. 3, of said Furlough No.2 lode.

On line 4-1, Furlough No.1 lode, this survey.

A redwood post, previously described, to which I add 2-F.3 for this claim.

Thence N. 71° 24' W.

Along line 1-4, Furlough No.1 lode, this survey.

58.90 To N.E.C. of said Furlough No.1 lode.

331.00 To S.E.C. monument of the location, from which the discovery shaft bears N. 43° 49' E. 1344.00 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, on bed rock, with mound of stone, scribed F.3 on the side facing the claim.

360.90 To Cor. 4 of said Furlough No.1 lode.

662.00 To Cor. No.3 identical with S.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 14 ins. in the ground, on bed rock, with mound of stone, scribed 3-F.3-3286, whence

A palo verde tree, 7 ins. in diameter, scribed cross

B.T. 3286 bears N. 79° 28' W. 47.65 ft.

No other bearings available.

Thence N. 43° 49' E.

1499.00 To Cor. No.4, identical with N.W.Cor. of the location and Cor. 3, Furlough No.4 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the

exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-F.3-3286 for this claim, whence
 A rhyolite boulder, .6 x 1.3 x 2.5 ft., out of the ground, chiseled cross B.R. 3286, bears N. 82° 31' W. 63.85 ft.

No other bearings available.

Thence S. 71° 24' E.

Along line 3-2, Furlough No.4 lode, this survey.

331.00 To N.E.C. monument of the location, identical with S.E.C. of said Furlough No.4 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed F.3 on the side facing the claim.

662.00 To Cor. No.1, the place of beginning.

Furlough No.4. lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location and Cors. 1,2 and 4, respectively, of Furlough No.7, Furlough No.8 and Furlough No.5 lodes, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 1-F.4-3286 for this claim, whence

U.S.L.M. No.3286 bears S. 74° 14' 30" E. 1551.3 ft.

A cross on rhyolite in place, about which is chiseled B.R. 3286 bears S. 27° 06' W. 45.9 ft.

No other bearings available.

Thence S. 06° 37' E.

Along line 4-3, Furlough No.5 lode, this survey.

708.50 Wagon road, course north and south.

1499.00 To Cor. No.2, identical with S.E.Cor. of the location and Cors. 3,4 and 1, respectively of the Furlough No. 5, Furlough No.2 and Furlough No.3 lodes, this survey.

A redwood post, previously described to which I add 2-F.4 for this claim.

Thence N. 71° 24' W.

Along line 1-4, Furlough No.3 lode, this survey.

331.00 To S.E.C. monument of the location, identical with N.E.C. of said Furlough No.3 lode, from which the discovery shaft bears N. 06° 37' W. 1480.0 ft.

A redwood post, previously described, scribed F.4 on the side facing the claim.

662.00 To Cor. No.3, identical with S.W.Cor. of the location and Cor. 4 of said Furlough No.3 lode.

A redwood post, previously described, to which I add 3-F.4 for this claim.

Thence N. 06° 37' W.

1499.00 To Cor. No.4, identical with N.W.Cor. of the location, and Cor. 2, Furlough No.7 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-F.4-3286 for this claim, whence

A cross on rhyolite in place, about which is chiseled B.R. 3286, bears N. 40° 18' W. 10.25 ft.

The S. 1/4 corner of Section 31, T.5 N., R.7 W., G.& S.R.B. & M., unapproved, bears S. 10° 57' E. 345.9 ft.

No other bearings available.

Thence S. 71° 24' E.

Along line 2-1, Furlough No.7 lode, this survey.

331.00 To N.E.C. monument of the location, identical with S.E.C. of said Furlough No.7 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed F.4 on the side facing the claim.

662.00 To Cor. No.1, the place of beginning.

Furlough No.5. lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location and Cor. 4, Furlough No.6 lode, this survey.

On line 1-2, Furlough No.9 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 14 ins. in the ground, on bed rock,

with mound of stone, scribed 1-F.5-3286 for this claim, whence

U.S.L.M.No.3286 bears S. $76^{\circ} 21' 10''$ E. 890.8 ft.

No other bearings available.

Thence S. $06^{\circ} 37'$ E.

Along line 4-3, Furlough No.6 lode, this survey.

1499000 To Cor. No.2, identical with S.E.Cor. of the location and Cors. 3 and 1, respectively, of Furlough No.6 and Furlough No.2 lodes, this survey.

A redwood post, previously described, to which I add 2-F.5 for this claim.

Thence N. $71^{\circ} 24'$ W.

Along line 1-4, Furlough No.2 lode this survey.

331.00 To S.E.C. monument of the location, identical with N.E.C. of said Furlough No.2 lode, from which the discovery shaft bears N. $06^{\circ} 37'$ W. 1077.7 ft.

662.00 To Cor. No.3, identical with S.W.Cor. of the location and Cors. 4,1 and 2, respectively, of Furlough No.2, Furlough No.3 and Furlough No.4 lodes, this survey.

A redwood post, previously described, to which I add 3-F.5 for this claim.

Thence N. $06^{\circ} 37'$ W.

Along line 2-1, Furlough No.4 lode, this survey.

790.50 Cross wagon road, course north and south.

1499.00 To Cor. No.4, identical with N.W.Cor. of the location and Cors. 1,1 and 2, respectively, of Furlough No.4, Furlough No.7 and Furlough No.8 lodes, this survey.

A redwood post, previously described, to which I add 4-F.5, for this claim.

Thence S. $71^{\circ} 24'$ E.

Along line 2-1, Furlough No.8 lode, this survey.

331.00 To N.E.C. monument of the location, identical with S.E.C. of said Furlough No.8 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set on bed rock, with mound of stone, scribed F.5 on the side facing the claim.

592.90 To Cors. 1 and 2, respectively, of Furlough No.8 and Furlough No.9 lodes, this survey.

Along line 2-1, Furlough No.9 lode, this survey.

610.90 Wagon road, course northeast and southwest.

662.00 To Cor. No.1, the place of beginning.

Furlough No.6.lode.

Beginning at Cor. No.1, identical with N.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 1-F.6-3286, whence

U.S.L.M. No.3286 bears N. 89° 46' E. 238.2 ft.

No other bearings available.

Thence S. 06° 37' E.

1499.00 To Cor. No.2, identical with S.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-F.6-3286, whence

A cross on rhyolite in place, by which is chiseled B.R., bears N. 58° 45' W. 11.75 ft. On account of the roughness of the surface of this rock it is not possible to chisel the survey number on it.

Thence N. 71° 24' W.

331.00 To S.E.C.monument of the location from which the discovery cut bears N. 06° 37' W. 669.0 ft.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 12 ins. in the ground, on bed rock, with mound of stone, scribed F.6 on the side facing the claim.

662.00 To Cor. No.3, identical with S.W.Cor. of the location and Cors. 1 and 2, respectively, of Furlough No.2 and Furlough No.5 lodes, this survey.

A redwood post, previously described, to which I add 3-F.6 for this claim.

Thence N. 06° 37' W.

Along line 2-1, Furlough No.5 lode, this survey.

1499.00 To Cor. No.4, identical with N.W.Cor. of the location and Cor. 1 of said Furlough No.5 lode.

On line 1-2, Furlough No.9 lode, this survey.

A redwood post, previously described, to which I add 4-F.6 for this claim.

Thence S. 71° 24' E.

Along line 2-1, Furlough No.9 lode, this survey.

261.90 To S.E.C. of said Furlough No.9 lode.

331.00 To N.E.C. monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 8 ins. in the ground, on bed rock, with mound of stone, scribed F.6 on the side facing this claim.

592.90 To Cor. 1 of said Furlough No.9 lode.

662.00 To Cor. No.1, the place of beginning.

Furlough No.7 lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location and Cors. 2,4 and 1, respectively, of Furlough No.8, Furlough No.5 and Furlough No.4 lodes, this survey.

A redwood post, previously described, to which I add 1-F.7 for this claim.

U.S.L.M.No.3286 bears S. 74° 14' 30" E. 1551.3 ft.

Thence N. 71° 24' W.

Along line 1-4, Furlough No.4 lode, this survey.

331.00 To S.E.C. monument of the location, identical with N.E.C. of said Furlough No.4 lode, from which the discovery shaft bears N. 06° 37' W. 39.0 ft.

A redwood post, previously described, to which I add F.7 on the side facing the claim.

662.00 To Cor. No.2, identical with S.W.Cor. of the location and Cor. 4 of said Furlough No.4 lode.

A redwood post, previously described, to which I add 2-F.7 for this claim.

Thence N.06° 37' W.

1499.00 To Cor. No.3, identical with N.W.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 3-F.7-3286.

No bearings available.

Thence S. 71° 24' E.

331.00 To N.E.C.monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed F.7 on the side facing the claim.

603.50 To Cor. 2, Furlough No.10 lode, this survey.

Along line 2-1 of said Furlough No.10 lode.

662.00 To Cor. No.4, identical with N.E.Cor. of the location and Cor. 3, Furlough No.8 lode, this survey.

On line 1-2, Furlough No.10 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 15 ins. in the ground, on bed rock, with mound of stone, scribed 4-F7-3286 for this claim.

No bearings available.

Thence S. 06° 37' E.

Along line 3-2, Furlough No.8 lode, this survey.

1499.00 To Cor. No.1, the place of beginning.

Furlough No.8. lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location and Cor. 2, Furlough No.9 lode, this survey.

On line 4-1, Furlough No.5 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 1-F.8-3286 for this claim, whence

U.S.L.M.No.3286 bears S. 75° 59' 50" E. 959.6 ft.

No other bearings available.

Thence N. 71° 24' W.

Along line 1-4, Furlough No.5 lode, this survey.

261.90 To S.E.C.monument of the location, identical with N.E.C. of said Furlough No.5 lode, from which the discovery shaft bears N. 06° 37' W. 892.0 ft.

A redwood post, previously described, to which I add F.8 on the side facing the claim.

592.90 To Cor. No.2, identical with S.W.Cor. of the location and Cors. 4,1 and 1, respectively, of Furlough No.5, Furlough No.4 and Furlough No.7 lodes, this survey.

A redwood post, previously described, to which I add 2-F.8 for this claim.

Thence N. 06° 37' W.

Along line 1-4, Furlough No.7 lode, this survey.

1499.00 To Cor. No.3, identical with N.W.Cor. of the location and Cor. 4 of said Furlough No.7 lode.

On line 1-2, Furlough No.10 lode, this survey, S. 71° 24' E. 58.5 ft. from Cor. 2.

A redwood post, previously described, to which I add 3-F.8 for this claim.

Thence S. 71° 24' E.

Along line 2-1, Furlough No.10 lode, this survey.

331.00 To N.E.C. monument of the location, identical with S.E.C. of said Furlough No.10 lode.

497.00 Wagon road, course northwest and southeast.

592.90 To Cor. No.4, identical with N.E.Cor. of the location and Cor. 3, Furlough No.9 lode, this survey.

On line 1-2, Furlough No.10 lode, this survey, N.71° 24' W. 127.6 ft. from Cor.1.

A redwood post, 4 ft. long; 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 4-F.8-3286 for this claim.

No bearings available.

Thence S. 06° 37' E.

Along line 3-2, Furlough No.9 lode, this survey.

119.00 Wagon road, course northwest and southeast.

227.00 Wagon road, course north and south.

339.00 Wagon road, course northwest and southeast.

1499.00 To Cor. No.1, the place of beginning.

Furlough No.9. lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the location.

On line 4-1, Furlough No.6 lode, this survey, N.71° 24' W. 69.1 ft. from Cor.1.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 1-F.9-3286, whence

U.S.L.M. NO.3286 bears S. 86° 02' E. 304.4 ft.

No other bearings available.

Thence N.71° 24' W.

Along line 1-4, Furlough No.6 lode, this survey.

261.9 To N.E.C. of said Furlough No.6 lode.

331.0 To S.E.C.Monument of the location from which the discovery shaft bears N. 06° 37' W. 263.5 ft.

A redwood post, 4 ft. long, 4 ins.sq., with nail at the exact point, set 6 ins. in the ground, on bed rock, with mound of stone, scribed F.9 on the side facing the claim.

592.9 To Cors. 4 and 1, respectively, of Furlough No.6 and Furlough No.5 lodes, this survey.

Along line 1-4 of said Furlough No.5 lode.

644.0 Wagon road, course northeast and southwest.

662.00 To Cor. No.2, identical with S.W.Cor. of the location and Cor. 1, Furlough No.8 lode, this survey.

On line 4-1, Furlough No.5 lode, this survey.

A redwood post, previously described, to which I add 2-F.9 for this claim.

Thence N.06° 37' W.

Along line 1-4, Furlough No.8 lode, this survey.

1160.00 Wagon road, course northwest and southeast.

1272.00 Wagon road, course north and south.

1380.00 Wagon road, course northwest and southeast.

1499.00 To Cor. No.3, identical with N.W.Cor. of the location and Cor. 4, Furlough No.8 lode, this survey.

On line 1-2, Furlough No.10 lode, this survey.

A redwood post, previously described, to which I add
3-F.9, for this claim.

Thence S. 71° 24' E.

Along line 2-1, Furlough No.10 lode, this survey.

127.60 To Cor. No.1 of said Furlough No.10 lode.

331.00 To N.E.C. monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the
exact point, set 18 ins. in the ground, with mound of
stone, scribed F.9 on the side facing the claim.

662.0 To Cor. No.4, identical with N.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the
exact corner, set 18 ins. in the ground, with mound of
stone, scribed 4-F.9-3286, whence

A rhyolite boulder, 1 x 1.4 x 2.4 ft., out of the
ground, chiseled cross B.R. 3286, bears S. 10° 22' E.
30.35 ft.

No other bearings available.

Thence S. 06° 37' E.

1499.00 To Cor. No.1, the place of beginning.

Furlough No.10. lode.

Beginning at Cor. No.1, identical with S.E.Cor. of the
location.

On line 3-4, Furlough No.9 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at
the exact corner, set 18 ins. in the ground, with mound
of stone, scribed 1-F.10-3286, whence

U.S.L.M. No.3286 bears S. 30° 19' 20" E. 1946.8 ft.

A palo verde tree, 5 ins. in diameter scribed cross B.T.
3286 bears S. 33° 00' E. 22.55 ft.

No other bearings available.

Thence N. 71° 24' W.

Along line 4-3, Furlough No.9 lode, this survey.

127.60 To Cors. 3 and 4, respectively, of Furlough No.9 and
Furlough No.8 lodes, this survey.

Along line 4-3 of said Furlough No.8 lode.

222.50 Wagon road, course northwest and southeast.

389.50 To S.E.C.monument of the location, identical with N.E.C. of said Furlough No.8 lode, from which the discovery shaft bears N. 21° 04' W. 344.8 ft.

A redwood post, previously described, scribed F.10 on the side facing the claim.

720.50 To Cors. 3 and 4, respectively, of Furlough No.8 and Furlough No. 7 lodes, this survey.

Along line 4-3 of said Furlough No.7 lode.

779.00 To Cor. No.2, identical with S.W.Cor. of the location. On line 3-4, Furlough No.7 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 2-F.10-3286.

No bearings available.

Thence N. 21° 04' W.

1499.00 To Cor. No.3, identical with N.W. Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins. in the ground, with mound of stone, scribed 3-F.10-3286, whence

A cross on rhyolite in place, about which is chiseled

B.R. 3286 bears N. 30° 42' E. 31.05 ft.

No other bearings available.

Thence S. 71° 24' E.

389.50 To N.E.C.monument of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed F.10 on the side facing the claim.

779.00 To Cor. No.4, identical with N.E.Cor. of the location.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 12 ins. in the ground, on bed rock, with mound of stone, scribed 4-F.10-3286, whence

A cross on rhyolite in place, about which is chiseled

B.R. 3286, bears S. 51° 45' W. 37.0 ft.

No other bearings available.

Thence S. 21° 04' E.

1075.00 Wagon road, course northeast and southwest.
 1499.00 To Cor. No.1, the place of beginning.

Magnetic variation at all corners 14° 20' E.

oooooooooooooooooooo

Lode Lines.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Furlough No.1, N.11° 28' E. 14.0 ft. and S. 11° 28' W.
 1485.0 ft. ✓

Furlough No.2, N. 43° 49' E. 313.0 ft. and S. 43° 49' W. 1186.0 ft.

Furlough No.3, N. 43° 49' E. 155.0 ft. and S. 43° 49' W. 1344.0 ft. ✓

Furlough No.4, N. 06° 37' W. 19.0 ft. and S. 06° 37' E. 1480.0 ft. ✓

Furlough No.5, N. 06° 37' W. 421.3 ft. and S. 06° 37' E. 1077.7 ft. ✓

Furlough No.6, N.06° 37' W. 830.0 ft. and S. 06° 37' E. 669.0 ft. ✓

Furlough No.7, N.06° 37' W. 1460.0 ft. and S. 06° 37' E. 39.0 ft.

Furlough No.8, N.06° 37' W. 607.0 ft. and S. 06° 37' E. 892.0 ft.

Furlough No.9, N. 06° 37' W. 1235.5 ft. and S. 06° 37' E. 263.5 ft.

Furlough No.10, N. 21° 04' W. 1154.2 ft. and S. 21° 04' E. 344.8 ft.

oooooooooooooooooooo

Areas.

Total Area Furlough No.1,	Acres.
Total Area Furlough No.2,	20.624
Total Area Furlough No.3,	20.610
Total Area Furlough No.4,	20.610
Total Area Furlough No.5,	20.610
Total Area Furlough No.6,	20.610

Total Area Furlough No. 7,	20.610
Total Area Furlough No. 8,	18.459
Total Area Furlough No. 9,	20.610
Total Area Furlough No. 10,	20.635

.....

Location.

This survey is located partially in Section 31, T.5 N., R. 7 W., which has been surveyed but not yet approved, and in Section 6, T.4 N., R. 7 W., unsurveyed, G.& S.R.B.& M., in Big Horn mining district, Maricopa County, Arizona.

.....

Adjoining and Conflicting Claims.

L.12 lode, unsurveyed on the north; The Cardinal, Flexner, President and A.1 lodes, unsurveyed, and unappropriated land on the east; the Lady Kit lode, unsurveyed, on the south; and unknown claim, unsurveyed, claimant unknown, the Eleanor Louise, W.No. 23, Poorman, Little Jack and Doctor Ford lodes, unsurveyed, on the west. All of said claims, except the unknown claim on the west, being owned by the claimant of the claims in this survey.

.....

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in this survey, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

Furlough No.1.

No.1, the discovery, cut 4 x 10 x 17 ft., which is intersected by the lode line 14 ft. from the N.E.C., and which extends thence N. 29° W. 5.5 ft. to face and S. 29° E. 11.5 ft. to mouth. Value \$50.00.

No.2, cut 4.5 x 10 x 22 ft., the center of the mouth of which bears N. 39° 28' W. 72.6 ft. from the S.E.C. and which extends thence N. 30° W. to face. Value \$50.00.

1/21st of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29.

Furlough No.2.

No.1, the discovery, shaft, 4.5 x 6.5 x 8.5 ft., the center of which is on the lode line 313.0 ft. from the N.E.C. Value \$35.00.

1/21st of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29

Furlough No.3.

No.1, the discovery, shaft, 4 x 6 x 9 ft., the center of which is on the lode line 155.0 ft. from the N.E.C. Value \$35.00.

No.2, shaft, 5 x 8 x 9.5 ft. the N.W.Corner of which bears S. 30° 50' E. 44.0 ft. from the N.E.C. Value \$50.00.

1/21st of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29

Furlough No.4.

No.1, the discovery, shaft 4 x 6 x 8 ft., the center of which is on the lode line 19.0 ft. from the N.E.C. Value \$35.00.

No.2, shaft, 4.5 x 6.5 x 14 ft., the N.E.Corner of which bears S. 24° 30' W. 68.5 ft. from a point on line 1-2, 1152.1 ft. from Cor. 2. Value \$140.00.

No.3, shaft, 4 x 6 in clear, 486 feet deep, partially timbered, the S.E.Cor. of which bears S. 89° 17' W. 42.5 ft. from a point on line 1-2, 680.7 ft. from Cor. 2. Value \$12,000.00.

No.4, cut, 8 x 9 x 11 ft., the center of the mouth of which bears N. 59° 20' E. 193.4 ft. from a point on the lode line 199.9 ft. from the S.E.C. and which extends thence N. 10° E. to face. Value \$40.00.

No.5, shaft, 5 x 6 x 7 ft., the N.W.Corner of which bears S. 60° 22' E. 95.0 ft. from the above described point. Value \$35.00.

1/21st of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29

Furlough No.5.

No.1, the discovery, shaft, 4 x 6 x 43 ft., the center of which is on the lode line 421.3 ft. from the N.E.C. Value \$500.00.

No.2, 47 ft., of cut and tunnel, 4 x 6 ft., the center of the mouth of which bears S. 05° 10' E. 70.5 ft. from a point on the lode line 1070.3 ft. from the S.E.C. and which extends thence north to face. Value \$375.00.

No.3, shaft, timbered, 4 x 6^{ft} in the clear, 500 ft. deep, and 64 feet of cross cut, 4 x 6 ft. Value \$15000.00. The N.E.Cor. of shaft bears S. 31° 09' W. 111.0 ft. from the above described point, and, from a point 331 feet below the collar of shaft a cross cut extends S. 73° W. 32.0 ft. to face. and N. 73° E. 32.0 ft. to face.

This shaft is being sunk as a common improvement for the benefit of the ten claims embraced in this survey, and for the eleven unsurveyed adjoining claims owned by the claimants. At its present depth the shaft is well below the surface of each of the claims and sinking is being continued, and the proposed scheme of development is to continue sinking, and by drifts and cross cuts from the shaft develop and mine the 21 claims. The plan of using one advantageously located shaft for the development of a group of claims held under a common ownership is one generally adopted and in this case being a feasible one, consistent with good mining, the value of the improvement is distributed equally among the claims, 1/21st, or \$714.29, being distributed to each.

Furlough No.6.

No.1, the discovery, cut, 3.5 x 10 x 19 ft., which is intersected by the lode line 669.0 ft. from the S.E.C. and which extends thence N. 52° E. 7.0 ft. to face and S. 52° W. 12.0 ft. to mouth. Value \$35.00.

No.2, cut, 4 x 10 x 27 ft., the center of the mouth of which bears S. 09° 34' W. 130.1 ft. from a point on the lode line 50 ft. from the N.E.C., and which extends thence N. 17° E. to face. Value \$100.00.

No.3, 74.5 ft. of cut and tunnel, 4.5 x 6 ft., the center of the mouth of which bears S. 37° 10' W. 358.8 ft. from a point on the lode line 790.2 ft. from the N.E.C., and which extends thence S. 54° 15' E. to face. Value \$650.00.

1/21st of the Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29.

Furlough No.7.

No.1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line 39 ft. from the S.E.C. Value \$35.00.

No.2, shaft, 6 x 6 x 9 ft., the southwest corner of which bears N. 30° 39' E. 336.0 ft. from the S.E.C. Value \$35.00.

No.3, 230 ft. of cut and tunnel, 4 x 6 ft., which is intersected by line 4-1, 584.8 ft. , from Cor. 1, and which extends thence N. 49° 33' E. 8.0 ft. to mouth and S. 49° 33' W. 100.0 ft. to Pt. 1; thence S. 42° W. 89.0 ft. to face. And, from Pt.1 S. 21° E. 33.0 ft. to face. Value \$2000.00. This improvement being located partially on the Furlough No.7 and partially on the Furlough No.8 claims, the value thereof is distributed equally between them, \$1000.00 being credited to each.

1/21st of Improvement No.3 on the Furlough No.5 lode, which is credited to this claim. Value \$714.29.

Furlough No.8.

No.1, the discovery, shaft 6.5 x 6.5 x 11 ft., the center of which is on the lode line 607.0 ft. from the N.E.C. Value \$50.00.

No.2, 111.0 ft. of cut and tunnel, 6 x 8 ft., the center of the mouth of which bears S. 53° 05' E. 100.0 ft. from the N.E.C. and which extends thence S. 04° 40' E.

to face. Value \$1200.00.

No.3, shaft, 4 x 7.5 x 90 ft., the N.E. Corner of which bears S. 00° 46' W. 237.4 ft. from a point on line 4-1, 177.7 ft. from Cor. 4. Value \$1200.00.

No.4, 23 ft. of cut and tunnel, 4.5 x 6 ft., the center of the mouth of which bears S. 00° 23' W. 247.6 ft. from the above described point and which extends thence S. 21° E. to face. Value \$175.00.

$\frac{1}{2}$ of Improvement No.4 on the Furlough No.7 lode which is credited to this claim. Value \$1000.00.

$\frac{1}{2}$ of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29.

Furlough No.9.

No.1, the discovery, shaft, 4 x 6 x 8 ft., the center of which is on the lode line, 263.5 ft. from the S.E.C. Value \$30.00.

$\frac{1}{2}$ of Improvement No.3 on the Furlough No.5 lode, which is credited to this claim. Value \$714.29.

Furlough No.10.

No.1, the discovery, shaft, 6 x 8 x 8.5 ft., the center of which is on the lode line 344.8 ft. from the S.E.C. Value \$40.00.

No.2, shaft, 4 x 6 x 12 ft., the center of which bears N. 42° 01' E. 48.0 ft. from the S.E.C. Value \$100.00

$\frac{1}{2}$ of Improvement No.3 on the Furlough No.5 lode which is credited to this claim. Value \$714.29.

Other Improvements.

Furlough No.5.

A frame garage, 17.5 x 18 ft., course of long sides S. 79° W. the S.E. Cor. of which bears S. 65° 59' W. 124.3 ft. from a point on the lode line 1070.3 ft. from the S.E.C.

A frame change room, 10 x 12 ft., course of long sides S. 17° E. the S.E. Cor. of which bears S. 46° 13' W. 107.7 ft. from the above described point.

A corrugated iron blacksmith shop and hoist house, 28 x 50 ft., course of long sides S. 17° E., the S.E. Cor.

of which bears S. 22° 29' W. 153.7 ft. from the above described point.

A frame timber shed, 14 x 20 ft., course of long sides, S. 17° E., the N.E.Cor. of which bears S. 14° 50' W. 159.6 ft. from the above described point.

A frame house, 12 x 16 ft., course of long sides north, the S.W.Cor. of which bears S. 47° 23' E. 348.6 ft. from the above described point.

A frame boarding house, 28 x 56 ft., course of long sides N. 34° W., the S.W.Cor. of which bears S. 79° 48' W. 70.6 ft. from a point on line 1-2, 432.0 ft. from Cor.1.

A frame house, 12 x 16 ft., course of long sides S. 60° W., the S.E.Cor. of which bears N. 61° 26' W. 148.0 ft. from the above described point.

A frame house, 12 x 16 ft., course of long sides S. 09° W., the N.E.Cor. of which bears S. 08° 32' E. 55.7 ft. from the above described point.

Furlough No.6.

A frame house, 12 x 16 ft., course of long sides S. 09° W. the N.E.Cor. of which bears S. 47° 13' E. 88.1 ft. from a point on line 3-4, 432.0 ft. from Cor. 4.

A frame house, 12 x 16 ft., course of long sides, S. 09° W., the N.E.Cor. of which bears S. 55° 11' E. 113.2 ft. from the above described point.

Furlough No.9.

A frame assay office, 12 x 16 ft., course of long sides, S. 41° E., the N.W.Cor. of which bears N. 79° 29' E. 200.7 ft. from Cor. 2.

A frame office building, 40 x 48 ft., course of long sides, S. 38° E., the N.E.Cor. of which bears S. 16° 30' W. 112.4 ft. from a point on the lode line 321.0 ft. from the S.E.C.

oooooooooooooooooooo

Instrument and Determination of Meridian.

This survey was made with a 6¼ inch Berger Transit. The courses were deflected from the true meridian, as

determined by direct Polaris observation, verified by Solar observation. The distances were measured with a 650 ft. steel tape.

.....

Report.

The side and end lines and all tie lines were run direct upon the ground.

The S. 1/4 corner of Section 31, T.5 N., R.7 W., G. & S.R. B. & M., unapproved, to which tie is given, is an iron pipe, 1 inch in diameter, 2.4 ft. out of the ground, with brass cap stamped 1/4 S 31 SC and mound of stone alongside.

The disagreement between these notes and the location notices is due to errors in said notices.

Edwin N. Stewart

U.S. Mineral Surveyor.

Globe, Arizona, May 12, 1916.

REPORT OF THE ESTABLISHING OF U.S.L.M.NO.3286.

In the execution of Mineral Survey No.3286 I find that there are no approved corners of the public survey or a U.S.L.M. within two miles of the claims, so I establish U.S.L.M.No.3286.

On a hill which is visible for a great distance in all directions, I find a monument consisting of a 6 x 6" pine post, showing 6.5 ft. out of the ground and surrounded by a mound of stone, 7 ft. base and 5 ft. high. This monument has, I am advised by the miners and persons interested in the District, been for many years generally thought to be and referred to as a United States Mineral Monument, though I found no number scribed on it or any bearing trees or rocks which might have been set as accessories to it, if it was ever established as a U.S.M.M.

Being a well established permanent monument suitably located and fulfilling all the requirements of a U.S.L.M. I scribed the post U.S.L.M. 3286, and take the following bearings:

A cross on rhyolite in place, about which is chiseled B.R. U.S.L.M. 3286 bears S. 14° 26' E. 27.6 ft.

A cross on rhyolite in place, about which is chiseled B.R. U.S.L.M. 3286, bears N. 08° 18' E. 23.0 ft.

Cor. No.1, Furlough No.6 lode, Sur. 3286, a redwood post 4 ft. long, 4 ins. sq., with nail at the exact point, 3 ft. out of the ground, with mound of stone, scribed 1-F.6-3286, bears S. 89° 46' W. 238.2 ft.

The S. $\frac{1}{4}$ corner of Section 31, T.5 N., R.7 W., G.& S.R. B.& M., unapproved, bears N. 81° 53' 30" W. 2075.6 ft.

Edwin P. Sturark
U.S.Mineral Surveyor.

Globe, Arizona, May 12,1916.

MAY 15 1916 25

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Ella Galliver and Adele Hauxhurst
Furlough No. 1, Furlough No. 2, Furlough No. 3, Furlough No. 4,
known as the Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8,
Furlough No. 9 Furlough No. 10 lodes.

and showing the respective capacities in which they acted.

George W. Alsdorf, Chairman.
....., Chairman.
....., Axman.
....., Flagman.

FINAL OATHS OF ASSISTANTS.

We.....

and I, George W. Alsdorf....., do solemnly swear that ~~we~~ ^I assisted.....

Edwin T. Stewart....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Ella Galliver and Adele Hauxhurst.....

Furlough No. 1, Furlough No. 2, Furlough No. 3, Furlough No. 4,
known as the Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8,
Furlough No. 9, Furlough No. 10. lodes.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.....

George W. Alsdorf, Chairman.
....., Chairman.
....., Axman.
....., Flagman.

State of Arizona }
County of Yavapai }
ss.

Subscribed and sworn to by the above-named persons before me this 3d day of May, 19 16.

A. C. Jones

My Com. Ex. November 22, 1918 Notary Public, Maricopa
Yavapai County, Arizona.

MAY 15 1916

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 7, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Ella Galliver and Adele Hauxhurst

known as the Furlough No. 1, Furlough No. 2, Furlough No. 3, Furlough No. 4, Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8, Furlough No. 9, Furlough No. 10. lodes situate in Big Horn Mining District, Maricopa County, Arizona, in Section 31, T.5 N., R. 7 W., unapproved and in section 6, T.4 N., R. 7 W., uns., Township No., Range No.

and designated as Survey No. 3286, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, before me L. B. Feland a Notary Public this 12th day of May, 1916. My Com. Ex. Jan 21, 1919.

L. B. Feland
Notary Public, Gila County, Arizona.

AMENDED LOCATION NOTICE.

FURLOUGH NO. 1

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 1, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the B. No. 2 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 83 and 84. This amended location of said claim is made on this 6 day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the northeast end monument to the southwest end monument, and said owners claim lengthwise of the claim 14.5 feet northeasterly and 1485.5 feet southwesterly from the center of the discovery cut at which this notice is posted, together with the surface ground on each side of the center of the claim, being 604 feet measured along the northeast end line and 604 feet measured along the southwest end line. The general course of the lode deposit and premises is from the northeast to the southwest.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northeast corner of said claim is about S. 01° 45' W. 2530 feet from the south quarter corner of Section 31, T. 5 N. of R. 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 2900 feet in a southwesterly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground/as follows: Beginning at a 4 x 4 post in a monument of stone on the northeast end line of said claim 14.5 feet from the center of the discovery cut (at which this notice is posted); thence southeasterly 302 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 302 feet to a 4 x 4 post in a monument of stone on the southwest end line of said claim; thence northwesterly 302 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 302 feet to the place of beginning.

Dated and posted on the ground this 6 day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

Geo. B. Halderer

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Amended Location
Notice of Turlough No. 1 located by Ella Gallinger & Adele Hauxhurst
filed and recorded in my office on the 6th day of April 1916, in Book
No. 23 of Mines
at Page _____ and that the same is a full, true and
correct copy of such Location and of the whole thereof.



Witness my hand and seal of office, this 6th
day of April 1916

Vernon L. Vaughn
County Recorder
By J. J. Hudson
Deputy

[Faint, mirrored text from the reverse side of the page, likely bleed-through from another document.]

W. L. Vaughn
J. J. Hudson
W. L. Vaughn

AMENDED LOCATION NOTICE.

FURLOUGH NO. 2

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 2, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the X. No. 24 on the 24th day of January, 1907, by James Hauxhurst, who was then a citizen of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 18 of Records of Mines, at pages 99 to 101. This amended location of said claim is made on this 6 day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the northeast end monument to the southwest end monument, and said owners claim lengthwise of the claim 313 feet northeasterly and 1187 feet southwesterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the northeast end line and 662 feet measured along the southwest end line. The general course of the lode deposit and premises is from the northeast to the southwest.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northwest corner of said claim is about S. 28 degrees 20' E. 1550 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 1490 feet in a southwesterly direction from the office of Furkough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the northeast end line of said claim 313 feet from the center of the discovery shaft (at which this notice is posted); thence southeasterly 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southwesterly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone on the southwest end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northeasterly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6 day of April, 1916.

Ella Galliver
Adele Hauxhurst

WITNESS:
Geo. B. Halderer

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Amended Location
Notice of Furlough No 2 located by Ella Galliver & Adele Hawthurst
filed and recorded in my office on the 6th day of April 1916, in Book



No. 23 of Mines
at Page _____ and that the same is a full, true and
correct copy of such Location and of the whole thereof.

Witness my hand and seal of office, this 6th
day of April 1916

Vernon L. Vaughn
County Recorder

By J. J. Hudson
Deputy

[Faint, mirrored text from the reverse side of the page, appearing as bleed-through. The text is largely illegible due to its orientation and fading.]

[Faint, illegible text at the bottom of the page, possibly a signature or additional stamp.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 3

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 3, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the C. No. 3 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 85 and 86. This amended location of said claim is made on this 6 day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claims.

The length of this claim is 1500 feet measured from the northeast end monument to the southwest end monument, and said owners claim lengthwise of the claim 154.6 feet northeasterly and 1345.4 feet southwesterly from the center of the discovery cut at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the northeast end line and 662 feet measured along the southwest end line. The general course of the lode deposit and premises is from the northeast to the southwest.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northeast corner of said claim is about S. 28° 20' E. 1550 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 1490 feet in a southwesterly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the northeast end line of said claim 154.6 feet from the center of the discovery cut (at which this notice is posted); thence southeasterly 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southwesterly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone on the southwest end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northeasterly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6 day of April, 1916.

Ella Galliver
Adele Hauxhurst

WITNESS:

Geo B. Holdener

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Amended Location
Notice of Furlough No. 3 located by Ella Galiver & Adele Hawthorn
filed and recorded in my office on the 6th day of April 1916, in Book
No. 23 of Mines



at Page _____ and that the same is a full, true and
correct copy of such Location and of the whole thereof.

Witness my hand and seal of office, this 6th
day of April 1916

Vernon L. Vaughn
County Recorder
By J. Henderson
Deputy

[Faint, mostly illegible text, likely bleed-through from the reverse side of the page.]

[Handwritten signature]
[Handwritten signature]

[Handwritten signature]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 4

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 4, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the D. No. 4 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 86 and 87. This amended location of said claim is made on this 6 day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 19 feet northwesterly and 1481 feet southeasterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the north end line and 662 feet measured along the south end line. The general course of the lode deposit is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northeast corner of said claim is about N. 77° 40' E. 580 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 790 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the north end line of said claim 19 feet from the center of the discovery shaft (at which this notice is posted); thence in a southeasterly direction 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone on the south end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6 day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

Geo B. Holders

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Amended Location
Notice of Turlough No. 4 located by Ella Gallivan & Adele Hauxhurst
filed and recorded in my office on the 6th day of April 1916, in Book
No. 23 of Mines



at Page _____ and that the same is a full, true and
correct copy of such Location and of the whole thereof.

Witness my hand and seal of office, this 6th
day of April 1916

Vernon L. Vaughn
County Recorder
By J. H. Hudson
Deputy

[Faint, mirrored text from the reverse side of the page, likely bleed-through from another document.]

[Faint, illegible text at the bottom of the page, possibly a signature or additional notes.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 5

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 5, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the E. No. 5 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 87 to 89. This amended location of said claim is made on this 6th day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 422.3 feet northwesterly and 1077.7 feet southeasterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the north end line and 662 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northwest corner of said claim is about N. 77° 40' E. 580 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 790 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the north end line of said claim 422.3 feet from the center of the discovery shaft (at which this notice is posted); thence in a southeasterly direction 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone on the south end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6th day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

Geo. B. Halderer

I, Vernon L. Vaughn, County Recorder in and for the County and State aforesaid, hereby certify that I have compared the foregoing copy with the Amended Location Notice of Furlough No 5 located by Ella Galliver & Adele Hauxhurst filed and recorded in my office on the 6th day of April 1916, in Book No. 23 of Mines



at Page _____ and that the same is a full, true and correct copy of such location and of the whole thereof.

Witness my hand and seal of office, this 6th day of April 1916

Vernon L. Vaughn
County Recorder
By J. Henderson
Deputy

[Faint, mirrored text from the reverse side of the page, likely bleed-through from another document.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 6

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 6, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the F. No. 6 on the 7th day of October, 1904, by Ella E. Hauxhurst, who was then a citizen of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 15 of Records of Mines, at pages 18 and 19. This amended location of said claim is made on this 6th day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 831 feet northwesterly and 669 feet southeasterly from the center of the discovery cut at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the north end line and 662 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The northwest corner of said claim is about S. 85° 45' E. 1195 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 190 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the north end line of said claim 831 feet from the center of the discovery cut (at which this notice is posted); thence in a southeasterly direction 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone on the south end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6th day of April, 1916.

Ella Galliver
Adele Hauxhurst

WITNESS:
Geo. B. Holders

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Original Amended
Location Notice of Furlough No. 6 Mining Claim Located by Ella Galloway and Adele Harshurst,
filed and recorded in my office on the 6 day of April 1916, in Book
No. 73 of Mining Claim records
at Page — and that the same is a full, true and
correct copy of such Notice and of the whole thereof.



Witness my hand and seal of office, this 6
day of April 1916

Vernon L. Vaughn
County Recorder
By J. W. Henderson
Deputy

[Faint, illegible text, likely bleed-through from the reverse side of the page.]

[Handwritten signature]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 7

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 7, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the G. No. 7 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 89 and 90. This amended location of said claim is made on this 6th day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 39 feet southeasterly and 1461 feet northwesterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the north end line and 662 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The southeast corner of said claim is about N. 77° 40' E. 580 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 790 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the south end line of said claim 39 feet from the center of the discovery shaft (at which this notice is posted); thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to a 4 x 4 post in a monument of stone on the north end line of said claim; thence southeasterly 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to the place of beginning.

Dated and posted on the ground this 6th day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

G. B. Halderson

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Original Amended
Location Notice of Lurrough No. 7 Mining Claim, located by Ella Hallwer & Adele Haughurst,
filed and recorded in my office on the 6 day of April 1916, in Book

No. 23 of Records of Mines
at Page — and that the same is a full, true and
correct copy of such Notice and of the whole thereof.



Witness my hand and seal of office, this 6
day of April 1916

Vernon L. Vaughn
County Recorder
By J. W. Hudson
Deputy

[Faint, mirrored text from the reverse side of the page, appearing as bleed-through.]

[Handwritten signatures and scribbles at the bottom of the page.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 10

Lode Mining claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 10, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the K. No. 11 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 95 and 96. This amended location of said claim is made on this 6th day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 345 feet southeasterly and 1155 feet northwesterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 779 feet measured along the north end line and 779 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The southwest corner of said claim is about N. 11° 40' E. 1670 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 1915 feet in a northwesterly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the south end line of said claim 345 feet from the center of the discovery shaft (at which this notice is posted); thence northwesterly 389.5 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 389.5 feet to a 4 x 4 post in a monument of stone on the north endline of said claim; thence southeasterly 389.5 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 389.5 feet to the place of beginning.

Dated and posted on the ground this 6th day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

Geo B. Halderer

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Original Amended
Location Notice of Furlough No. 10 Mining Claim Located by Ella Halliver & Adele Stauphurst,
filed and recorded in my office on the 6 day of April 1916, in Book
No. 73 of Records of mines
at Page — and that the same is a full, true and
correct copy of such Notice and of the whole thereof.



Witness my hand and seal of office, this 6
day of April 1916

Vernon L. Vaughn
County Recorder
By J. H. Hudson
Deputy

[Faint, mostly illegible text from the reverse side of the document, including a signature and possibly a date.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 9

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 9, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the J. No. 10 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 93 and 94. This amended location of said claim is made on this 6" day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north end monument to the south end monument, and said owners claim lengthwise of the claim 263.5 feet southeasterly and 1236.5 feet northwesterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 662 feet measured along the north end line and 662 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The southwest corner of said claim is about S. 86° 35' E. 1135 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 230 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the south end line of said claim 263.5 feet from the center of the discovery shaft (at which this notice is posted); thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to a 4 x 4 post in a monument of stone on the north end line of said claim; thence southeasterly 331 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 331 feet to the place of beginning.

Dated and posted on the ground this 6" day of April, 1916.

Ella Galliver
Adele Hauxhurst

WITNESS:
Geo B. Holderer

I, Vernon L. Vaughn, County Recorder in and for the County and State afore-
said, hereby certify that I have compared the foregoing copy with the Original Amended
Location Notice of Furlough No. 9 Mining Claim Located by Ella Gallwin & Adèle Haushurst
filed and recorded in my office on the 6 day of April 1916, in Book

No. 23 of Records of Mines
at Page — and that the same is a full, true and
correct copy of such Notice and of the whole thereof.

Witness my hand and seal of office, this 6
day of April 1916



Vernon L. Vaughn
County Recorder

By J. J. Hudson
Deputy

[Faint, mirrored text from the reverse side of the page, appearing as bleed-through.]

[Handwritten signatures and notes at the bottom of the page.]

AMENDED LOCATION NOTICE.

FURLOUGH NO. 8

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the FURLOUGH NO. 8, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located as the I. No. 9 on the 1st day of January, 1903, by James Hauxhurst and John R. Loosley, who were then citizens of the United States. The original location notice of this claim is recorded in the office of the County Recorder of Maricopa County, State of Arizona, in Book 13 of Records of Mines, at pages 92 and 93. This amended location of said claim is made on this 6 day of April, 1916, by Ella Galliver and Adele Hauxhurst, who are the present owners of said claim; and said owners hereby reserve and maintain all and abandon and relinquish none of their rights in and to said mining claim.

The length of this claim is 1500 feet measured from the north endmonument to the south end monument, and said owners claim lengthwise of the claim 607 feet northwesterly and 893 feet southeasterly from the center of the discovery shaft at which this notice is posted, together with the surface ground on each side of the center of the claim, being 592.9 feet measured along the north endline and 592.9 feet measured along the south end line. The general course of the lode deposit and premises is from the northwest to the southeast.

This claim is situated in a district which has never been designated as a mining district, in the Big Horn Mountains, in Maricopa County, State of Arizona, about fifteen miles in a southwesterly direction from the Vulture Mine. The southwest corner of said claim is about N. 77° 40' E. 580 feet from the south quarter corner of Section 31, T. 5 N. of Range 7 W., G. & S. R. B. & M., according to an unapproved public survey, and is about 790 feet in a westerly direction from the office of Furlough Development Company.

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stone on the north end line of said claim 607 feet from the center of the discovery shaft (at which this notice is posted); thence southeasterly 261.9 feet to a 4 x 4 post in a monument of stone at the northeast corner of said claim; thence southerly 1500 feet to a 4 x 4 post in a monument of stone at the southeast corner of said claim; thence northwesterly 261.9 feet to a 4 x 4 post in a monument of stone on the south end line of said claim; thence northwesterly 331 feet to a 4 x 4 post in a monument of stone at the southwest corner of said claim; thence northerly 1500 feet to a 4 x 4 post in a monument of stone at the northwest corner of said claim; thence southeasterly 331 feet to the place of beginning.

Dated and posted on the ground this 6 day of April, 1916.

Ella Galliver

Adele Hauxhurst

WITNESS:

Gust B. Halperer

I, Vernon L. Vaughn, County Recorder in and for the County and State aforesaid, hereby certify that I have compared the foregoing copy with the Original Amended Location Notice of Furlough No. 8. Mining Claim Located by Ella Gallwey & Adelle Haushurst, filed and recorded in my office on the 6 day of April 1916, in Book No. 23 of Records of mines at Page and that the same is a full, true and correct copy of such Notice and of the whole thereof.



Witness my hand and seal of office, this 6 day of April 1916

Vernon L. Vaughn
County Recorder
By J. H. Henderson
Deputy

[Faint, mirrored text from the reverse side of the page, appearing as bleed-through. The text is largely illegible due to its orientation and fading.]

Ella Gallwey
Adelle Haushurst
Walter J. Johnson

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 15, 1916,

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Ella Galliver and Adele Hauxhurst

known as the Furlough No. 1, Furlough No. 2, Furlough No. 3, Furlough No. 4, Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8, Furlough No. 9, Furlough No. 10 lodes, Big Horn,

situate in Maricopa County, Arizona.

Mining District, Maricopa County, Arizona.
in Section 31, Township No. 5 N., Range No. 7 W., unapp'd., and
" 6 " 4 N., " 7 W., unsur.
designated as Survey No. 3286, has been correctly copied from the originals on file inthis office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimants or their grantors, and that said improvements consist of 10 cuts, 16 shafts, 5 tunnels and 1 crosscut, total value \$33,995.00 Improvement No. 3 on the Furlough No. 5 lode being a common improvement for the benefit and development of this group of claims, and eleven unsurveyed adjoining claims owned by the claimants herein, viz., The Cardinal, Flexner, President, A 1, Lady Kit, Eleanor Louise, W. No. 23, Poorman, Little Jack, Doctor Ford and L 12 lodes, an undivided one-twenty-first interest in said improvement, value \$714.29, is properly credited to each of the ten claims in this survey, \$7857.19 of the above total being reserved for the said eleven unsurveyed claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

FRANK P. TROTT

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 15, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Ella Galliver and Adele Hauxhurst

known as the Furlough No. 1, Furlough No. 2, Furlough No. 3, Furlough No. 4, Furlough No. 5, Furlough No. 6, Furlough No. 7, Furlough No. 8, Furlough No. 9, Furlough No. 10 Lodes.

situate in Big Horn mining district,

Maricopa County, Arizona.

in Section 31, Township No. 5 N., Range No. 7 W., unapp'd. and 6, 4 N., 7 W., unsur. designated as Survey No. 3286

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, April 9-18, 1916, under my instructions dated

April 7, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank P. Fretz

U. S. Surveyor-General for Arizona.