

JUN 20 1916  
SEP - 1 1916

4-683.

Mineral Survey No. 3289

Lot No.

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OATMAN SYNDICATE MINING COMPANY

KNOWN AS THE

SYLVA, COLLINWOOD NO. 4, COLLINWOOD, TURRETT NO. 2 Lodes

SAN FRANCISCO Mining District,

MOHAVE County, ARIZONA

Sections 4 and 9, Township 18 N., Range 20 W. unapproved

Surveyed under instructions dated April 24, 1916,

by Edward L. Caff  
U. S. Deputy Mineral Surveyor

Claim located (See location notices) , 1

Survey commenced April 28-1916 , 1

Survey completed June 10-1916 , 1

o 6-160

Claimants address:  
Alderman & Elliot, Attys.  
Globe, Arizona.

Let 11-

Survey No. 3289.

1.

Feet

S Y L V A LODE

Beginning at Cor. Co. 1.

Identical with Cor. No. 4, Sur. No. 3282 Nellie lode, Nellie Mining Company claimant, S.W. Cor. Broadway lode, unsurveyed, claimant herein, and with Cor. No. 1, Collinwood No. 4 lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed N-4-3282 S.-C. No.4-1-1-3289.

Whence

U. S. L. M. No. 2512 bears S. 50°14'50"E. 4128.88 ft.

No bearing objects available.

Thence N.53°04'W.

- 260.00 Wagon road, course easterly and westerly.
- 395.00 Wagon road, course northerly and southerly.
- 1325.00 To Cor. No. 2.

Identical with Cor. Nos. 4-1-1 Collinwood No. 4, Collinwood and Turratt No. 2 lodes of this survey, respectively.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed S-C. No.4-C-T.No.2-2-4-1-1-3289,

Whence

S.  $\frac{1}{4}$  Cor. Sec.4, unapproved T.18 N.R.20 W., G.&S.R. B. & M. bears S. 25°58'40"W. 952.41 ft.

No bearing objects available.

Thence N.37°27'E.

- 300.00 West End Center.

Identical with East End Center Turratt No. 2 lode of this survey.

A pine post 4 ft. long; 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the center point, scribed W. End C-S-E. End C. T.No.2-3289.

- 600.00 To Cor. No. 3.

Identical with the S.W. Cor. of the Agricolla

| Feet    |   |
|---------|---|
|         | <p>lode, unsurveyed, claimants herein, and with Cor. No. 4, Turratt No. 2 lode of this survey.</p> <p>A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed S.-T. No. 2-3-4-3289.</p> <p>No bearing objects available.</p> <p>Thence S. 53°04'E.</p>  |
| 1325.00 | <p>To Cor. No. 4.</p> <p>Identical with the S.E. Cor. of the Agricolla lode, unsurveyed, the S.W. Cor. of the B.M. &amp; M.J.B. lode, unsurveyed, claimant herein, and with the N.W. Cor. of the Broadway lode, unsurveyed.</p> <p>A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed S-4-3289.</p> <p>No bearing objects available.</p> <p>Thence S. 37°27'W.</p>                    |
| 300.00  | <p>East End Center.</p> <p>Identical with the West End Center Broadway lode, unsurveyed.</p> <p>A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at the center point scribed E. End C.-S-3289.</p>  |
| 600.00  | <p>To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">C O L L I N W O O D N. O. 4 LODE</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 4, Sur. No. 3282, Nellie lode, S.W. Cor. of the Broadway lode, unsurveyed, and Cpr. No. 1 Sylva lode of this survey, previously described,</p> <p>Whence</p> <p>U. S. L. M. No. 2512 bears S. 50°14'50" E. 4128.88 ft.</p> <p>No bearing objects available.</p> <p>Thence S. 37°27' W.</p> |
| 300.00  | <p>East End Center.</p> <p>Identical with West End Center Sur. No. 3282</p>   |

## Feet

Nellie lode.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the center point, scribed W. End C. N-3282-E-End C. C. No.4-3289.

600.00 To Cor. No. 2.

Identical with Cor. Nos. 3-4, Sur. No.3282 Nellie and Good Gold No. 1 lodes, and with the N.E. Cor. of the Elkton lode, unsurveyed, claimant herein.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the Cor. point, scribed N.-G.G.No.1-3-4-3282-C.No.4-2-3289.

No bearing objects available.

Thence N.53°04'W.

425.00 Wagon road, course northeasterly and southwesterly.

1325.00 To Cor. No. 3.

Identical with the N.W. Cor. of the Elkton lode, unsurveyed, the N.E. Cor. of the Elkhorn lode, unsurveyed, claimants herein, and Cor. No. 2, Collinwood lode of this survey.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed C. No.4-C.-3-2-3289, Whence

S.  $\frac{1}{4}$  Cor. Sec. 4, unapproved T. 18 N. R. 20 W., G. & S.R. B. & M. bears S. 7°50'40"W.-383.44 ft.

No bearing objects available.

Thence N. 37° 27' E.

300.00 West End Center.

Identical with the East End Center Collinwood lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the center point, scribed W. End C.-C.No.4- E.End C.-C-3289.

600.00 To Cor. No. 4.

Identical with Cor. No. 2, Sylva and Cor. Nos.1-1,

| Feet    | Collinwood and Turrett No. 2 lodes of this survey, previously described.  |
|---------|---|
|         | No bearing objects available.   |
|         | Thence S. 53° 04' E.  |
| 930.00  | Wagon road, course northerly and southerly.   |
| 1065.00 | Wagon road, course easterly and westerly.   |
| 1325.00 | To Cor. No. 1, the place of beginning.  |
|         | C O L L I N W O O D L O D E   |
|         | Beginning at Cor. No. 1.  |
|         | Identical with the N.E. Cor. of the location and with Cor. No. 2 Sylva, Cor. No. 4 Collinwood No. 4 and Cor. No. 1 Turrett No. 2 lodes of this survey, previously described. Whence                           |
|         | U.S.L.M. No. 2512 bears S. 50° 56' E. 5452.61 ft.   |
|         | No bearing objects available.   |
|         | Thence S. 37° 27' W.  |
| 300.00  | East End Center.  |
|         | Identical with West End Center, Collinwood No. 4 lode of this survey, previously described.   |
| 600.00  | To Cor. No. 2.  |
|         | Identical with the S.E. Cor. of the location and with Cor. No. 3 Collinwood No. 4 lode of this survey, previously described, N.W. Cor. Elkton lode, unsurveyed and N.E. Cor. Elkhorn lode, unsurveyed. Whence |
|         | S. $\frac{1}{4}$ Cor. Sec. 4 unapproved T. 18 N. R. 20 W., G. & S.R.B. & M. bears S. 7° 50' 40" W. - 383.44 ft.   |
|         | No bearing objects available.   |
|         | Thence N. 53° 04' W.  |
| 918.20  | To Cor. No. 3.  |
|         | Identical with the S.E. Cor. Hard Cash lode, unsurveyed, claimants unknown.   |
|         | On north side line of the Elkhorn lode, unsurveyed, at S. 53° 04' E. - 580.02 ft. from the N.W. Cor.  |
|         | A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at  |

|             |   |
|-------------|---|
| <u>Feet</u> | <p>the corner point, scribed C-3-3289 and S.E. Cor. Hard Cash lode, - Whence:</p> <p>S.W. Cor. of the location bears N.53°04'W.-580.02 ft.</p> <p>N.E. Cor. Hard Cash lode, unsurveyed, bears N.39°05' E.-600.39 ft.</p> <p>No bearing objects available.</p> <p>Thence N.37°27'E.</p>  |
| 300.00      | <p>West End Center.</p> <p>A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the center point, scribed W. End C.-C-3289.</p>   |
| 600.00      | <p>To Cor. No. 4.</p> <p>On line 1-2 Turrett No. 2 lode of this survey, a pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed C-4-3289, - Whence:</p> <p>N.W. Cor. of the location bears N.53°04'W.-580.02 ft.</p> <p>No bearing objects available.</p> <p>Thence S.53°04' E.</p>  |
| 17.11       | N.E. Cor. Hard Cash lode, unsurveyed.   |
| 918.20      | <p>To Cor. No. 1, the place of beginning.</p> <p>T U R R E T T No. 2 lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. Nos. 2-4-1, Sylva, Collinwood No. 4 and Collinwood lodes of this survey, respectively, previously described,; Whence:</p> <p>U.S.L.M. No. 2512 bears S.50°56'E.5452.61 ft.</p> <p>S. 1/4 Cor. Sec. 4, unapproved, T. 18 N., R. 20 W., G. &amp; S. R. B. &amp; M. bears S.25°58'40"W.-952.41 ft.</p> <p>No bearing objects available.</p> <p>Thence N.53°04'W.</p> |
| 901.09      | N.E. Cor. Hard Cash lode, unsurveyed.   |
| 918.20      | Cor. No. 4, Collinwood lode of this survey.   |
| 1498.22     | <p>To Cor. No. 2.</p> <p>Identical with the S.E. Cor. Collinwood No. 3 lode, unsurveyed, claimants herein.</p> <p>On East side line, Hard Cash lode, unsurveyed,</p>  |

|             |   |
|-------------|---|
| <u>Feet</u> | at S.53°04'E.-895.50 ft. from the N.W.Cor.  |
|             | A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the corner point, scribed T. No. 2-2-3289.       |
|             | N.E.Cor. Collinwood No. 3 lode, unsurveyed, bears N.39°05'E.-600.39 ft.   |
|             | No bearing objects available.   |
|             | Thence N.37°27'E.   |
| 300.00      | West End Center.  |
|             | A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and rock, a nail at the center point, scribed T. No. 2-3289.W.End.C. |
|             | No bearing objects available.   |
| 600.00      | To Cor. No. 3.  |
|             | A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at the center point, scribed T. No. 2-3-3289.      |
|             | No bearing objects available.   |
|             | Thence S.53°04'E.   |
| 17.11       | N.E.Cor. Collinwood No. 3 lode, unsurveyed.   |
| 1498.22     | To Cor. No. 4.  |
|             | Identical with the S.W.Cor. of the Agricolla lode, unsurveyed, and with Cor. No. 3 Sylva lode of this survey, previously described.                         |
|             | No bearing objects available.   |
|             | Thence S.37°27'W.   |
| 300.00      | East End Center.  |
|             | Identical with West End Center, Sylva lode, of this survey, previously described.   |
| 600.00      | To Cor. No. 1, the place of beginning.  |
|             | Variation at all corners 14°40'E.   |

#### LODE LINES.

As near as can be determined from present developments the veins of the several locations extend as follows from their respective discovery points:

Feet

Sylva lode 252 ft. S. 53°04'E. 1073 ft. N. 53°04'W.  
 Collinwood No. 4 lode, 210 ft. S. 53°04'E. 1115 ft. N. 53°04'W.  
 Collinwood lode, 185 ft. S. 53°04'E. 733.20 ft. N. 53°04'W.  
 Turrett No. 2 lode, 360 ft. S. 53°04'E. 1138.22 ft. N. 53°04'W.

A R E A S.

|                                  |        |         |
|----------------------------------|--------|---------|
| Total area Sylva lode            | 18.250 | Acres ✓ |
| Total area Collinwood No. 4 lode | 18.250 | Acres ✓ |
| Total area Collinwood lode       | 12.647 | Acres ✓ |
| Area in conflict with            |        |         |
| Hard Cash lode, unsurveyed       | 0.012  | Acres ✓ |
| Total area Turrett No. 2 lode    | 20.636 | Acres ✓ |
| Area in conflict with            |        |         |
| Collinwood No. 3 lode, unsur.,   | 0.012  | Acres ✓ |

The survey of the Sylva, Collinwood No. 4 and Turrett No. 2 lodes of this location is identical with the respective locations as staked upon the ground, and that of the Collinwood is within its location as staked upon the ground.

L O C A T I O N

This survey is located in the S. ½ of Sec. 4 and the N.E. ¼ of Sec. 9, unapproved T. 18 N. R. 20 W. G. & S.R. B. & M.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors, is not less than five hundred dollars and that said improvements consist of:

On the Sylva lode-

No. 1

The discovery shaft, which is on the lode line 252 ft. N. 53°04' W. from the East End Center, 4 x 6 ft. 10 ft. deep, in mineralized andesite and quartz.

Value \$ 50.00



No. 2 A shaft, which bears from Cor. No. 4, S.57°W. 165 ft.  
4 x 6 ft. 8 ft. deep, in rock.

Value \$ 40.00

No. 3 A shaft, which bears from Cor. No. 4, N. 82°30' W.  
535 ft. 4 x 6 ft. 10 ft. deep, in mineralized andesite and  
quartz.

Value \$ 50.00

No. 4 A shaft, which bears from Cor. No. 1-N. 39°25' W. 497 ft.  
4.5 x 9<sup>400</sup> ft. deep, in rock, timbered.  
From bottom of shaft a cross cut runs S. 38° W. 120 ft.  
4 x 6 ft. in rock.

Value of shaft and cross cut \$9,200.00

This shaft is being sunk for the joint development  
of all the lodes of this claim and an undivided 1/4  
interest therein is credited to each claim in the group.

Value 1/4 interest credited to  
this claim \$2,300.00

This shaft being centrally located is a practicable  
and feasible main working shaft for the group, as by  
drifting and cross cutting therefrom in different directions,  
towards and under the several claims of this group the  
entire group may be advantageously developed and ore  
extracted therefrom. This improvement is therefore a  
common improvement for the benefit of each claim of this  
group, and a 1/4 undivided interest of the total value  
of this improvement (\$9,200) is properly accredited to  
each lode claim of the group.

The general slope of the surface of the claims is  
rugged. This shaft is centrally located and at its pre-  
sent depth the bottom thereof is far below the surface of  
each claim of this group, making it possible to extend  
cross cuts and drifts from this shaft and intersect the  
ore bodies lying under each claim.

On the Collinwood No. 4 lode:

No.1 The discovery cut, the mouth of which is on the  
lode line 210 ft. from the East End Center, 4 ft. wide,  
10 ft. face, running S. 85°E. 24 ft. from mouth to face,

in mineralized andesite and quartz.

Value \$ 100.00

No. 2. A shaft, which bears from the East End Center N.45° W. 30 ft. 4 x 6 ft. 10 ft. deep  
 From East side of shaft a trench runs N.45°E. 25 ft. 2 ft. wide, 2 ft. deep.  
 From west side of shaft a trench runs S. 45° W. 15 ft. 2 ft. wide, 2 ft. deep, all in mineralized andesite and quartz.

Value of shaft and two trenches \$ 90.00

No. 3 A trench, the east end of which bears from Cor. No. 1, N. 72° 40' W. 360 ft. 3 ft. wide 5 ft. deep. Running from East End S. 85°W. 25 ft., in rock.

Value \$ 50.00

No. 4 A shaft, which bears from Cor. No. 1 S. 60° 45' W. 165 ft. 4 x 6 x 25 ft. deep in earth and rock.

Value \$ 150.00

An undivided 1/4 interest in improvement No. 4 Sylva lode, previously described.

Value \$2,300.00

On the Collinwood lode:

No. 1 The discovery shaft, which is on the lode line 185 ft. N. 53°04' W. from the East End Center, 4 x 6 ft. 10 feet deep, in mineralized andesite and quartz.

Value \$ 50.00

No. 2 A shaft, which bears from Cor. No. 1, N. 65° 50' W. 320 ft. 4 x 6 ft. 9 ft. deep, in rock.

Value \$ 40.00

An undivided 1/4 interest in improvement No. 4 Sylva lode, previously described.

Value \$2,300.00

On the Turritt No. 2 lode:

No. 1 The discovery cut, the face of which is on the lode line 360 ft. N. 53° 04' W. from the East End Center, 4 ft. wide, 10 ft. face, running S153°E. 14 ft. in mineralized andesite and quartz.

Value \$ 50.00

No. 2 A cut, the face of which bears from Cor. No. 4, N.83°30'W.  
300 ft. 4 ft. wide, 11 ft. face, running N. 53°W. 13 ft.  
from face to mouth in mineralized andesite and quartz.

Value . . . . . \$ 50.00

An undivided 1/4 interest in improvement No. 4, Sylva  
lode, previously described:

Value . . . . . \$2,300.00

#### OTHER IMPROVEMENTS.

A shaft house, the south Cor. of which bears from  
Cor. No. 1, Sylva lode N. 36°30' W. 480 ft. 24 x 40 ft.  
course of long side N. 53° W. This shaft house contains  
a complete plant of hoisting machinery including engine  
and compressor.

A shop, the S.E. Cor. of which bears from the East  
End Center <sup>Sylva lode</sup> N. 66° 55' W. 555 ft. 12 x 18 ft. course of  
long side N. 10° E.

Both belong to claimant herein.

#### ADJOINING CLAIMS.

On the north Agricolla lode, unsurveyed, claimants  
herein.

On the East B.M. and M.J.B. lode, unsurveyed, claim-  
ants herein.

Broadway lode, unsurveyed, claimants herein.

Survey No. 3282, Nellie and Good Gold No. 1 lodes,  
Nellie Mining Company claimant.

On the south-

Elkton lode, unsurveyed, claimants herein.

Elkhorn lode, unsurveyed, claimants herein.

On the West-

Hard Cash lode, unsurveyed, claimants unknown.

Collinwood No. 3 lode, unsurveyed, claimants un-  
herein

#### R E P O R T

The lode line of each location of this claim was  
run directly upon the ground, and the several corners

established by means of offsets from the lode lines.

All tie lines were run directly upon the ground.

U.S.L.M. No. 2512 is a stone in monument of rock, chiseled U.S.L.M. 2512.

S.1/4 Cor. Sec. 4, unapproved, T. 18 N., R. 20 W., G. & S. R. B. & M., is a 1 inch pipe, with brass cap, properly set and marked.

The S. W. Cor., N. W. Cor. and W. End Center of the Collinwood location are 4 ins. posts, 2.5 ft. out of ground, properly marked.

All corners of the Hard Cash location are 4 ins. posts, 2.5 ft. out of ground, properly marked.

All corners of the Collinwood No. 3 location are 4 ins. posts, 2.5 ft. out of the ground, properly marked.

NOTE:

The differences between these field notes and the location certificates with reference to the courses of the boundary, lode and tie lines, are due to errors in the latter.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Oatman Syndicate Mining Company

known as the Sylva, Collinwood No. 4, Collinwood, Turrett No. 2 lodes

and showing the respective capacities in which they acted.

J.S. Osborn, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

~~XX~~ I, J.S. Osborn

~~xxxx~~ ....., do solemnly swear that ~~we~~ assisted

Edward L. Haff, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Oatman Syndicate Mining Company

known as the Sylva, Collinwood No. 4, Collinwood, Turrett No. 2. lodes

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ~~our~~ <sup>my</sup> knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

J. S. Osborn, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 17th

day of June, 1916.

*Jay Gray Cortz*

My commission expires March 4, 1920.

Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Edward L. Haff, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 24, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of OATMAN SYNDICATE MINING COMPANY, known as the SYLVA, COLLINWOOD NO. 4, COLLINWOOD, TURRETT NO. 2 LODES, situate in SAN FRANCISCO Mining District, MOHAVE County, ARIZONA, in Sections 4 and 9, Township No. 18 N., Range No. 20 W. unapproved, G. & S. R. B. & M., and designated as Survey No. 3289, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*Edward L. Haff*  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff

U. S. ~~Deputy~~ Mineral Surveyor, before me Joy Gray Bortz, a notary public  
in and for Mohave County, Arizona this 17th  
day of June, 1916.

*Joy Gray Bortz*

My commission expires March 4, 1920. Notary Public

APR. 24 1916

## AMENDED LOCATION NOTICE.

SYLVA

Lode Mining Claim.

## TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the SYLVA, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 25th day of September, 1915, by H. G. Putney, who was then a citizen of the United States; and the original location notice of said claim is recorded in the office of the County Recorder of Mohave County, State of Arizona, in Book LL of Records of Mines at page 289.

This amended location of said claim is made on this 15th day of February, 1916, by said H. G. Putney, who is the present owner of said claim; and said claimant hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said mining claim.

The length of this claim is 1325 feet measured from the east end monument to the west end monument; and said claimant claims lengthwise of the claim 1073 feet northwesterly and 252 feet southeasterly from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

This mining claim is situated in the San Francisco Mining District, in Mohave County, State of Arizona. The southwest corner thereof bears N. 26° 00' 40" E. 952.41 feet from the South Quarter Corner of Section 4, T. 18 N., R. 20 W., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and stone monument on the east end line of said claim 252 feet from the center of the discovery shaft (at which this notice is posted); thence northeasterly 300 feet to a post and stone monument at the northeast corner of said claim; thence northwesterly 1325 feet to a post and stone monument at the northwest corner of said claim; thence southwesterly 300 feet to a post and stone monument at the center of the west end line of said claim; thence southwesterly 300 feet to a post and stone monument at the southwest corner of said claim; thence southeasterly 1325 feet to a post and stone monument at the southeast corner of said claim; thence northeasterly 300 feet to the place of beginning.

Dated and posted on the ground this 15th day of February, 1916.

H. G. Putney

WITNESS:

J. L. McIver

Filed and recorded at request of J.L. McIver  
February 25th A.D. 1916, at One o'clock P.M. in Book I.I.  
of Mines Pages 672-673 Records of Mohave County Arizona.  
J.W. Morgan  
County Recorder.



STATE OF ARIZONA }  
County of Mohave } ss.

I, ... **J. W. Morgan** ....., Recorder of Mohave County, State of Arizona,  
do hereby certify that I have compared the foregoing copy **of Amended Location Notice..**  
**of the SYLVA lode mining claim** .....,  
and of the endorsement thereon with the original records of the same on file in this office, and  
that the same are correct transcripts therefrom and of the whole  
of said original records.



WITNESS my hand and the seal of said office this **.18th**...

day of ... **April** ....., 191**6**



... **J. W. MORGAN** .....,  
Recorder of Mohave County, Arizona.  
By *J. W. Morgan*  
**Deputy.**

AMENDED LOCATION NOTICE.

COLLINWOOD NO. 4

Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the COLLINWOOD NO. 4, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 28th day of August, 1912, by H. G. Putney, who was then a citizen of the United States; and the original location notice of said claim is recorded in the office of the County Recorder of Mohave County, State of Arizona, in Book HH of Records of Mines at page 456.

This amended location of said claim is made on this 15th day of February, 1916, by H. G. Putney, who is the present owner of said claim; and said claimant hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said mining claim.

The length of this claim is 1325 feet measured from the east end monument to the west end monument; and said claimant claims lengthwise of the claim 1115 feet northwesterly and 210 feet southeasterly from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

STATE OF ARIZONA }  
County of Mohave } ss.

I, ...**J. W. Morgan**....., Recorder of Mohave County, State of Arizona,  
do hereby certify that I have compared the foregoing copy **of Amended Location Notice**..  
**of the COLLINWOOD NO. 4 lode mining claim**.....  
and of the endorsement thereon with the original records of the same on file in this office, and  
that the same are correct transcripts therefrom and of the whole  
of said original records.

WITNESS my hand and the seal of said office this **18th**...  
day of ...**April**....., 191**6**.



.....**J. W. MORGAN**.....  
Recorder of Mohave County, Arizona.  
By *J. W. Morgan*  
Deputy

This mining claim is situated in the San Francisco Mining District, in Mohave County, State of Arizona. The northwest corner thereof bears N. 26° 00' 40" E. 952.41 feet from the South Quarter Corner of Section 4, T. 18 N., R. 20 W., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and stone monument on the east end line of said claim 210 feet from the center of the discovery shaft (at which this notice is posted); thence northeasterly 300 feet to a post and stone monument at the northeast corner of said claim; thence northwesterly 1325 feet to a post and stone monument at the northwest corner of said claim; thence southwesterly 300 feet to a post and stone monument at the center of the west end line of said claim; thence southwesterly 300 feet to a post and stone monument at the southwest corner of said claim; thence southeasterly 1325 feet to a post and stone monument at the southeast corner of said claim; thence northeasterly 300 feet to the place of beginning.

Dated and posted on the ground this 15th day of February, 1916.

H. G. Putney

WITNESS:

J. L. McIver

Filed and recorded at request of J.L.McIver  
February 25th A.D.1916 at One o'clock P.M. in Book I.I.  
of Mines Pages 676 Records of Mohave County Arizona.

J.W.Morgan

County Recorder.

APR. 24. 1916

## AMENDED LOCATION NOTICE.

COLLINWOOD

## Lode Mining Claim.

TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the COLLINWOOD, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 1st day of January, 1913, by H. G. Putney, who was then a citizen of the United States; and the original location notice of said claim is recorded in the office of the County Recorder of Mohave County, State of Arizona, in Book HH of Records of Mines at page 642.

This amended location of said claim is made on this 15th day of February, 1916, by said H. G. Putney, who is the present owner of said claim; and said claimant hereby reserves and maintains all and abandons and relinquishes none of his rights in and to said mining claim.

The length of this claim is 1500 feet measured from the east end monument to the west end monument; and said claimant claims lengthwise of the claim 1315 feet northwesterly and 185 feet southeasterly from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

STATE OF ARIZONA }  
County of Mohave } ss.

I, ..**J. W. Morgan**....., Recorder of Mohave County, State of Arizona,  
do hereby certify that I have compared the foregoing copy **of Amended Location Notice**...  
**of the COLLINWOOD lode mining claim**.....  
and of the endorsement thereon with the original records of the same on file in this office, and  
that the same are correct transcripts therefrom and of the whole  
of said original records.

WITNESS my hand and the seal of said office this **18th**...  
day of ..**April**....., 191**6**.



.....**J. W. MORGAN**.....  
Recorder of Mohave County, Arizona.  
By *J. W. Morgan* **Deputy**

This mining claim is situated in the San Francisco Mining District, in Mohave County, State of Arizona. The northeast corner thereof bears N. 26° 00' 40" E. 952.41 feet from the South Quarter Corner of Section 4, T. 18 N., R. 20 W., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and stone monument on the east end line of said claim 185 feet from the center of the discovery shaft ( at which this notice is posted); thence northeasterly 300 feet to a post and stone monument at the northeast corner of said claim; thence northwesterly 1500 feet to a post and stone monument at the northwest corner of said claim; thence southwesterly 300 feet to a post and stone monument at the center of the west end line of said claim; thence southwesterly 300 feet to a post and stone monument at the southwest corner of said claim; thence southeasterly 1500 feet to a post and stone monument at the southeast corner of said claim; thence northeasterly 300 feet to the place of beginning.

Dated and posted on the ground this 15th day of February, 1916.

H. G. Putney

WITNESS:

J. L. McIver

Filed and recorded at request of J.L.McIver February 25th A.D.1916, at One o'clock P.M. in Book I.I. of Mines Pages 675 Records of Mohave County Arizona.  
J.W.Morgan  
County Recorder.

APR 24 1916

## AMENDED LOCATION NOTICE.

TURRETT NO.2

Lode Mining Claim.

## TO WHOM IT MAY CONCERN:

This mining claim, the name of which is the TURRETT NO.2, and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on the 28th day of September, 1915, by H. G. Putney, who was then a citizen of the United States; and the original location notice of said claim is recorded in the office of the County Recorder of Mohave County, State of Arizona, in Book LL of Records of Mines at page 292.

This amended location of said claim is made on this 15th day of February, 1916, by Oatman Syndicate Mining Company, a corporation organized under the laws of the State of Arizona, and qualified to transact business and transacting business in said Mohave County, which company is the present owner of said claim; and said company hereby reserves and maintains all and abandons and relinquishes none of its rights in and to said mining claim.

The length of this claim is 1500 feet measured from the east end monument to the west end monument; and said company claims lengthwise of the claim 1140 feet northwesterly and 360 feet southeasterly from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.



STATE OF ARIZONA }  
County of Mohave } ss.

I, ... **J. W. MORGAN** ....., Recorder of Mohave County, State of Arizona,  
do hereby certify that I have compared the foregoing copy **of Amended Location Notice...**  
**of the TURRETT NO. 2 lode mining claim** .....  
and of the endorsement thereon with the original records of the same on file in this office, and  
that the same are correct transcripts therefrom and of the whole  
of said original records.

WITNESS my hand and the seal of said office this **18th** .....  
day of **April** ....., 191**6**.



..... **J. W. MORGAN** .....

Recorder of Mohave County, Arizona.

By *J. T. Morgan* Deputy.

This mining claim is situated in the San Francisco Mining District, in Mohave County, State of Arizona. The southwest corner thereof bears N. 23° 57' W. 1923.58 feet from the South Quarter Corner of Section 4, T. 18 N., R. 20 W., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and stone monument on the east end line of said claim 360 feet from the center of the discovery shaft (at which this notice is posted); thence northeasterly 300 feet to a post and stone monument at the northeast corner of said claim; thence northwesterly 1500 feet to a post and stone monument at the northwest corner of said claim; thence southwesterly 300 feet to a post and stone monument at the center of the west end line of said claim; thence southwesterly 300 feet to a post and stone monument at the southwest corner of said claim; thence southeasterly 1500 feet to a post and stone monument at the southeast corner of said claim; thence northeasterly 300 feet to the place of beginning.

Dated and posted on the ground this 15th day of February, 1916.

OATMAN SYNDICATE MINING COMPANY,

By J. L. McIver

WITNESS:

J. L. McIver

Filed and recorded at request of J.L. McIver  
February 25th A.D. 1916, at One o'clock P.M. in Book I.I.  
of Mines pages 674 Records of Mohave County Arizona.

J.W. Morgan

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 3, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

CATMAN SYNDICATE MINING COMPANY

known as the Sylva, Collinwood No. 4, Collinwood, Turrett No. 2 lodes situate in San Francisco

Mining District, Mohave County, Arizona,

in Sections 4 and 9, Township No. 18 N., Range No. 20 W., unapp'd., and designated as Survey No. 3289

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 8 shafts, 1 cross-cut, 3 cuts and 3 trenches, total value \$9920. As improvement No. 4 on the Sylva lode is a common improvement for the benefit and development of this entire group of claims, an undivided one-quarter interest therein, value \$2300, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

November 3, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

CATMAN SYNDICATE MINING COMPANY

known as the

Sylva, Collinwood No. 4, Collinwood, Turrett No. 2 lodes.

situate in San Francisco mining district,

Mohave County, Arizona.

in Section s 4 and 9, Township No. 18 N., Range No. 20 W., unapp'd.

designated as Survey No. 3289

executed by Edward L. Haff, U. S. Deputy Mineral

Surveyor, April 28-June 10, 1916, under my instructions dated

April 24, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank P. Frost

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3289  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The SYLVA, COLLINWOOD, COLLINWOOD NO. 4, and TURRETT NO. 2 lodes, Mineral Survey No. 3289, located in sections 4 and 9, Township 18 North, Range 20 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"SYLVA, COLLINWOOD, COLLINWOOD NO. 4, and TURRETT NO. 2 lodes, M.S. 3289, were canceled February 7, 2007, by memo 9605 (956) M.S. 3289, which is now a part of the original field notes."

February 7, 2007  
Date

Stephen K. Hansen  
Chief Cadastral Surveyor of Arizona