

MAY 27 1916

4-683.

SEP-6 1916

Mineral Survey No. 3296

Lot No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E. Block

KNOWN AS THE

Sinks to Rise, Satisfaction, Hopeful & Yellow Boy lodes  
Copper Basin

Mining District,

Yavapai

County, Arizona

Sections 27 & 28, Township 13 N, Range 3 W  
within the Prescott National Forest

Surveyed under instructions dated May 15 - 1916,

by William H. Merrill,

U. S. Deputy Mineral Surveyor

Claim located See Location Notes, 1

Survey commenced May 17 - 1916

Survey completed May 20 - 1916

6-163

Address of Claimant  
E. Block,  
Prescott Arizona

## SURVEY No. 3296 YELLOW BOY LODE

Feet	<p>Beginning at Cor.No.1 the S.E. Cor          Identical with the location and with cor.No.2 Hopeful          lode of this survey.</p> <p>A Porphyry <sup>stone</sup> 10x12x20<sup>ins.</sup> set 10 ins in the ground, with          a mound of stones. Chiseled x-1-Y.B., 2-H-3296.</p> <p>NO bearings available. Loc. cor. a juniper post 4x4 ins.          x4.5 feet, in mound of stones and earth.</p> <p>U.S.L.M. -No. 3275 bears S16°00'E 5415.27 feet.</p> <p style="text-align: center;"><u>Thence N55°44'W Va. 14°E</u></p>
I300	<p>Cross wash 10 ft. wide, course S86°30'W</p>
I500	<p>To Cor. No.2</p> <p>Identical with the location.</p> <p>A Granite stone 10x12x30 ins, set 15 ins. in the ground,          with a mound of stones.</p> <p>Chiseled x-2-Y.B.-3296. No bearings available. Loc. cor.          An oak post 4x4 ins. x 4.5 feet, in a mound of stones and earth</p> <p style="text-align: center;"><u>Thence N17°25'E - Va. 14°E</u></p>
300	<p>W.C.E. Identical with the loc. An oak post 4x4 ins. x 4.5          feet in a mound of stones and earth.</p>
600	<p>To Cor. No. 3 Identical with the loc. A Granite stone          10x10x24 ins. set 12 ins. in the ground, with a mound of stones,          chiseled          Ax-3-Y.B.-3296. No bearings available. Loc. Cor. an oak          post 4x4 ins. x 4.5 feet in mound of stones and earth.</p> <p style="text-align: center;"><u>Thence S55°44'E + Va. 14°E</u></p>
I480	<p>Cross wash 8 ft. wide course S84°W</p>
I500	<p>To Cor. No 4</p> <p>Identical with the loc. and with cor. No. 3 Hopeful          lode of this survey.</p> <p>A Porphyry stone 8x10x20 ins set 10 ins. in the ground          with a mound of stones. Chiseled x-4-Y.B., 3-H-3296.</p> <p>x-B.R.4-Y.B.-3296 chiseled on rock in place bears          N42°06'E -9.54 feet. No other bearings available. Loc.          cor. a juniper post 4x4 ins. x4.5 feet in mound of stones and          earth.</p>



Survey No. 3296 Yellow Boy continued:

1000 S. Thence S17°25'W Va. 14°E  
 30 Cross wash 5 ft wide course N56°W  
 300 E.C.E. identical with the loc. and with the W.C.E.  
 Hopeful lode of this survey. A juniper post 4x4 ins.  
 x4.5' in mound of stones and earth  
 6000 To cor. No 1 the place of beginning.

Hopeful lode

Beginning at cor. No.1

Identical with the loc. and with cor. No.2

Satisfaction lode of this survey

A Porphyry stone 10X12X24 ins. set 12 ins in the  
 ground with mound of stones, chiseled x-1-H, 2S, 3296.

Whence a walnut tree 10 ins in diameter scribed x-B.T.

1-H, 2-S, 3296 bears S12°W 4.3 feet. No other bearings are  
 available. Loc. cor. an oak post 4x4 ins. x4.5' in mound  
 of stones and earth.

U.S.L.M. No. 3275 bears S2°28'E 4462.2 feet.

Thence N60°07'W Va. 14°E

150 Cross a wash 10 ft. wide course N68°W  
 1500 To cor. No.2

Identical with the loc. and with cor. No.1

Yellow Boy lode of this survey, hereinbefore described.

Thence N17°25'E Va. 14°E

300 W.C.E. identical with the location and with east  
 center end of Yellow Boy lode of this survey,

hereinbefore described:

570 Cross wash 5 feet wide course N56°W

600 To cor. No.3

Identical with the loc. and with cor. No.4 Yellow  
 Boy lode of this survey, hereinbefore described.

Thence S60°07'E Va. 14°E

1500 To cor. NO. 4

Identical with the loc. and with cor. No.3

Satisfaction lode of this survey. A Porphyry stone  
 10X12X24 ins. set 12 ins. in the ground with mound of

Feet	Survey No. 3296 Hopeful lode continued:
	stones. Chiseled x-4-H-, 3-S-, -3296. No. bearings available Loc. cor. an oak post 4x4 ins. x 4.5 feet in mound of stones and earth.
	<hr/> Thence S17°25'W Va. 14°E <hr/>
300	E.C.E. identical with the loc. and with the W.C.E.
	Satisfaction lode of this survey. An oak post 4x4 ins. x 4.5 feet in mound of stones and earth.
580	Cross wash 10 feet wide course N68°W
600	To cor. No. 1 the place of beginning.
	<hr/>
	Satisfaction lode
	Beginning at Cor. NO. 1
	Identical with the loc. and with cor. No. 1 Sink To Rise lode of this survey.
	A Porphyry stone 4x10x24 ins. set 12 ins. in the ground with mound of stones, chiseled x-1-S., 1-S., 3296. No. bear- ings available. Loc. cor. a juniper post 4x4 ins. x 4.5 feet in mound of stones and earth.
	U.S.L.M. No. 3275 bears S15°50'W 3701.07 feet.
	<hr/> Thence N53°15'W Va. 14°E <hr/>
1500	to cor. No. 2
	Identical with the loc. and with cor. No. 1 Hopeful lode of this survey, herein before described.
	<hr/> Thence N17°25'E Va. 14°E <hr/>
20	Cross a wash 10 ft. wide course N68°W
300	W.C.E. identical with the loc. and with the E.C.E.
	Hopeful lode of this survey, hereinbefore described.
600	To cor. No. 3
	Identical with the loc. and with cor. No. 4 Hopeful lode of this survey, hereinbefore described.
	<hr/> Thence S53°15'E Va. 14°E <hr/>
1500	To cor. No. 4
	Identical with the location and with corner No. 2
	Sink To Rise lode of this survey. A Granite stone 6x6x22 ins. set 11 ins. in the ground with mound of stones.



## Satisfaction lode continued

Chiseled x-4-S, 2-S. R 3296. No bearings available.  
Loc. cor. a juniper post 6x6 ins. x 4.5 feet in mound of stones and earth.

---

Thence  $S17^{\circ}25'W$  Va.  $14^{\circ}E$

300 E.C.E. identical with the location and with W.C.E.  
of Sink To Rise lode of this survey. A juniper post  
4x4 ins. x 4.5 feet in mound of stones.

600 To cor. No. I the place of beginning.

## Sink To Rise lode

Beginning at cor. No. I

Identical with the location and with cor. No. I

Satisfaction lode of this survey, herein before described.

U.S.L.M. No. 3275 bears  $S15^{\circ}50'W$  3701.07 feet.

Thence  $N17^{\circ}25'E$  Va.  $14^{\circ}E$

300 W.C.E. Identical with the loc. and with the E.C.E.

Satisfaction lode of this survey, herein before described.

600 To cor. No. 2

Identical with the loc. and with cor. No. 4

Satisfaction lode of this survey, hereinbefore described.

---

Thence  $S72^{\circ}35'E$  Va.  $14^{\circ}E$

285 Cross road course North and South.

1500 To cor. No. 3

Identical with the loc.

A Granite stone 3x8x24 ins. set 12 ins. in the ground  
with mound of stones. Chiseled x-S. R. -3- 3296. Whence  
x-B.R. - 3-S.R. -3296 chiseled on rock in place bears  $S25^{\circ}E$  4ft  
No other bearings available, loc. cor. an oak post 4x4 ins.  
x4.5 feet in mound of stones and earth.

---

Thence  $S17^{\circ}25'W$  Va.  $14^{\circ}E$

300 E.C.E. Identical with the loc. A juniper post 4x4 ins x  
4.5 feet in mound of stones and earth.

600 To cor. No. 4

Identical with the loc. A Porphyry stone 8x10x30 ins. set  
15 ins. in the ground with mound of stones. Chiseled  
x-4-S.R. -3296 No bearings available. Loc. cor a post (juniper)

(5)

Survey No. 3296 Sink To Rise lode continued:  
4x4 ins. x4.5 feet in mound of stones and earth.

Thence N72°35'W Va.14°E

940 Cross road course N15°W and S15°E  
I500 To cor. No.1 the place of beginning.

AREAS.

Yellow Boy	total area.....	19.773	acres
Hopeful	" "	20.171	"
Satisfaction	" "	19.495	"
Sink to Rise	" "	20.661	"

LODE LINES

As near as can be determined from the present  
developments the veins of the locations in this claim  
extend as follows:

- Yellow Boy lode S55°44'E I500 feet from W.C.E. TO E.C.E
- Hopeful lode S60°07'E I500 feet from W.C.E. To E.C.E.
- Satisfaction lode S55°15'E I500 feet from W.C.E. To E.C.E
- Sink to Rise lode S72°35'E I500feet from W.C.E. To E.C.E.

Location

This claim is located approximately in secs. 27 and 28,  
T13N,R3W,unsurveyed within the Prescott National Forest.

Adjoining claims

This claim is bounded on all sides by U.S. land.

Expenditure of Five hundred dollars

I certify that the value of the labor and improvements  
made upon this claim by the claimant is not less than  
five hundred dollars for each lode and said improvements  
consist of :

Yellow Boy lode

- No. 1 dis. shaft which is on the lode line 540 from  
the W.C.E. 4x6x30 feet value .....\$300.0
- No. 2 cut which bears from cor.2 N56°E 333.0 ft.  
4x15x10 ft. face. Value.....\$50.00
- One fourth the common improvement, shaft No.3 Sink to  
Rise lode, \$700.0 is credited to this lode.
- Total improvements credited to this lode \$1050.00.

Hopeful lode

- No.1 Dis. shaft which is on the lode line 6 feet from  
the E.C.E. 4x6x10 ft. Value .....\$80.00
- One fourth the value of the common improvement, No.3  
shaft Sink to Rise lode, is credited to this lode. \$700.00
- Total improvements credited to this lode.... \$ 780.00

Satisfaction lode

- No 1 dis. shaft which is on the lode line 70.0 feet  
from the E.C.E. 4x6x30ft. value.....\$300.00



Survey No. 3296 continued:

No. 2 cut which bears from cor. No.4 S46°W 305.0 feet  
 10x25x12 ft. face. value .....\$100.0  
 No.3 shaft which bears from cor. No.4 S66°40'W 380.0 ft.  
 4x6x30 ft. value ..... \$300.00  
 No. 4 tunnel which bears from cor. No.4 S66°40'W 210.0 ft  
 4x6x30 ft. course S27°E Value .....\$180.0  
 One fourth of the value of the common improvement, No.3  
 shaft Sink to Rise lode, \$700.00 is credited to this lode  
 Total improvements credited to this lode..... \$1580.00

Sink to Rise lode

No. 1 dis. shaft, which is on the lode line 106.0 ft.  
 from the W.C.E. 4x6x30 ft. Value..... \$300.00  
 No. 2 shaft which bears from cor. NO.2S46°30'E 610.0 ft  
 4x6x30 ft. Value .....\$300.00  
 No. 3 shaft a common improvement, which bears from  
 W.C.E. N60°E 15.0 ft.4x6x100.0 ft.timbered. At the  
 bottom there is a drift west 4x6x40 ft. Value \$2800.00  
 One fourth of this value, \$700.00 is credited to this  
 lode.  
 Total improvements credited to this lode ..\$1300.00

INSTRUMENT

This survey was made with a Gurley solar transit, the  
 courses were deflected from the meridian as determined  
 by direct solar observations. The distances were measured  
 with 100.0 and 500.0 ft. steel tapes.

REPORT

The lode lines of these claims were run direct upon  
 the ground and the corners were established by means of  
 offsets from the lode lines. The tie lines were run  
 direct upon the ground.

From the common improvement, No.3 shaft on Sink to Rise  
 lode the surface descends slightly to the (east, also  
 descending to the west over rolling ground, ascending to  
 the north) and descending to the south, this shaft is  
 so situated that by drifting, sinking, and drifting  
 each lode in the claim can be developed.

U.S.M.M. No. 3275 is a Granite in place 10x10x8 ins.  
 above ground. Marked x- U.S.M.M.- 3275.

*William H. Merrill*  
*U S Mineral Survey*

# FINAL OATHS FOR SURVEYS.

SEP-6 1916

## LIST OF NAMES.

MAY 27 1916

A list of the names of the individuals employed by William H. Merritt  
United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

E. Block

known as the Sink to Rise, Satisfaction, Hopeful & Yellow Boy lodes  
and showing the respective capacities in which they acted.

- ....., Con Johnson, Chairman.
- ....., Chairman.
- ....., Arman.
- ....., Flagman.

## FINAL OATHS OF ASSISTANTS.

W. H. Merritt and Con Johnson, do solemnly swear that ~~we~~<sup>I</sup> assisted William H. Merritt, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of E. Block

known as the Sink to Rise, Satisfaction, Hopeful & Yellow Boy lodes represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- ....., Chairman.
- Con Johnson, Chairman.
- ....., Arman.
- ....., Flagman.

Subscribed and sworn to by the above-named persons before me this 26

day of May, 1916  
Geo. Moore  
Notary Public



SEP-6 1916

MAY 27 1916

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, William H. Merritt, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 16, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of E Block ~~of~~ known as the Sink to Rise, Satisfaction, Hopeful & Yellow Boy lodes, situate in Copper Basin Mining District, Yavapai County, Arizona, in Sections 27 & 28, Township No. 13 N., Range No. 3 W., unsur. and designated as Survey No. 3296, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt  
U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public  
this 26  
day of May, 1916

Ed. Moore  
Notary Public

# Notice of Mining Location

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the SINK TO RISE

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

E. Block

A citizen of the United States,

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 20th. day of Feb., 1908. ~~#####~~

The length of this claim is Fifteen Hundred feet,  
and I claim Fifteen Hundred feet,  
in an easterly ~~#####~~

~~#####~~ direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
Three Hundred (300) feet in width of the surface grounds, on each  
side of the center of said vein. The general course of the lode deposit and premises is from the

Easterly to the Westerly

The claim is situated and located in the Copper Basin Mining District,  
Territory  
in Yavapai County, in the ~~###~~ of Arizona, about Three Miles  
in a southwesterly direction from Government Springs, about  
northerly  
Five Miles from Catoctin Mine, and about three fourth mile northerly  
from Smith's Cabin.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
A monument of stones.

at a point in a easterly direction 1500 feet from  
the discovery shaft (at which this notice is posted); being in the center of the east  
end line of said claim; thence northerly 300 feet to a monument of  
stones, being the northeast corner of said claim;  
thence westerly 1500 feet to a monument of stones, being at the  
northwest corner of said claim; thence southerly 300 feet  
to a monument of stones at the center of the west end of said claim;  
thence southerly 300 feet to a monument of stones, being at the  
southwest corner of said claim; thence easterly 1500  
feet to a monument of stones at the southeast corner of  
said claim; thence northerly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the  
United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning  
~~#####~~ 1901.  
Mines", approved March 20th., 1895, and amended March 2d. 1899, and March 16th.  
Dated and posted on the ground this 20th. day of Feb., 1908. ~~###~~

E. Block.





# Notice of Mining Location

## LODE CLAIM

MAY 16 1916

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the..... **SATISFACTION** .....

.....  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

..... **E. BLOCK** .....

**A citizen of the United States,** .....

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the **20th.** day of **Feb., 1908.** #####

The length of this claim is **Fifteen Hundred** feet,

and **I** claim **Fifteen Hundred** feet,

in a **Westerly** #####

##### direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

**Three Hundred (300)** feet in width of the surface grounds, on each

side of the center of said **vein.** The general course of the lode deposit and premises is from the

**Easterly** to the **Westerly**

The claim is situated and located in the **Copper Basin** Mining District,

**Territory**

in **Yavapai** County, in the **State** of Arizona, about **Three Miles**

in a **South Westerly** direction from **Government Springs, about**

**five miles northerly from Catootin Mine, and about three fourths mile northerly from Smith's Cabin.**

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

..... **A monument of stones,** .....

at a point in a **westerly** direction **1500** feet from

the discovery shaft (at which this notice is posted); being in the center of the **West**

end line of said claim; thence **northerly 300** feet to a **monument of**

**stones**, being the **northwest** corner of said claim;

thence **easterly 1500** feet to a **monument of stones**, being at the

**northeast** corner of said claim; thence **southerly 300** feet

to a **monument of stones** at the center of the **east** end of said claim;

thence **southerly 300** feet to a **monument of stones**, being at the

**southeast** corner of said claim; thence **westerly 1500**

feet to a **monument of stones being** at the **southwest** corner of

said claim; thence **northerly 300** feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act

##### **March 16th., 1901.**

**Concerning Mines"; approved March 20th., 1895, and amended March 2d. 1899, and**  
Dated and posted on the ground this **20th.** day of **Feb., 1908.** #####

..... **E. Block.** .....





# Notice of Mining Location

14

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the -- HOPEFUL --

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

E.BLOCK

A citizen of the United States.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 17th., day of April, 1908. #####

The length of this claim is Fifteen Hundred feet,  
and I claim One Hundred feet,  
in a Easterly direction and Fourteen

Hundred feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

Three Hundred feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the

East to the West

The claim is situated and located in the Copper Basin Mining District,  
Territory  
in Yavapai County, in the # of Arizona, about 3 Miles  
in a Southerly direction from Government Springs, about  
2 1/2 Miles East from the Old Copper Basin Smelter Site, about 800  
feet East from the Old Government Road.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A Monument

at a point in a Easterly direction 100 feet from  
the discovery shaft (at which this notice is posted), being in the center of the East  
end line of said claim; thence 300 feet to a monument of  
stones, being the Southeast corner of said claim;  
thence 1500 feet to a Monument, being at the  
Southwest corner of said claim; thence 300 feet  
to a Monument at the center of the West end of said claim;  
thence 300 feet to a Monument, being at the  
Northwest corner of said claim; thence 1500  
feet to a Monument at the Northeast corner of  
said claim; thence 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the  
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and  
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 17th., day of April, - 1908. ####

E.BLOCK.





# Notice of Mining Location

16

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the YELLOW BOY

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

E. BLOCK

A citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 15th. day of May, - 1908.

The length of this claim is Fifteen Hundred feet,  
and I claim Seven Hundred feet,  
in a Easterly direction and Eight

Hundred feet in a Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
Three Hundred feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
East to the West

The claim is situated and located in the Copper Basin, Mining District,  
Territory  
in Yavapai County, in the State of Arizona, about Two Miles  
in a Southerly direction from Government Springs, about  
300 feet North of the Old Government wagon road, about 2 miles East  
of the Old Copper Basin Smelter Site.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
A Monument of stones.

at a point in a Easterly direction 700 feet from  
the discovery shaft (at which this notice is posted), being in the center of the East  
end line of said claim; thence 300 feet to a Monument of  
stones, being the Northeast corner of said claim;  
thence Fifteen Hundred feet to a Monument, being at the  
Northwest corner of said claim; thence 300 feet  
to a Monument at the center of the West end of said claim;  
thence 300 feet to a Monument, being at the  
Southwest corner of said claim; thence 1500  
feet to a Monument at the Southeast corner of  
said claim; thence 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15th. day of May, 1908.

E. BLOCK.





STATE OF ARIZONA,  
COUNTY OF YAVAPAI.

SS :-

I, L.S. Colwell, County Recorder in and for the State of Arizona, County of Yavapai, and Custodian of the records of such Office, do HEREBY CERTIFY that I have compared the foregoing Copies of Mining Location Notices with, and the same are full, true and correct Copies of the following Lode Mining Location Notices of the SATISFACTION Mining Claim Filed for Record March 16th., A.D., 1908, at 10:52-0'clock A.M., and as the same appears of Record in my Office in Book 83 of Mines, at Page 635, and of the whole thereof. SINK TO RISE Mining Claim Filed for Record March 16th., A.D., 1908, at 10:52-0'clock A.M., and as the same appears of Record in my Office in Book 83 of Mines at Page 636, -and of the whole thereof. HOPEFUL Mining Claim Filed for Record May 16th., A.D. 1908, at 10:30-0'clock A.M., and as the same appears of Record in my Office, in Book 84 of Mines, at Page 265, -and of the whole thereof. YELLOW BOY Mining Claim, Filed for Record May 28th., A.D., 1908, at 9:00- 0'clock A.M., and as the same appears of Record in my Office, in Book 84 of Mines, at Page 300, -and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my OFFICIAL SEAL, this 15th., day of MAY, AD., - 1916.

L. S. Colwell  
COUNTY RECORDER.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

November 7, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

E. BLOCK

known as the SINK TO RISE, SATISFACTION, HOPEFUL, YELLOW BOY LODES

situate in COPPER BASIN

Mining District, YAVAPAI County, ARIZONA.

in Sections 27 & 28, Township No. 13 N., Range No. 3 W., unsur., and

designated as Survey No. 3296, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or his grantors, and that said improvements consist of 7 shafts, 2 cuts, 1 tunnel and 1 drift, total value \$4710. As improvement No. 3 on the Sink to Rise lode is a common improvement for the benefit and development of this entire group of claims, an undivided one-fourth interest therein, value \$700, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 7, 19 16.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

E. BLOCK

, known as the

SINK TO RISE, SATISFACTION, HOPEFUL, YELLOW BOY LODES.

situate in COPPER BASIN mining district,

YAVAPAI County, ARIZONA.

in Section s 27 & 28, Township No. 13 N., Range No. 3 W., unsur.

, designated as Survey No. 3296

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, May 17-20, 19 16, under my instructions dated

May 16, 19 16 have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank D. Frost

U. S. Surveyor-General for Arizona.



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3296  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The HOPEFUL, and YELLOW BOY lodes, Mineral Survey No. 3296, located in sections 27 and 28, Township 13 North, Range 3 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"HOPEFUL, and YELLOW BOY lodes, M.S. 3296, were canceled March 3, 2011, by memo 9605 (956) M.S. 3296, which is now a part of the original field notes."

March 3, 2011  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona