

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3339  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The PRIMROSE lode, Mineral Survey No. 3339, located in section 6, Township 22 North, Range 17 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"PRIMROSE lode, M.S. 3339 was canceled June 27, 2012, by memo 9605 (956) M.S. 3339, which is now a part of the original field notes."

June 27, 2012  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona

Copied 5-5-1917,

A L H

*Platted*

4-683

OCT 23 1917

JAN 16 1917

MINERAL SURVEY No. 3339

LOT No.

ARIZONA

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE NEEDLES MINING & SMELTING CO.

KNOWN AS THE

Primrose lode

Wallapai

Mining District,

Mohave

County, Arizona

Section 6, Township 22 N., Range 17 W.

Surveyed under instructions dated October 16 th., 19 16

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced October 18 th., 19 16

Survey completed October 19 th., 19 16

Address of claimant D. R. Muir, Mgr., Needles, Cal.

#### DATES OF AMENDED LOCATIONS.

October 5 th. 1916.

TRANSCRIBED COPY OF  
ORIGINAL FIELD NOTES

JAN 18, 1917 2

SURVEY No. 3339.

PRIMROSE LODGE.

Beginning at Cor. No. 1.

A cross (X) 1-3339 P. chiseled on a granite rock 4 ft. above the ground, with mound of stone alongside, whence a cross (X) and B. R. 1-3339, chiseled on a granite rock 5 ft. above the ground, bears S. 87° 47' E. 2.7 ft. The Cor. of Sec 56, T. 22 N., R. 17 W., bears N. 59° 02' E. 702.85 ft.

Thence S. 31° 32' E.

Feet. Va. 15° 49' E.

1004 Gulch, drains N. 74° 20' W.

1500 To Cor. No. 2.

A granite stone, 8 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3339 P., cross (X) at Cor. point, whence

A cross (X) and B. R. 2-3339, chiseled on a granite rock 2 ft. above the ground, bears S. 42° 53' E. 31.6 ft. No other bearing objects available.

Thence S. 58° 28' W.

Va. 16° 05' E.

174.33 Intersect line 3-4, Survey No. 2427, Prosperity lode, at S. 42° 13' E. <sup>1312.94</sup> ~~1311.94~~ ft. from Cor. No. 3, and N. 42° 13' W. <sup>139.26</sup> ~~140.26~~ ft. from Cor. No. 4.

300 To S. E. end center.

A granite stone, 7 X 14 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. E. C., P. cross (X) at line point.

600 To Cor. No. 3.

A granite stone, 6 X 9 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3339 P. Cross (X) at Cor. point, whence

A cross (X) and B. R. 3-3339, chiseled on a granite rock



SURVEY No. 3339.

PRIMROSE LODGE.

Beginning at Cor. No. 1.

A cross (X) 1-3339 P. chiseled on a granite rock 4 ft. above the ground, with mound of stone alongside, whence a cross (X) and B. R. 1-3339, chiseled on a granite rock 5 ft. above the ground, bears S. 87° 47' E. 2.7 ft.

The Cor. of Secs 5 & 6, T. 22 N., R. 17 W., bears N. 59° 02' E. 702.85 ft.

Thence S. 31° 32' E.

Feet. Va. 15° 49' E.

1004 Gulch, drains N. 74° 20' W.

1500 To Cor. No. 2.

A granite stone, 8 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3339 P., cross (X) at Cor. point, whence

A cross (X) and B. R. 2-3339, chiseled on a granite rock 2 ft. above the ground, bears S. 42° 53' E. 31.6 ft. No other bearing objects available.

Thence S. 58° 28' W.

Va. 16° 05' E.

174.33 Intersect line 3-4, Survey No. 2427, Prosperity lode, at S. 42° 13' E. <sup>1312.94</sup>~~1211.94~~ ft. from Cor. No. 3, and N. 42° 13' W. <sup>139.26</sup>~~140.26~~ ft. from Cor. No. 4.

300 To S. E. end center.

A granite stone, 7 X 14 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. E. C., P. cross (X) at line point.

600 To Cor. No. 3.

A granite stone, 6 X 9 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3339 P. Cross (X) at Cor. point, whence

A cross (X) and B. R. 3-3339, chiseled on a granite rock

SURVEY No. 3339 - Continued.

4 ft. above the ground, bears S. 56° 47' E. 34.7 ft. No other bearing objects available.

---

Thence N. 29° 53' W.

Feet. Va. 16° 06' E.

930 Gulch, drains S. 85° W.

1268.94 Intersect line 2-3 Survey No. 2427, Prosperity lode, at N. 49° 58' E. 452.66 ft. from Cor. No. 2, and S. 49° 58' W. 147.34 ft. from Cor. No. 3.

1500.6 To Cor. No. 4.

A granite stone, 7 X 16 X 34 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3339 P., cross (X) at Cor. point, whence

A cross (X) and E. R. 4-3339, chiseled on a granite rock 1 ft. above the ground, bears S. 34° 54' W. 14.7 ft.

Cor. No. 3, <sup>Sur. No.</sup> 2427, Prosperity lode, bears S. 65° 09' E. 251.2 ft.

---

Thence N. 58° 28' E.

Va. 15° 50' E.

256.8 To N. W. end center.

A steel drill driven in decomposed bed rock, showing one foot above the ground, with mound of stone alongside.

556.8 To Cor. No. 1, the place of beginning.

---

As near as can be determined from present developments the vein of this location extend as follows from the discovery point: 690 ft. N. 31° 32' W., and 810 ft. S. 31° 32' E.

---

AREA.

Area= ..... 19.917 Acres.

Area in conflict with Survey No. 2427,

Prosperity lode..... 8.416 acres.

---

LOCATION.

This survey is located in the N. E. 1/4 of the N. E. 1/4

SURVEY No. 3339 - Continued.

of Section 6, T. 22 N., R. 17 W., G. & S. R. B. & M., in Wallapai Mining District, Mohave County, Arizona.

-----  
This survey is identical with the location.

-----  
ADJOINING CLAIM.

The adjoining and conflicting claim on the S. W. is the Prosperity lode, Survey No. 2427, Golconda Mining Company claimant.

-----  
EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimants or its grantors is not less than five hundred dollars, and that said improvements consist of:

No. 1. The discovery shaft, on the lode line 810 ft. from the center of line 2-3, 4 X 6 ft., 75 ft. deep.

Value, \$1,500

No. 2. A tunnel, the mouth of which is on the lode line 960 ft. from the center of line 2-3, 4 ft. wide, 6 ft. high, running N. 60° E. 40 ft.

Value, \$400

-----  
INSTRUMENT.

This survey was made with a Buff & Berger Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

-----  
REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground.

The N. E. Cor<sup>d</sup> of Secs 5 & 6, T. 22 N., R. 17 W., is a 3 inch

## SURVEY No.3339- Continued.

pipe; with copper cap, properly stamped with township range and section numbers.

Survey No.2427, Prosperity lode:

Cor. No.2 is a granite stone, 3 X 12 X 20 ins. properly set and chiseled with the number of Cor. and survey.

Cor. No.3 is a granite rock in place, properly chiseled with the number of Cor. and survey.

Cor. No.4 is a granite stone, 6 X 10 X 24 ins. properly set and chiseled with the Cor. and survey number. I find all lines to be correct as approved.



JCT. 23. 1916

6

OCT 16 1917

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Needles Mining & Smelting Co.

known as the Primrose lode

and showing the respective capacities in which they acted.

S. G. Mc Kesson, Chainman.

Chainman.

Arman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, S. G. Mc Kesson

~~we~~, do solemnly swear that ~~we~~ <sup>I</sup> assisted

Peter Mc Cardell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Needles Mining & Smelting Co.

known as the Primrose lode

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

S. G. Mc Kesson, Chainman.

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 21 st.

day of October, 19 13.

Wesley Smith

U. S. Commissioner.



OCT. 23 1916 7

OCT 18 1917

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Peter Mc Cardell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 16 th. 1916., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Needles Mining & Smelting Co., known as the Primrose lode, situate in Wallapai Mining District, Mohave County, Arizona, in Section 6, Township No. 22 N., Range No. 17 W. S. R. D. & M. and designated as Survey No. 3339, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell  
 U. S. ~~Deputy~~ Mineral Surveyor, before me  
 this 21 st.  
 day of October 1916,

Wason H Smith  
 U. S. Commissioner.

STATE OF ARIZONA }  
County of Mohave } ss.

I, J. W. Morgan....., Recorder of Mohave County, State of Arizona,  
do hereby certify that I have compared the foregoing copy ..of the amended location...  
.....certificate of the PRIMROSE lode mining claim,.....  
and of the endorsement thereon with the original records of the same on file in this office, and  
that the same are correct transcripts therefrom and of the whole  
of said original records.



WITNESS my hand and the seal of said office this 6th.....  
day of October....., 1916.

.....J. W. MORGAN.....

Recorder of Mohave County, Arizona.

By J. W. Morgan  
Deputy.



OCT. 16 1916

# Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That THE NEEDLES MINING & SMELTING COMPANY, a corporation

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai

Mining District, hereby make and file this its amended location of the PRIMROSE Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 690 feet along the ledge in a N. 31° 32' W. direction from the discovery stake and 810 feet along the ledge in a S. 31° 32' E direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave State of Arizona, in Sec. 6, T. 22 N., R. 17 W. and more particularly described as follows, to-wit:

Beginning at the discovery of the claim, where a location monument is established and this notice posted. Thence N. 31° 32' W. 690 ft. to the N. W. end center monument. Thence N. 58° 28' E. 300 ft. to the N. E. corner monument, whence Cor. to Sec's 5, 6, 31, 32, Tps. 22 and 23 N., R. 17 W., bears N. 59° 47' E. 717.77 ft. Thence S. 31° 32' E. 1500 ft. to the S. E. corner monument. Thence S. 58° 28' W. 300 ft. to the S. E. end center monument, 600 ft. to the S. W. corner monument. Thence N. 29° 53' W. 1500.6 ft. to the N. W. corner monument. Thence N. 58° 28' E. 256.8 ft. to the N. W. end center monument, the place of beginning exterior boundaries  
Magnetic Va. N. 16° E.

Dated October 5 th. 1916.

THIS AMENDED LOCATION is made in conformity with the original location, made January 1st. 1890, recorded January 1 st. 1890, in Book K, Page 600, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery January 1 st. A. D. 1890  
Date of Amended Location October 5 th. A. D. 1916

Attest: THE NEEDLES MINING & SMELTING COMPANY,  
By D. R. Muir, Manager.

Amended Location Certificate

No. ....

Amended Location Certificate

LODE.

Recorded at the request of

**D. R. Muir**

at ~~xxxxxxxx~~ **One** o'clock

**P. M., October 6th, 1916,**

in Book **P.P.** of Mining Claims

page **749-750.**

Records of **Mohave** County, Arizona.

**J. W. Morgan**

County Recorder

By **J. T. Morgan**

Deputy.

Transferred ....., 19.....

Book Mining Claims, page.....

County Recorder.

By ..... Deputy.

County Recorder.

WITNESS my hand and official seal the day and year first above written.

County and State aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, M., on this ..... day of ..... 19....., and duly re-  
corded in Book No. .... of Records of ..... County, Arizona, at pages

County of .....

ss.

STATE OF ARIZONA,



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 25, 1917.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of  
THE NEEDLES MINING & SMELTING CO.  
, known as the PRIMROSE LODE  
, situate in WALLAPAI  
Mining District, MOHAVE County,  
Arizona, in Section 6, Township No. 22 N  
Range No. 17 W., and designated as Survey  
No. 3339, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or its grantors, and  
that said improvements consist of 1 shaft and 1 tunnel, total value  
\$1900.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 25, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

THE NEEDLES MINING & SMELTING CO.

known as the

PRIMROSE LODE

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA.

in Section 6, Township No. 22 N., Range No. 17 W.

designated as Survey No. 3339

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, October 18-19, 1916, under my instructions dated

October 16, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.