### A L H

4-683

·Uu.27.1917

	2 2 20 10 10 10 10			Plato
MINERAL	SURVEY	No.	3411	AND THE REAL PROPERTY.

LOT No.	<i>,</i> - 7
Arizona Land District.	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF  Phelps Dodge Corporation	
KNOWN AS THE	
January lode	
Copper Mountain Mining District,	
Greenlee County, Arizona	
Section 1622 Uns., Township 4 South, Range 29 E., G. & S.R.	В.& М.
Surveyed under instructions dated July 16 , 19 17.	
by E.T. Morton	
U. S. Mineral Surveyor.	
Claim located see location notice , 19	
Survey commenced July 19 , 1917.	
Survey completed July 20 , 1917.	
Address of claimant S.H.Morris, Box 879, Globe, Arizona.	
DATES OF AMENDED LOCATIONS.	

SURVEY NO. 3411. D. Carl Feet. January lode Impossible to set corner as it is situate on side of bluff. U.S.L.M.No.1654 bears N.14°37'W. 3060.6 ft. Cor. No. 37 Sur. No. 1127 Joy lode bears S. 39 48 E. 372 ft. Witness Cor. bears S.46°36'E.8.6 ft. Thence \$.46°36'E. Witness Cor. for Cor. No. 1. 10 30 100 000 8.6 A redwood post, in place, 4x6 ins., 3.5 ft. high, with a mound of stone, scribed WCJ 1-3411. Verie dien actall corne No bearings available. Intersect line 40-41 and 37-38 Sur. No. 1127, Humboldt and 379.6 Joy lodes, at N.56°29'E.424.9 ft. and 45.2 ft. from Cors. Library of the man Nos.41 and 37 respectively. Intersect line 36-39 and 32-35 Sur. No. 1127 Joy and Detroit 995.6 lodes at N.56°29'E. 118.59 ft.from Cors.Nos.36 and 35 respectively. Cor. No. 36 said Joy lode brs. 5. 39°48 E. 603.6 ft. from Cor. No. 37 thereof. 1499.3 To Cor. No. 2. Lotel eres January 10de -A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stone, scribed J 2-3411. Fromme Wall, oh. and No bearings available. A restaurated "and small Thence S.43°15'W. 89.45 Southeast end center of the location and lode .. 178.9 To Cor. No. 3. Identical with Cors. Nos. 2 and 2 Lot No. 37A Copper Mountain lode and Sur. No. 613 Chalkos lode, respectively, also on line 34-35 Sur. No. 1127 Detroit lode at S. 39 48 E. 534.8 ft. from Cor. No. 35. not prompted 1.04. roll

A redwood post, in place, 4x6 ins., 3 ft. high with a mound of stone, scribed J 3-3411.

No bearings available.

Thence N.46°36 W.

To seed wanted and hos shot historia record Af

3

	and the second of the second s	
Feet.		
1161.7	Intersect line 40-41 Sur. No. 1127 Humboldt lode at	
	N.56°29'E.241.3 ft. from Cor.No.41.	
1402.3	Cor. No. 3 Lot No. 37A Copper Mountain lode.	
1499.3	To Cor. No. 4. 12 25 11 20 Tenning deal of office and office	
	A redwood post, in place, 4x6 ins., 3.5 ft. high, with a	
8	mound of stone, scribed J 4-3411.	
	No bearings available. 1830 0 smoot. 103 sandi	
	Thence N. 43°15'E.	
00 45	Northwest end center of the location and lode.	
89.45		
178.9	To Cor. No. 1, the place of beginning.  The survey of this claim is identical with the location thereof. The corner point in each instance is indicated by a tack or small nail.	
	Variation at all corners 13°40'E.	
here t	LODE LINE.	
	As near as can be determined from present developments	
8	the vein of the location embraced in this claim extends	
North of	as follows from the discovery point:	
de	January lode, 10 ft. N. 46°36'W. and 1489.3 ft. S. 46°36'E.	
00 7	Tago abres c em alo you AREA. on the Acres.	
	Total area January lode 6.158	
Dell'so.	Area in conflict with-	
	Sur.No.1127 Humboldt lodev 1.472	
	Tract"A" hereinafter described 1.281	
	Sur.No.1127 Humbolat lode (ex-	
	clusive of its common conflict	
	with Tract "A" 0.191	
cit most	Sur.No.1127 Joy lode 1.128	
200 0013	Sur.No.1127 Detroit lode 1.758	
	Beginning at Cor.No.1 January lode of this survey. Thence	
	S.39°48'E.372 ft.to Cor.No.37 Sur.No.1127 Joy lode, on	
	line 40-41 Sur. No. 1127 Humboldt lode at N. 56°29'E.	-

379.7 ft.from Cor. No. 41. Thence S. 56°29 W. 138.4 ft. to a

point on line 40-41 Sur. No. 1127 Humboldt lode at N. 56°

29 E. 241.3 ft. from Cor. No. 41, also on line 2-3 Lot No.

37A Copper Mountain lode and 3-4 January lode of this

survey. Thence N.46°36'W.240.6 ft.Cor.No.3 Lot No.37A

Copper Mountain lode, 337.6 ft.to Cor.No.4 January lode of
this survey. Thence N.43°15'E.178.9 ft.to the place of
beginning. Containing 1.281 acres.

## LOCATION.

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, appreximately in Secs. 16, Uns., T.4 S., R.29 E., G.& S.R.B.& M.

### EXPENDITURE OF FIVE HUNDRED DOLLARS.

made upon the location embraced in this claim by the less claimant or its granters, is not less than five hundred dollars and that said improvements consist of:

### January lode.

No.1. The discovery showing mineral in place is on the lode line 10 ft. from line 4-1.

No.2.A shaft the center of which bears from Cor.No.3 N.40°34'W.307.4 ft.,6x10 ft.560 ft.deep.

Value - - - - - \$16,800.00

#### ADJOINING LODES.

on the north and east,
The adjoining lodes are, Sur. No. 1127 Humboldt, Joy and
on the south awest

Detroit lodes, The Arizona Copper Company claimant, Let No.
613
74 Chalkos and Lot No. 37A Copper Mountain lodes claimant
herein.

### INSTRUMENT.

This survey was made with a Buff and Berger light mountain transit. The courses were deflected from the true meridian as determined by polaris observations. The distances were measured with 5,50 and 500 ft. steel tapes.

#### REPORT.

U.S.L.M.No.1654 is a post 7 ins.square properly set and scribed.

Sur. No. 1127 Humboldt, Joy and Detroit lodes:

4

To epoi

All corners are posts properly set and scribed except Cor. No. 40 Humboldt lode which is an iron rod set in cement about 12 in below the ground and Cors. Nos. 35 and 36 Detroit and Joy lodes respectively, which have been obliterated. They were re-established by the official notes. This survey is located in the Co

Lot. No. 37A Copper Mountain lode:

M. S. E. L. D. C. L. D. S.

District, dreenler Cors Nos 2 and 3 are

posts properly set and scribed.

Sur No. 613, Chalkos lode: O Manufacture

stocker promi one rodsi ent to on av Cor. No. 2 is a post properly

set and scribed. Destrons noilasof and rour about

The differences between these field notes and the returns on previous surveys are due to errors in the January Lode. latter.

The end center monuments are mounds of stone.

.I-A ontly

U.S.Mineral Surveyor. m. 40°54 W. 507.4 Tt., 6x10 Tt. 560 dt. deen.

00.00B, a.B.

S. oll. roll mort ersed defen for

PEGDI ONINIONA

the tot. taloumul Wall. ob. rod ora senot minicips of

Detroit loder, The Arizons Copper Company dlaimert . 300 10.

tunntale sebel mission round Arc. of tel mas sorfail to

.Meren

THE DETERMENT.

thin ourse was made with a built and sorrer light and mora bescalled even escreen and transmi mistarom

true meriddan us determined by polarie observations.

feets. It ood bas 08. 3 miles betuazen eten scenatela sull

HEPORT

Tou Thronger organs and T Jeon a at bool. of M. J. d.

and serined.

Survice 1127 Humboldt, Joy and Dotroit Ledge:

### FINAL OATHS FOR SURVEYS.

401.27.1917

	LIST	OF	NAMES
--	------	----	-------

A list of the	names of the individuals	employed by E.T.Morton
United States Mi	neral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries describ	bed in the foregoing field	notes of the survey of the mining claim of
		Corporation
		.0
	espective capacities in wh	
		W.R. Hutchins , Chainman.
		J.L.Awalt , Chainman.
		, Axman.
		, Flagman.
	FINAL OAT	HS OF ASSISTANTS.
We,	R. Hutchins	
and J.L.Awa	Lt	do solemnly swear that we assisted
		ates Mineral Surveyor, in marking the corners and surveying
		Phelps Dodge Corporation
known as the	January Lode	
represented in the	foregoing field notes as l	having been surveyed by said mineral surveyor and under his
direction; and that	t said survey has been in a	all respects, to the best of our knowledge and belief, faithfully
and correctly execu	ted, and the corner and box	undary monuments established according to law and the instruc-
tions furnished by t	he United States Surveyor	r-General for Arizona
		Mo Kloute hus, Chainman.
		J. L. Awalt, Chainman.
		January, Chainman.
		, Axman.
		, Flagman
	Subscribed and sworn to	by the above-named persons before me this 10th,
*		, 19 17 •
to		morele Hampton
		Jon Jours
		Tanto Mill

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E.T.Morton	, U. S. <del>Deputy</del> Mineral		
Surveyor, do solemnly swear that, in pursu	ance of instructions received from the United		
	, dated		
	have, in strict conformity to the laws of the		
United States, the official regulations and instructions thereunder, and the instru			
	correctly executed the survey of the Mining		
	ation		
	, known as the		
January lode	,		
	Mining District,		
	County, Arizona , in Section		
	nge No.29 E., G.& S.R.B.& M.		
	, as represented		
in the foregoing field notes, which accurate	ly show the boundaries of said mining claim		
	ground, and described in the attached copy		
	ived by me from the Surveyor General with		
	f said survey have been established and per-		
	official regulations and instructions there-		
	hat the foregoing are the true and original		
	therein, and that the labor expended and		
	m by claimant or <b>its</b> grantors		
	haracter, extent, location and itemized value		
	arity and full detail, and that no portion of		
	his claim has been included in the estimate		
of expenditures upon any other ciami.			
	4720		
	U.S. Deputy Mineral Surveyor.		
	C. S. <del>Dopwey</del> Inneral Surveyor.		
Subscribed and swarp to by the gold	D. H. Marshan		
	E.T.Morton		
•	fore me a notary public		
	this 10th,		
day of August 1917.	,		
·	Wade Hampton notony Bublic		
	matan P. S. S.		
o \$-154	va con june		

My commission expires February 23rd, 1920.

# Amended Location Notice

JUL 14.1917

Ų.	NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED
	Phelps Dodge Corporation, Morenci Branch
	a corporation, the assignee ofAlex Bryden and Alex D. McLean
	who on the
	mining claim situated in the Copper MountainMining District _ Greenlee
For	County, Arizond, the location notice of which claim is of record in the office of the Recorder of said
	County in Book3, Record of Mines, page43, has on this 20th,day of
	June, 191_7_, made an amended location of said claim, by virtue of which
	and of said original location, it claims as a mining claim the following described lead, lode or vein of
	mineral bearing earth, rock or quartz and premises situated in the _Copper_Mountain
	Mining District, in the County of GreenleeArizona, to wit:
	The name of said claim is the JanuaryMining Claim. The nameof
	the locatoris Phelps Dodge Corporation Morenci Branch
	The length of the claim along said vein or lode is 1499. 3 feet; the width of said claim is 89.45
	feet on each side of the middle of said lead, lode or vein The general course of said lode and claim
	is_Southeast toNorthwest The distance from the Point of Discovery to
	the Southeastend center monument of said claim is1489.3_feet. The distance from said
	Point of Discovery to the Northwest end center monument is 10.0feet.
	This Location Notice is posted in the monument of stones erected at said Point of Discovery upon
	said claim, which monument is hereinafter referred to as the Location Monument.
	Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones
~	placed at the center of the Southeastend of the claim, which monument is 1489.3 feet
. 5	46° 36' Efrom said Location Monument; thence S 43° 15' W 89.45
	feet to a Post, being the Southwest corner of the claim, thence N 46° 36 W
	1499.3 feet to a Rost, being the Northwest corner of the claim; thence
N 43	2-15 E 89-45 feet, to a monument of stones, being the center of the Northwestend of the
	claim; thence again N 43° 15' E 89.45 feet to a Point A post for witness Cor.brs.S.46°36E.8.6 ft., being the Northeast corner of the claim; thence S 46° 36' E 1499.3
	feet to aPost, being the_Southeastcorner of the claim; thence_S 43° 15' W
	To more fully identify the claim its general location is described as followss
	From the Northeast Cor. of this claim U. S. L. M. No. 1654
bea	rs N 14° 37' W 3060.6 Ft.
117	
	Amended and posted on the ground Phelps Dodge Corporation, Morengi Branch this 26th, day of Way May Way
	June 1917 Manager.

Witness: - mp Crombie

Amember Linearium
Rolas Borges of
Dated Law 27 1917

Filed and recorded at request of
D. N. Congacolin

Rat 4 A. M.
Book 3 Seatien Melices
Pages 318 - 319
County Recorder.

By Deputy Recorder.

LEBEL . Si saluta hive to surround rather hand was trail.

Of the Intermed when break touch?

and the control of the second of the bearing

\*OD See It, ... which the to be be described ... If and the selection the see ... ... the true of the

The state of the s

the state open and the state of the state of

Fa prope for by file of the claim. He general lacetimes is nearly built as followers

to sure from the lock to the sale of the content of follows:

. d. 0.0002 / 1/1. \*Al. d. dts

to really and proceed on the ground. The Least to the company to the proceed of

Ja tink to the same of the sam

Thomas - the second

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho	enix, Ariz	ona,
		Febr	uary 28 , 1918
I, U. S. Surveyor-Ge	neral for District o	f Arizona	
			urn and approval of the surve
			and approval of the surve
			ation
known as the			
situate in	Copper	Mountain	
			Arizona
in Section S 16 & 21	Township No. 4 S.,	Range No	29 E. , and
			ed from the originals on file in
			of said mining claim as will, if
			such reference is made therein
	anent monuments as will perp		
			as been expended or improve-
ments made upon said mi	ning claim by claimant or	108 grantors	, and that said improvements
			the estimate of expenditures
	ne plat thereof, filed in the U.		
211 1 2011d ,	is correct and in conform	nity with the for	egoing Field Notes.
		Frank P.	Trott,
	United States Surveyor		Arizona

## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	Feb	ruery 28 , 1918.
I, U. S. Surveyor-General for	District of Arizona	a
do hereby certify that the foregoing	g and hereto attached Field Notes an	d Return of the Survey of the
Mining Claim of		
	Phelps Dodge Corporation	on
		, known as the
<b></b>	January lode.	
situate in	Copper Mountain	mining district,
Greenlee	County,	Arizona.
in Section S 16 & 21 uns, To	ownship No. 4 S., Ra	ange No29 E.
, designated a	s Survey No. 3411	
executed by	E. T. Morton	, United States Mineral
Surveyor, July 19	<del>9-</del> 20, 1917	, under my instructions dated
July 16,	, 1917, have been critically exa	amined and the necessary cor-
rections and explanations made, ar	nd the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A true copy	of the copy of the location certificat	te filed by the applicant for
survey is included in the field notes	3.	
	Constant Co	Astroth
	U. S. Surveyor-General	for Arizona.

6-3824