

Copied 2-9-1918,

A L H

4-683

1
OCT 23 1917

Platted

MINERAL SURVEY No. 3444.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizona Western Mines Company

KNOWN AS THE

Rambler lode

Wallapai

Mining District,

Mohave

County,

Arizona

35

24 N.

18 W. Unapp'd. &

Section 25

, Township

23 N.

, Range

18 W., G & S. R.

B. & M.

Surveyed under instructions dated September 24, 1917.

by Louis D. Rasor,

U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced September 18, 1917.

Survey completed October 1, 1917.

Address of claimant A. T. Dunbar, President,

33 Fremont St., San Francisco, Cal.

DATE\$ OF AMENDED LOCATION\$.

September 13, 1917.

See letter 3-19-18
3-29-18

SURVEY NO. 3444.

RAMELER LODE

Beginning at Cor. No. 1

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stones, scribed R. 1-3444, whence

The 1/4 Cor. between Sec. 2, T. 23 N., R. 18 W., and Sec. 35, T. 24 N., R. 18 W., bears N. 21° 20' E. 252.68 ft. The Cor. of Secs. 2, 3, 34 & 35, T. 23 & 24 N., R. 18 W., bears N. 84° 29' 30" W. 2563.75 ft.

A cross (+) and BR-R. 1-3444, chiseled on face of granite outcrop 24x36 ins. 24 ins. above ground, bears N. 50° 44' W. 9.5 ft.

No other bearing objects available.

Feet

Thence N. 33° 48' E.

65.01

Intersect north side line New Jersey Lode, unsurveyed,

at N. 63° 00' 20" W. 1238.73 ft. from the N.E. Cor.

211.8

To the W.E.C.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.E.C-R-3444.

282.8

Intersect line between Secs. 2 and 35, at S. 89° 41' E. 65.4 ft. from the 1/4 Cor., and N. 89° 41' W. 2586.56 ft. from the Cor. of Secs. 1, 2, 35 and 36.

511.8

Cor. No. 2.

A cross (X) at corner point, and R. 2-3444, chiseled on face of granite cliff 6x10 ft. 7 ft. above ground, with mound of stone, along side.

A cross (+) and BR-R. 2-3444, chiseled on face of granite outcrop 5x7 ft. 5 ft. above ground, bears N. 37° 52' W. 16.4 ft.

No other bearing objects available.

Thence S. 56° 12' E.

346.2

Intersect line between Secs. 2 and 35, at N. 89° 41' W. 2171.48 ft. from the Cor. of Secs. 1, 2, 35 and 36, and S. 89° 41' E. 480.48 ft. from the 1/4 Cor.

1500.

Cor. No. 3.

SURVEY NO. 3444.

Feet

RAMBLER LODE--Continued.

A pine post 4 ft. long, 4 ins. square, set 12 ins. in ground, on bedrock, with mound of stone, scribed R.3-3444.

A cross (+) and BR.-R.3-3444, chiseled on face of granite outcrop, 5x7 ft, 4 ft. above ground, bears S.78°01'W. 4.8 ft.

No other bearing objects available.

Thence S.33°48'W.

300. To E.E.C.

A cross (+) at center point and E.E.C, R.-3444, chiseled on face of granite outcrop 3x4 ft, 2 ft. above ground, with mound of stone along side.

549.1 Cor. No. 4.

A pine post 4 ft. long 4 ins. square, set 18 ins. the ground, with mound of stone, scribed R.4-3444. whence

The N.E. Cor. New Jersey lode unsurveyed, bears N. 13°30' W., 367.36 ft.

A cross (+) and BR.-R.4-3444, chiseled on face of granite outcrop 3x3 ft. 2 ft. above ground, bears N.56°12'W. 8. ft.

No other bearing objects available.

Thence N.54°46'30" W.

237.36 Intersect east end line of New Jersey Lode, unsurveyed, at S.26°07' W. 245.4 ft. from the N.E. Cor.

1500.48 Cor. No. 1, the place of beginning.

Variation at all corners 15°40' E.

3

3
24

LODE LINE.

As near as can be determined from present developments the vein of this location extends from the discovery point:

S. 56°12' E., 750 ft. and N. 56°12' W., 750 ft.

AREA.

Total area Rambler lode

Acres.
18.266 ✓

Area in conflict with

New Jersey lode, un^{sur}, 4.431. ✓

The survey of this location is identical with the ~~Amended~~ Location as staked upon the ground.

LOCATION.

This survey is located in Sec. 2, T. 23 N., R. 18 W., surveyed, and Sec. 35, T. 24 N., R. 18 W., G. & S. R. E. & M., unapproved survey.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of this location, is Thirty-Five Hundred and Seventy Dollars, and that said improvements consist of:

No. 1. The discovery cut, the mouth of which being the discovery point, is on the center line, 750 ft., from a point on line 1-2, N. 33°48' E., 211.8 ft., from Cor. No. 1, 4 ft. wide, 10 ft. face, running S. 56°12' E., 15 ft., thence a tunnel 4 x 6 ft., running S. 56°12' E., 30 ft. to a point where tunnel is caved shut.

Value of cut and tunnel, \$400.00.

No. 2. A cut, the mouth of which, bears from Cor. No. 2, S. 34°20' E., 675 ft., 4 ft. wide, 10 ft. face, running S. 23°30' E., 20 ft., thence a tunnel 4 x 6 ft., running S. 23°30' E., 115 ft. to a shaft 4 x 6 ft., 40

3

ft. deep, 135 ft. to a raise 4 x 6 ft., 15 ft. high, 255 ft. to face.

Value \$3170.00.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons Transit, No. 3164. The courses were deflected from the True Meridian as determined by observation on polaris as follows:

On Sep. 29, 1917, I set instrument at Cor. No. 1, and at 6 hours, 38 minutes, Pacific Standard Time, observed polaris in eastern elongation and marked the line thus determined by a stake 300 ft. from the corner,

Latitude of station 35°20', N. ✓

Azimuth of polaris N. 1°23' E. ✓

Deflect 32°25' to the right to Cor. No. 2.

Course of line 1-2, N. 33°48' E.

The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT.

The lode line of this location was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground.

The $\frac{1}{4}$ Cor. in the north boundary of Sec. 2, T. 23 N., R. 18 W., G. & S. R. E. & M. is a $1\frac{1}{2}$ inch iron post, marked $\frac{1}{4}$ S. 2.

The N. E. Cor. Sec. 2 is a 3 inch post marked S 1, S 2, S 35 and S. 36, T 23 N., R 18 W and T. 24 N, R 18 W., G & S R E & M.

The north boundary of the N.E. $\frac{1}{4}$ Sec. 2 was found to be N. 89°41' W., 2651.96 ft., instead of N. 89° 52' W., 2640 ft., as approved.

1231217

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Louis D. Rasor,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Arizona Western Mines Company,
 known as the Rambler, lode
 and showing the respective capacities in which they acted.

- C. A. Douglas, , Chainman.
- ~~XX~~ , Chairman.
- ~~XX~~ , Assitant
- ~~XX~~ , Flagman.

FINAL OATHS OF ASSISTANTS.

~~XXX~~, I, C. A. Douglas,
~~XXXX~~ , do solemnly swear that ~~we~~ ^I assisted Louis D.
Rasor , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Arizona Western Mines Company,
 known as the Rambler, lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

- C. A. Douglas , Chainman.
- ~~XX~~ , Chairman.
- ~~XX~~ , Assitant
- ~~XX~~ , Flagman.

Subscribed and sworn to by the above-named persons before me this 20th
 day of October, 19¹⁷ 20

J. M. Russell
Notary Public

My commission expires Feb. 28th 1920

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Louis D. Rasor, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated September 24, 1917, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Arizona Western Mines Company, known as the Rambler, lode, situate in Wallapai Mining District, Mohave County, Arizona, in Section 35, Township No. 23 N., Range No. 18 W., G. & S. E. B. & M., and designated as Survey No. 3444, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Louis D. Rasor
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Louis D. Rasor
U. S. Mineral Surveyor, before me J. M. Russell a
Notary Public this 26th
day of Oct., 1917

J. M. Russell
Notary Public

6-1044

My commission expires
Feb. 28th 1920.

SEP 24 1917

AMENDED LOCATION NOTICE.

.....LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the Arizona Western Mines Company, a corporation does hereby make and file, this his amended and additional certificate of location upon the Rambler lode mining claim, claiming and locating, by right of original discovery and this amended and additional location-certificate, three hundred feet in width on each side of the center of said lode at the surface, and all lodes, veins and ledges within the lines of said claim, with all their dips, variations, spurs and angles, claiming and locating 1500 feet, linear and horizontal measurement on said lode, said lode running S. 56 degrees, 12 minutes E. 1500 feet from the westerly center end monument thereof. Said claim is more particularly described in the field-notes hereinafter set forth, to-wit:

Beginning at the S. W. Cor. No. 1, a post 4"x4"-4' long set in a mound of stone marked "S.W. Cor. No.1"; thence N. 33 degrees 48 minutes E. 211.8 feet to a post 4"x4"-4' long set in a mound of stone marked "W. C.E.", thence N. 33 degrees 48 minutes E. 300 feet to Cor. No. 2, a post 4"x4"-4' long set in a mound of stone marked "N.W. Cor. No.2"; thence S. 56 degrees 12 minutes E. 1500 feet to Cor. No. 3, a post 4"x4"-4' long set in a mound of stone marked "N.E. Cor. No.3"; thence S. 33 degrees 48 minutes W. 300 feet to a post 4"x4"-4' long set in a mound of stone marked "E. C.E."; thence S. 33 degrees, 48 minutes W. 249.1 feet to Cor. No. 4, to a post 4"x4"-4' long set in a mound of stone marked "S.E. Cor. No.4", thence N. 54° 46' W., 1500.5 feet to Cor. No. 1, the place of beginning. The point of discovery is on the lode line 750 Ft. from line 1-2. From Cor. No. 1, the $\frac{1}{4}$ Cor. in the north line of Sec. 2, T. 23 N., R. 18 W., G. & S. R. B. & M. bears N. 21° 20' E. 252.68 ft.

Said lode mining claim is situated upon Sec. 2, T. 23 N. R. 18 W. G. & S. R. B. & M. in the Wallapai Mining District, in the County of Mohave, in the State of Arizona.

This is the same lode and claim of which the original notice or certificate of location was recorded December 1904, in book P. at page 767, mining records in the office of the county recorder of said Mohave County.

THE NAME of said lode, claim is the Rambler.

THIS AMENDED and additional location is made and filed without waiver of any previous right or rights acquired, made and secured under said former location, for the purpose of correcting any error or errors in said prior location, descriptions, or record, and make more specific the boundaries and descriptions of said claim, and the purpose of acquiring and holding any overlapping, abandoned, forfeited claim or vacant ground.

DATE of this amended location and of this certificate is this 13th day of September A.D. 1917.

Arizona Western Mines Company

Locator.

A. T. Dunbar.

Filed and recorded at request of A. T. Dunbar September 14th A.D. 1917 at 30 minutes past 9 o'clock A.M. in Book S.S. of Mines, PagesRecords of Mohave County, Arizona.

H. L. Underwood,
County Recorder.
By Justin Fraser,
Deputy Recorder.

STATE OF ARIZONA }
County of Mohave } ss.

I, H. L. Underwood, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copy of Amended Location Notice of the Rambler Lode Mining Claim, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this ...15th... day of September....., 191..7.

H. L. Underwood
Recorder of Mohave County, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 19, 1918

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ARIZONA WESTERN MINES COMPANY

known as the RAMBLER LODE

situate in WALLAPAI

Mining District, MOHAVE County, ARIZONA

in Section 35, Township No. 24 N., Range No. 18 W. unapp'd., and and " 2, " " 23 N., " " 18 W. designated as Survey No. 3444, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 2 cut and tunnels, 1 shaft and 1 raise, total value \$3570.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

April 19, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

ARIZONA WESTERN MINES COMPANY

, known as the

RAMBLER LODE

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA

in Section 35, Township No. 24 N., Range No. 18 W., unapp'd., and " 2 " " 23 N., " " 18 W. designated as Survey No. 3444

executed by Louis D. Rasor, United States Mineral

Surveyor, September 18-October 1, 1917, under my instructions dated

September 24, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.