### MINERAL SURVEY No. 3469

Augona Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF The Cented Verde Copper Company Leanor Fraction Sode

Verde Mining District,

Yavapai County, Armona

Sections/5/16, 21,22 answ. Township 16 9, Range 2 E. GHLRB. 4 In. Surveyed under instructions dated may 15, 1918. by oseph Marthy .

U. S. Mineral Surveyor Claim located Lee location notice , 19 Survey commenced may 24, 19/8 Survey completed May 25, 19/8. Address of claimant Anderson & Ellis Attys.

DATES OF AMENDED LOCATIONS.

Aug.

Mineral Survey no 3469 Leanor Fraction Lode Beginning at Go. Jo. 1. I dentical with Tov. To. 4 Jerome lode. Sur les. 1152 and Cov. Dro. 4 Zime Cop lode Sur. Ito 1363 and on line 1-2 Lector lode Sur. So. 1349 at S31°24'40" E. 967.65 ft. from Ju. Jo. 2. A concrete monument 24 in. long 12 in, have and 6 th 8 in. top with a core of 2 in, non pipe 18 in, long summented by a cap containing a brass disk stamped + C. Tro. 4, 1363-J. J. 4, 1152 and L. F. Do. 1, 3469, whence Alongside placed a 4x5 in post 41/2 ft long, in a mound A cross on a rock in place marked & Fe-1 3469 bears \$30°06' 24 59.08 ft. The Sec. Tow. common to Secs 14,15, 22 4 23 7.16 h. R. & E. G. + S.A. B. + Sn. Lean 780°25' 5 4510.81 ft. Thence 9 89058' 4. Goss creek running northerly. South end center, a mound of stone 3 ft. diam. at base of 4ft. high. On line 3-4 Victor bode Sew. Dro. 1349 and on line 1-2 Contention lode Sur. No. 2443, distances herafter given. A concrete monument similar to Cov. Drs. 1 of this claim The brass disk is stamped + 2. If Do. 2. 3469 whence A cross on a rock in place marked & F. B+ R. bears \$ 140521 6 9.76 136.00 Cross crack thence 1 31°25'30" of 997.15 of ro. 2 funning southeasterly 1002.85 To. Jo.3 Victor bode Sur. Jo 1349. whence Cov. Jr. 2 said lode bears \$87001'20" 6 580.97 ft., also 1002.85 Intersect line 1-2 Divide lode Sur. Spo. 2443 at \$26003'Dy 77.35 ft. from Con. Des 2. 1076.29 Jo a. Jo. 3 A concrete monument similar to Gov. Is! of this claim: The brase disk is stamped + 2. F. Jo. 3, 3469 whene A cross on a rock in place marked of bears \$ 6403716 24.36 ft.

3 Survey no 3469 Continued Thena \$89058 6 68.90 Intersect line 1-2 Devide lode Sur. De 2443 at \$26'03 7.64 ft. from Ju. 92.02. To. 70.4 Late acquisition lode Sur No. 28/2 Joth end center, a mound of stone 3ft. diam at base, 593.23 To Cay. Ors. 4

Cet the intersection of line 4-1 Late Cognisation lode Sur. Is. 2812 and line 3-4 June (af lode Sur lo 1363. A concrete monument similar to Go. Dro. ! of this Claim. The brass disk is stamped + 2. F. J. 4. 3469 whence A cross on a rock in place marked B+R L.F.-4 3-469 hears \$410/6, \$4. 7. 96 ft. Thence \$29058'6 Gres creek running easterly. 870 Gross creek running northeasterly 1059.98 To To. 1, the place of beginning Kariation at all corners 1506. Tode Line As rear as can be determined from present developments the vein on this claim extends 731°25'30" 448.93 ft. and \$31°25'30" 61027.36 ft. from the discovery front. Notal area, Leanor Fraction lode Circa in conflict with\_ Sur. No. 1349 Vector lode Sur. Dro. 2443 Devide lode 0.050 The survey of this lode is identical with the amended location as staked upon the ground. Location. This survey is located in Secs 15, 16, 2/422 Renow. J. 16 91. Q. 2. 6. G. J. J. R. B. Vm. and wellow the Trescott national Forest. Expenditure of Tive Fundred Dollars! I certify that the value of labor and improvements made upon this claim by the claimant is not less than five hundred dollars and that said improvements consist of. Ino. 1. The discovery shaft, on the lode line 48.93 ft. from a point on line 3-4 313.66 ft from Cov. Dro. 3 YX6ft and 44 ft deep.

Talue \$43000

Survey No. 3469 Continued.

Dro. 2. A cut the mouth of which bears from Gov Fro. 4.

S54°33' It 112.85 ft. running N. 35° It 32 ft to a

4 x 8 ft. face.

Value # 16000 This survey was made with a Co Berger Sons mining transit. The courses were + Sons mining transit. deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft. and 600 ft. steel takes This claim is adjoined on the north by the Late acquisition fode Sur. As. 28/2 Cented Leide Co. Co claimant. On the east by the, Lime Cap lode Sur. In. 1363 Half Copper Co. claimant.
On the south by the
Serome lode Sur. Its 1152 Hull Copper Co. claimant
Victor lode Sur. Its. 1349 Sented Leide Copper Co. claimant. Entention lode Sur 20,2443 Jasome Lector Ex Co. Co. clarmant. Divide lode Sur No. 2443 Jerome Victor Ex Co. Co. clarmant. The lines of this claims were run upon the Seport. ground by a closed traverse and the conflicts thed in from the several traverse points. The Sec. For common to Secs 14-15-22-23 TIGHT R26 GYSRBYM is a 2 in won fife 8 in above ground, on which is a brass cap slamped + 716 h.

R. 26. S15 S14 S22 S23 and 1913. Sur. no 28/2 Late acquisition lode: Tois 144 are concrete monuments similar Totor, ho! Legnor Factor bothis survey and properly marked. I find bearing of line 4-1 \$890586 agreeing within 0°02' with the bearing due East as approved. Sur No 1363 Zime Cap lode: Legenow Hrad lote this survey and peroperly marked. I find line 3-4 to be \$29058' & instead of \$30.05 & as reported.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the n	ames of the individu	als employed	by osef	h )	1 Carthy
United States Min	neral Surveyor, to as	sist in runni	ng, measuring, an	d marking th	he lines, corners, and
boundaries describ	ed in the foregoing fi	ield notes of	the survey of the	mining claim	ı of
of he	Tented V	Cardo of	Falshing &	Tomber 1	
known as the	Teanor	Fra	) offu ( ction lo	de	y
and showing the re	espective capacities in			$\sim$	
			Edwin	Halla	, Chainman.
	•				, Chainman.
•					, Axman.
·					$\dots$ , Flagman.
I <del>We</del> ,	FINAL OF	THS C	F ASSIST		
and	N		olemnly swear that	(	orners and surveying
\	the mining claim of	ap 1 1	Cented Ver		kes ompany
known as the	Leanor	Fracti	on lode		
represented in the	foregoing field notes	as having be	en surveyed by sa	id mineral su	rveyor and under his
	said survey has been				
and correctly execut	ted, and the corner and	l boundary m	m onuments establish	ed according	to law and the instruc-
tions furnished by t	he United States Surv	eyor-General	for	arizor	va_
·			Edwar /	rdlla	Q. Chainman.
		/			, Chainman.
		,			, Axman.
					, Flagman.
	Subscribed and swor	n to by the a	bove-named persor	as before me t	his Tenth
	day ofA	gust	, <sub>19</sub> 18	_	
			(OS)	Plar	dnes
·			Yava <u>pai Co</u> i	inty, Arizo	na. 6—1043

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Joseph Marthy , U. S. Mineral Surveyor,							
do solemnly swear that, in pursuance of instructions received from the United States							
Surveyor General for Aryona ,, dated ,, I have, in strict conformity to the laws of the							
, I have, in strict conformity to the laws of the							
United States, the official regulations and instructions thereunder, and the instructions							
of said Surveyor General, faithfully and correctly executed the survey of the Mining							
Claim of The Cented Verde Copper Company							
, known as the							
Claim of The Cented Verde Topper Company, known as the Leanar Fraction lock,							
situate in Serde Mining District,  Javapai County, Arrona, in Sections  75.16,21-22 know, Township No. 162, Range No. 26							
Garapai County, Arraona, in Sections							
15.16,2/-22 know, Township No. 16 h, Range No. 2 6							
and designated as Survey No. 3469 , as represented							
in the foregoing field notes, which accurately show the boundaries of said mining claim							
as distinctly marked by monuments on the ground, and described in the attached copy							
of the location certificate, which was received by me from the Surveyor General with							
said instructions, and that all the corners of said survey have been established and per-							
petuated in strict accordance with the law, official regulations and instructions there-							
under; and I do further solemnly swear that the foregoing are the true and original							
field notes of said survey and my report therein, and that the labor expended and							
improvements made upon said mining claim by claimant or grantors							
are as therein fully stated, and that the character, extent, location, and itemized value							
thereof are specified therein with particularity and full detail, and that no portion of							
said labor or improvements so credited to this claim has been included in the estimate							
of expenditures upon any other claim.							
Joseph Mathy. U.S. Mineral Surveyor.							
U.S. Mineral Surveyor.							
Subscribed and sworn to by the said							
U. S. Mineral Surveyor, before me A Notary Public in and for Yavapai							
County, Arizona this 26th							
day ofFebruary, 19 19							
( A sels							
Marianus J							
NOTARY PUL							

feet, and We claim One Hundred feet in a Northwesterly direction and Fourteen Hundred feet in a Southeasterly direction from the center of the

The claim is situated and located in the Vere Mining District, in Yavapai County in the State of Arizona, about 3/4 mile in a Northwesterly direction from U. V. Co. Cos. No. 3 shaft

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument at a point in a Northwesterly direction One Hundred feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Three Hundred feet to a Monument, being the Northeast corner of said claim; thence Fifteen Hundred feet to a Monument, being at the Southeast corner of said claim; thence Three Hundred feet to a monument at the center of the south end of said claim; thence Three Hundred feet to a monument being at the Southwest corner of said claim; thence Fifteen Hundred feet to a monument at the Northwest corner of said claim; thence Three Hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16,

This is an Amended Location Notice of the Leanor Fraction Mining Claim, located by W. L. Clark, on the 15th day of April, 1915, and recorded in Book 97 of Records of Mines, at page 442, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 7th

day of May, 1918.

United Verde Copper Company by C. V. Hopkins Chief Engineer

as Agent

Filed and Recorded at request of Anderson & Ellis, May 13th A. D., 1918, at 11:00 o'clock A. M., Book 99 of Mines, Page 423, Records of Yavapai County, Arizona.

(SEAL) E. A. McSWIGGIN, County Recorder

By Lula McIntosh Deputy Recorder STATE OF ARIZONA, )
: SS
COUNTY OF YAVAPAI.)

I, E. A. McSWIGGIN, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, DO HEREBY CERTIFY that I have compared the foregoing copy with, and that the same is a full, true and correct copy of the AMENDED Location Notice of the LEANOR FRACTION Lode Mining Claim, filed for record on May 13th., 1918, and as the same appears of record in my office in Book 99 of Mines, at Page 423, and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at my Office in the City of Prescott, State of Arizona, this 13th., day of May, 1918.

OUNTY RECORDER OF YAVAPAI C

ARIZONA

#### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,				
	September 26 , 1919.				
I, U. S. Surveyor-Go	eneral for District of Arizona				
do hereby certify that th	e foregoing transcript of the Field Notes, return and approval of the survey				
of the mining claim of					
	The United Verde Copper Company				
known as the	LEANOR FRACTION Lode				
situate in	Yerde				
Mining District,	Yavapai County, Arizona				
in Sections 15,16,21	22, Unsur., Township No. 16 N., Range No. 2 E., and				
designated as Survey No					
this office; that said Fie	ld Notes furnish such an accurate description of said mining claim as will, if				
incorporated into a pater	t, serve fully to identify the premises, and that such reference is made therein				
	nanent monuments as will perpetuate and fix the <i>locus</i> thereof.				
	y that five hundred dollars' worth of labor has been expended or improve-				
	aining claim by claimant or its grantors, and that said improvements				
~	t and 1 cut, total value \$590.00				
consist of	t and 1 cut, τουεί ναίας φ) 30,00				
Landau de la companya del companya del companya de la companya de					
b					
***********					
and that no portion of s	aid labor or improvements has been included in the estimate of expenditures				
upon any other claim.					
I further certify tha	the plat thereof, filed in the U.S. Land Office at Phoenix, Arizone				
	is correct and in conformity with the foregoing Field Notes.				
	Frank P. Trott,				
	Try Jan Jan Communication And Page 1				
	United States Surveyor-General forArizona.				

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ariz	zona,	
		September	<b>2</b> 6 , <i>191</i> 9
I, U. S. Surveyor-General for	District of	f Arizona,	
do hereby certify that the foregoing a	nd hereto attached Field	Notes and Return o	f the Survey of the
Mining Claim of			
The	United Verde Cor	per Company	
	·		, known as the
<b></b>	LEANOR FRACTIO	N Lode	<del>-</del>
situate in	Verde		mining district,
Yavapai	County,	Arizona	
Uns in Section <b>s</b> 15,16,21,22, Tow	ur., nship No. 16 N	, Range No	2 E.
, designated as 8	Survey No	3469	
executed by Jo seph	McCarthy	, Un	ited States Mineral
Surveyor, May 24 - 25		, 191 <b>8</b> ., under my	instructions dated
May 15	, 191.8, have been crit	ically examined and	the necessary cor-
rections and explanations made, and	the said Field Notes and	Return, and the Su	rvey they describe,
are hereby approved. A true copy of	the copy of the location	certificate filed by	the applicant for
survey is included in the field notes.			
	Hym	A SO	rott.

U. S. Surveyor-General for Arizona.