

MINERAL SURVEY NO. 3492

Millsites	M & B Desc.	Loc. Notices
	Pg.	<u>Red Pg.</u>
Ajo Queen	47	3
Ajo View	44	5
Alemeda	35	15
Butte	42	7
Cardinoff	29	21
Copper King	45	4
D.B.Hill	39	12
Escondido	40	13
First Chance	28	25
Golden Eagle	38	11
Hermosa	32	17
Hot Head	34	16
Joint	21	22
Little Rock	36	9
Lone Star	49	1
Luna #3	25	32
" 4	26	33
" 5	15	35
" 6	8	34
" 7	9	36
" 8	10	49
" 9	11	37
" 10	12	38
" 11	13	39
" 12	14	40
" 13	7	41
" 14	6	42
" 15	5	43
" 16	4	44
" 17	3	45
" 18	2	46
" 19	1	47
" 21	27	48
Main Stay	36	8
Mayflower	32	18
Midnight Snow	31	19
Old Ore #2	20	27
" " 3	18	30
" " 4	17	31
" " 5	16	29
" " 6	15	28
Only Show	30	20
Pendulum	23	23
Quien Sabe	43	6
Second Chance	20	26
Southern	23	24
Sulphide Stringer	37	10
Valley	41	14
Wedge	48	2

JUL 31 1918

Platted, compo.

MINERAL SURVEY No. 3492

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF New Cornelia Copper Company known as the

Lone Star, Wedge, Ajo Queen, Copper King, Ajo View, Queen Sabe, Butte, Main Stay, Little Rock, Sulphide Stringer, Golden Eagle, D. B. Hill, Escondido, Valley, Alameda, Hot Head, Hermosa, Mayflower, Midnight Snow, Only Show, Cardinoff, Joint, Pendulum, Southern, First Chance, Second Chance, Old Ore #2, Old Ore #6, Old Ore #5, Old Ore #3, Old Ore #4, Luna # 3, Luna # 4, Luna # 5, Luna # 6, Luna # 7, Luna # 9, Luna # 10, Luna # 11, Luna # 12, Luna # 13, Luna # 14, Luna # 15, Luna # 16, Luna # 17, Luna # 18, Luna # 19, Luna # 21, Luna # 8 Millsites

Ajo Mining District,

Pima County, Arizona

Section 13, 14, 23 and 24, Township 12 South, Range 6 West, Unsurveyed.

Surveyed under instructions dated March 22, 1918, 19

by Ralph L. Motz U. S. Mineral Surveyor.

Claim located see location notices

Survey commenced April 27, 1918, 19

Survey completed May 12, 1918, 19

Address of claimant's attorney, Cleon T. Knapp, Attorney, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

Feet.

LUNA # 19 Mill Site.

Beginning at Cor. No. 1, the N. E. Cor., identical with location, an iron pipe 4 ft long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 1-3492 L # 19 M S, whence U S L M No 3161

Ajo Mining District brs N $2^{\circ} 38'$ W 2259.5 ft., and Cor No 4 Luna No. 19 lode Sur No 3160A brs S $42^{\circ} 54'$ W 7064.3 ft. No bearings available.

Thence South

389.1 intersect line 3-4 Verde #12 lode, ^{& line 1-2 Ocatilla #5 lode,} Sur No 3161 at S $84^{\circ} 43'$ E 506.6 ft and N $84^{\circ} 43'$ W 95.4 ft. from Cors No 4 and 3-2 respectively,

466.5 to Cor. No. 2, the S. E. Cor., identical with location and with Cor No 1 Luna # 6 Mill Site of this survey, an iron pipe 4 ft long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 2-3492 L # 19 M S, whence Cor No 2 Ocatilla #5 lode Sur No 3161, which is identical with Cor No 1 and 3 of Ocatilla #6 lode and Verde # 12 lode both of Sur No 3161, respectively, brs N $54^{\circ} 10'$ E 117.1 ft.

thence West

466.5 to Cor. No. 3, the S. W. Cor., identical with location and with Cors No 1, 2 and 4 of Luna #7, Luna #18 and Luna #6 Mill Sites of this survey, respectively, a pine post 4 ft long 4 inches sq set 18 ins in the ground in a mound of stones and scribed 3-3492 L # 19 M S.

thence North

120.5 intersect line 1-2 Ocatilla # 5 lode, ^{and line 3-4 Verde #12 lode,} Sur No 3161 at S $84^{\circ} 43'$ E 38.1 ft from Cor Nos. 1, 4.

331.6 intersect line 4-1 Verde # 12 lode, ^{and line 2-1 Verde #11 lode,} Sur No 3161 at N $10^{\circ} 22'$ E 211.1 ft from Cor Nos. 4, 2.

466.5 to Cor. No. 4, the N. W. Cor., identical with location and with Cor. No 1 Luna #18 Mill Site of this survey, an iron pipe 4 ft long $3\frac{1}{2}$ inches in diameter set 18 inches in the ground in concrete with copper tag on side marked 4-3492 L # 19 M S.

Feet.

thence East

24.7 intersect line 1-2 Verde # 11 lode, ^{and line 4-1 Verde # 12 lode,} Sur. No. 3161 at N 10°
22' E 348.2 ft and S 10° 22' W 1147.4 ft from Cors Nos. 2-4
and 1, respectively,
466.5 to Cor No 1, the place of the beginning.

Luna # 18 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location
and with Cor No 4 Luna # 19 Mill Site of this survey, here-
tofore described to which I add 1-3492 L # 18 M S for this
mill site. U. S. L. M. No. 3161 Ajo Mining District brs
N 9° 08' E 2286.1 ft., and Cor No 4 Luna No. 18 lode Sur
No 3160A brs S 53° 10' W 8143.4 ft. No bearings available.

thence South

134.9 intersect line 1-2 Verde # 11 lode, ^{and line 1-4 Verde # 12 lode,} Sur No 3161 at N 10°
22' E 211.1 ft from Cor Nos 2, 4
346.0 intersect line 3-4 Verde # 12 lode, ^{and line 1-2 Ocatilla # 5 lode,} Sur No 3161 at S 84°
43' E 38.1 ft from Cor Nos 4, 1.

466.5 to Cor No 2, the S E Cor, identical with location and with
Cor No 3 Luna # 19 Mill Site of this survey heretofore de-
scribed to which I add 2-3492 L # 18 for this mill site.
Cor No 1 Ocatilla # 5 lode Sur No 3161, which is identical
with Cors No 1, 2 and 4 of Ocatilla # 4 lode, Verde # 11
lode and Verde # 12 lode all of Sur No 3161 respectively,
brs N 17° 02' W 129.7 ft.

thence West

60.9 intersect line 4-1 Ocatilla # 5 lode, ^{and line 2-1 Ocatilla # 4 lode,} Sur No 3161 at S 10°
29' W 126.1 ft from Cor Nos 1, 1.
334.5 cross wagon road, course northerly and southerly,
466.5 to Cor No 3, the S. W. Cor, identical with location and with
Cors No 1, 2 and 4 of Luna # 8, Luna # 17 and Luna # 7
Mill Sites of this survey, respectively, a pine post .4 ft
long 4 ins sq set 18 ins in the ground in a mound of stones
and scribed 3-3492 L # 18 M S.

thence North

163.6 intersect line 4-1 Ocatilla # 4 lode, ^{and line 2-3 Verde # 11 lode} Sur No 3161 at N. 84°

Feet. ^{430.3}
 43' W 172.1 ft from Cor Nos 1, 2.
 466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 1 Luna # 17 Mill Site of this survey, an iron pipe
 4 ft long 3 1/2 inches in diameter set 18 ins in the ground
 in concrete with copper tag on side marked 4-3492 L # 18
 M S,

thence East

151.5 cross wagon road, course northerly and southerly,
 466.5 to Cor No 1, the place of the beginning.

 Luna # 17 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location
 and with Cor No 4 Luna # 18 Mill Site of this survey here-
 tofore described to which I add 1-3492 L # 17 M S for this
 mill site. U. S. L. M. No. 3161 Ajo Mining District brs
 N 20° 10' 30" E 2404.6 ft., and Cor No 4 Luna No 17 lode
 Sur No 3160A brs S 53° 39' 30" W 8234.0 ft. No bearings
 available.

thence South

302.9 intersect line 2-3 Verde # 11 lode ^{and line 4-1 Ocatilla # 4 lode,} Sur No 3161 at S 84°
 43' E 172.1 ft from Cor Nos 3, 4.

466.5 to Cor No 2, the S E Cor, identical with location and with
 Cor No 3 Luna # 18 Mill Site of this survey heretofore de-
 scribed to which I add 2-3492 L # 17 M S for this mill site.
 Cor No 4 Ocatilla # 4 lode Sur No 3161, which is identical
 with Cors No 1, 2 and 3 of Ocatilla No. 3, Verde # 10 and
 Verde # 11 lodes of Sur No 3161 respectively, brs N 43°
 40' W 248.1 ft.

thence West

204.6 intersect line 3-4 Ocatilla # 4 lode ^{and line 1-2 Ocatilla # 3 lode,} Sur No 3161 at S 10°
 29' W 182.5 ft from Cor Nos 4, -1.

466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Luna # 9, Luna # 16 and Luna # 8
 Mill Sites of this survey, respectively, a pine post 4 ft
 long 4 ins sq set 18 ins in the ground in a mound of stones
 and scribed 3-3492 L # 17 M S,

thence North

- Feet.
- 206.7 intersect line 4-1 Ocatilla No. 3 lode, and line 2-3 Verde # 10 lode, Sur No 3161 at N 84° 43' W 296.4 ft from Cor Nos 1, 2.
- 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 1 Luna # 16 Mill Site of this survey, an iron pipe 4 ft long 3½ ins. in diameter set 18 ins. in the ground in concrete and marked 4-3492 L # 17 M S.
- thence East
- 348.3 intersect line 1-2 Verde # 10 lode, and line 3-4 Verde # 11 lode, Sur No 3161 at N 10° 29' E 291.9 ft and S 10° 29' W 1203.7 ft from Cors Nos. 2-3 and 1-4, respectively,
- 466.5 to Cor No 1, the place of the beginning.
- Luna # 16 Mill Site.
- Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 4 Luna # 17 Mill Site of this survey, heretofore described to which I add 1-3492 L # 16 M S for this Mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 29° 51' 30" E 2602.6 ft., and Cor No 4 Luna No 16 lode Sur No 3160A brs S 55° 23' 30" W 3848.0 ft. No bearings available.
- thence South
- 259.8 intersect line 2-3 Sur No 3161 Verde # 10 lode, and line 1-4 Ocatilla No. 3 lode, at S 84° 43' E 306.0 ft., from Cor Nos 3, 4
- 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 17 Mill Site of this survey, heretofore described to which I add 2-3492 L # 16 M S for this mill site.
- thence West
- 348.2 intersect line 3-4 Ocatilla No. 3 lode, and line 1-2 Ocatilla No. 2 lode, Sur No 3161 at S 10° 29' W 238.9 ft. from Cor Nos. 4, -1.
- 466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Luna # 10, Luna # 15 and Luna # 19, Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3492 L # 16 M S.

Feet.

thence North

249.9 intersect line 4-1 Ocatilla No. 2 lode, ^{and line 2-3 Verde #9 lode,} Sur No 3161 at N 84°
 43' W 162.5 ft from Cor Nos 1, 2.

466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 1 Luna # 15 Mill Site of this survey; an iron pipe
 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in
 concrete with copper tag on side marked 4-3492 L # 16 M
 S., Cor No 2 Verde # 9 lode Sur No 3161, which is identical
 with Cors No 1, 3 and 4 of Ocatilla No. 2, Verde # 10 and
 Ocatilla No. 3 lodes of Sur No 3161 respectively, brs S 34°
 57' E 282.5 ft.

thence East

204.7 intersect line 1-2 Verde # 9, ^{and line 3-4 Verde #10} lodes, Sur No 3161 at N 10°
 29' E 235.5 ft., and S 10° 29' W 1260.1 ft from Cors Nos
 2 and 1, 4, respectively.

466.5 to Cor No 1, the place of the beginning.

Luna # 15 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location
 and with Cor No 4 Luna # 16 Mill Site of this survey; here-
 tofore-described, to which I add 1-3492 L # 15 M S for this
 mill site. U. S. L. M. No. 3161 Ajo Mining District brs
 N 37° 59' E 2863.5 ft., and Cor No 5 Luna No 15 lode Sur
 No 3160A brs S 56° 31' W 3957.2 ft. No bearings available.

thence South

216.6 intersect line 2-3 Verde # 9, ^{& line 4-1 Ocatilla No. 2} lodes, Sur No 3161 at S. 84°
 43' ^{439.9} E 162.5 ft from Cor Nos 3, 4.

466.5 to Cor No 2, the S.E. Cor, identical with location and with
 Cor No 3 Luna # 16 Mill Site of this survey heretofore de-
 scribed to which I add 2-3492 L # 15 M S for this mill
 site.

thence West.

466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Luna # 11, Luna # 14 and Luna # 10
 Mill Sites of this survey, respectively, a pine post 4
 ft long 4 ins sq set 18 ins in the ground in a mound of

Feet. earth and scribed 3-3492 L # 15 M S.

86.5 thence North

136.2 cross wagon road, course northeasterly and southwesterly, intersect line 3-4 Ocatilla ^{& line 1-2 Ocatilla #1} No. 2 lodes, Sur No 3161 at S 10° 29' W 156.8 ft from Cor Nos 4, -1

293.0 intersect line 4-1 Ocatilla ^{and line 2-3 Verde # 8 lodes} # 1, Sur No 3161 at N 84° 43' W 28.6 ft from Cor Nos 1, -2

466.5 to Cor No 4, the N. W. Cor., identical with location and with Cor No 1 Luna # 14 Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins. in diameter set 18 ins in the ground in concrete with copper tag on side marked 4-3492 L # 15 M S. Cor No 2 Verde # 8 lode, Sur No 3161, which is identical with Cors No 1, 3 and 4 of Ocatilla # 1, Verde # 9 and Ocatilla No. 2 lodes all of Sur No 3161, respectively, brs S 9° 11' E 178.4 ft.

thence East

61.1 intersect line 1-2 Verde ^{& line 3-4 Verde # 9 lodes} # 8, Sur No 3161 at N 10° 29' E 179.1 ft from Cor. Nos 2, 3, and S 10° 29' W 1316.5 ft from Cor Nos 1-4.

328.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

Luna # 14 Mill Site.

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor No. 4 Luna # 15 Mill Site of this survey heretofore described to which I add 1-3492 L # 14 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 44° 38' E 3172.0 ft., and Cor No 4 Luna No 14 Sur No 3160A brs S 61° 05' 30" W 3921.6 ft. No bearings available.

thence South

173.5 intersect line 2-3 Verde ^{& line 1-4 Ocatilla #1} # 8, lodes, Sur No 3161 at N 84° 43' W 28.6 ft from Cor Nos 2, -1

330.3 intersect line 1-2 Ocatilla ^{& line 3-4 Ocatilla No. 2} # 1, lodes, Sur No 3161, at S 10° 29' W 156.8 ft from Cor Nos 1, 4.

380.0 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 2, the S. E. Cor., identical with location and with

Feet.

Cor No 3 Luna # 15 Mill Site of this survey heretofore described to which I add 2-3492 L # 14 M S for this mill site.

thence West

25.2 intersect line 3-4 Ocatilla No 2^{& line 1-2 Ocatilla #1} lodes, Sur. No. 3161 at S 10° 29' W 295.3 ft from Cor Nos 4, -1.

244.0 cross wagon road, course northeasterly and southwesterly, 466.5 to Cor. No 3, the S. W. Cor., identical with location and with Cors No 1, 2 and 4 of Luna # 12, Luna # 13 and Luna # 11 Mill Sites of this survey, respectively, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of earth and scribed 3-3492 L # 14 M S.

thence North

336.1 intersect line 4-1 Ocatilla # 1^{& line 2-3 Verde #8} lodes, Sur No 3161 at N 84° 43' W 497.1 ft from Cor Nos 1, 2.

466.5 to Cor No 4, the N. W. Cor., identical with location and with Cor No 1 Luna # 13 Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 4-3492 L # 14 M S.

thence East

466.5 to Cor No 1, the place of the beginning.

Luna # 13 Mill Site.

Beginning at Cor No 1, the N E Cor., identical with location and with Cor No 4 Luna # 14 Mill Site of this survey, heretofore described to which I add 1-3492 L # 13 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 50° 03' 30" E 3515.5 ft., and Cor No 4 Luna No 13 lode Sur No 3160A brs S 62° 01' 30" W 4036.7 ft. Cor No 3 Verde # 8 lode Sur No 3161, which is identical with with Cors No 1 and 4 of Blue Bell and Ocatilla # 1 lodes of Sur No 3161 respectively, brs S 41° W 159.8 ft.

thence South

130.4 intersect line 2-3 Verde # 8^{& line 1-4 Ocatilla #1} lodes, Sur No 3161 at S 84° 43' E 105.3 ft from Cor Nos 3, -4.

466.5 to Cor No 2, the S E Cor., identical with location and with Cor No 3 Luna # 14 Mill Site of this survey heretofore

Feet.

described to which I add 2-3492 L # 13 M S for this mill site.

thence West.

168.8 intersect line 3-4 Ocatilla # 1, ^{& line 1-2 Blue Bell} lodes, Sur No 3161 at S. 10° 29' W 351.7 ft from Cor Nos 4, 1.

466.5 to Cor No 3, the S. W. Cor, identical with location and with Cor No 4 Luna # 12 Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 L # 13 M S.

thence North

379.3 intersect line 5-1 Blue Bell lode Sur No 3161 at N 84° 43' W 363.2 ft., and S 84° 43' E 236.7 ft from Cors No 1 and 5 respectively,

466.5 to Cor No 4, the N. W. Cor, identical with location, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 4-3492 L # 13 M S.

thence East

384.0 intersect line 3-4 Verde # 8 lode Sur No 3161 at N 10° 29' E 122.7 ft., and S 10° 29' W 1372.9 ft, from Cors No 3 and 4 respectively,

466.5 to Cor No 1, the place of the beginning.

Luna # 6 Mill Site.

Beginning at Cor No. 1, the N E Cor, identical with location and with Cor No 2 Luna #. 19 Mill Site. of this survey, heretofore described, to which I add 1-3492 L # 6 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 2° 11' W 2725.6 ft., and Cor No 4 Luna No 6 lode Sur No 3160A brs S 58° 10' ^{30"} W 6090.1 ft. No bearings Available.

thence South

432.4 intersect line 2-3 Ocatilla # 5, ^{& line 1-4 Ocatilla # 6} lodes, Sur No 3161 at S 10° 44' W 509.9 ft from Cor Nos 2, 1.

466.5 to Cor No. 2, the S E Cor, identical with location and with Cor No 1 Luna # 5 Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in

Feet.

concrete with copper tag on side marked 2-3492 L # 6 M S.

thence West

6.46 intersect line 4-1 Ocatilla # 6^{& line 2-3 Ocatilla #5} lodes, Sur No 3161 at S 10° 44' W 544.6 ft from Cor Nos 1, 2.

466.5 to Cor No 3, the S.W. Cor., identical with location and with Cors No 1, 2 and 4 of Old Ore # 6, Luna # 7 and Luna # 5 Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3492 L # 6 M S.

thence North

466.5 to Cor No 4, the N.W. Cor., identical with location and with Cor No 3 Luna # 19 Mill Site of this survey, heretofore described to which I add 4-3492 L # 6 M S for this mill site.

thence East

466.5 to Cor No 1, the place of the beginning.

Luna # 7 Mill Site.

Beginning at Cor. No. 1, the N. E. Cor., identical with location and with Cor No 3 Luna # 19 Mill Site of this survey, heretofore described to which I add 1-3492 L # 7 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 7° 35' E 2747.6 ft., and Cor No 4 Luna No 7 lode Sur No 3160 A brs S 61° 07' 30" W 6058.8 ft.

thence South

466.5 to Cor No 2, the S.E. Cor., identical with location and with Cor No 3 Luna # 6 Mill Site of this survey heretofore described to which I add 2-3492 L # 7 M S for this mill site.

thence West

147.2 intersect line 4-1 Ocatilla # 5^{& line 1-2 Ocatilla #4} lodes, Sur No 3161 at S 10° 29' W 600.5 ft from Cor Nos 1, 1.

458.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 3, the S.W. Cor., identical with location and with Cors No 1, 2 and 4 of Old Ore # 5, Luna # 8 and Old Ore # 6 Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of

51

Feet.

earth and scribed 3-3492 L # 7 M S.

thence North

123.0 to edge of mill tailing dump, course northeasterly and southwesterly,

230.0 to edge of mill tailing dump, course northwesterly and southeasterly,

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 18 Mill Site of this survey, heretofore described to which I add 4-3492 L # 7 M S for this mill site.

thence East

132.0 cross wagon road, course northerly and southerly,

405.6 intersect line 1-2 Ocatilla # 4^{& line 4-1 Ocatilla # 5} lodes, Sur No 3161 at S 10° 29' W 126.1 ft. from Cor Nos 1, 1.

466.5 to Cor No 1, the place of the beginning.

Luna # 8 Mill Site. -----

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 18 Mill Site of this survey, heretofore described to which I add 1-3492 L # 8 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 16° 56' E 2847.0 ft., and Cor No 4 Luna No 8 lode Sur No 3160A brs S 61° 44' 30" W 6175.0 ft. No bearings available.

thence South

236.5 to edge of mill tailing dump, course northwesterly and southeasterly,

343.5 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 7 Mill Site of this survey heretofore described to which I add 2-3492 L # 8 M S for this mill site.

thence West

116.0 to edge of tailing dump, course northeasterly and southwesterly,

290.9 intersect line 3-4 Ocatilla # 4^{& line 1-2 Ocatilla No. 3} lodes, Sur No 3161 at S 10°

Feet.

4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 10 M S.

thence North

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 15 Mill Site of this survey, heretofore described to which I add 4-3492 L # 10 M S for this mill site.

thence East

466.5 to Cor No 1, the place of the beginning.

Luna # 11 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 15 Mill Site of this survey, heretofore described to which I add 1-3492 L # 11 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 39° 17' 30" E 3519.3 ft., and Cor No 4 Luna No 11 lode Sur No 3160A brs S 74° 43' W 5399.2 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 10 Mill Site of this survey, heretofore described to which I add 2-3492 L # 11 M S for this mill site.

thence West

111.5 intersect line 3-4 Ocatilla No 2, lodes Sur. No. 3161 at S 10° 29' W 769.7 ft from Cor Nos 4.-1

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Second Chance, Luna # 12 and Old Ore # 2 Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 11 M S.

thence North

298.7 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 14 Mill Site of this survey, heretofore described to which I add 4-3492 L # 11 M S for this mill site.

thence East

222.5 cross wagon road, course northeasterly and southwesterly,

Feet. 441.3 intersect line 1-2 Ocatilla # 1, lodes, Sur No 3161 at S 10° 29' W 295.3 ft. from Cor No 1, 4.

& line 3-4 Ocatilla No. 2

466.5 to Cor No 1, the place of the beginning.

Luna # 12 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 14 Mill Site of this survey, heretofore described to which I add 1-3492 L # 12 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 44° 42' E 3831.7 ft., and Cor. No. 4 Luna No. 12 lode Sur No 3160A brs S 71° 06' W 4399.9 ft. No bearings available.

thence South

167.8 cross wagon road, course northeasterly and southwesterly, 466.5 to Cor No 2, the S E Cor, identical with location and with

Cor No 3 Luna # 11 Mill Site of this survey, heretofore described to which I add 2-3492 L # 12 M S for this mill site.

thence West

255.1 intersect line 3-4 Ocatilla # 1, lodes, Sur No 3161 at S 10° 29' W 826.1 ft from Cor Nos 4, 1.

& line 1-2 Blue Bell

276.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 4 Second Chance Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 L # 12 M S.

thence North

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 13 Mill Site of this survey, heretofore described to which I add 4-3492 L # 12 M S for this mill site.

thence East

297.7 intersect line 1-2 Blue Bell # 1, lodes, Sur No 3161 at S 10° 29' W 351.7 ft from Cor Nos 1, 4.

& line 3-4 Ocatilla # 1

466.5 to Cor No 1, the place of the beginning.

Feet.

Luna # 5 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 2 Luna # 6 Mill Site of this survey, heretofore described to which I add 1-3492 L # 5 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 1° 52' W 3191.8 ft., and Cor No 4 Luna No 5 lode Sur No 3160A brs S 58° 59' W 5337.3 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 1 Joint Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 2-3492 L # 5 M S.

thence West

94.9 intersect line 4-1 Ocatilla # 6, lodes Sur No 3161 at S 10° 44' W 1019.4 ft from Cor Nos 1, 2 & line 2-3 Ocatilla # 5

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Pendulum, Old Ore # 6 and Joint Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 5 M S.

thence North

466.5 to Cor No 4, the N. W. Cor, identical with location and with Cor No 3 Luna # 6 Mill Site of this survey, heretofore described to which I add 4-3492 L # 5 M S for this mill site.

thence East

460.04 intersect line 2-3 Ocatilla # 5, lodes Sur No 3161 at S 10° 44' W 544.6 ft from Cor Nos 2, 1 & line 1-4 Ocatilla # 6

466.5 to Cor No 1, the place of the beginning.

Old Ore # 6 Mill Site.

Beginning at Cor No 1, the N. E. Cor, identical with location and with Cor No 3 Luna # 6 Mill Site of this survey, heretofore described to which I add for this mill site 1-3492 O O # 6 M S. U. S. L. M. No. 3161 Ajo Mining District brs N 6° 29' E 3210.7 ft., and Cor No 4 Old Ore No 6 lode Sur No 3160A brs S 56° 27' W 8477.4 ft. No bearings available.

Feet. . feet

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with
 Cor No 3 Luna # 5 Mill Site of this survey heretofore de-
 scribed to which I add 2-3492 0 0 # 6 M S for this mill
 site.

thence West

233.5 intersect line 4-1 Ocatilla # 5 & line 1-2 Ocatilla # 4 lodes, Sur No 3161 at S 10°
 29' W 1074.9 ft from Cor Nos 1, 11

466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Southern, Old Ore # 5 and Pendulum
 Mill Sites of this survey, respectively, a pine post 4 ft
 long 4 ins sq set 18 ins in the ground in a mound of earth
 and scribed 3-3492 0 0 # 6 M S.

thence North

456.5 cross wagon road, course northeasterly and southwesterly,
 466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 3 Luna # 7 Mill Site of this survey, heretofore de-
 scribed to which I add 4-3492 0 0 # 6 M S for this mill
 site.

thence East

8.0 cross wagon road, course northeasterly and southwesterly,
 319.3 intersect line 1-2 Ocatilla # 4 & line 1-4 Ocatilla # 5 lodes, Sur No 3161 at S 10°
 29' W 600.5 ft from Cor Nos 1, 11

466.5 to Cor No 1, the place of the beginning.

Old Ore # 5 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location
 and with Cor No 3 Luna # 7 Mill Site of this survey, here-
 - - - - - tefere described to which I add 1-3492 0 0 # 5 M S for this
 mill site. U. S. L. M. No. 3161 Ajo Mining District brs
 N 14° 34' E 3296.1 ft., and Cor No 5 Old Ore No 5 lode
 Sur No 3160A brs S 52° 54' W 7553.8 ft. No bearings avail-
 - - - - - able.

thence South

10.0 cross wagon road, course northeasterly and southwesterly,
 466.5 to Cor No 2, the S E Cor, identical with location and with

Feet.

Cor No 3 Old Ore # 6 Mill Site of this survey, heretofore described to which I add 2-3492 0 0 # 5 M S for this mill site.

thence West.

254.4 cross wagon road, course northerly and southerly,
 377.2 intersect line 3-4 Ocatilla # 4_A lodes, Sur No 3161 at S 10° 29' W 1131.3 ft from Cor Nos 4, & line 1-2 Ocatilla # 3

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Luna # 3, Old Ore # 4 and Southern Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 0 0 # 5 M S.

thence North

73.4 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 8 Mill Site of this survey, heretofore described to which I add 4-3492 0 0 # 5 M S for this mill site.

thence East

175.6 intersect line 1-2 Ocatilla No 3_A lodes, Sur No 3161 at S 10° 29' W 656.9 ft from Cor Nos 1, 4, & line 3-4 Ocatilla # 4

350.5 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

 Old Ore # 4 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 8 Mill Site of this survey, heretofore described to which I add 1-3492 0 0 # 4 M S for this mill site. U. S. L. M. NO. 3161 Ajo Mining District brs N 22° 06' 30" E 3443.2 ft., and Cor No 4 Old Ore No 4 lode Sur No 3160A brs S 38° 33' W 6947.3 ft. No bearings available.

thence South

393.1 to edge of mill tailing dump, course northeasterly and southwesterly.

Feet
466.5

to Cor No 2, the S E Cor, identical with location and with Cor No 3 Old Ore # 5 Mill Site of this survey, heretofore described to which I add 2-3492 0 0 # 4 M S for this mill site.

thence West

62.0

to edge of mill tailing dump, course northeasterly and southwesterly,

466.5

to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Luna # 4, Old Ore # 3 and Luna # 3 Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 0 0 # 4 M S.

thence North

64.3

cross railroad track, course northeasterly and southwesterly,

96.0

cross railroad track, course northeasterly and southwesterly,

199.3

to edge of mill tailing dump, course northeasterly and southwesterly,

293.5

intersect line 3-4 Ocatilla No 3, ^{& line 1-2 Ocatilla No.2} lodes, Sur No 3161 at S 10° 29' W 889.2 ft from Cor Nos 4, 1

466.5

to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 9 Mill Site of this survey, heretofore described to which I add 4-3492 0 0 # 4 M S for this mill site.

thence East

32.0

intersect line 1-2 Ocatilla No 2, ^{& line 3-4 Ocatilla No.3} lodes, Sur No 3161 at S 10° 29' W 713.3 ft from Cor Nos 1, 4.

232.5

to edge of mill tailing dump, course northeasterly and southwesterly,

321.9

cross railroad track, course northeasterly and southwesterly,

466.5

to Cor No 1, the place of the beginning.

Old Ore # 3 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location

Feet.

and with Cor No 3 Luna # 9 Mill Site of this survey heretofore described to which I add 1-3492 0 0 # 3 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 28° 55' E 3644.4 ft., and Cor No 4 Old Ore No 3 lode Sur No 3160A brs S 48° 50' W 6002.3 ft., No bearings available.

thence South

173.0 intersect line 1-2 Ocatilla No 2, lodes Sur No 3161 at S 10° 29' W 889.2 ft from Cor Nos 1, 4. & line 3-4 Ocatilla No. 3

267.2 to edge of mill tailing dump, course northeasterly and southwesterly,

370.5 cross railroad track, course northeasterly and southwesterly,

402.2 cross railroad track, course northeasterly and southwesterly,

466.5 to Cor No 2, the S E Cor, identical with location and with of this survey Cor No 3 Old Ore # 4 Mill Site/heretofore described to which I add 2-3492 0 0 # 3 M S,

thence West

46.1 cross railroad track, course northeasterly and southwesterly,

54.3 intersect line 3-4 Ocatilla No 3, lodes Sur No 3161 at S 10° 29' W 1187.7 ft from Cor Nos 4, 1. & line 1-2 Ocatilla No. 2

72.6 cross railroad track, course northeasterly and southwesterly,

170.5 to edge of mill tailing dump, course southwesterly and northeasterly,

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Luna # 21, Old Ore # 2 and Luna # 4 Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 0 0 # 3 M S.

thence North

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 10 Mill Site of this survey heretofore described to which I add 4-3492 0 0 # 3 M S for this mill site.

thence East

Feet.
 tofore described to which I add 1-3492 S C M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 40° 11' 30" E 4176.3 ft., and Cor No 5 Second Chance lode Sur No 3159 brs S 20° 39' W 2164.0 ft., No bearings available.
 thence South
 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Old Ore # 2 Mill Site of this survey, heretofore described to which I add 2-3492 S C M S for this mill site.
 thence West
 341.4 intersect line 3-4 Ocatilla # 1 lode Sur No 3161 at N 10° 29' E 191.5 ft from Cor No 3, also intersect line 1-2 Blue Bell lode Sur No 3161 at N 10° 29' E 97.1 ft from Cor No 2,
 466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 4 First Chance Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 S C M S.
 Cor No 2 Blue Bell Sur No 3161 which is identical with Cor No 1 Yale No 1 lode Sur No 3161 brs S 48° 25' E 143.8 ft. Cors No 2, 3 and 4 of Yale No 1, Ocatilla # 1 and Yale No 2 lodes, all of Sur No 3161 brs S 25° 37' E 208.8 ft.
 thence North
 266.5 cross wagon road, course northeasterly and southwesterly,
 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 12 Mill Site of this survey, heretofore described to which I add 4-3492 S C M S for this mill site.
 thence East
 190.0 cross wagon road, course northeasterly and southwesterly,
 211.4 intersect line 1-2 Blue Bell ^{& line 3-4 Ocatilla # 1} lodes Sur No 3161 at N 10° 29' E 571.5 ft ^{& 665.9 ft.} from Cor Nos 2, & 3 respectively.
 466.5 to Cor No 1, the place of the beginning.

 Joint Mill Site.

 Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 2 Luna # 5 Mill Site of this survey, heretofore described to which I add 1-3492 J M S for this mill

Feet.

site. U. S. L. M. No. 3161 Ajo Mining District brs N 1°
 37' 30" W 3658.1 ft., and Cor No 4 Joint lode Sur No 2800
 brs S 51° 02' 30" W 8863.8 ft. No bearings available.
 thence South
 453.5 cross wagon road, course easterly and westerly,
 466.5 to Cor No 2, the S E Cor, identical with location and with
 Cor No 1 Cardinoff Mill Site of this survey, an iron pipe
 4 ft long 3½ ins in diameter set 18 ins in the ground in
 concrete with copper tag on side marked 2-3492 J M S. Cors
 No 1, 2, 3 and 4 of Ocatilla # 9, East Side # 4, Ocatilla
 # 5 and Ocatilla # 6 lodes, of Sur No 3161 brs N 89° 30' 30"
 W 183.0 ft.
 thence West
 67.8 cross wagon road, course easterly and westerly,
 166.1 intersect line 3-4 Ocatilla # 6 lodes, Sur No 3161 at S 84°
 43' E 17.0 ft from Cor No 4, -1. & line 1-2 Ocatilla # 9
 183.32 intersect line 4-1 Ocatilla # 9 lodes, Sur No 3161 at S 10°
 22' W 1.6 ft from Cor Nos. 1, -2. & line 2-3 East Side # 4
 466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Only Show, Pendulum and Cardinoff
 Mill Sites of this survey, respectively, a pine post 4 ft
 long 4 ins sq set 18 ins in the ground in a mound of earth
 and scribed 3-3492 J M S.
 thence North
 27.8 intersect line 1-2 East Side # 4 lodes, Sur No 3161 at N 84°
 43' W 284.7 ft from Cor Nos. 2, 3. & line 3-4 Ocatilla # 5
 466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 3 Luna # 5 Mill Site of this survey heretofore de-
 scribed to which I add 4-3492 J M S for this mill site.
 thence East
 371.6 intersect line 2-3 Ocatilla # 5 lodes, Sur No 3161 at N 10°
 44' E 473.2 ft from Cor Nos. 3, 4. & line 1-4 Ocatilla # 6
 466.5 to Cor No 1, the place of the beginning.

Feet.

Pendulum Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 5 Mill Site of this survey, heretofore described to which I add 1-3492 P M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 5° 40' E 3674.5 ft., and Cor No 4 Pendulum lode Sur No 2800 brs S 49° 37' W 7683.9 ft. No bearings available.

thence South

438.7 intersect line 3-4 Ocatilla # 5, lodes, Sur No 3161 at S 84° 43' E 310.7 ft from Cor Nos 4, 1.

466.5 to Cor No 2, the S. E. Cor, identical with location and with Cor No 3 Joint Mill Site of this survey, heretofore described to which I add 2-3492 P M S for this mill site.

thence West

319.8 intersect line 4-1 East Side # 4, lodes, Sur No 3161 at S 10° 29' W 57.3 ft from Cor Nos 1, 1.

466.5 to Cor No 3, the S. W. Cor, identical with location and with Cors No 1, 2 and 4 of Midnight Snow, Southern and Only Show Mill Sites of this survey, respectively, a pine post 4 ft. long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 P M S. Cors No 1, 1, 2 and 4 East Side # 5, East Side # 4, Ocatilla # 4 and Ocatilla # 5 lodes of Sur No 3161 respectively, br N 70° 16' E 166.9 ft.

thence North

70.9 intersect line 4-1 East Side # 5, lodes, Sur No 3161 at N 84° 43' W 157.8 ft from Cor Nos 1, 2.

466.5 to Cor No 4, the N. W. Cor, identical with location and with Cor No 3 Old Ore # 6 Mill Site of this survey heretofore described to which I add 4-3492 P M S for this mill site.

thence East.

233.0 intersect line 1-2 Ocatilla # 4, lodes, Sur No 3161 at N 10° 29' E 417.1 ft from Cor Nos 2, 4.

466.5 to Cor No 1, the place of the beginning.

Southern Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location

- and with Cor No 3 Old Ore # 6 Mill Site of this survey, heretofore described to which I add 1-3492 S M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 12° 46' 30" E 3749.4 ft., and Cor No 2 Southern lode Sur No 454 brs S 26° 58' W 10205.9 ft. No bearings available.
- thence South
 395.6 intersect line 2-3 Ocatilla # 4, lodes, Sur No 3161 at S 84° 43' E 444.6 ft from Cor Nos 3, 4.
 & line 1-4 East Side # 5
- 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Pendulum Mill Site of this survey, heretofore described to which I add 2-3492 S M S for this mill site.
- thence West
 291.6 cross wagon road, course northerly and southerly,
 463.4 intersect line 3-4 East Side # 5, lodes, Sur. No. 3161 at S 10° 29' W 113.7 ft from Cor Nos 4, 1.
 & line 1-2 East Side No. 6
- 466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Mayflower, Luna # 3 and Midnight Snow Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 S M S. Cors No 1, 2, 3 and 4 of East Side No 6, Ocatilla No 3, Ocatilla # 4 and East Side # 5 lodes of Sur No 3161, respectively, brs N 12° 01' E 114.3 ft.
- thence North
 114.0 intersect line 4-1 East Side No 6, lodes, Sur. No 3161 at N 84° 43' W 23.9 ft from Cor Nos 1, 2.
 & line 2-3 Ocatilla No 3
- 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Old Ore # 5 Mill Site of this survey, heretofore described to which I add 4-3492 S M S for this mill site.
- thence East
 89.3 intersect line 1-2 Ocatilla No 3, lodes, Sur No 3161 at N 10° 29' E 360.7 ft from Cor Nos 2, 3.
 & line 3-4 Ocatilla # 4
- 212.1 cross wagon road, course northerly and southerly,
 466.5 to Cor No 1, the place of the beginning.

Feet.

Luna # 3 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Old Ore # 5 Mill Site of this survey heretofore described to which I add 1-3492 L # 3 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 19° 30' 30" E 3879.4 ft., and Cor No 3 Luna No 3 lode Sur No 3159 brs S 33° 19' W 3675.9 ft. No bearings available.

thence South

352.5 intersect line 2-3 Ocatilla No 3 lodes, ^{and line 1-4 East Side No. 6} Sur No 3161 at N 84° 43' W 23.9 ft from Cor Nos 2, 1.

466.5 to Cor No. 2, the S E Cor, identical with location and with Cor No. 3 Southern Mill Site of this survey, heretofore described to which I add 2-3492 L # 3 M S for this mill site.

thence West.

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Hermosa, Luna # 4 and Mayflower Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 3 M S. Cors No 1, 2, 3 and 4 of Yale No 3, Ocatilla No 2, Ocatilla No 3 and East Side No 6 lodes of Sur No 3161, respectively, brs N 33° 12' W 200.0 ft.

thence North

17.3 to edge of mill tailing dump, course northeasterly and southwesterly,

157.2 intersect line 4-1 East Side No 6 lodes, ^{and line 2-3 Ocatilla No. 3} Sur No 3161 at N 84° 43' W 492.4 ft from Cor Nos 1, 2.

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Old Ore # 4 Mill Site of this survey, heretofore described to which I add 4-3492 L # 3 M S for this mill site.

thence East

404.5 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

Feet.

Luna # 4 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Old Ore # 4 Mill Site of this survey, heretofore described to which I add 1-3492 L # 4 M S for this mill site. U. S. L. M. NO. 3161 Ajo Mining District brs N 25° 44' E 4059.1 ft., and Cor No 4 Luna No 4 lode Sur No 3159 brs S. 36° 18' W 3586.5 ft. No bearings available.

thence South

309.3 intersect line 2-3 Ocatilla No 3¹ lode, Sur. No. 3161 at S 84° 43' E 110.0 ft from Cor Nos. 3, 4
 449.2 to edge of mill tailing dump, course northeasterly and southwesterly
 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 3 Mill Site of this survey, heretofore described to which I add 2-3492 L # 4 M S for this mill site.

thence West

15.2 to edge of mill tailing dump, course northeasterly and southwesterly,
 140.6 intersect line 3-4 East Side No 6¹ lode, Sur. No 3161 at S 10° 29' W 170.1 ft from Cor Nos. 4, - 1.
 341.8 cross railroad track, course northeasterly and southwesterly,
 373.3 cross railroad track, course northeasterly and southwesterly,
 444.5 to edge of mill tailing dump, course northeasterly and southwesterly,
 466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Hot Head, Luna # 21 and Hermosa Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 4 M S.

thence North

200.3 intersect line 4-1 Yale No 3¹ lode, Sur No 3161 at N 84° 43' W 358.4 ft from Cor Nos. 1, 2.
 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Old Ore # 3 Mill Site of this survey, heretofore described to which I add 4-3492 L # 4 M S for this mill site.

Feet.

thence East

296.0 to edge of mill tailing dump, course northeasterly and southwesterly,

393.9 cross railroad track, course northeasterly and southwesterly,

412.2 intersect line 1-2 Ocatilla No 2¹ lodes³ and line 3-4 Ocatilla No. 3 Sur No 3161 at N 10° 29' E 304.3 ft from Cor Nos 2, 3.

420.4 cross railroad track course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

Luna # 21 Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Old Ore # 3 Mill Site of this survey, heretofore described to which I add 1-3492 L # 21 M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 31° 22' E 4282.2 ft., and Cor No 3 Sur No 3159 Luna No 21 lode brs S 35° 49' W 2817.1 ft. No bearings available.

thence South

266.2 intersect line 2-3 Ocatilla No 2¹ lodes³ and line 1-4 Yale No. 3 Sur No 3161 at S 84° 43' E 243.9 ft from Cor Nos 3, 4.

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 14 Mill Site of this survey, heretofore described to which I add 2-3492 L # 21 M S for this mill site.

thence West

283.5 intersect line 3-4 Yale No 3¹ lodes² & line 1-2 Yale No. 2 Sur No 3161 at S 10° 21' W 226.5 ft from Cor Nos 4, 1.

466.5 to Cor No 3, the S. W. Cor., identical with location and with Cors No 1, 2 and 4 of Alameda, First Chance and Hot Head Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L # 21 M S. Cors No 1, 2, 3 and 4 of Yale No 2, Ocatilla # 1, Ocatilla No 2, and Yale No 3 lodes respectively, of Sur No 3161, respectively br N 45° 07' E 315.7 ft.

Feet. .300

thence North

243.5 intersect line 4-1 Yale ^{& line 2-3 Ocatilla #1} No 2, lodes Sur No 3161 at N 84° 43' W 224.6 ft from Cor Nos 1, 2.

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Old Ore # 2 Mill Site of this survey, heretofore described to which I add 4-3492 L # 21 M S for this mill site.

thence East

268.7 intersect line 1-2 Ocatilla # 1, ^{& line 3-4 Ocatilla No. 2} lodes Sur No 3161 at N 10° 29' E 247.9 ft from Cor Nos 2, 3.

466.5 to Cor No 1, the place of the beginning. - - - - -

- - - - -
 First Chance Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Old Ore # 2 Mill Site of this survey, heretofore described to which I add 1-3492 F C M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 36° 23' 30" E 4542.6 ft., and Cor No 2 First Chance lode Sur No 3159 brs S 26° 05' W 1735.3 ft. No bearings available.

thence South

223.0 intersect line 2-3 Ocatilla # 1, ^{& line 1-4 Yale No. 2} lodes Sur No 3161 at S 84° 43' E 377.7 ft from Cor Nos 3, 4.

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Luna # 21 Mill Site of this survey, heretofore described to which I add 2-3492 F C M S for this mill site.

thence West

426.9 intersect line 3-4 Yale No 2, ^{& line 2-3 Yale No. 1} lodes Sur No 3161 at S 10° 21' W 282.8 ft from Cor Nos 4, 2.

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 4 Alameda Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 F C M S.

Feet.

thence North

381.0 intersect line 5-1 Yale No 1_A lode, Sur No 3161 at N 84° 43' W 108.0 ft from Cor Nos 1-2, and S 84° 43' E 488.2 ft from Cor Nos 5-3. Cor. 2 said Yale No. 1 lode, brs. S. 10° 29' W. 94.4 ft. from Cor. No. 1 thereof.

466.5 to Cor No. 4, the N.W. Cor., identical with location and with Cor No 3 Second Chance Mill Site of this survey, heretofore described to which I add 4-3492 F C M S for this mill site.

thence East

125.1 intersect line 1-2 Blue Bell_A lode, Sur No 3161 at N 10° 29' E 97.1 ft_A from Cor No 2 & 3, respectively. ^{& 191.5 ft.}

466.5 to Cor No 1, the place of the beginning.

Cardinoff Mill Site

Beginning at Cor No 1, the N E Cor., identical with location and with Cor No 2 Joint Mill Site of this survey, heretofore described to which I add 1-3492 C M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District, ^{brs.} N 1° 26' 30" W 4124.4 ft., and Cor No 4 Cardinoff lode Sur No 2800 brs S 54° 56' 30" W 9121.5 ft. No bearings available.

thence South

15.4 intersect line 1-2 Ocatilla # 9_A lode, Sur No 3161 at S 84° 43' E 183.8 ft from Cor Nos 1-4, and N 84° 43' W 412.6 ft from Cor Nos 2-3.

466.5 to Cor No 2, the S E Cor., identical with location and with Cor No 1 Main Stay Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 2-3492 C M S.

thence West

268.6 intersect line 4-1 Ocatilla # 9_A lode, Sur No. 3161 at S 10° 22' W 475.8 ft from Cor Nos. 1, 2.

466.5 to Cor No 3, the S W Cor., identical with location and with Cors No 1, 2 and 4 of Little Rock, Only Show and Main Stay Mill Sites_A of this survey, ^{respectively} respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 C M S.

Feet.

Cor No 3 Pendulum Mill Site of this survey, heretofore described to which I add 4-3492 O S M S for this mill site.

thence East

146.7 intersect line 1-2 East Side ^{& line 4-1 East Side #4} # 5_A lodes, Sur No 3161 at S 10° 29' W 57.3 ft from Cor Nos 1, -1,

466.5 to Cor No 1, the place of the beginning.

Midnight Snow Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Pendulum Mill Site of this survey, heretofore described to which I add 1-3492 M S M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 11° 22' E 4205.6 ft., and Cor No 4 Midnight Snow lode Sur No 2679 brs S 42° 08' W 5012.8 ft. No bearings available.

thence South

415.2 cross wagon road, course northerly and southerly,
466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Only Show Mill Site of this survey, heretofore described to which I add 2-3492 M S M S.

thence West

118.0 cross wagon road, course northeasterly and southwesterly,
342.0 cross wagon road, course northerly and southerly,
466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Golden Eagle, Mayflower and Sulphide Stringer Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 M S M S.

thence North

449.7 intersect line 3-4 East Side ^{& line 1-2 East Side No. 6} # 5_A lodes, Sur No 3161 at S 10° 29' W 130.8 ft from Cor Nos 4, -1.

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Southern Mill Site of this survey, heretofore described to which I add 4-3492 M S M S for this mill site.

thence East

3.1 intersect line 1-2 ^{& line 3-4 East Side #5} East Side No 6_A lodes, Sur No 3161 at S 10° 29' W

Feet.

113.7 ft from Cor No 1,
175.0 cross wagon road, course northerly and southerly,
466.5 to Cor No 1, the place of the beginning.

Mayflower Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Southern Mill Site of this survey, heretofore described to which I add 1-3492 M M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 17° 27' E 4321.9 ft., and Cor No 4 Mayflower lode Sur No 2679 brs S 32° 38' W 5931.8 ft. No bearings available.

thence South
& line 3-4 East Side # 5
16.8 intersect line 1-2 East Side No 6 lodes, Sur. No. 3161 at S 10° 29' W 130.8 ft from Cor Nos 1, 4.

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Midnight Snow Mill Site of this survey, heretofore described to which I add 2-3492 M M S for this mill site.

thence West
& line 1-2 East Side No. 6
83.2 intersect line 3-4 East Side # 5 lodes, Sur. No 3161 at S 10° 29' W 588.1 ft from Cor Nos 4, 1.

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of D. B. Hill, Hermosa and Golden Eagle Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground in a mound of earth and scribed 3-3492 M M S.

thence North
466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 3 Mill Site of this survey, heretofore described to which I add 4-3492 M M S for this mill site.

thence East.
466.5 to Cor No 1, the place of the beginning.

Hermosa Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 3 Mill Site of this survey, here-

Feet.

tofore described to which I add 1-3492 H M S for this mill Site. U. S. L. M. No. 3161 Ajo Mining District brs N 23° 08' 30" E 4483.9 ft., and Cor No 3 Hermosa lode Sur No 2679 brs S 28° 31' 30" W 6154.5 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Mayflower Mill Site of this survey, heretofore described to which I add 2-3492 H M S for this mill site.

thence West

226.9 intersect line 3-4 East Side No 6^{& line 1-2 Yale No. 3} lodes, Sur No. 3161 at S 10° 29' W ^{644.5} ~~761.1~~ ft from Cor Nos 4, 1.

438.2 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Escondido, Hot Head and D. B. Hill Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3492 H M S.

thence North

226.8 cross railroad track, course northeasterly and southwesterly,

300.5 cross railroad track, course northeasterly and southwesterly,

425.5 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3, Luna # 4 Mill Site of this survey, heretofore described to which I add 4-3492 H M S.

thence East.

22.0 to edge of mill tailing dump, course northeasterly and southwesterly,

93.2 cross railroad track, course northeasterly and southwesterly,

124.7 cross railroad track, course northeasterly and southwesterly,

325.9 intersect line 1-2 Yale No 3^{& line 3-4 East Side No. 6} lodes, Sur No. 3161 at S 10° 29'

(33.0

Feet. W 170.1 ft from Cor No 1, - 4.

451.3 to edge of mill tailing dump, course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

Hot Head Mill Site.

Beginning at Cor No 1, the N. E. Cor, identical with location and with Cor No 3 Luna # 4 Mill Site of this survey, heretofore described to which I add 1-3492 H H M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 28° 23' 30" E 4686.9 ft., and Cor No 4 Hot Head lode Sur No 2679 brs S 24° 55' 30" W 6960.8 ft. No bearings available.

thence South

41.0 to edge of mill tailing dump, course northeasterly and southwesterly,

166.0 cross railroad track, course northeasterly and southwesterly,

239.7 cross railroad track, course northeasterly and southwesterly,

466.5 to Cor No 2, the S. E. Cor, identical with location and with Cor No 3 Hermosa Mill Site of this survey, heretofore described to which I add 2-3492 H H M S for this mill site.

thence West

125.6 cross railroad track, course northeasterly and southwesterly,

165.8 cross railroad track, course northeasterly and southwesterly,

229.5 to edge of tailing dump, course northeasterly and southwesterly,

368.7 intersect line 3-4 Yale No 3, ^{& line 1-2 Yale No. 2} lodes, Sur. No. 3161 at S 10° 21' W 700.7 ft from Cor Nos 4, - 1.

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Valley, Alameda and Escondido Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3492 H. H M S.

Feet.

thence North

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Luna # 21 Mill Site of this survey, heretofore described to which I add 4-3492 H H M S for this mill site.

thence East.

183.0 intersect line 1-2 Yale No 2, ^{& line 3-4 Yale No. 3} lodes, Sur No 3161 at S 10° 21'

W 226.5 ft from Cor Nos 1, 4

466.5 to Cor No 1, the place of the beginning.

Alameda Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Luna # 21 Mill Site of this survey, heretofore described to which I add 1-3492 A M S for this mill

site. U. S. L. M. No. 3161 Ajo Mining District brs N 33°

10' E 4925.8 ft., and Cor No 4 Alameda lode Sur No 2374

brs S 24° 31' 30" W 7239.5 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Hot Head Mill Site of this survey, heretofore described to which I add 2-3492 A M S for this mill site.

thence West

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 4 Valley Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 A M S.

thence North

249.7 intersect line 3-4 Yale No 2, ^{& line 2-3 Yale No. 1} lodes, Sur No 3161 at S 10° 21' W 503.2 ft. from Cor Nos 4, 2, and N 10° 21' E 902.1 ft from Cor Nos 3, 3.

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 First Chance Mill Site of this survey, heretofore described to which I add 4-3492 A M S for this mill site.

thence East

39.6 intersect line 2-3 Yale No 1, ^{& line 3-4 Yale No. 2} lodes, Sur No 3161 at S 10° 21'

W 282.8 ft from Cor Nos 2, 4.

466.5 to Cor No 1, the place of the beginning.

837

Feet.

Main Stay Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 2 Cardinoff Mill Site of this survey, heretofore described to which I add 1-3492 M S M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 1° 18' W 4590.8 ft., and Cor No-1 Main Stay lode Sur. No 1526 brs S 44° 40' W 11152.7 ft., No bearings available.

466.5 - thence South to Cor No-2, the S E Cor, -identical- with location- and with Cor No 1 Butte Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 2-3492 M S M S.

353.9 - thence West & line 2-3 East Side #4 intersect line 4-1 Ocatilla #9 lodes Sur No 3161 at N 10° 22' E 455.3 ft from Cor Nos 4, -3.

466.5 to Cor No 3, the S W. Cor, identical with location and with Cors No 1, 2 and 4 of Quien Sabe, Little Rock and Butte Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 M S M S.

466.5 - thence North to Cor No. 4, the N.W. Cor., identical with location and with Cor No 3 Cardinoff Mill Site of this survey, heretofore described to which I add 4-3492 M S M S for this mill site.

197.9 - thence East & line 4-1 Ocatilla #9 intersect line 2-3 East Side # 4 lodes Sur No 3161 at N 10° 22' E 475.8 ft from Cor Nos 3-4.

466.5 to Cor No 1, the place of the beginning.

Little Rock Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Cardinoff Mill Site of this survey, heretofore described to which I add 1-3492 L R M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 4° 31' E. 4603.9 ft., and Cor No 4 Little Rock lode Sur No 1526 brs S 45° 36' W 10522.4 ft. No bearings available.

- Feet.
- thence South
- 466.5 to Cor No 2, the S. E. Cor, identical with location and with Cor No 3 Main Stay Mill Site of this survey, heretofore described to which I add 2-3492 L R M S for this mill site.
- thence West
- 466.5 to Cor No 3, the S. W. Cor, identical with location and with Cors No 1, 2 and 4 of Ajo View, Sulphide Stringer and Quien Sabe Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 L R M S.
- thence North
- 140.0 intersect line 4-1 East Side # 4, ^{& line 1-2 East Side #5} lodes Sur No 3161 at N 10° 29' E 541.9 ft from Cor Nos 4, 2.
- 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Only Show Mill Site of this survey, heretofore described to which I add 4-3492 L R M S for this mill site.
- thence East
- 60.4 intersect line 1-2 East Side # 5, ^{& line 1-4 East Side #4} lodes Sur No 3161 at N-10° 29' E 873.9 ft from Cor Nos 2, 4.
- 466.5 to Cor No 1, the place of the beginning.

Sulphide Stringer Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Only Show Mill Site of this survey, heretofore described to which I add 1-3492 S S M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 10° 14' 30" E 4663.9 ft., and Cor No 6 Sulphide Stringer lode Sur No 1526 brs S 39° 50' W 9865.0 ft. No bearings available.

- thence South
- 326.5 intersect line 1-2 East Side # 5, ^{& line 4-1 East Side #4} lodes Sur No 3161 at N 10° 29' E 541.9 ft from Cor Nos 2, 4.
- 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Little Rock Mill Site of this survey, heretofore described to which I add 2-3492 S S M S for this mill site.

Feet.

thence West

25.9 intersect line 4-1 East Side # 4 ^{& line 1-2 East Side # 5} lode, Sur No 3161 at N 10° 29' E 399.5 ft from Cor Nos. 2, 4

466.5 to Cor No 3, the S W Cor, identical with location and with Cors No 1, 2 and 4 of Copper King, Golden Eagle and Ajo View Mill Sites of this survey, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed 3-3492 S S M S.

thence North

171.0 cross wagon road, course northeasterly and southwesterly,

256.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Midnight Snow Mill Site of this survey, heretofore described to which I add 4-3492 S S M S for this mill site.

thence East

124.5 cross wagon road, course northerly and southerly,

348.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 1, the place of the beginning.

----- Golden Eagle Mill Site. -----

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Midnight Snow Mill Site of this survey, heretofore described to which I add 1-3492 G E M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 15° 46' E. 4769.0 ft., and Cor No 4 Golden Eagle lode Sur No 2800 brs S 43° 49' 30" W 8692.6 ft. No bearings available.

thence South

210.0 cross wagon road, course northeasterly and southwesterly,

295.5 cross wagon road, course northeasterly and southwesterly,

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Sulphide Stringer Mill Site of this survey, heretofore described to which I add 2-3492 G E M S for this mill site.

Feet.

thence West

161.0 cross wagon road, course northeasterly and southwesterly,
 169.5 intersect line 3-4 East Side # 5^{& line 1-2 East Side No. 6} lodes, Sur. No 3161 at N 10°
 29' E 343.1 ft from Cor Nos 3, 2.
 466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Ajo Queen, D. B. Hill and Copper King
 Mill Sites of this survey, respectively, a pine post 4 ft
 long 4 ins sq set 18 ins in the ground in a mound of stones
 and scribed 3-3492 G E M S.

thence North

466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 3 Mayflower Mill Site of this survey, heretofore de-
 scribed to which I add 4-3492 G E M S for this mill site.

thence East

383.3 intersect line 1-2 East Side No 6^{& line 3-4 East Side #5} lodes, Sur. No 3161 at N 10°
 29' E 817.5 ft from Cor Nos 2, 3.
 466.5 to Cor No 1, the place of the beginning.

D.B.Hill Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location
 and with Cor No 3 Mayflower Mill Site of this survey, here-
 tofore described to which I add 1-3492 D B H M S for this
 mill site. U. S. L. M. No. 3161 Ajo Mining District brs
 N 21° E 4916.2 ft., and Cor No 4 D. B. Hill lode Sur No
 2800 brs S 39° 19' 30" W 7937.7 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location and with
 Cor No 3 Golden Eagle Mill Site of this survey, heretofore
 described to which I add 2-3492 D B H M S for this mill
 site.

thence West

313.2 intersect line 3-4 East Side No 6^{& line 1-2 Yale No.3} lodes, Sur No 3161 at N 10°
 29' E 286.7 ft from Cor Nos 3, 2.
 466.5 to Cor No 3, the S W Cor, identical with location and with
 Cors No 1, 2 and 4 of Wedge, Escondido and Ajo Queen Mill
 sites of this survey, respectively, a pine post 4 ft long
 4 ins sq set 18 ins in the ground in a mound of earth and

- Feet. scribed 3-3492 D B H M S.
- thence North
- 436.4 to edge of mill tailing dump, course northeasterly and southwesterly,
- 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Hermosa Mill Site of this survey, heretofore described to which I add 4-3492 D B H M S for this mill site.
- thence East
- 28.3 to edge of mill tailing dump, course northeasterly and southwesterly,
- 239.6 intersect line 1-2 Yale No 3 ^{& line 3-4 East Side No. 6} lodes, Sur No 3161 at N 10°, 29' E 761.1 ft from Cor Nos 2, 3.
- 466.5 to Cor No 1, the place of the beginning.

Escondido Mill Site.

Beginning at Cor, No 1, the N E Cor, identical with location and with Cor No 3, Hermosa Mill Site of this survey, heretofore described to which I add 1-3492-E M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 25° 54' E 5102.1 ft., and Cor No 4 Escondido lode Sur No 2800 brs S 32° 53' 30" W 7299.1 ft. No bearings available.

thence South

- 30.1 to edge of mill tailing dump, course northeasterly and southwesterly,
- 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 D. B. Hill Mill Site of this survey, heretofore described to which I add 2-3492 E M S for this mill site.

thence West

- 324.2 to ^{witness} W Cor for Cor 3, the S W Cor, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed W C 3-3492 E M S. Original corner ^{& true point} for Cor No 3 brs west 142.3 ft., and is an iron spike driven in a railroad tie. On account of corner being situated on railroad track it was impossible to set it.

- 350.7 to edge of mill tailing dump, course northeasterly and southwesterly,

Feet.

437.1 cross railroad track, course northeasterly and southwest-
erly,

453.9 intersect line 3-4 Yale No 3^{& line 1-2 Yale No. 2} lodes, Sur No 3161 at N 10° 21'
E 230.4 ft from Cor Nos 3, 2.

466.5 to iron spike in tie, being point of location^{& true corner point} for Cor No
3. Witness Corners. br. East 142.3 ft. and North 95.6 ft.

thence North

83.5 to edge of mill tailing dump, course northeasterly and
southwesterly,

95.6 to W^{itness} Cor for Cor No 3, being a pine post 4 ft long 4 ins
sq. set 18 ins in the ground in a mound of stones and scribed
W C 3-3492 E M S

466.5 to Cor. No. 4, the N W Cor, identical with location and with
Cor No 3 Hot Head Mill Site of this survey, heretofore de-
scribed to which I add 4-3492 E M S for this mill site.

thence East

97.8 intersect line 1-2 Yale No 2^{& line 3-4 Yale No. 3} lodes, Sur. No. 3161 at N 10° 21'
E 704.6 ft from Cor Nos 2, 3.

237.0 to edge of mill tailing dump, course northeasterly and
southwesterly,

300.7 cross railroad track, course northeasterly and southwest-
erly,

340.9 cross railroad track, course northeasterly and southwest-
erly,

466.5 to Cor No 1, the place of the beginning.

Valley Mill Site.

Beginning at Cor-No 1, the N E Cor, identical with location
and with Cor No 3 Hot Head Mill Site of this survey, here-
tofore described to which I add 1-3492 V M S for this mill
site. U. S. L. M. No. 3161 Ajo Mining District brs N 30°
25' 30" E 5322.4 ft., and Cor No 4 Valley Lode Sur No 2800
brs S 26° 09' W 6817.9 ft. No bearings available.

thence South

370.9 to W^{itness} Cor for Cor No 2, the S E Cor,^{identical with W.C. for Cor. No. 3 Escondido Millsite, this survey,} heretofore described to
which I add W C 2-3492 V M S for this mill site. ~~Original~~

Feet.

~~Location for Cor No 2 is identical with Cor No 3 Escondido Mill Site of this survey. The reasons for not setting same has^{ve} been heretofore explained.~~

383.0 cross railroad track, course northeasterly and southwest-erly,

466.5 to original location^{& true point} for Cor No 2, being an iron spike in tie, identical with true point for Cor. No.3 Escondido Mill Site of this survey. Witness Cors. br. North 95.6 ft. & West 78.1 ft. thence West

55.0 to edge of mill tailing dump, course northeasterly and southwest-erly,

78.1 to W. Cor. for Cor. No. 2, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed W C 2-3492 V M S.

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 4 Lone Star Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 V. M. S..

thence North

466.5 to Cor. No. 4, the N.W. Cor, identical with location and with Cor No 3 Alameda Mill Site of this survey, heretofore de-scribed to which I add 4-3492 V M S for this mill site.

thence East

466.5 to Cor No 1, the place of the beginning.

Butte Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 2 Main Stay Mill Site of this survey, here-tofore described to which I add 1-3492 B M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 1° 10' 30" W 5057.2-ft., and Cor No 1 Butte lode Sur No 1526 brs S 37° 50' W 10355.9 ft. No bearings available.

thence South

466.5 to Cor No 2, the S E Cor, identical with location, an iron pipe 4 ft long 3 1/2 ins ^{diameter} in/set 18 ins in the ground in con-crete with copper tag on side marked 2-3492 B M S. Cor No

82
44

Feet.

3 Ocatilla # 9 lode Sur No 3161 brs S 77° 16' E 166.1 ft.
Cor No 2 East Side No 3 lode Sur No 3161 brs S 55° 54' E
44.6 ft.

Thence West

233.8 intersect ^{line} 3-4 Ocatilla # 9 lode Sur No 3161 at S 84° 43'
E 202.9 ft from Cor No 4 and N 84° 43' W 397.6 ft from Cor
No 3, also intersect line 1-2 East Side No 3 lode Sur No
3161 at N 84° 43' W 272.0 ft from Cor No 2.

466.5 to Cor No 3, the S W Cor, identical with location and with
Cor No 2 Quien Sabe Mill Site of this survey, an iron pipe
4 ft long 3½ ins in diameter set 18 ins in the ground in
concrete with copper tag on side marked 3-3492 B M S. Cors
No 3 and 4 of East Side # 4 and Ocatilla # 9 lodes, res-
pectively, of Sur No 3161 brs N 58° 41' E 35.9 ft. Cors
No 1 and 2 of East Side No 3 and East Side No 2 lodes, res-
pectively, ^{of Sur No. 3161,} br N 72° 29' W 101.0 ft.

thence North

21.5 intersect line 3-4 East Side # 4 lode Sur No 3161 at N 84°
43' W 30.8 ft from Cor No 3, also intersect line 1-2 East Side
No. 3 lode, Sur No. 3161, at N 84° 43' W. 505.7 ft. From Cor. No. 2.

466.5 to Cor No 4, the N. W. Cor, identical with location and with
Cor No 3 Main Stay Mill Site of this survey, heretofore
described to which I add 4-3492 B M S for this mill site.

thence East

112.6 intersect line 2-3 East Side # 4 ^{& line 4-1 Ocatilla # 9} lodes, Sur No 3161 at N 10°
22' E 455.3 ft from Cor Nos 3, - 4.

466.5 to Cor No 1, the place of the beginning.

QUIEN SABE Mill Site.

Beginning at Cor No 1, the N. E. Cor, identical with location
and with Cor, No. 3 Main Stay Mill Site of this survey, here-
tofore described to which I add 1-3492 Q S M S for this
mill site. U. S. L. M. No. 3161 Ajo Mining District brs
N 4° 06' E 5069.1 ft., and Cor No 1 ^{Quien Sabe} lode Sur
No 1526 brs S 37° 33' 30" W 9655.2 ft. No bearings avail-
able.

thence South

Feet.
 445.0 intersect line 1-2 East Side No 3 lode Sur No 3161 at S 84°
 43' E 96.7 ft from Cor No 1, also intersect line 3-4 East Side # 4
 lode, Mineral Survey No. 3161, at N. 84° 43' W. 30.8 ft. from Cor. No. 3.
 466.5 to Cor No 2, the S E Cor, identical with location and with
 Cor No 3 Butte Mill Site of this survey, heretofore desc-
 ribed to which I add 2-3492 Q S M S for this mill site.
 thence West
 96.4 intersect line 1-4 East Side No 3 lode which is identical
 with line 2-3 East Side No 2 lode, both of Sur No 3161, at
 S 0° 10' E 30.4 ft from Cor Nos 1-2 of East Side No 3 lode,
 and N 0° 10' W 1469.1 ft from Cor Nos 3-4 East Side No 3 lode.
 466.5 to Cor No 3, the S W Cor, identical with location and with
 Cor No 2-Ajo View Mill Site of this survey, an iron pipe
 4 ft long 3½ ins in diameter set 18 ins in the ground in
 concrete with copper tag on side marked 3-3492 Q S M S.
 Cors No 2 and 4 of East Side # 5 lode and East Side # 4 lode,
 respectively, of Sur No 3161 br N 53° 13' W 123.1 ft.
 Cors No 1 and 1 of East Side No 1 and East Side No 2 lodes,
 respectively, of Sur No 3161 br N 69° 30' W 245.1 ft.
 thence North
 64.6 intersect line 1-2 East Side No 2 lode Sur No 3161 at N 84°
 43' W 371.8 ft from Cor No 2, also intersect line 3-4 East
 Side # 4 lode Sur No 3161 at N. 84° 43' W 499.3 ft from Cor
 No 3.
 466.5 to Cor No 4, the N W Cor, identical with location and with
 Cor No 3 Little Rock Mill Site of this survey, heretofore
 described to which I add 4-3492 Q S M S for this mill site.
 thence East
 466.5 to Cor No 1, the place of the beginning.
 Ajo View Mill Site.
 Beginning at Cor No 1, the N. E. Cor, identical with location
 and with Cor No 3 Little Rock Mill Site of this survey,
 heretofore described to which I add 1-3492 A V M S for this
 mill site. U. S. L. M. NO. 3161 Ajo Mining District brs
 N 9° 19' E 5123.6 ft., and Cor No 6 Ajo View Lode Sur No
 2800 brs S 34° 13' 30" W 8568.6 ft. No bearings available.

- Feet.
- 401.9 intersect line 1-2 East Side No 2, lodes, Sur. No 3161 At S 84° 43' E 230.6 ft, from Cors No 1, & 4 respectively
 & line 3-4 East Side #4
 & 99 ft.
- 466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Quien Sabe Mill Site of this survey, heretofore described to which I add 2-3492 A V M S for this mill site.
- 229.6 intersect line 4-1 East Side No 2 lode Sur No 3161, which is identical with line 1-2 East Side No 1 lode Sur No 3161, at S 0° 01' E 85.8 ft from Cor, ^{Nos. 1, 2} and N 0° 01' W 1414.2 ft from Cor Nos. 4, 2.
- 466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 2 Copper King Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 A V M S. Cors No 2 and 3 of East Side No 6 and East Side # 5 lodes, respectively, of Sur No 3161 br N 60° 53' W 265.4 ft.
- 107.7 intersect line 4-1 East ^{Side} No 1 lode, Sur No 3161, at N 84° 43' W 237.9 ft from Cor No 1, also intersect line 2-3 East Side # 5 lode Sur No 3161 at N 84° 43' W 369.5 ft from Cor No 2.
- 466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Sulphide Stringer Mill Site of this survey, heretofore described to which I add 4-3492 A V M S for this mill site.
- 440.6 intersect line 1-2 East Side # 5, lodes, Sur No 3161 at N 10° 29' E 399.5 ft from Cor Nos 2, 4.
 & line 1-4 East Side #4
- 466.5 to Cor No 1, the place of the beginning.

 Copper King Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Sulphide Stringer Mill Site of this survey, heretofore described to which I add 1-3492 C K M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 14° 22' 30" E 5219.5 ft., and Cor No 4 Copper King

Feet.

lode Sur No 2194 brs S 31° 23' W 7283.4 ft. No bearings available.

thence South

358.8 intersect line 2-3 East Side # 5 lode Sur No 3161 at S 84° 43' E 232.9 ft from Cor No 3, also intersect line 4-1 East Side No 1 lode Sur No 3161 at S 84° 43' E 364.5 ft from Cor No 4,

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Ajo View Mill Site of this survey, heretofore described to which I add 2-3492 C K M S for this mill site.

thence West

362.9 intersect line 3-4 East Side No 1 lode Sur No 3161, which is identical with line 2-1 New Moon No 2 lode Sur No 3161, at S 0° 01' E 141.2 ft from Cor Nos 4, and N 0° 01' W 1358.8 ft from Cor Nos 3, 2.

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 2 Ajo Queen Mill Site of this survey, an iron pipe 4 ft long 3 1/2 ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 C K M S. Cors No 1 and 4 of New Moon No 2 and East Side No 1 lodes, respectively, of Sur No 3161 br N 36° 15' E 175.1 ft.

thence North

98.5 cross wagon road, course northeasterly and southwesterly, 150.8 intersect line 4-1 New Moon No 2 lode Sur No 3161 at N 84° 43' W 104.0 ft from Cor No 1, also intersect line 2-3 East Side No 6 lode Sur No 3161 at N 84° 43' W 235.6 ft from Cor No 2

466.5 to Cor No 4, the N W Cor, identical with location and with Cor No 3 Golden Eagle Mill Site of this survey, heretofore described to which I add 4-3492 C K M S for this mill site.

thence East

297.0 intersect line 1-2 East Side No 6, lodes Sur No 3161 at N 10° 29' E 343.1 ft. from Cor Nos 2, 3, & line 3-4 East Side # 5

305.5 cross wagon road, course northeasterly and southwesterly, 466.5 to Cor No 1, the place of the beginning.

Feet.	Ajo Queen Mill Site.
	Beginning at Cor No 1, the N. E. Cor., identical with location and with Cor No 3 Golden Eagle Mill Site of this survey, heretofore described to which I add 1-3492 A Q M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 19° 13' E 5354.4 ft., and Cor No 3 Ajo Queen lode Sur No 2679 brs S 27° 57' 30" W 6608.0 ft. No bearings available.
	thence South
315.7	intersect line 2-3 East Side No 6 lode Sur No 3161 at S 84° 43' E 366.9 ft from Cor No 3, and line 1-4 New Moon No. 2 lode, Sur. No. 3161, S. 84° 43' E. 498.5 ft. from Cor. No. 4.
368.0	cross wagon road, course northeasterly and southwesterly,
466.5	to Cor No 2, the S. E. Cor., identical with location and with Cor No 3 Copper King Mill Site of this survey, heretofore described, to which I add 2-3492 A Q M S for this mill site.
	thence West
114.4	cross wagon road, course northeasterly and southwesterly,
466.5	to Cor No 3, the S. W. Cor., identical with location and with Cor No 2 Wedge Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 A Q M S. Cors No 2 and 3 Yale No 3 and East Side No 6 lodes, respectively, br N 28° 44' E 210.5 ft. Cors No 3 and 4 of New Moon No 1 lode Sur No 3159, and New Moon No 2 lode Sur No 3161, respectively br N 8° 38' W 198.9 ft.
	thence North
193.9	intersect line 4-1 New Moon No 2 lode Sur No 3161 at S 84° 43' E 30.0 ft from Cor No 4, also intersect line 2-3 Yale No 3 lode Sur No 3161 at N 84° 43' W 101.6 ft from Cor No 2,
466.5	to Cor No 4, the N. W. Cor., identical with location and with Cor No 3 D. B. Hill Mill Site of this survey, heretofore described to which I add 4-3492 A Q M S for this mill site.
	thence East.
153.3	& line 3-4 East Side No. 6 intersect line 1-2 Yale No 3 lodes, Sur No 3161 at N 10° 29' E 286.7 ft from Cor Nos. 2, -3
466.5	to Cor No 1, the place of the beginning.

Feet.

Wedge Mill Site.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 D. B. Hill Mill Site of this survey, heretofore described to which I add 1-3492 W M S for this mill site. U. S. L. M. No. 3161 Ajo Mining District brs N 23° 47' E 5525.5 ft., and Cor No 4 Wedge lode Sur No 2679 brs S 19° 56' 30" W 6239.5 ft. No bearings available.

thence South

272.6 intersect line 4-1 New Moon No 2 lode Sur No 3161 at S 84° 43' E 30.0 ft from Cor No 4, also intersect line 2-3 Yale No.3 lode, Sur. No. 3161, S. 84° 43' E. 467.4 ft. from Cor. No. 3.

466.5 to Cor No 2, the S E Cor, identical with location and with Cor No 3 Ajo Queen Mill Site of this survey, heretofore described to which I add 2-3492 W M S for this mill site.

thence West

29.8 intersect line 3-4 New Moon No 2 lode Sur No 3161, which is identical with line 3-4 New Moon No 1 lode Sur No 3159, at S 0° 01' E 196.6 ft from Cor Nos. 4-3, and N 0° 01' W 1303.4 ft from Cor Nos. 3-4.

466.5 to Cor No 3, the S W Cor, identical with location and with Cor No 2 Lone Star Mill Site of this survey, an iron pipe 4 ft long 3½ ins in diameter set 18 ins in the ground in concrete with copper tag on side marked 3-3492 W M S. Cors No 2 and 3 of Yale No 2 and Yale No 3 lodes, respectively, of Sur No 3161 br N 6° 51' W 241.4 ft. Cors No 2 and 3 of New Moon No 1 and First Chance lodes, respectively, of Sur No 3159 br N 32° 55' W 300.3 ft.

thence North

237.0 intersect line 2-3 New Moon No 1 lode Sur No 3159 at N 84° 43' W 438.5 ft from Cor No 3, also intersect line 2-3 Yale No.3 lode, Sur. No. 3161, S. 84° 43' E. 28.9 ft. from Cor. No. 3.

299.4 to W Cor for Cor No 4, the N W Cor, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of earth and scribed W C 4-3492 W M S. Original corner, for Cor No 4 brs North 167.1 ft., and is identical with a true corner point true point for Cor No 3 Escondido Mill Site of this survey heretofore described,

349.1 to edge of mill tailing dump. course northeasterly and southwesterly,

Feet.
 397.5 intersect line 3-4 Yale No 3, ^{& line 1-2 Yale No. 2} lodes, Sur No 3161 at N 10° 21' E 160.3 ft from Cor Nos 3, -2.

426.5 cross railroad track, course northeasterly and southwesterly,
 466.5 to location ^{and true corner point} for Cor No 4, the N W Cor, being ^{identical with true corner point} a spike in tie heretofore described. Witness Cors. br. East 142.3 ft. & S. 167.1 ft.

thence East

12.6 intersect line 1-2 Yale No 2, ^{& line 3-4 Yale No. 3} lodes, Sur. No 3161 at N 10° 21' E 230.4 ft from Cor Nos 2, -3.

29.5 cross railroad track, course northeasterly and southwesterly,
 115.8 to edge of mill tailing dump, course northeasterly and southwesterly,
 142.3 to W Cor for Cor No 4, which is identical with W Cor for Cor No 3 Escondido Mill Site of this survey, heretofore described to which I add W C 4-3492 W M S for this mill site.

466.5 to Cor No 1, the place of the beginning.

 Lone Star Mill Site.

Beginning ^{true point for} at Cor No 1, the N E Cor, identical with location ^{true point for} and with Cor No 3 Escondido Mill Site of this survey, which is marked by an ^{Witness Cors. br. South 167.1 ft. & West 78.1 ft.} iron spike in tie. U. S. L. M. No. 3161 Ajo Mining District brs. N. 28° 3' 30" E 5729.6 ft., and Cor No 3 Lone Star lode Sur. No. 2679 brs S 18° 22' 30" W 4603.3 ft. No bearings available.

thence South

40.0 cross railroad track course northeasterly and southwesterly,
 69.0 intersect line 1-2 Yale No 2, ^{& line 3-4 Yale No. 3} lodes, Sur No 3161 at N 10° 21' E 160.3 ft from Cor Nos 2, -3.

117.4 to edge of mill tailing dump, course northeasterly and southwesterly,
 167.1 to W Cor for Cor No 1, identical with W Cor for Cor No 4 Wedge Mill Site of this survey, heretofore described, to which I add W C 1-3492 L S M S for this mill site.

229.5 intersect line 2-3 New Moon No 1, ^{& line 2-3 Yale No. 3} lodes, Sur No 3159, ^{& Sur. No. 3161, respectively,} at S 84° 43' E 163.9 ft from Cor No 2, and 28.9 ft. from No. 3.

466.5 to Cor No 2, the S E Cor, identical with location and with

Feet.

- Cor No 3 Wedge Mill Site of this survey, heretofore de-
scribed to which I add 2-3492 L S M S for this mill site.
thence West
- 163.1 intersect line 1-2 New Moon No 1 lode Sur No 3159, which is
identical with line 3-4 First Chance lode Sur No 3159, at
S 0° 01' E 252.0 ft from Cor Nos 2-3 and N 0° 01' W 1248.0 ft
from Cor Nos 1, 4.
- 324.2 to edge of mill tailing dump, course northeasterly and southwesterly,
- 367.3 cross railroad track, course northeasterly and southwesterly,
- 385.8 cross railroad track, course northeasterly and southwesterly,
- 427.5 to edge of mill tailing dump, course northeasterly and
southwesterly,
- 466.5 to Cor No 3, the S W Cor, identical with location, an iron
pipe 4 ft long 3½ ins in diameter set 18 ins in the ground
in concrete with copper tag on side marked 3-3492 L S M S.
thence North
- 280.1 intersect line 2-3 First-Chance lode Sur No 3159 at N 84°
43' W 304.6 ft from Cor No 3, and S 84° 43' W 297.8 ft from
Cor No 2, also intersect line 2-3 Yale No 2 lode Sur No
3161 at N 84° 43' W 439.6 ft from Cor No 2, and S 84° 43'
E 162.7 ft from Cor No 3.
- 466.5 to Cor No 4, the N W Cor, identical with location and with
Cor No 3 Valley Mill Site of this survey, heretofore de-
scribed to which I add 4-3492 L S M S for this mill site.
thence East
- 388.5⁴ to W Cor for Cor 1, identical with W Cor for Cor No 2
Valley Mill Site of this survey, heretofore described
to which I add W C 1-3492 L S M S for this mill site.
- 411.5 to edge of mill tailing dump, course northeasterly and
southwesterly,
- 466.5 to Cor No 1, the place of the beginning.

AREAS.

Total area of Luna # 19 Mill Site - - - - - 4.996 A
Area in conflict with
Sur.No.3161 Verde # 12 lode - - - - - 3.898
Sur.No.3161 Verde # 11 lode - - - - - 0.038
(50.)

Feet.

	Sur. No. 3161 Ocatilla # 5 lode	1.060	✓
	Total area of Luna # 18 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 11 lode	3.383	✓
	Sur. No. 3161 Verde # 12 lode	0.092	✓
	Sur. No. 3161 Ocatilla # 5 lode	0.139	✓
	Sur. No. 3161 Ocatilla # 4 lode	1.382	✓
	Total area of Luna # 17 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 11 lode	0.985	✓
	Sur. No. 3161 Verde # 10 lode	2.028	✓
	Sur. No. 3161 Ocatilla # 4 lode	0.743	✓
	Sur. No. 3161 Ocatilla No. 3 lode	1.240	✓
	Total area of Luna # 16 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 10 lode	1.604	✓
	Sur. No. 3161 Ocatilla No 3 lode	1.662	✓
	Sur. No. 3161 Verde # 9 lode	0.946	✓
	Sur. No. 3161 Ocatilla No 2 lode	0.783	✓
	Total area of Luna # 15 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 9 lode	1.909	✓
	Sur. No. 3161 Ocatilla No 2 lode	2.856	✓
	Sur. No. 3161 Ocatilla # 1 lode	0.051	✓
	Sur. No. 3161 Verde # 8 lode	0.180	✓
	Total area of Luna # 14 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 8 lode	1.627	✓
	Sur. No. 3161 Ocatilla # 1 lode	3.329	✓
	Sur. No. 3161 Ocatilla No 2 lode	0.039	✓
	Total area of Luna # 13 Mill Site	4.996	A. ✓
	Area in conflict with		
	Sur. No. 3161 Verde # 8 lode	0.271	✓
	Sur. No. 3161 Ocatilla # 1 lode	1.075	✓
	Sur. No. 3161 Blue Bell lode	2.756	✓

Total area of Luna # 6 Mill Site - - - - - - - - - - -4.966 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 5 lode - - - - -4.993 ✓
 Sur.No.3161 Ocatilla # 6 lode - - - - -0.003 ✓
 Total area of Luna # 7 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 5 lode - - - - -1.114 ✓
 Sur.No.3161 Ocatilla # 4 lode - - - - -3.882 ✓
 Total area of Luna #8 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 4 lode - - - - -2.653 ✓
 Sur.No.3161 Ocatilla No 3 lode - - - - -2.343 ✓
 Total area of Luna # 9 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla No 3 lode - - - - -4.191 ✓
 Sur.No.3161 Ocatilla No 2 lode - - - - -0.805 ✓
 Total area of Luna # 10 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla No 2 lode - - - - -4.996 ✓
 Total area of Luna # 11 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur. No.3161 Ocatilla No 2 lode - - - - -0.732 ✓
 Sur.No.3161 Ocatilla # 1 lode - - - - -4.264 ✓
 Total area of Luna # 12 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 1 lode - - - - -2.270 ✓
 Sur.No.3161 Blue Bell lode - - - - -2.726 ✓
 Total area of Luna # 5 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 6 lode - - - - -0.543 ✓
 Sur.No.3161 Ocatilla # 5 lode - - - - -4.453 ✓
 Total area of Old Ore # 6 Mill Site - - - - - - - - - - -4.996 A. ✓
 Area in conflict with
 Sur.No.3161 Ocatilla # 4 lode - - - - -2.957 ✓
 Sur.No.3161 Ocatilla # 5 lode - - - - -2.038 ✓

Total area of Old Ore # 5 Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla # 4 lode - - - - 3.577 ✓

Sur.No.3161 Ocatilla No 3 lode - - - - 1.418 ✓

Total area of Old Ore # 4 Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla No 3 lode - - - - 4.932 ✓

Sur.No.3161 Ocatilla No 2 lode - - - - 0.064 ✓

Total area of Old Ore #3 Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla No 3 lode - - - - 0.183 ✓

Sur.No.3161 Ocatilla No 2 lode - - - - 4.813 ✓

Total area of Old Ore # 2 Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla No 2 lode - - - - 1.656 ✓

Sur.No.3161 Ocatilla # 1, lode - - - - 3.340 ✓

Total area of Second Chance Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla # 1 lode - - - - 3.194 ✓

Sur.No.3161 Blue Bell lode - - - - 1.802 ✓

Total area of Joint Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla # 6 lode - - - - 1.490 ✓

Sur.No.3161 Ocatilla # 9 lode - - - - ^{0.000+} Nominal ✓

Sur.No.3161 Ocatilla # 5 lode - - - - 3.411 ✓

Sur.No.3161 East Side # 4 lode - - - - 0.096 ✓

Total area of Pendulum Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla # 5 lode - - - - 2.657 ✓

Sur.No.3161 East Side # 4 lode - - - - 0.306 ✓

Sur.No.3161 Ocatilla # 4 lode - - - - 1.810 ✓

Sur.No.3161 East Side # 5 lode - - - - 0.223 ✓

Total area of Southern Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 Ocatilla # 4 lode - - - - 3.546 ✓

Sur.No.3161 East Side # 5 lode - - - - 0.955 ✓

Sur. No.3161 Ocatilla No 3 lode - - - - 0.460 ✓

Sur.No.3161 East Side No 6 lode - - - - -0.035 ✓
 Total area of Luna # 3 Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 Ocatilla No 3 lode - - - -3.544 ✓
 Sur.No.3161 East Side No 6 lode - - - -1.452 ✓
 Total area of Luna # 4 Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 Ocatilla No 3 lode - - - -0.575 ✓
 Sur.No.3161 East Side No 6 lode - - - -0.468 ✓
 Sur.No.3161 Ocatilla No 2 lode - - - -2.506 ✓
 Sur.No.3161 Yale No 3 lode - - - -1.446 ✓
 Total area of Luna # 21 Mill Site - - - - - 4.996A ✓
 Area in conflict with
 Sur.No.3161 Ocatilla No 2 lode - - - -1.295 ✓
 Sur.No.3161 Yale No 3 lode - - - -1.283 ✓
 Sur.No.3161 Ocatilla # 1 lode - - - -1.324 ✓
 Sur.No.3161 Yale No 2 lode - - - -1.093 ✓
 Total area of First Chance Mill Site - - - - - 4.996A
 Area in conflict with
 Sur.No.3161 Ocatilla # 1 lode - - - -1.701 ✓
 Sur.No.3161 Yale No 2 lode - - - -2.414 ✓
 Sur.No.3161 Blue Bell lode - - - -0.243 ✓
 Sur.No.3161 Yale No 1 lode - - - -0.638 ✓
 Total area of Cardinoff Mill Site - - - - - 4.996A
 Area in conflict with
 Sur.No.3161 Ocatilla #6 lode - - - -0.029 ✓
 Sur.No.3161 Ocatilla # 9 lode - - - -2.390 ✓
 Sur.No.3161 East Side # 4 lode - - - -2.576 ✓
 Total area of Only Show Mill Site - - - - - 4.996A ✓
 Area in conflict with
 Sur.No.3161 East Side # 4 lode - - - -3.887 ✓
 Sur.No.3161 East Side # 5 lode - - - -1.109 ✓
 Total area of Midnight Snow Mill Site - - - - - 4.996A
 Area in conflict with
 Sur.No.3161 East Side # 5 lode - - - -4.995
 Sur.No.3161 East Side No 6 lode - - - -0.001 ✓

Total area of Mayflower Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 East Side # 5 lode - - - - - 0.429 ✓
 Sur.No.3161 East Side No 6 lode - - - - - 4.566 ✓
 Total area of Hermosa Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 East Side No 6 lode - - - - - 1.968 ✓
 Sur.No.3161 Yale No 3 lode - - - - - 3.028 ✓
 Total area of Hot Head Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 Yale No 3 lode - - - - - 3.492 ✓
 Sur.No.3161 Yale No 2 lode - - - - - 1.504 ✓
 Total area of Alameda Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 Yale No 2 lode - - - - - 4.897 ✓
 Sur.No.3161 Yale No 1 lode - - - - - 0.099 ✓
 Total area of Main Stay Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 Ocatilla # 9 lode - - - - - 3.333 ✓
 Sur.No.3161 East Side # 4 lode - - - - - 1.663 ✓
 Total area of Golden Eagle Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 East Side # 5 lode - - - - - 1.353 ✓
 Sur.No.3161 East Side No 6 lode - - - - - 3.643 ✓
 Total area of Little Rock Mill Site - - - - - 4.996A/
 Area in conflict with
 Sur.No.3161 East Side # 4 lode - - - - - 4.769 ✓
 Sur.No.3161 East Side # 5 lode - - - - - 0.226 ✓
 Total area of Sulphide Stringer Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.³¹⁶¹/East Side # 4 lode - - - - - 0.042 ✓
 Sur.No.3161 East Side # 5 lode - - - - - 4.954 ✓
 Total area of D.B.Hill Mill Site - - - - - 4.996A.
 Area in conflict with
 Sur.No.3161 East Side No 6 lode - - - - - 2.892 ✓
 Sur.No.3161 Yale No 3 lode - - - - - 2.104 ✓

Total area of Escondido Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 Yale No 3 lode - - - - - 4.405 ✓

Sur.No.3161 Yale No 2 lode - - - - - 0.591 ✓

Total area of Valley Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 Yale No 2 lode - - - - - 4.966 ✓

Total area of Butte Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 Ocatilla # 9 lode - - - - - 4.203 ✓

Sur.No.3161 East Side # 4 lode - - - - - 0.735 ✓

Sur.No.3161 East Side No. 3 lode - - - - - 0.057 ✓

Total area of Quien Sabe Mill Site - - - - - 4.996 A.

Area in conflict with

Sur.No.3161 East Side # 4 lode - - - - - 4.535 ✓

Sur.No.3161 East Side No. 3 lode - - - - - 0.057 ✓

Sur.No.3161 East Side No. 2 lode - - - - - 0.404 ✓

Total Area of Ajo View Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 East Side # 4 lode - - - - - 0.572 ✓

Sur.No.3161 East Side # 5 lode - - - - - 3.502 ✓

Sur.No.3161 East Side No. 2 lode - - - - - 0.396 ✓

Sur.No.3161 East Side No. 1 lode - - - - - 0.526 ✓

Total Area of Copper King Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 East Side No. 1 lode - - - - - 1.037 ✓

Sur.No.3161 East Side # 5 lode - - - - - 1.612 ✓

Sur.No.3161 East Side No. 6 lode - - - - - 2.000 ✓

Sur.No.3161 New Moon No. 2 lode - - - - - 0.347 ✓

Total area of Ajo Queen Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 East Side No. 6 lode - - - - - 2.337 ✓

Sur.No.3161 Yale No. 3 lode - - - - - 0.813 ✓

Sur.No.3161 New Moon No. 2 lode - - - - - 1.846 ✓

Total area of Wedge Mill Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 Yale No. 3 lode - - - - - 2.678 ✓
 Sur.No.3161 Yale No. 2 lode - - - - - 0.010 ✓
 Sur.No.3161 New Moon No. 2 lode - - - 0.134 ✓
 Sur.No.3159 New Moon No. 1 lode - - - 2.173 ✓
 Total Area of Lone Star Mill-Site - - - - - 4.996A.

Area in conflict with

Sur.No.3161 Yale No. 2 lode - - - - - 2.173 ✓
 Sur.No.3161 Yale No. 3 lode - - - - - 0.053 ✓
 Sur.No.3159 New Moon No. 1 lode - - - 0.916 ✓
 Sur.No.3159 First Chance lode - - - - 1.853 ✓

 LOCATION

This survey is located in the Ajo Mining District, Pima County, Arizona. ~~Approximately~~ in Secs. 13, 14, 23 and 24, T 12 S, R 6 W (Unsurveyed) G & S R B & M.

 INSTRUMENT.

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined by me for Surveys No. 3159, 3160 A B C D and 3161. The distances were measured with 100 and 300 ft steel tapes. Magnetic variation 15° East at all corners.

 ADJOINING CLAIMS

North Survey No. 3161, Verde # 8, Verde # 9, Verde # 10, Verde # 11 and Verde # 12 lodes.
 East Survey No. 3161, Verde # 12, Ocatilla # 6 and Ocatilla # 9 lodes.
 South Survey No. 3159, First Chance and New Moon No. 1 lodes
 Survey No. 3161, New Moon No 2, East Side No. 1, East Side No. 2 and East Side No. 3 lodes
 West Survey No. 3159 First Chance lode.

Survey No. 3161 Yale No. 1 and Blue Bell lodes.
 In addition to certain of the foregoing this claim conflicts with the Ocatilla-#1, Ocatilla-No.2, Ocatilla No.3, Ocatilla #4, Ocatilla #6, Yale No.2, Yale No.3, East Side #4, East Side #5, East Side No.6 and Ocatilla #9 lodes, of Sur. No. 3161.
 REPORT. and Ocatilla #5

U. S. L. M. No. 3161 is a pine post 6 ins sq 5 ft above

ground set in concrete and surrounded by large monument. Scribed U S L M No 3161.

Sur. No. 454 Southern lode. Cor. No. 2 is a mound of rocks post gone.

Sur. No. 1526, Quien Sabe lode Cor No 1, Butte lode Cor No 1, Sulphide Stringer Cor No 6, Little Rock lode Cor No 4 and Main Stay lode Cor No 1 are all pine posts properly set and scribed. Line 1-6 said Quien Sabe was found to be N85° 20'W. 1500.7 ft. Line 2-3 said Sulphide Stringer was found to be N. 6° 47' E. 66.7 ft.

Sur No 2194 Copper King lode, Cor. No 4 is a mound of stones post gone. I found line 2-3 to be S. 2° 12' E. 1505.2 ft.

Sur No 2374 Alameda lode, Cor No 4 is a pine post properly set and scribed.

Sur No 2679, Cor No 4 Hot Head lode, Cor No 3 Hermosa lode, Cor No 4 Mayflower lode, Cor No 4 Midnight Snow lode, Cor No 3 Lone Star lode and Cor No 3 Ajo Queen lode are pine posts properly set and scribed. Cor No 4 Wedge lode is an iron pipe set in concrete with copper cap marked 4-W-2679.

Sur. No. 2800 Cor No 4 Pendulum lode, Cor No 4 Joint lode, Cor No 4 Cardineff lode, Cor. No. 4 Valley lode, Cor No 4 Escondido lode, Cor No 4 D B Hill lode, Cor No 4 Golden Eagle lode and Cor No 6 Ajo View lode are pine posts properly set and scribed.

Sur. No. 2813 Only Show lode, Cor No 4 is a pine post properly set and scribed.

Sur. No. 3159, Sur. No. 3160A and Sur. No. 3161. All corners of these surveys mentioned in the notes are pine posts properly set and scribed.

The mill site area herein applied for is absolutely necessary in connection with the mining operations of the New Cornelia Copper Company. Those operations will eventually require an area sufficiently large to accommodate approximately 100,000,000 tons of tailings. The area necessary to accommodate that amount of tailings is considerably larger than the area embraced in the herein survey and has carefully been determined by engineers.

An area approximating 1/10 of the the mill site area embraced in the herein survey has already been covered by little more than one year's operation by the said Company. The tailings dump contains to date approximately 1,500,000 tons.

Ralph L. Motz
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

July 29, 1918.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

New Cornelia Copper Company

known as the * ^{title page} (see other side)

and showing the respective capacities in which they acted.

Albert Witte, Chainman.

Chainman.

Asman.

Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Albert Witte

and _____, do solemnly swear that ~~we~~ assisted _____

Ralph L. Motz, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of New Cornelia Copper Company

known as the * ^{title page} (see other side)

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

Albert Witte Chainman.

Chainman.

Asman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of May, 19 18

Cornelius T. Reading

Notary Public in and for the

County of Pima, State of Arizona. 6-1043

My Commission expires

My Commission Expires March 14, 1920.

* Lone Star, Wedge, Ajo Queen, Copper King, Ajo View, Quien Sabe, Butte, Main Stay, Little Rock, Sulphide Stringer, Golden Eagle, D. B. Hill, Escondido, Valley, Alameda, Hot Head, Hermosa, Mayflower, Midnight Snow, Only Show, Cardinoff, Joint, Pendulum, Southern, First Chance, Second Chance, Old Ore # 2, Old Ore # 6, Old Ore # 5, Old Ore # 4, Old Ore # 3, Luna # 3, Luna # 4, Luna # 5, Luna # 6, Luna # 7, Luna # 9, Luna # 10, Luna # 11, Luna # 12, Luna # 13, Luna # 14, Luna # 15, Luna # 16, Luna # 17, Luna # 18, Luna # 19, Luna # 21 and Luna # 8 Millsites.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 22, 1918., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of New Cornelia Copper Company, known as the ° see other side, situate in Ajo Mining District, Cochise Pima County, Arizona, in Sections 13, 14, 23 and 24, Township No. 12 S., Range No. 6 W. G & S R B & M. Unsurveyed and designated as Survey No. 3492, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me J. W. Ross, Notary Public
this 29th.
day of July, 1918.

J. W. Ross
Notary Public in and for the County
of Cochise, State of Arizona.
My commission expires February 21st,
1920.

Lone Star, Wedge, Ajo Queen, Copper King, Ajo View, Quien Sabe, Butte, Main Stay, Little Rock, Sulphide Stringer, Golden Eagle, D. B. Hill, Escondido, Valley, Alameda, Hot Head, Hermosa, Mayflower, Midnight Snow, Only Show, Cardinoff, Joint, Pendulum, Southern, First Chance, Second Chance, Old Ore # 2, Old Ore # 6, Old Ore # 5, Old Ore # 3, Old Ore # 4, Luna # 3, Luna # 4, Luna # 5, Luna # 6, Luna # 7, Luna # 9, Luna # 10, Luna # 11, Luna # 12, Luna # 13, Luna # 14, Luna # 15, Luna # 16, Luna # 17, Luna # 18, Luna # 19, Luna # 21, Luna # 8 Mill Sites.

County of San Diego, California
 State of California
 1900

1

65

Location Notice

of

The LONE STAR

FILED 10-1-18

~~Mill-Site Claim and Water Right~~

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the LONE STAR, et al Mining Claims situate in AJO MINING DISTRICT Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Lone Star Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3161 from which the North-east corner of said claim bears S. 28° 04' 00" about and distant 5733 feet more or less.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. W. Champe NEW COLUMBIA COPPER COMPANY,
By H. Gully

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

293
Location Notice
OF
Mill-Site Claim and Water Right

Lone Star

Dated December 19 17

Filed and recorded at request of

M. Carley

at
January 21st 1918
A. D. 1918
at
9 - A. M.

Book

2 Mill Sites

Pages

301

County Recorder.

R. B. ...

By

Deputy Recorder.

m. e. l. ...

Location Notice

of

MAIL TO 1110

The WEDGE

Mill-Site Claim and ~~Water Right~~

has
Know All Men by These Presents, That N. C. C. Company the undersigned, ~~xxx~~ this
day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the
Wedge, et al Mining Claim,
situate in the AJO Mining
district, PIMA County, State of Arizona.

The exterior boundaries of said Wedge
Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *In a southwesterly direction from United States General Monument No 3161 from which the N.E. corner of said claim bears S 23° 47' W about and distant 5541 feet more or less. The west line of said claim is the east line of Lone Star Mill Site Claim.*

That we have also located in connection with the said Mill-Site claim
inches miners' measure of the water
of this under and in accordance with the laws of the
State of Arizona, regulating the location and possession of water rights

The dimensions of the ditch for diverting the water from its natural course at the head,
being as follows: wide at top wide at
bottom, in depth, with a uniform grade of
to the rod.

Dated on the ground, this 7th day of January 1918

Witness:
J. W. Champe

New Cornelia Copper Company,
By M. Bully

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

74/50

292

Location Notice

OF

Mill-Site Claim and Water Right

WEDGE

Dated December 1917

Filed and recorded at request of

McCurley

January 31st A. D. 1918

at 9 A.M.

Book 2 Mill Sites

Pages 300

R. Williams
County Recorder.

By Deputy Recorder.

DESPATCHED AND INDEXED

W. C. C.

Location Notice

of

The AJO QUEEN MAR 10 1918

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company ^{has} ~~has~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Ajo Queen, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said AJO QUEEN Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *In a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 19° 13' W about and distant 5357 feet more or less. The west line of said claim is the east line of Wedge mill site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. A. Champagne By N. C. C. Company

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

291

291

Location Notice

OF

Mill-Site Claim and Water Right

Ajo Queen.

Dated *December* 19 *17*

Filed and recorded at request of

M. Carley

at *Januy 21st* A. D. 19 *18*

at *9-9-11* A.M.

Book

2 Mitchell

Pages

299

County Recorder.

A. Williams

By

Deputy Recorder.

COMPARED AND INDEXED

M.E.D.

P.M.D.

Location Notice

of

The COPPER KING MAY 10 1918

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Copper King, et al Mining Claim, situate in the AJO Mining district, Pima County, State of Arizona.

The exterior boundaries of said Copper King Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the north east corner of said claim bears S 14° 23' 0" W about and distant 5222 feet more or less. The west line of said claim is the east line of Ajo Queen mill-site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. M. Champe By [Signature]
NEW CORNELLIA COPPER COMPANY,
1917

72

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

290 1
M 150

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Gurley

at *January 21st*, A. D. 19*18*

Book *2*

Pages *211*

R. B. Williams
County Recorder.

By Deputy Recorder.

COMPANED AND INDEXED

M. S. A.

Location Notice

of

Jan. 10 1918

The AJO VIEW

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Ajo View, et al Mining Claim, situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Ajo View Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No 3161 from which the north east corner of said claim bears S 9° 19' W about and distant 5127 feet more or less. The west line of said claim is the east line of Copper King mill site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: J. J. Champe By NEW CORNELIA COPPER COMPANY,

STATE OF ARIZONA,

74

County of } ss.

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

24150

289 -

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

January 21st
A. D. 1918

9^{AM}
2 Mill Sites

Book

Pages

297
R. C. Williams

County Recorder.

By
Deputy Recorder.

COMPARED AND INDEXED

M. E. C.

L. P. M.

Location Notice

of

The QUIEN SABE

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. J. Jompany ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Quien Sabe, et al Mining Claim, situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Quien Sabe Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in an southerly direction from United States Mineral Monument No 3161 from which the north east corner of said claim bears S 4°-7' W about and distant 50.72 feet more or less. The west line of said claim is the east line of Ajo View mill site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918 ~~December, 1917~~

Witness: L. W. Champe By H. Curley
NEW CORNELIA COPPER COMPANY,

STATE OF ARIZONA,

17

County of

ss.

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

04/50

288

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Curley

at *Flagstaff* A.D. 19*18*

Book *2* *Mill Sites*

Pages *296* *R. D. Lincoln*

County Recorder.

By Deputy Recorder.

RECORDED AND INDEXED
m. l. c. *C. M. A.*

Location Notice

of

DATE OF 1918

The BUTTE

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Butte, et al Mining Claim, situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Butte

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States Mineral Monument No 3161 from which the N. E. corner of said claim bears S 1° 10' E about and distant 506.0 feet more or less. The west line of said claim is the east line of Queen Lake mill site claim

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918 ~~December 1917~~

Witness: J. H. Champe

NEW COLUMBIA COPPER COMPANY,
By M. L. Luley



STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

20150

287

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Lowley

at *Jan 21st* A. D. 19*18*

Book *295* at *9* A.M.

Pages *295* *R. B. Williams*

By County Recorder.

Deputy Recorder.

COMPARED AND INDEXED

M. L. C. L. M.

Location Notice

of

MAILED 9

The MAIN STAY

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Main Stay, et al Mining Claim, situate in the AJO Mining district, Pima County, State of Arizona.

The exterior boundaries of said Main Stay

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southerly direction from United States General Monument No. 3161 from which the north-east corner of said claim bears S. 1°-17' E about, and distant 4593 feet more or less. The south line of said claim is the north line of Butte mill-site claim.

That we have also located in connection with the said Mill-Site claim

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918 ~~December 1917~~

Witness: L. U. Champe

NEW CORNELIA COPPER COMPANY,

By M. Bailey



STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

MA/50

386

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

filed and recorded at request of

M. Gurley

at *Jan 21st* A. D. 19*18*

at *9- A.M.*

Book *2 Miscellaneous*

Pages *247*

Robinson
County Recorder.

By Deputy Recorder.

UNFILED AND INDEXED

Robinson L.S.D.

Location Notice

of

APR 16 1918

The LITTLE ROCK

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the LITTLE ROCK, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LITTLE ROCK

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States General Monument No 3161 from which the N.E. corner of said claim bears S. 4° 32' W about, and distant 4607 feet more or less. The east line of said claim is the west line of Main Stay mill site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: A. U. Champe

NEW CORNELIA COPPER COMPANY.

By M. C. Cully

82 STATE OF ARIZONA, }
County of } ss.

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

Ad 100

285
Location Notice
OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

at *Jan 21st* A. D. 19*18*

Book *2 Mic. 210*

Pages *293*
By *D. C. Williams*
County Recorder.

Deputy Recorder.

COPIES OF THIS INSTRUMENT

R. M. J.

Location Notice

of

The SULPHIDE STRINGER MAY 10 1918

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Sulphide Stringer, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Sulphide Stringer Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 10° 15' W about, and distant 466.7 feet more or less. The east line of said claim is the west line of Little Rock mill site claim*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: J. A. Champagne By N. C. C. COMPANY,
H. G. Gully

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

CH 150

286
Location Notice
OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Guley

January 21st 1918

A. D. 1918

at 9 A.M.

Book 2 Mill Site

Pages 212
A. G. Williams
County Recorder.

By Deputy Recorder.

..... m.l.o. l.m.l.

Location Notice

of

Jan 10 1918

The GOLDEN EAGLE

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. C. Company the undersigned, ~~has~~ ^{has} ~~has~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the GOLDEN EAGLE, et al. Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said GOLDEN EAGLE Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S 15° 46' W about and is distant 4772 feet more or less. The east line of said claim is the west line of Sulphide Stringer mill site claim*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. H. Champe

NEW CORNELIA COPPER COMPANY,
By [Signature]

86.8

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

pg 150

283

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

at *Jan 21st* A. D. 19*18*

Book *2* Mill-Site

Pages *29*
R. C. Williams
County Recorder.

By Deputy Recorder.

County Recorder.

PREPARED AND INDEXED

M. S. L. *L. M.*

Location Notice

of

Jan 10 1918

The D. B. HILL

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~has~~ ^{has} ~~had~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the D. B. HILL, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said D. B. HILL, Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S21° 01' W about, and distant 4919 feet more or less. The east line of said claim is the west line of Golden Eagle mill site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: L. A. Champe

NEW CORNELIA COPPER COMPANY,
By M. G. M. G.

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

M 1050

282

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Gurley

July 21st
A. D. 19*18*

at
2 Miles West

Book

Pages

290

R. C. Allison

County Recorder.

By

Deputy Recorder.

COPIED AND INDEXED

M. E. C. R. M. C.

Location Notice

of

March 10 1918

The ESCONDIDO

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} ~~now~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Escondido, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said ESCONDIDO Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S25°54' W about and distant 5105 feet more or less. The east line of said claim is the west line of "D B Hill" Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. A. Champagne By H. L. Luty
NEW CORNELIA COPPER COMPANY,

12
90

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

150

281

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Curley

at *Jan. 21st*
A. D. 19*18*

at *9 - A.M.*

Book

2 Miller

Pages

289

R. B. Williams

County Recorder.

By

Deputy Recorder.

COMPARED AND INDEXED

m.l.

LS
2 21 25 10 91
833 8 08

Location Notice

of

1891-1916

The VALLEY

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Valley, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said VALLEY Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States mineral monument No 3161 from which the N.E. corner of said claim bears S 30° 25' W about and is distant 532.5 feet more or less. The east line of said claim is the west line of "Escondido" Mill Site claim

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champe

By H. L. Luby
NEW CORNELIA COPPER COMPANY,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

74/1570

280

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Woolley

at *Jan. 21st* A. D. 19*18*

Book *2* Pages *288*

By *R. B. Linsom* County Recorder.

Deputy Recorder.

RECORDED AND INDEXED
m.l.l. f.m.d.

Location Notice

of

JAN 10 1918

The ALEMEDA

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company the undersigned, ^{has}~~has~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Alemeda, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Alemeda Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S 33° 10' W about, and distant 4929 feet more or less. The south line of said claim is the north line of Valley Mill Site claim.*

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: S. U. Champe

NEW CORNELIA COPPER COMPANY,
By M. L. Lutz

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Ad 150

279

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

McCarley

Jan 21st,

A. D. 1918

at M.

Book *2* *Precedent*

Pages *289*

R. W. ...

County Recorder.

By Deputy Recorder.

COPIES OF THIS INSTRUMENT

M. L.

L. M. ...

30
Jan 22 11
4690
95-8

Location Notice

of

MAR 16 1918

The HOT HEAD

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Hot Head, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said HOT HEAD Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 28° 23' W. about and is distant 4690 feet more or less. The west line of said claim is the east line of "Alameda" Mill site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. A. Champe By H. Curly
NEW CORNELIA COPPER COMPANY,

96

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

04/50

278 —
Location Notice
OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Curley

at *Jan 21st* A. D. 19*18*

19 A. M.

Book *2* *mill-site*

Pages *286*

R. Williams
County Recorder.

By Deputy Recorder.

COMPILED AND INDEXED

m. l. l.

1223 1479 97

Location Notice

of

The HERMOSA

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Hermosa, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said HERMOSA Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S. 23° 09' W about and is distant 4487 feet more or less. The west line of said claim is the east line of "Hot Head" Mill Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: J. A. Champe By N. C. C. Company

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

24150

299

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

January 21st
A. D. 1918
at *Phoenix* A. T.

Book

2 Miller Site

Pages

285

By

R. B. D. Winters

County Recorder.

Deputy Recorder.

COMPARED AND INDEXED

M. E. A.

L. B. ...

Location Notice

of

The MAYFLOWER

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Mayflower, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said MAYFLOWER Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S. 17° 27' W about and distant 4325 feet, more or less. The west line of said claim is the east line of "Hermosa" Mill site claim

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: S. A. Champe By N. J. J. Company

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

24150

276 -

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19

Filed and recorded at request of

M. Curley

at *Jan 19th* A. D. 19*18*

9th M.

Book *2* Mill Site

Pages *284*

R. C. Johnson
County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED
m. e. c.

27
S 11° 23' W
4209

Location Notice

of

Jan 10 1918

The MIDNIGHT SNOW

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Midnight Snow, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said MIDNIGHT SNOW Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 11° 23' W about, and distant 4209 feet more or less. The west line of said claim is the east line of "Mayflower" Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~
~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January, 1918

Witness: A. M. Champe

NEW CORMELIA COPPER COMPANY,
By M. Kuley

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

79/20

275

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

at *Jan 21st* A. D. 19*18* M.

Book *2* *Michael*

Pages *283* *R. Robinson* County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

m. e. a.

L. M. ...

Location Notice

of

January 1918

The ONLY SHOW

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Only Show, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said ONLY SHOW Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States General Monument No 3161 from which the N.E. corner of said claim bears S 5° 03' W about and distant 4142 feet more or less. The west line of said claim is the east line of "Midnight Snow" Mill Site claim

That we have also located in connection with the said Mill-Site claim

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: A. U. Champe By N. J. J. COMPANY,
H. L. Luby

104 STATE OF ARIZONA, } ss.
County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

24150

292
Location Notice
OF
Mill-Site Claim and Water Right

Dated 19.....

filed and recorded at request of

M. Corley

at
January 21st A. D. 1918
M.

Book 2 Miller

Pages 24

A. G. Wilson
County Recorder.

By Deputy Recorder.

County Recorder.

COMPAED AND INDEXED
M. E. A.
C. M. S.

Location Notice

of

NOV 10 1918

The CARDINOFF

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That H. C. J. Jannay, the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Cardinoff, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said CARDINOFF Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States Mineral Monument No 3161, from which the N. E. corner of said claim bears S 1° 25' E about and distant 412.7 feet more or less. The west line of said claim is the east line of Okey Shov Mine site claim

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champagne

NEW JOURNAL COPIES TO MR. JAY,
By H. J. Jannay

STATE OF ARIZONA,

106

County of

ss.

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

H/50

273 -

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

January 21st

A. D. 19*18*

at *P. M.*

Book

2 Mill Site

Pages

251

County Recorder.

By

Deputy Recorder.

COPIED AND INDEXED

m. b. l.

Location Notice

of

1918

The JOINT

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. J. C. Company, the undersigned, ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Joint, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said JOINT

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States General Monument No 3161 from which the N.E. corner of said claim bears S 1° 36' E about and distant 3661 feet more or less. The south line of said claim is the north line of Cardinoff Mill-Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: J. U. Champe NEW CORKELIA COPPER COMPANY,
By H. G. Guley

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

4100

272

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

Jan'y 31st

A. D. 19*18*

at *Flag* M.

Book *2* Mill-Site

Pages *280*

R. B. Linn

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. E. D.

Location Notice

of

MAIL FILED

The PENDULUM

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Pendulum, et al Mining Claim, situate in the Ajo Mining district, PIMA County, State of Arizona.

The exterior boundaries of said PENDULUM Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States General Monument No. 3161 from which the north east corner of said claim bears S 5° 43' W about and distant 3675 feet more or less. The east line of said claim is the west line of "Joint" Mill-Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champe By N. J. J. COPPER COMPANY,
H. Butler

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

24/520

271

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

at *Jan 21* A. D. 19*18*.

Book *2* Mill-Site

Pages *279*

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. E. A. L. M. A.

Location Notice

of

Jan 10 1918

The SOUTHERN

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. O. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Southern, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Southern Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 12° 47' W about and distant 3752 feet, more or less. The west line of said claim is the east line of Peradulum Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champagne

NEW CORNELIA COPPER COMPANY,
By M. Gully

STATE OF ARIZONA,

112

County of

ss.

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

04/50

270

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

filed and recorded at request of

M. Gurley

June 21st. A. D. 1918

J. J. A. Al.

Book 2 Mic. extent

Pages 278

R. Robinson

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. E. A. C. M. A.

Location Notice

of

Jan. 16 1918

The FIRST CHANCE

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the First Chance, et al Mining Claims situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said First Chance

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 36° 23' W about and distant 4546 feet more or less. The east line of said claim is the west line of Luma No. 21 Mill-Site claim

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: L. M. Champe NEW CORNELIA COPPER COMPANY,

By H. G. Guley



STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

pd 150

H 269

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Curley

Jan. 21st

A. D. 1918

at *Flag* *2* *Md. Site*

Book

Pages

244
R. Robinson

County Recorder.

By

Deputy Recorder.

COMPARSED AND INDEXED

M. E. A.

L. M.

Location Notice

of

January 7, 1918

The SECOND CHANCE

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Second Chance, et al Mining Claims, situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Second Chance

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 40° 11' W about and is distant 4179 feet more or less. The south line of said claim is the north line of First Chance Mill Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness J. U. Champe

NEW COLUMBIA COPPER COMPANY,
By H. Gurley

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

201/520

268

Location Notice

**OF
Mill-Site Claim and Water Right**

Dated 19.....

Filed and recorded at request of

M. Lowley

Jan'y 21st
A. D. 19*18*

J. J. Miller
A. M.

Book

2

Pages

276-

R. Robinson

County Recorder.

By

Deputy Recorder.

COMPARED AND INDEXED

M. E. L. L. M. J.

Location Notice

of

Form 10-1-18

The OLD ORE #2.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Old Ore No. 2. et al Mining Claims situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Old Ore # 2. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Instrument No. 3161 from which the N.E. corner of said claim bears S 34° 56' W about and a distant 3895 feet more or less. The west line of said claim is the east line of Second Chance Mill site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: A. U. Champe By H. Luby
NEW CORY ELIX COPPER COMPANY.

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

24/50

263 -

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Gurley

Jan. 21st A. D. 19*18*

at *9* A. M.

Book *2 Mill sites*

Pages *21*

A. Williams

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. E. L.

Location Notice

of

Jan 10 1918

The OLD ORE # 6.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. J. C. Company, the undersigned, ^{has}~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Old Ore No. 6. et al Mining Claim, ^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said OLD ORE # 6. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States General Monument No. 3161 from which the N. E. corner of said claim bears S. 6° 30' W. about and is distant 3214 feet more or less. The west line of said claim is the east line of Old Ore No. 5 Mill Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champe By N. J. C. Company

120

STATE OF ARIZONA,

County of } ss.

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

pd-158

267

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Curley

Jan 21 A. D. 19*18*

at *9*

Book *2 Mill Sites*

Pages *275*

D. Robinson

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. L. L. M. L.

Location Notice

of

Jan 10 1918

The OLD ORE # 5.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That No. 5. J. Company, the undersigned, ~~has~~ ^{has} ~~taxe~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Old Ore No. 5. et al Mining Claims situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Old Ore #5. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S. 14° 35' W about and is distant 3299 feet more or less. The west line of said claim is the east line of Old Ore #4 Mill-Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January, 1918

Witness: J. U. Champe

By NEW COMEZIA COPPER COMPANY
H. Gulby

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

66-50

266

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

McFarley

at *Jan 21* A. D. 19*18*

Book *2* *Mill sites*

Pages *271* *274*

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

m. l. c. *S. M. J.*

Location Notice

of

March 10 1918

The OLD ORE #3.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Old Ore No. 3. et al Mining Claim, ~~s~~ situate in the Ajo, Mining district, Pima County, State of Arizona.

The exterior boundaries of said Old Ore # 3. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 28° 55' W about and is distant 36.48 feet more or less. The west line of said claim is the east line of Old Ore #2 Mill Site claim

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January, 1918

Witness: J. U. Champe

NEW CORRALIA COPPER COMPANY,
By M. Aubrey

STATE OF ARIZONA,

County of } ss.

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

06 / 50

264

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Carley

Jan. 21st A. D. 1918

at 9[—] A. M.

Book 2 Miller

Pages 299

R. C. Williams
County Recorder.

By Deputy Recorder.

RECORDED AND INDEXED
M. E. C. C. C.

Location Notice

of

Jan. 10 1918

The OLD ORE # 4.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. J. C. Company, the undersigned, ^{has}~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Old Ore No. 4. et al Mining Claims situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said OLD ORE # 4. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S22°07'W about, and is distant 3446 feet more or less. The west line of said claim is the east line of Old Ore No. 3 Mill-Site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: J. U. Champe

NEW CORNELIA COPPER COMPANY,
By H. Hurley

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF

Mill-Site Claim and Water Right

H 265

Dated 19.....

Filed and recorded at request of

M. G. Gurley

Jan. 21 A. D. 19*18*

at *9 - a.m.*

Book

2 Miller

Pages

278

D. C. Williams

County Recorder.

By

Deputy Recorder.

SEARCHED AND INDEXED
m.l.c. *R.M.*

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF

Mill-Site Claim and Water Right

245

Dated 19.....

Filed and recorded at request of

M. Gurley

January 21st

A. D. 19.18

at *Phoenix* M.

Book *2* Mill-Site

Pages *253*

R. G. Williams

County Recorder.

By Deputy Recorder.

COMPILED AND INDEXED

m. e. l. m. d.

Location Notice

Jan 10 1918

of

The LUNA # 4.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 4. et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA #4.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a south westerly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S 25° 44' W. about and is distant 406.2 feet more or less. The east line of said claim is the west line of Luna No 4 Mill Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness S. U. Champe

NEW COLUMBIA COPPER COMPANY,
By H. Lark

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

246

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Cooley

at *Young St* A. D. 19*18*

Book *254* Pages *254*

By *Robinson* County Recorder.

Deputy Recorder.

M. E. L. *C. M. L.*

Location Notice

Jan 10 1918

of

The LUNA # 6.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company the undersigned, ^{has}~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 6 et al. Mining Claims situate in the AJO Mining district, PIMA County, Luna # 6. State of Arizona.

The exterior boundaries of said Luna # 6. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 2° 09' 8" about and is distant 2728 feet more or less. The south line of said claim is the north line of Luna No. 5 Mill Site claim.

That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champe

NEW CORNELIA COPPER COMPANY,
By H. Luby

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

11-1-50

248

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Curley

Jan 21st A. D. 19 *18*

at *9* A. M.

Book *2 Miller*

Pages *256*
R. Robinson
County Recorder.

By
Deputy Recorder.

COMPARED AND INDEXED

m. S. A.

L. M. J.

Location Notice

Jan. 10 1918

of

The LUNA # 5.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 5. et al. Mining Claims, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 5.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southerly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 1° 50' E about and is distant 3195 feet more or less. The west line of said claim is the east line of Old Ore No. 6 Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. W. Champe

NEW CORNELIA COPPER COMPANY,
By H. L. Luby

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF

Mill-Site Claim and Water Right

247

Dated 19.....

Filed and recorded at request of

M. Corley

Jan. 21st
A. D. 1918
9 A.M.

Book

2. Mill Sites

Pages

255

By

R. C. Blinnam

County Recorder.

Deputy Recorder.

COMPARED AND INDEXED

m. s. d. l. m. d.

Location Notice

Jan 10 1918

of

The LUNA # 7.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 7. et al Mining Claim,^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 7.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southwesterly direction from United States Mineral Monument No 3161 from which the N.E. corner of said claim bears S 7° 36' W about and distant 2751 feet more or less. The east line of said claim is the west line of Luna #6 Mill site claim

That we have also located in connection with the said Mill-Site claim

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: A. U. Champe

NEW CORNELIA COPPER COMPANY,
By M. Luby

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

10/7/50

249

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Corley

at *Jan. 21st* A. D. 19*18*

Book *9* - *A. M.*

Pages *2* *Miller*

By *R. G. Williams* County Recorder.

Deputy Recorder.

COMPARED AND INDEXED

M. E. A.

Location Notice

Jan 10 1918

of

The LUNA # 9.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~has~~ ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 9, et al Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 9. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 25° 57' W about and is distant 3019 feet more or less. The east line of said claim is the west line of Luna No 8 Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. H. Champe By N. J. J. COMPANY,
M. L. Luby

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF

Mill-Site Claim and Water Right

251

Dated 19.....

Filed and recorded at request of

M. Corley

Jan. 21st A. D. 19*18*

at *9* M.

Book *2 Mill Site*

Pages *259*

R. B. Blinn

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

m. l. l. R. m. l.

Location Notice

Jan 16 1918

of

The LUNA # 10.

~~Mill-Site Claim and Water Right~~

Know All Men by These Presents, That N. C. J. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 10, et al, Mining Claim, ^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 10.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No 3161 from which the North East corner of said claim bears S 32° 54' E about and is distant 3247 feet more or less. The east line of said claim is the west line of Luna #9 Mill-Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: L. U. Champes By M. Guley
NEW CORNELI COPPER COMPANY,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

pd- 252 150

Location Notice

OF Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Curley
Jan 21st, A. D. 1918
at 9 A. M.
Book 2 Miller
Pages 260

County Recorder.

By Deputy Recorder.

COPIED AND INDEXED
m. e. a. c. m. s.

Location Notice

Jan 10 1918

of

The LUNA # 11.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company, ^{has} ~~has~~ the undersigned, ^{has} ~~has~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 11, et al. Mining Claims

situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 11.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3161 from which the N. E. corner of said claim bears S 39° 17' W. about and is distant 3522 feet more or less. The east line of said claim is the west line of Luna No. 10 Mill Site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. W. Champe By: N. C. C. Company

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

pd-50

253

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Lanley

Jan 21st
A. D. 1918

at A.M.

Book *2* Miller Site

Pages *26*

R. Robinson

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

M. B. L. 20

Location Notice

Jan 10 1918

of

The LUNA # 12.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 12, et al. Mining Claim,^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 12. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N. E. corner of said claim bears S 44° 41' W about and is distant 3836 feet more or less. The east line of said claim is the west line of Luna No. 11 Mill-Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January 1918

Witness: L. O. Champe By N. C. J. Company

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

pd- 254 150

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

W. B. ...

Jan. 31st
A. D. 1918

at *9 - A. M.*

Book *2 Mill Site*

Pages *262*

A. Collins
County Recorder.

By Deputy Recorder.

~~CONTAINED AND INSURED~~
m.l.l. ...

Location Notice

of

Jan. 10 1918

The LUNA # 13.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company, ^{has} ~~XXXX~~ the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 13, et al. Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 13. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3861 from which the N.E. corner of said claim bears S 50° 02' W about and is distant 3518 feet more or less. The south line of said claim is the north line of Luna No. 13 Mill Site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: L. A. Champes

N. C. C. COMPANY,
By H. Huebly

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

Ad- 150

255

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Curley

Jan 21st
A. D. 19*18*

at *9* *A.M.*

Book *2 Miller*

Pages *263*
R. D. Wilson
County Recorder.

By Deputy Recorder.

County Recorder.

COMPARED AND INDEXED

M. B. G.

Location Notice

Mar 10 1918

of

The LUNA # 14.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. J. J. Company, the undersigned, ^{has}~~has~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 14, et al. Mining Claim, ^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 14. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Marshall Monument No. 3161 from which the N. E. corner of said claim bears S 44° 37' W about and is distant 3175 feet more or less. The west line of said claim is the east line of Luna No 13 Mill-Site claim.

That we have also located in connection with the said Mill-Site claim inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.

Dated on the ground, this 7th day of January 1918 ~~December~~ ~~1917~~

Witness: J. H. Champes N. J. J. COPPER COMPANY, By H. Luby

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

McCarley

at *Jan. 21st*
A. D. 19*18*

Book *9*

Pages *264*

R. Robinson
County Recorder.

By
Deputy Recorder.

COMPARED AND INDEXED

61-50

286

Location Notice

of

March 10 1918

The LUNA # 15.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. J. Company, the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 15, et al. Mining Claims

situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 15.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated *in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 37° 58' W. about and is distant 2867 feet more or less. The west line of said claim is the east line of Luna No. 14 Mill-Site claim.*

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. U. Champes

By M. Luby
NEW CORNELIA COPPER COMPANY,

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF
MILL-SITE CLAIM AND WATER RIGHT

Dated 19.....

Filed and recorded at request of

M. Gurley

Jan 21st
A. D. 19*18*

at M.

Book *9*

Pages *265*

R. Gallivan

County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

m. e. a.

pd-150

289

Location Notice

of

Jan 10 1918

The LUNA # 16.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 16, et al. Mining Claim, situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 16. Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S. 29° 51' W about and is distant 2606 feet more or less. The west line of said claim is the east line of Luna No. 15 Mill Site claim

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.

Dated on the ground, this 7th day of January, 1918

Witness: J. U. Champes By NEW GORNELIA COPPER COMPANY,
M. Hurley

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

10-50

258

Location Notice

OF
MILL-SITE CLAIM AND WATER RIGHT

Dated 19.....

Filed and recorded at request of

M. Conley

at *June 21* A. D. 19*18*

Book *2* Mill-Site

Pages *266*
R. Williams
County Recorder.

By
Deputy Recorder.

COMPILED AND INDEXED

M. C. L.

Location Notice

of

Jan 10 1918

The LUNA # 17.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. C. Company, ^{has} ~~have~~ this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 17, et al. Mining Claim, s
situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 17

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim is 20° 11' E about and is distant 2408 feet more or less. The west line of said claim is the east line of Luna No. 16 Mill site claim.

That we have also located in connection with the said Mill-Site claim

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: S. U. Champes

NEW CORWALLIA COPPER COMPANY,
By H. C. Cully

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Curley

at *Janey St* A. D. 19*18*

at A. M.

Book *2* *Mill Site*

Pages *264*

By *D. G. Williams*

County Recorder.

Deputy Recorder.

REGISTERED
M. E. A.
L. M. A.

289
157

Location Notice

of

Jan 16 1918

The LUNA # 18.

Mill-Site Claim and Water Right

Know All Men by These Presents, That N. C. C. Company. the undersigned, ~~has~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 18, et al. Mining Claim, ^s situate in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said LUNA # 18

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 465½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 9° 09' 00" about and is distant 2289 feet more or less. The west line of said claim is the east line of Luna No 17 Mill Site claim.

That we have also located in connection with the said Mill-Site claim

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: J. H. Champe

NEW CORNELIA COPPER COMPANY,

By H. H. H. H.

STATE OF ARIZONA,

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of..... 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

1450

260

Location Notice

OF
MILL-SITE CLAIM AND WATER RIGHT

Dated 19.....

Filed and recorded at request of

M. C. Murphy

at *Janey St.*, A. D. 1918
at *9 J. R. M.*

Book *2* Miller

Pages *268*

R. D. Winick
County Recorder.

By Deputy Recorder.

COMPARED AND INDEXED

m. e. a. *L. M. J.*

Location Notice

of

March 16, 1918

The LUNA # 19.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. C. J. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 19. et al. Mining Claim,^s

situate in the Ajo Mining district, Pima County, State of Arizona.

The exterior boundaries of said Luna # 19.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a

southerly direction from United States Mineral Monument No. 3161 from which the N. E. corner of said claim bears S. 2° 36' E about and is distant 2262 feet more or less. The west line of said claim is the east line of Luna No. 18 Mill-Site claim.

~~That we have also located in connection with the said Mill-Site claim~~

~~..... inches miners' measure of the water of this under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: wide at top wide at bottom, in depth, with a uniform grade of to the rod.~~

Dated on the ground, this 7th day of January 1918 ~~December~~

Witness: L. U. Champe By NEW CORNELIA COPPER COMPANY.

STATE OF ARIZONA,

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

Location Notice

OF
Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. C. Curley

at *July 21st* A. D. 19*18*

Book *2* *Millsite*

Pages *269*

By *R. G. H. [unclear]*

County Recorder.

Deputy Recorder.

RECORDED AND INDEXED
M. C. Curley

156 M.

261

ss.

County of

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

Mr. Corley

at *Janey St.* A. D. 19*18*

Book *97*

Pages *298*

R. Williams

County Recorder.

By Deputy Recorder.

CONTAINED AND INDEXED
M. S. C. L. M. S.

150
262

Location Notice

Jan 10 1918

of

The LUNA # 8.

Mill-Site Claim and ~~Water Right~~

Know All Men by These Presents, That N. J. C. Company, the undersigned, ~~have~~ ^{has} this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Luna No. 8. et al Mining Claim, situated in the AJO Mining district, PIMA County, State of Arizona.

The exterior boundaries of said Luna # 8.

Mill-Site Claim, are as follows, viz:

Commencing at a monument of stone at N. E. corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N. W. corner of claim, thence in a southerly direction, 466½ feet to monument of stone at S. W. corner of claim, thence in an easterly direction, 466½ feet to monument of stone at S. E. corner of claim, thence in a northerly direction, 466½ feet to monument of stone at N. E. corner of claim and place of beginning.

This location may be more generally described as being situated in a southwesterly direction from United States Mineral Monument No. 3161 from which the N.E. corner of said claim bears S 16° 57' W. about and is distant 2850 feet more or less. The east line of said claim is the west line of Luna #7 Mill Site claim.

~~That we have also located in connection with the said Mill-Site claim _____ inches miners' measure of the water of this _____ under and in accordance with the laws of the State of Arizona, regulating the location and possession of water rights _____~~

~~The dimensions of the ditch for diverting the water from its natural course at the head, being as follows: _____ wide at top _____ wide at bottom, _____ in depth, with a uniform grade of _____ to the rod.~~

Dated on the ground, this 7th day of January 1918

Witness: A. U. Champe

NEW CORNELIA COPPER COMPANY,
By M. G. Gully

ss.

County of

I,, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock,M., on this day of 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Ed. 50

250

Location Notice

OF

Mill-Site Claim and Water Right

Dated 19.....

Filed and recorded at request of

M. Burley

Jan. 21st,
A. D. 19*18.*

at *9*

Book *2* *Mill-site*

Pages *258*
R. C. Wilson
- County Recorder.

By Deputy Recorder.

PREPARED AND INDEXED

M. E. A.

R. M. J.

State of Arizona,)

County of Pima,)^{SS.}

Mar. 16 1918

I, R. B. Vinson, County Recorder in and for the County of Pima, State of Arizona, do hereby certify that the foregoing forty - nine pages contain a full, true and correct copy of the following, Mill site claim, to-wit:

Luna #3, Luna #4, Luna #5, Luna #6, Luna #7, Luna #8, Luna #9, Luna #10, Luna #11, Luna #12, Luna #13, Luna #14, Luna #15, Luna #16, Luna #17, Luna #18, Luna #19, Luna #21, Old Ore #2, Old Ore #3, Old Ore #4, Old Ore #5, Old Ore #6, Second Chance, First Chance, Southern, Pendulum Joint, Cardinoff, Only Show, Midnight Snow, Mayflower, Hermosa, Hot Head, Alameda, Valley, Escondido, D. B. Hill, Golden Eagle, Sulphide Stringer, Little Rock, Main Stay, Butte, Quien Sabe, Ajo View, Copper King, Ajo Queen, Wedge, Lone Star, Mill Site claims as the same appear of record now in my office, in Book 2 of Mill-Sites at pages 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 297, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, and 301, 49

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal at my office, in Tucson, Pima County, Arizona, on this the 4, day of March, A. D. 1918 .

R. B. Vinson County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 17, 1918.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

NEW CORNELIA COPPER COMPANY,

known as the (See title page)

situate in AJO

Mining District, PIMA County, ARIZONA,

in Sections 13, 14, 23 and 24, Township No. 12 South, Range No. 6 West., Uns., and

designated as Survey No. 3492, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of~~

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

December 17, 1918

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

NEW CORNELIA COPPER COMPANY

Mining Claim of known as the

LONE STAR, WEDGE, AJO QUEEN, COPPER KING, AJO VIEW, QUIEN SABE, BUTTE, MAIN STAY, LITTLE ROCK, SULPHIDE STRINGER, GOLDEN EAGLE, D. B. HILL, ESCONDIDO, VALLEY, ALEMEDA, HOT HEAD, HERMOSA, MAYFLOWER, MIDNIGHT SNOW, ONLY SHOW, CARDINOFF, JOINT, PENDULUM, SOUTHERN, FIRST CHANCE, SECOND CHANCE, OLD ORE #2, OLD ORE #6, OLD ORE #5, OLD ORE #3, OLD ORE #4, LUNA #3, LUNA #4, LUNA #5, LUNA #6, LUNA #7, LUNA #9, LUNA #10, LUNA #11, LUNA #12, LUNA #13, LUNA #14, LUNA #15, LUNA #16, LUNA #17, LUNA #18, LUNA #19, LUNA #21, LUNA #8, Mill Sites,

situate in AJO mining district,

PIMA County, ARIZONA,

13, 14, 23,

in Sections and 24, Township No. 12 South, Range No. 6 West, Uns.,

, designated as Survey No. 3492

executed by Ralph L. Motz, U. S. Mineral

Surveyor, April 27 - May 12, 1918, under my instructions dated

March 22, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.