

Platted

4-683.

Mineral Survey No. 3495

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jeannie E. Lynch

KNOWN AS THE

Hold Out Lode

Pioneer Mining District,

Pinal County, Arizona

E.1/2 NE.1/4
Section 3, Township 2 S., Range 12 E; G. & S.R.B. & M.
Crook National Forest

Surveyed under instructions dated March 29, 1918,

by *William C. Goetz*
U. S. Deputy Mineral Surveyor

Claim located	See amended location notice	, 1
Survey commenced	April 14, 1918	, 1
Survey completed	April 15, 1918	, 1

o 6-163

Address of attorney:-

John H. Page & Company,
Box 117, Phoenix, Arizona.

*670-4
415-1-2*

Feet MINERAL SURVEY NUMBER 3495.

HOLD OUT LODE.

Beginning at corner No. 1, identical with the N.E. corner of the amended location; a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high, and scribed H01-3495; whence the closing corner of Secs. 2 & 3, T. 2 S. R. 12 E; G. & S.R.B. & M. bears N. 20° 56' 54" E. 578.03 ft. dist; corner No. 1 of the Superior Townsite bears N. 17° 40' 49" W. 566.93 ft. dist; and corner No. 1 of the Girtrude lode, Survey No. 2860 bears N. 22° 28' 37" E. 486.41 ft. dist.

Thence S. 2° 13' W.

on line 1-2, over flat ground slightly ascending

520. ravine, runs W.

929.7 N.W. corner Johnnie lode, unsurveyed

1038. intersect line 2-3 Girtrude lode, Survey No. 2860 at S. 70° 54' W. 19.08 ft. from corner No. 2 thereof, and N. 70° 54' E. 583.02 ft. from corner No. 3 thereof

1229.7 W.E.C. Johnnie lode, unsurveyed

1250. ravine, runs N.W.

1500. corner No. 2, identical with the S.E. corner of the amended location; a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high, and scribed H02-3495; whence a pine post 4 ins. square by 4 ft. long set in a mound of stones 3 ft. base by 2.5 ft. high and marked J on the N.E. face and K on the S.E. face bears S. 2° 13' W. 29.3 ft. dist.

Thence S. 85° 02' W.

on line 2-3, slightly descending

14.3 ^EN.W. corner Grandma and ^WN.E. corner Katie lodes, both unsur.

302.3 S.E.C. identical with the S.E.C. of the amended location: a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high

307. ravine, runs N.N.E.

313.3 ^{unsur.}N.E.C. Grandma lode, ascend to bank of ravine, thence over flat ground

Feet
604.6 corner No. 3. identical with the S.W. corner of the amended location; a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high, and scribed H03-3495; whence a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high, and marked N.W. Grandma bears S. 85° 02' W. 10. ft. dist.

Thence N. 2° 13' E.

on line 3-4, slightly descending over flat ground

465. ravine, runs N.W., thence over low flat ridge

820. ravine, runs N.W., thence over low flat ridge

1075. ravine, runs N.W., ascend to flat, thence very slightly descending along flat

1239. barb wire fence runs westerly, and easterly 27 ft.

1371. barb wire fence runs westerly, and easterly 13 ft.

1500. corner No. 4, identical with the N.W. corner of the amended location; a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high, and scribed H04-3495

Thence N. 85° 02' E.

on line 4-1, slightly ascending over flat

179.34 intersect line 3-4 Girtrude lode, Survey No. 2860 at S. 8° 0' W. 292.1 ft. from corner No. 4 thereof and N. 8° 0' E. 1202.9 ft. from corner No. 3 thereof

302.3 N.E.C. identical with the N.E.C. of the amended location; a pine post 4 ins. square by 4 ft. long, set in a mound of stones 3 ft. base by 2.5 ft. high; ascend

604.6 corner No. 1, the place of beginning.

=====

LODE LINES.

As near as can be ascertained from surface indications and present development, the vein of this lode extends from its discovery point N. 2° 13' E. 520. ft. and S. 2° 13' W. 980. ft.

=====

AREA.

Total area of Hold Out lode ----- 20.656 Acs.
 Area in conflict with Girtrude lode, Survey
 NO. 2860 ----- 12.193 Acs.

=====

LOCATION.

This survey is located in the E. 1/2 N.E. 1/4 Sec. 3, T.2 S.R.12 E; G. & S.R.B. & M; Pioneer Mining District, Crook National Forest, Pinal County, Arizona.

ADJOINING CLAIMS.

This survey is adjoined on the N. by the Gold Crown No. 1 and Main No. 1 Mill Sites; unsurveyed, owned by the Queen Creek Copper Company, and by the Girtrude lode, M.S. No. 2860, owned by the Lake Superior and Arizona Mining and Smelting Company; on the E. by the Girtrude lode just above mentioned, and by the Johnnie lode, unsurveyed, owned by the Queen Creek Copper Company; on the S. by the Katie and Grandma lodes, unsurveyed, owned by the Queen Creek Copper Company; and on the W. by the Sunset Fraction lode, unsurveyed, owned by the Superior-Ray Copper Company.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I hereby certify that the value of the labor and improvements made upon and for the benefit of the location embraced in this mining claim, by the claimant or her grantors, is not less than five hundred dollars, and that said improvements consist of as follows:

From the N.E.C.

No. 1, the mouth of the discovery cut 5 ft. wide, 10 ft. face, and 27 ft. long, bears S. 2° 13' W. 520. ft. dist.

Value ----\$170.00

No. 2, the mouth of a cut 3.5 ft. wide, 8 ft. face, 16 ft. long, bears S. 6° 31' E. 536.5 ft. dist. The cut bears from its mouth S.E. 16 ft. thence a tunnel 3.5 x 5.5 ft. bears S.E. 27 ft.

Value ----\$300.00

No. 3, a shaft 4 x 6 ft. 10 ft. deep bears S. 14° 53' E. 773.3 ft. dist.

Value ----\$120.00

From Corner No. 2.

No. 4, a shaft 4 x 6 ft. 10 ft. deep bears N. 32° 41' W. 146.4 ft. dist.

Value ----\$120.00

No. 5, a shaft 4 x 6 ft. 41 ft. deep bears N.19°22'W. 44.1
ft. dist. Value ----\$492.00

Total Value --\$1222.00

=====

OTHER IMPROVEMENTS.

The only other improvements existing on this claim are
two tent houses occupied by the claimant, which have no
value pertaining thereto.

=====

INSTRUMENT.

This survey was executed with a "Lietz Light Mountain
Transit" graduated to minutes, and all courses were deter-
mined and deflected from a true meridian as determined by
direct Polaris observation. The distances were measured with
with a 300 ft. steel tape together with brass plummets.

=====

REPORT.

Wherever improvements are located from points other
than the various corners of this lode, the same was done
in order to insure greater accuracy.

The closing corner of Secs. 2 and 3, T.2 S.R.12 E. to
which this survey is tied, is a granite stone 7 x 9 inches
about 8 inches above ground, with four notches chiseled on
on the W. face and CC on the S. face, and has a mound of
stones alongside.

Corner No. 1 of the Superior Townsite, to which this
survey is tied, is a pipe set in a large rock in place
from which an iron pipe 1-ft. long with a bronze cap
marked WC.ST.Cor.No.1, bears S.89°57'E. 5.6 ft. dist.

Corner No. 1 of the Girtrude lode, Survey No. 2860, to
which this survey is tied, is a dacite stone 8 x 11 inches
8 inches above ground, marked with a x on top, "1G" on the
W. side, and "4SD2860" on the E. side.

The corners of the Johnnie, Katie and Grandma lodes
mentioned in the description of the boundaries of this lode
are pine posts 4 inches square by 4 ft. long, set in mounds

of stones 3 ft. base by 2.5 ft. high, and marked with the initials of the respective lodes.

Corner No. 2 of the Girtrude lode is a stone properly marked, with a mound of stones alongside, while corners No. 3 and 4 could not be found, altho the mounds of stone marking them were still in good condition. In determining the conflict of this lode with the Hold Out lode the official field notes of M.S.No. 2860 were used. These corners & monuments on the ground conform with the record.

A diligent search for a mineral monument said to be located on this claim, failed to reveal the same, and the owner informed me that it had no doubt been removed together with other monuments considered obsolete.

=====

VARIATION.

The variation at all corners was $13^{\circ}40'$ E.

=====

William C. Goetz
U.S. Mineral Surveyor.

Tucson, Arizona, *July 10, 1918.*

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William C. Goetz
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Jeannie E. Lynch
 known as the Hold Out Lode
 and showing the respective capacities in which they acted.

Arthur Pogue, Chairman.
James S. Mills, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Arthur Pogue and James S. Mills
~~are~~ _____, do solemnly swear that we assisted William
C. Goetz, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Jeannie E. Lynch
 known as the Hold Out Lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Arthur Pogue, Chairman.
James S. Mills, Chairman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 10th

day of July, 1918

My Commission Expires
Sept 20th 1919

Butler L. Smith
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William C. Goetz, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
March 29, 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Jeannie E. Lynch
, known as the
Hold Out Lode
situate in Pioneer Mining District,
Pinal County, Arizona, in E. 1/2 NE. 1/4 Section 3.
, Township No. 2 S., Range No. 12 E.; G. & S. R. B. & M.
and designated as Survey No. 3495, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

William C. Goetz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said *William C. Goetz*
U. S. Mineral Surveyor, before me *a Notary Public in and for*
Pinal County, Arizona this *10th*
day of *July*, 19*18*

My Commission Expires Sept 20th 1919
Butler L. Smith
Notary Public

Mar. 28, 1918

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,)
County of Pinal.) ss.

I, W. L. BROWN, County Recorder,
in and for the County of PINAL, State of Arizona,
do hereby certify that the within and following is
a full, true and correct copy of Amended Notice of
Location of the Hold Out Mining Claim, by J. E. Lynch,
as the same appears of record in my office in
Book No. 1 of Amended Mining Locations
at page 99 thereof, or under file No. ---
--- File of ----- ;

that I have compared the same with the original
record and that the same is a true transcript and
of the whole thereof.

IN WITNESS WHEREOF, I have hereunto
set my hand and affixed the seal of my office,
this twenty-eighth day of March, 1918, at
Florence, the County Seat.

W. L. BROWN,
County Recorder,
By *Mo Bensuson*
Deputy Recorder.

UNPAID

AMENDED NOTICE OF MINING LOCATION

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the HOLD OUT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Dr. J. E. LYNCH, a citizen of the United States, the undersigned, on the 27th day of December, 1907.

The length of this claim is fifteen hundred feet and I claim five hundred and twenty feet in a northerly direction, and nine hundred and eighty feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in the Territory of Arizona, about three miles in a easterly direction from Picket Post Butte, the most prominent natural object in this horizon. The northeast corner of this claim bears N 19° 22' E. from the U. S. M. M. No. 1 of this district, 152.1 feet.

The surface boundaries are marked upon the ground as follows: Beginning at a monument of stones, at a point in a northerly direction 520 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence N. 85° 00' E. 302.3 feet to a 4 x ^{pine} 4 post in a monument of stones, being the northeast corner of said claim; thence S. 2° 10' W. 1500.0 feet to a 4 x 4 post in stone Mon., being the southeast corner of said claim; thence S. 85° 00' W. 302.3 feet to a monument of stones at the center of the south end of said claim; thence S. 85° 00' W. 302.3 feet

to a 4 x 4 post in stone Mon., being at the southwest corner of said claim; thence N. 2° 10' E. 1500.0 feet to a 4 x 4 post in stone Mon. at the northwest corner of said claim; thence N. 85° 00' E. 302.3 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location of the HOLD OUT Mining Claim, located by Dr. J. E. Lynch, on the 16th day of January, 1906, and recorded in Book 23 of Records of Mines, at page 447, in the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 27th day of December, 1907.

This further certificate of location is made without waiver of any previous rights, but to correct any error in prior location or record.

Jeannie E. Lynch.

Witness J. Oscar Mullen.

Filed and recorded at the request of Jeannie E. Lynch, Feb. 21st, 1908, at one o'clock P. M.

G. F. Watson, Recorder,

By N. N. Wells, Deputy.

(Book 1 of Amended Location Notices, page 99.)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 3, 1919

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Jeannie E. Lynch

known as the Hold Out lode

situate in Pioneer

Mining District, Pinal County, Arizona.

in Section E 1/2 NE 1/4 3, Township No. 2 S., Range No. 12 E., and

designated as Survey No. 3495, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or her grantors, and that said improvements consist of 2 cuts, 1 tunnel and 3 shafts, total value \$1222.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

February 3, 1919.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

JEANNIE E. LYNCH

, known as the

HOLD OUT LODE

situate in PIONEER mining district,

PINAL County, ARIZONA.

E 1/2 NE 1/4

in Section 3, Township No. 2 S., Range No. 12 E.

, designated as Survey No. 3495

executed by William C. Goetz, U. S. Mineral

Surveyor, April 14-15, 1918, under my instructions dated

March 29, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.