

4-683.

Mineral Survey No. 3503

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. J. Marshall

KNOWN AS THE

GLADIATOR, GLADIATOR NO. 2, GLADIATOR NO. 3, GLADIATOR NO. 4, GLADIATOR NO. 5, GLADIATOR NO. 6 lodes

Copper Mountain Mining District,

Greenlee County, Arizona

Section 22 Uns., Township 4 South, Range 29 E., G. & S. R. B. & M.

Surveyed under instructions dated April 19, 1918,

by E. T. Morton, U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced May 1, 1918.

Survey completed May 15, 1918.

Address of Attys.:

Morris & Malott, Box 879, Globe, Arizona.

SURVEY NO. 3503.

GLADIATOR LODE.

Beginning at Cor. No. 1.

A pine post, in place, 4x6 ins. 3.5 ft. high with a mound of stone, scribed G-1-3503 whence

The S. W. Cor. Sec. 13, T. 4. S. R. 29 E., G. & S. R. B. & M., bears N. $76^{\circ} 47'$ E. 5909.4 ft.-----
Thence S. $28^{\circ} 32'$ W.143.54 Intersect line 4-1 Sur. No. 2885 Punto Blanco lode, at N. $84^{\circ} 56'$ E. 398.64 ft from Cor. No. 4.

301.5 East end center of the location and lode.

603 To Cor. No. 2.

Identical with Cor. No. 1 Gladiator No. 6 lode, of this survey.

A cross (X) and G 6-1-G-2-3503 chiseled on quartzite 6 ft. above base of bluff 50 ft. high facing N. E.

No bearings available.

Thence N. $55^{\circ} 18'$ W.154.46 Intersect line 2-3 Sur. No. 923 Coon lode, at S. $62^{\circ} 45'$ W. 40.85 ft. from Cor. No. 3 whenceCor. No. 5, said Coon lode, bears N. $26^{\circ} 20'$ W. 600 ft., and the intersection with line 3-4 Sur. No. 2885 Punto Blanco lode bears N. $26^{\circ} 20'$ W. 175 ft.187.83 Intersect line 3-4 Sur. No. 2885 Punto Blanco lode, at S. $5^{\circ} 04'$ E. 262.54 ft. from Cor. No. 4, and 157.17 ft. from its intersection with line 3-5 Sur. No. 923 Coon lode.834.22 Intersect line 5-6 Sur. No. 923 Coon lode, S. $62^{\circ} 45'$ W. 370.09 ft. from Cor. No. 5.

1487.10 To Cor. No. 3.

Identical with Cor. No. 4 Gladiator No. 6 lode, of this survey.

A pine post in place, 4x6 ins. 3.5 ft. high with a mound of stone, scribed G 6-4-G-3-3503.

No bearings available.

Thence N. $28^{\circ} 32'$ E.

301.5 West end center of the location and lode.

603 To Cor. No. 4.

A pine post, in place, 4x6 ins. 3.5 ft. high with a mound of stone, scribed G-4-3503

No bearings available.

Thence S. $55^{\circ} 18'$ E.

1487.1 To Cor. No. 1, the place of beginning.

GLADIATOR NO. 6 LODE

Beginning at Cor. No. 1.

Identical with Cor. No. 2 Gladiator lode, of this survey, heretofore described, whence

The S. W. Cor. Sec. 13, T. 4 S. R. 29 E., G. & S. R. B. & M., bears N. $72^{\circ} 43'$ E. 6326.8 ft.-----
Thence S. $28^{\circ} 32'$ W.

260.9 Cor. No. 3 Sur. 2885 Punto Blanco lode and Cor. No. 4 Sur. No. 3486 Dougan's Dream lode.

301.5 East end center of the location and lode.

603 To Cor. No. 2.

On line 3-4 Sur. No. 3486 Dougan's Dream lode and on line 4-1 Gladiator No. 5 lode, of this survey.

Feet

Apine post, in place, 4 ins. square 3 ft. high with a mound of stone, scribed G 6-2-3503.
No bearings available.

Thence N. 55° 18' W.

- 119.5 Cors. Nos. 1 and 4 Gladiator No. 4 and Gladiator No. 5, lodes, of this survey, respectively.
- 661.2
727.5 Cors. Nos. 1 and 4 Gladiator No. 3 and Gladiator N. 4 lodes, of this survey, respectively.
- 1335.5 Cors. Nos. 1 and 4 Gladiator No. 2 and Gladiator No. 3 lodes, of this survey, respectively.
- 1487.1 To Cor. No. 3.

On East side line of Alianza lode, unsurveyed, and line 4-1 Gladiator No. 2 lode, of this survey.
A red wood post, in place, 4x6 ins. 3.5 ft. high with a mound of stone, scribed G 6-3-3503
No bearings available.

Thence N. 28° 32' E.

- 73.57 Intersect line 5-6 Sur. No. 922 Snow Storm lode, at S. 89° 33' W. 616.39 ft. from Cor. No. 6, whence Cor. No. 2 said Snow Storm lode brs. S. 26° 20' E. 600 ft.
- 301.5 West end center of the location and lode.
- 603. To Cor. No. 4.
Identical with Cor. No. 3 Gladiator lode, of this survey, heretofore described.

Thence S. 55° 18' E.

- 652.88 Intersect line 5-6 Sur. No. 923 Coon lode, at N. 62° 45' E. 194.91 ft. from Cor. No. 6, whence Cor. No. 2 of said Coon lode bears S. 26° 20' E. 600 ft.
- 1299.27 Intersect line 3-4 Sur. No. 2885 Punto Blanco lode, at N. 5° 04' W. 337.46 ft. from Cor. No. 3 and 31.8 ft. from its intersection with line 2-3 Sur. No. 923 Coon lode.
- 1332.64 Intersect line 2-3 Sur. No. 923 Coon lode, at N. 62° 45' E. 524.15 ft. and 27.7 ft. from Cor. No. 2 and its intersection with line 3-4 Sur. No. 2885 Punto Blanco lode, respectively.
- 1487.1 To Cor. No. 1, the place of beginning.

Note: On line 2-3 of the above described lode at 661.2 ft. from Cor. No. 3 intersection with line 2-3 Sur. No. 922 Snow Storm, at S. 89° 33' W. 238.69 ft. from Cor. No. 2, was omitted.

GLADIATOR NO. 2 LODE

Beginning at Cor. No. 1.
On line 2-3 Gladiator No. 6 lode, of this survey.
Identical with Cor. No. 4 Gladiator No. 3 lode, of this survey.
A redwood post, in place, 4x6 ins. 3.5 ft. high, with mound of stone, scribed G 3-4-G 2-1-3503 whence
The S. W. Cor. Sec. 13, T. 4 S. r. 29 E., G. & S. R. B. & M. bears N. 77° 29' E. 7607 ft.

Thence S. 44° 07' W.

- 544.90 Intersect line 2-3 Sur. No. 922 Snow Storm lode, at N. 89° 33' E. 316.6 ft. from Cor. No. 3.
- 1189.03 Intersect wagon road course from N. W. to S. E.
- 1466.33 Intersect Morenci Southern R. R. course N. W. to S. E.
- 1480.57 To Cor. No. 2.
On line 3-4 Gladiator No. 3 lode, of this survey, at N. 44° 07' E. 19.46 ft. from Cor. No. 3.
On line 4-1 Sur. No. 3304 Globe lode, at N. 51° 34' W. 294.96 ft. from Cor. No. 1.
A pine post, in place, 4x6 ins. 3.5 ft. high, with a mound of stone, scribed G 2-2-3503.
No bearings available.

Feet	Thence N. 55° 18' W.
38	Intersect Morenci Southern R.R. course East to West.
280	Intersect wagon road course East to West.
304	Southwest end center of the location and lode.
608	To Cor. No. 3. A redwood post, in place, 4x6 ins. 3.5 ft. high with mound of stone, scribed G 2-3-3503. No bearings available.

	Thence N. 44° 07' E.
39.78	Intersect line 4-1 Sur. No. 3304 Globe lode, at N. 51° 34' W. 897.75 ft. from Cor. No. 1.
945.87	Intersect line 3-5 Sur. No. 922 Snow Storm lode, at N. 26° 20' W. 397.12 ft. from Cor. No. 3.
1202.08	Intersect line 5-6 Sur. No. 922 Snow Storm lode, at N. 89° 33' E. 268.36 ft. from Cor. No. 5.
1336.57	Intersect S. W. end line Alianza lode, unsurveyed, at N. 61° 28' W. 492.34 ft. and 197.74 ft. from the S. E. Cor. and its intersection with line 5-6 Sur. No. 922 Snow Storm lode, respectively.
1480.57	To Cor. No. 4. A redwood post, in place, 4x6 ins. 3.5 ft. high with mound of stone, scribed G 2-4-3503, whence Cor. No. 5 Sur. No. 922 Snow Storm lode bears S. 66° 23' W. 504.44 ft. from Cor. No. 5. Cor. No. 3 Sur. No. 1706 Last Chance lode bears N. 67° 39' W. 2751.1 ft.

	Thence S. 55° 18' E.
304	N. E. end center of the location and lode.
344.62	Intersect line 5-6 Sur. No. 922 Snow Storm lode at N. 89° 33' E. 745.57 ft. from Cor. No. 5 and 209.86 ft. from its intersection with the S. W. end line of the Alianza lode, unsurveyed.
456.4	Cor. No. 3 Gladiator No. 6 lode, of this survey. Intersect East side line of the Alianza lode, unsurveyed, at N. 28° 32' E. 89.63 ft. from the S. E. Cor.
608	To Cor. No. 1, the place of beginning.

GLADIATOR NO. 3 LODE	
	Beginning at Cor. No. 1. On line 2-3 Gladiator No. 6 lode, of this survey, at N. 55° 18' W. 727.5 ft. from Cor. No. 2. Identical with Cor. No. 4 Gladiator No. 4 lode, of this survey. A redwood post, in place, 4x6 ins. 3.5 ft. high, with mound of stone, scribed G 4-4-G 3-1-3503 whence The S. W. Cor. Sec. 13, T. 4 S. R. 29 E., G & S. R. B & M. bears N. 73° 56' E 7208.9 ft.

	Thence S. 44° 07' W.
53.58	Intersect line 2-3 Sur. No. 922 Snow Storm lode, at S. 89° 33' W. 330.5 ft. from Cor. No. 2.
1241	Intersect wagon road course N. W. to S. E.
1418	Intersect Morenci Southern R. R. course N. W. to S. E.
1500	To Cor. No. 2 Identical with Cor. No. 3 Gladiator No. 4 lode, of this survey. A pine post, in place, 4x6 ins. 3.5 ft. high, with mound of stone, scribed G 4-3-G 3-2-3503. No bearings available.

	Thence N. 55° 18' W.
304	S. W. end center of the location and lode.
310.5	Cors. Nos. 1 and 4 Sur. No. 3304 Globe and Cañon lodes, respectively.
608.	To Cor. No. 3. A pine post, in place, 4x6 ins. 3.5 ft. high, with mound of stone, scribed G 3-3-3503. No bearings available.

Feet
 19.43 Thence N. 44° 07' E.
 Cor. No. 2 Gladiator No. 2 lode, of this survey.
 Intersect line 1-4 Sur. No. 3304 Globe lode, at N. 51°
 34' W. 294.96 ft. from Cor. No. 1.
 33.67 Intersect Morenci Southern R. R. course N. W. to S. E.
 310.97 Intersect wagon road course N. W. to S. E.
 955.1 Intersect line 2-3 Sur. No. 922 Snow Storm lode, at
 S. 89° 33' W. 1172.4 ft. from Cor. No. 2.
 1500 To Cor. No. 4.
 Identical with Cor. No. 1 Gladiator No. 2 lode, of this
 survey, heretofore described.

 Thence S. 55° 18' E.
 304 N. E. end center of the location and lode.
 608 To Cor. No. 1, the place of beginning.

 GLADIATOR NO. 4 LODE
 Beginning at Cor. No. 1.
 Identical with Cor. No. 4 Gladiator No. 5 lode, of this
 survey.
 On line 2-3 Gladiator No. 6 lode, of this survey, at
 at N. 55° 18' W. 119.5 ft. from Cor. No. 2.
 A pine post, in place 4 ins. square 3 ft. high, with
 mound of stone, scribed G 5-4-G 4-1-3503.
 The S. W. Cor. Sec. 13, T. 4 S. R. 29 E., G. & S. R.
 B. & M. bears N. 69° 59' E. 6840.6 ft.

 Thence S. 44° 07' W.
 1200 Intersect wagon road course N. W. to S. E.
 1375 Intersect Morenci Southern R. R. course N. W. to S. E.
 1392 Intersect Morenci Southern R. R. course N. W. to S. E.
 1486 Intersect Morenci Southern R. R. course N. W. to S. E.
 1500 To Cor. No. 2.
 Identical with Cor. No. 3 Gladiator No. 5 lode, of this
 survey.
 A pine post, in place, 4x6 ins. 3.5 ft. high, with mound
 of stone scribed G 5-3-G 4-2-3503.
 No bearings available.

 Thence N. 55° 18' W.
 72 Intersect Morenci Southern R. R. course N. W. to S. E.
 304 S. W. end center of the location and lode.
 338 Intersect Morenci Southern R. R. course N. W. to S. E.
 608 To Cor. No. 3.
 Identical with Cor. No. 2 Gladiator No. 3 lode, of this
 survey, heretofore described.

 Thence N. 44° 07' E.
 82 Intersect Morenci Southern R. R. course N. W. to S. E.
 259 Intersect wagon road course N. W. to S. E.
 1446.42 Intersect line 2-3 Sur. No. 922 Snow Storm lode, at S. 89°
 33' W. 330.5 ft. from Cor. No. 2.
 1500 To Cor. No. 4.
 Identical with Cor. No. 1 Gladiator No. 3 lode, of this
 survey, heretofore described.

 Thence S. 55° 18' E.
 66.30 Intersect line 2-3 Sur. No. 922 Snow Storm lode, at S. 89°
 33' W. 238.69 ft. from Cor. No. 2.
 304 N. E. end center of the location and lode.
 608 To Cor. No. 1, the place of beginning.

Feet

GLADIATOR NO. 5 LODE

Beginning at Cor. No. 1.

On line 3-4 Sur. No. 3486 Milky Way lode, at S. 44° 07' W.
313.2 ft. from Cor. No. 4.A redwood post, in place, 4x6 ins. 3.5 ft. high with
mound of stone, scribed G 5-1-3503 whenceThe S. W. Cor. Sec. 13, T. 4 S. R. 29 E. G. & S. R. B.
and M. bears N. 65° 36' E. 6508.3 ft.-----
Thence S. 44° 07' W.

3.5 Intersect line 2-3 Sur. No. 3486 Dougan's Dream lode, at
N. 84° 56' E. 581.97 ft. from Cor. No. 3.

291.6 Cors. Nos. 3 and 4 Sur. No. 3486 Milky Way and Paso lodes,
respectively.

896.4 Cors. Nos. 3 and 4 Sur. No. 3486 Paso and Virginia No. 2
lodes, respectively.

1247.2 Intersect wagon road course N. W. to S. E.

1297.2 Intersect Morenci Southern R. R. course N. W. to S. E.

1458.2 Intersect Morenci Southern R. R. course N. W. to S. E.

1492.95 Intersect line 6-7 Sur. No. 2448 Morenci No. 1 Placer, at
S. 46° 30' E. 91.96 ft. from Cor. No. 6.

1500 to Cor. No. 2.
On line 3-4 Sur. No. 3486 Virginia No. 2 lode, at N. 44°
07' E. 1.2 ft. from Cor. No. 3.
A pine post 4 ins square 3 ft. high with mound of stone,
scribed G 5-2-3503.
No bearings available.

Thence N. 55° 18' W.

33. Cors. Nos. 1 and 4 Sur. No. 3304 Cañon and Terapin Jack
lodes, respectively.

89.40 Intersect line 5-6 Sur. No. 2448 Morenci No. 1 Placer, at
S. 33° 56' W. 21.03 ft. from Cor. No. 6.

304 S. W. end center of the location and lode.

608 To Cor. No. 3.
Identical with Cor. No. 2 Gladiator No. 4 lode, of this
survey, heretofore described.

Thence N. 44° 07' E.

14 Intersect Morenci Southern R. R. course N. W. to S. E.

108 Intersect Morenci Southern R. R. course N. W. to S. E.

125 Intersect Morenci Southern R. R. course N. W. to S. E.

300 Intersect wagon road course N. W. to S. E.

1500 To Cor. No. 4.
Identical with Cor. No. 1 Gladiator No. 4 lode, of this
survey, heretofore described.

Thence S. 55° 18' E.

119.5 Cor. No. 2 Gladiator No. 6 lode, of this survey.
Intersect line 3-4 Sur. No. 3486 Dougan's Dream lode,
at N. 28° 32' E. 377.9 ft. from Cor. No. 3.

304 N. E. end center of the location and lode.

608 To Cor. No. 1, the place of beginning.

Variation at all corners 13° 40' E.

LODES LINES

As near as can be determined from present development the veins of the several locations embraced in this claim extend from their respective discovery points, as follows:

Gladiator lode, 445 ft. S. $55^{\circ} 18'$ E. & 1042.1 ft. N. $55^{\circ} 18'$ W.
 Gladiator No. 6 lode, 972.6 ft. S. $55^{\circ} 18'$ E. and 514.5 ft. N. $55^{\circ} 18'$ W.
 Gladiator No. 2 lode, 557 ft. N. $44^{\circ} 07'$ E. and 923.57 ft. S. $44^{\circ} 07'$ W.
 Gladiator No. 3 lode, 32 ft. N. $44^{\circ} 07'$ E. and 1468 ft. S. $44^{\circ} 07'$ W.
 Gladiator No. 4 lode, 177 ft. N. $44^{\circ} 07'$ E. and 1323 ft. S. $44^{\circ} 07'$ W.
 Gladiator No. 5 lode, 719 ft. N. $44^{\circ} 07'$ E. & 781 ft. S. $44^{\circ} 07'$ W.

A R E A S

Acreas

Total area Gladiator lode	20.467 ✓
Area in conflict with -	
Sur. No. 2885 Punto Blanco lode	2.186 ✓
Sur. NO. 923 Coon lode	2.830 ✓
Sur. No. 923 Coon lode, exclusive of common conflict with Sur. No. 2885 Punto Blanco lode.	2.701 ✓
Total area Gladiator No. 6 lode.	20.467 ✓
Area in conflict with -	
Sur. No. 2885 Punto Blanco lode	0.559 ✓
Sur. No. 923 Coon lode	4.952 ✓
Sur. No. 923 Coon lode, exclusive of common conflict with Sur. 2885 Punto Blanco lode.	4.942 ✓
Sur. No. 922 Snow Storm lode	5.993 ✓
Total Area Gladiator No. 2 lode	20.386 ✓
Area in conflict with -	
Alianza lode, unsurveyed.	1.251 ✓
Sur. No. 3304 Globe lode	0.274 ✓
Sur. No. 922 Snow Storm lode.	7.645 ✓
Sur. No. 922 Snow Storm lode, exclusive of its common conflict with the Alianza lode, unsurveyed.	7.186 ✓
Total area Gladiator No. 3 lode.	20.654 ✓
Area in conflict with -	
Sur. No. 3304 Globe lode	0.066 ✓
Sur. No. 922 Snow Storm lode	4.120 ✓
Total area Gladiator No. 4 lode	20.654 ✓
Area in conflict with -	
Sur. No. 922 Snow Storm lode	0.040
Total area Gladiator No. 5 lode	20.654 ✓
Area in conflict with -	
Sur. No. 3486 Dorgan's Dream lode	2.122 ✓
Sur. No. 2448 Morenci No. 1 Placer	0.029 ✓

LOCATION

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, in Sec. 22, unsurveyed, T. 4 S. R. 29 E., G. & S. R. B. & M.

ADJOINING LODES

The adjoining lodes are, on the East, Sur. No. 2885 Punto Blanco lode, the Arizona Copper Company; claimant, Sur. No. 3486 Dougan's Dream, Milky Way, Paso, and Virginia No. 2 lodes, Phelps Dodge Corporation, claimant; on the South, ^{Sur. No. 2448, Morenci No. 1, Placer &} Sur. No. 3304 Terapin Jack, Cañon and Globe lodes, Phelps Dodge Corporation, claimant; on the West, Gladiator No. 1 lode; Phelps Dodge Corporation, claimant and the Alianza lode, unsurveyed, Chas Chesterfield, claimant. The Coon lode, ^{Sur. No. 923} and practically all of the Snow Storm lode, Sur. No. 922, are covered by this survey.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

GLADIATOR LODE

No. 1. The discovery, showing mineral in place, on the lode line 445 ft. from line 1-2.

No. 2. A shaft, the center of which, bears from the S. E. end center N. 52° 34' W. 430 ft. 6x8 ft. 20 ft. deep.

Value \$ 200.00

No. 3. A tunnel with open cut approach, the mouth of which, bears from Cor. No. 2 N. 54° 10' W. 758 ft., 10x10 ft. open cut and 6x7 ft. tunnel, running S. 70° W. 15 ft. and 21 ft., respectively.

Value \$ 400.00

Value 20 ft. on this lode 175.00

NOTE: The last 16 ft. of this tunnel is on th Gladiator No. 6 lode and is accredited thereto.

No. 4. A tunnel, with open cut approach the mouth of which bears from the X. E. end center N. 74° 25' W. 690ft. 10x30 ft. open cut and 6.5 x 7 ft. tunnel, running S. 63° 30' W. 26 ft. and 177 ft., respectively.

Only the last 90 ft. of this working was performed by the claimant or his grantors. Value last 90 ft. \$ 2,000.00

Value 1/6 interest \$ 333.33

NOTE: An undivided 1/6 interest in the above working is accredited to each of the lodes embraced in this mining claim as hereinafter explained.

GLADIATOR NO.6 LODE

No. 1. The discovery, showing mineral in place, on the lode line 514.5 ft. from line 3-4.

No. 2. An open cut the mouth of which bears from the W. W. end center S. 75° E. 645 ft. 4x8 ft., running S. 55° W. 40 ft.

Value \$ 200.00

NOTE: The last 16 ft. of the No. 3 tunnel on the Gladiator lode is on this lode and is accredited hereto.

Value last 16 ft. \$ 225.00

NOTE: An undivided 1/6 interest in the No. 4 tunnel on the Gladiator lode is accredited to this lode.

Value 1/6 interest \$333.33

GLADIATOR NO. 2 LODE

No. 1. The discovery, showing mineral in place, is on the lode line 557 ft. from line 4-1.

No. 2. A shaft the center of which bears from Cor. No. 2 N. $40^{\circ} 50'$ E. 730 ft., 4x6 ft. 24 ft. deep.

Value \$ 240.00

No. 3. An open cut, the mouth of which is on the lode line 875 ft. from line 2-3, 4x6 ft. running N. 37° E. 50 ft.

Value \$ 150.00

NOTE: An undivided $1/6$ interest in the No. 4 tunnel on the Gladiator lode is accredited to this lode.

Value $1/6$ interest \$ 333.33

GLADIATOR NO. 3 LODE

No. 1. The discovery, showing mineral in place, is on the lode line 32 ft. from line 4-1.

No. 2. A tunnel, the mouth of which bears from Cor. 4 S. 13° E. 175 ft., 5x6 ft. running S. 58° W. 40 ft.

Value \$ 480.00

No. 3. A tunnel, with an open cut approach the mouth of which bears from Cor. No. 3, N. $51^{\circ} 15'$ E. 810 ft., 5x9 ft. open cut and 5x6 ft. tunnel running N. 45° E. 24 ft. and 8 ft., respectively.

Value \$ 180.00

NOTE: An undivided $1/6$ interest in the No. 4 tunnel on the Gladiator is accredited to this lode.

Value $1/6$ interest \$ 333.33

GLADIATOR NO. 4 LODE

No. 1. The discovery, showing mineral in place, is on the lode line 177 ft. from line 4-1.

No. 2. A tunnel, with an open cut approach the mouth of which bears from the S. W. end center N. $30^{\circ} 37'$ E. 178 ft., 5x10 ft. open cut and 5x6 ft. tunnel, running N. 38° E. 32 ft. and 15 ft., respectively.

Value \$ 300.00

NOTE: An undivided $1/6$ interest in the No. 4 tunnel on the Gladiator lode is accredited to this lode.

Value $1/6$ interest \$ 333.33

GLADIATOR NO. 5 LODE

No. 1. The discovery, showing mineral in place, is on the lode line 719 ft. from line 4-1.

No. 2. A tunnel, with an open cut approach the mouth of which bears from the N. E. end center S. 11° W. 180 ft., 4x10 ft. open cut and 4x6 ft. tunnel, running S. 52° W. 14 ft. and 19 ft., respectively.

Value \$ 200.00

(9)

NOTE: An undivide 1/6 interest in the No. 4 tunnel on the Gladiator lode is accredited to this lode.

Value 1/6 interest \$ 333.33

NOTE: Upon inspection of the map, marked "contour map Sur. No. 3503" which is a part of these field notes, it will be seen that the six lodes embraced in this survey can be developed advantageously at depth by drifts and cross cuts from this tunnel. The mouth of this tunnel is only a few hundred ft. from the Shannon Arizona R. R. which has its terminus at the Shannon Copper Co's. smelter situate about four miles to the S. E. therefore it is an ideal common improvement.

INSTRUMENT

This survey was made with a Buff & Berger Light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5, 50, and 500 ft. steel tapes.

REPORT

The S. W. Cor. Sec. 13, T.4S.R29E.G.& S. R. B. & M. is a stone properly set and chiseled.

Sur. No. 2885 Punto Blanco lode:

All corners are posts properly set and scribed.

Sur. No. 3304 Terapin Jack, Cañon and Globe lodes:

All corners are posts properly set and scribed.

Sur. No. 3486 Dougan's Dream, Milky Way, Paso, and Virginia No. 2 lodes:

All corners are posts properly set and scribed.

Sur. No. 2448 Morenci No. 1 Placer;

All corners are posts properly set and scribed.

Alianza lode, unsurveyed:

All corners are posts properly set and scribed.

Sur. No. 922 Snow Storm lode;

All corners have been obliterated, therefore their location was established according to the official notes.

Sur. No. 923 Coon lode:

All corners have been obliterated, therefore, their location was established according to the official notes.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

All end center monuments are mounds of stone.

All corner points are marked with tacks.


U. S. MINERAL SURVEYOR.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. T. Morton
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 _____ R. J. Marshall _____
 known as the Gladiator, Gladiator No. 2, Gladiator No. 3, Gladiator No. 4
Gladiator No. 5 and Gladiator No. 6 lodes
 and showing the respective capacities in which they acted.

J. L. Awalt _____, *Chainman.*
 _____, *Chainman.*
 _____, *Aceman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We,~~ I, J. L. Awalt
 and _____, do solemnly swear that ^I~~we~~ assisted _____
E. T. Morton, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of R. J. Marshall

 _____ Gladiator, Gladiator No. 2, Gladiator No. 3, Gladiator No. 4
 known as the Gladiator No. 5 and Gladiator No. 6 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ^{my}~~our~~ knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

J. L. Awalt _____, *Chainman.*
 _____, *Chainman.*
 _____, *Aceman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 11th.
 day of July, 1918.

Louis Payne Notary Public
My commission expires Feb. 10, 1919

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, E. T. Morton, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 19, 1918, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of R. J. Marshall ^{known as the} Gladiator, Gladiator No. 2, Gladiator No. 3, Gladiator No. 4, Gladiator No. 5, Gladiator No. 6 lodes, situate in Copper Mountain Mining District, Greenlee County, Arizona, in Section 22 Uns., Township No. 4 S., Range No. 29 E., G. & S. R. B. & M., and designated as Survey No. 3503, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. T. Morton
U. S. Mineral Surveyor.

Subscribed and sworn to by the said E. T. Morton
U. S. Mineral Surveyor, before me _____
_____ this 11th.
day of July, 1918.

Louis Payne Notary Public
My commission expires Feb. 10, 1919.

Amended Location Notice

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~a corporation~~, the assignee of Richard Stevens, K.M. Schade and Walter Doudna

who on the 14th, day of January, 1911, located the Gladiator
mining claim situated in the Copper Mountain Mining District Greenlee

County, Arizona, the location notice of which claim is of record in the office of the Recorder of said
County in Book 1, Record of Mines, page 52-53, has on this 1st day of
February, 1918, made an amended location of said claim, by virtue of which

and of said original location, it claims as a mining claim the following described lead, lode or vein of
mineral bearing earth, rock or quartz and premises situated in the Copper Mountain
Mining District, in the County of Greenlee Arizona, to-wit:

The name of said claim is the Gladiator Mining Claim. The name of
the locator is R. J. Marshall

The length of the claim along said vein or lode is 1488 feet; the width of said claim is 300
feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim
is N.W. to S.E.. The distance from the Point of Discovery to
the S.E. end center monument of said claim is 445 feet. The distance from said
Point of Discovery to the N.W. end center monument is 1043 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon
said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones
placed at the center of the N.W. end of the claim, which monument is 1043 feet
N.55°18'W. from said Location Monument; thence N.28°30'E. 301.5
feet to a post, being the N.W. corner of the claim, thence S.55°18'E.
1488. feet to a post, being the N.E. corner of the claim; thence
S.28°30'W. 301.5 feet, to a monument of stones, being the center of the S.E. end of the
claim; thence again S.28°30'W 301.5 feet to a post, being
the S.E. corner of the claim; thence N.55°18'W. 1488
feet to a post, being the S.W. corner of the claim; thence N.28°30'E.
301.5 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the S.E. Cor. of this claim Cor. No. 3 U.S. Min.
Sur. No. 2885 Ponto Blanca mining claim brs. S.28°30'W. 260 ft.

Amended and posted on the ground
this 1st, day of
February 1918.

R. J. Marshall

County of _____

} 88

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____, 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 10217
Amended Location

Notice

Graduate
By
A. J. Marshall
Dated Feb 1st 1918

Filed and recorded at request of
A. J. Marshall
Feb. 1st A. D. 1918
at Phoenix P. M.
Book 3, L. N. 7
Pages 354-5
Adm. Garcia
County Recorder.
By _____
Deputy Recorder.

Amended Location Notice

APR 17 1918 15

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~as executor~~, the assignee of Richard Stevens, K. M. Schade and Walter Doudna

who on the 14th day of January, 1911, located the Gladiator No. 2
mining claim situated in the Copper Mountain Mining District Greenlee

County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 1, Record of Mines, page 54-55, has on this 28th day of January, 1918, made an amended location of said claim, by virtue of which

and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Greenlee Arizona, to-wit:

The name of said claim is the Gladiator No. 2 Mining Claim. The name of the locator is R. J. Marshall

The length of the claim along said vein or lode is 1480.6 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim is N. E. to S. W.. The distance from the Point of Discovery to the N. E. end center monument of said claim is 557 feet. The distance from said Point of Discovery to the S. W. end center monument is 923.6 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the N. E. end of the claim, which monument is 557 feet N. 44° 05' E. from said Location Monument; thence S. 55° 18' E. 304 feet to a post, being the N. E. corner of the claim, thence S. 44° 05' W. 1480.6 feet to a post, being the S. E. corner of the claim; thence N. 55° 18' W. 304 feet, to a monument of stones, being the center of the S. W. end of the claim; thence again N. 55° 18' W. 304 feet to a post, being the S. W. corner of the claim; thence N. 44° 05' E. 1480.6 feet to a post, being the N. W. corner of the claim; thence S. 55° 18' E. 304 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the S. E. Cor. of this claim Cor. No. 1 Sur. No. 3304 Globe lode brs. S. 55° 18' E. 294.4 ft.

Amended and posted on the ground this 28th day of January 1918.

R. J. Marshall

County of _____

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____ 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 10213

Amended Location

Notice

Exposition No. 2

Prof

R. J. Marshall

Dated Jan 25th 1918

Filed and recorded at request of

R. J. Marshall

Feb 19th A. D. 1918

at Phoenix A.M.

Book 3 L N

Pages 333

Admeyer

County Recorder.

By _____ Deputy Recorder.

RECORDS OF STATE
 ARIZONA
 JAN 17 1918
 17

Amended Location Notice

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~a corporation~~, the assignee of Richard Stephens, K. M. Schade and Walter Doudna

who on the 14th, day of January, 1911, located the Gladiator No. 3 mining claim situated in the Copper Mountain Mining District Greenlee County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 1, Record of Mines, page 56-57, has on this 28th, day of January, 1918, made an amended location of said claim, by virtue of which

and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Greenlee Arizona, to-wit:
 The name of said claim is the Gladiator No. 3 Mining Claim. The name of the locator is R. J. Marshall

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim is N. E. to S. W.. The distance from the Point of Discovery to the N. E. end center monument of said claim is 32 feet. The distance from said Point of Discovery to the S. W. end center monument is 1468 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the N. E. end of the claim, which monument is 32 feet N. 44° 05' E. from said Location Monument; thence S. 55° 18' E. 304 feet to a post, being the N. E. corner of the claim, thence S. 44° 05' W. 1500 feet to a post, being the S. E. corner of the claim; thence N. 55° 18' W. 304 feet, to a monument of stones, being the center of the S. W. end of the claim; thence again N. 55° 18' W. 304 feet to a post, being the S. W. corner of the claim; thence N. 44° 05' E. 1500 feet to a post, being the N. E. corner of the claim; thence S. 55° 18' E. 304 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the S. W. Cor. of this claim Cor. No. 1 U. S. Sur. No. 3304 Globe mining claim brs. S. 55° 18' E. 297 ft.

Amended and posted on the ground
 this 28th, day of
January, 1918.

R. J. Marshall

County of _____

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____ 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 1024
Amended Location
Notice

Graduate No. 2
By
A. G. Marshall
Dated Jan 28th 1918

Filed and recorded at request of
A. G. Marshall
Feb 19th A. D. 1918
at Phoenix, P. M.
Book 3, L. 1
Pages 356
Audrey Cecilia
County Recorder.
By _____
Deputy Recorder.

Amended Location Notice

19

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~a corporation~~, the assignee of Richard Stevens, K. M. Schade and Walter Doudna

who on the 14th day of January, 1911, located the Gladiator No. 4
mining claim situated in the Copper Mountain Mining District Greenlee

County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 1, Record of Mines, page 62-63, has on this 28th day of January, 1918, made an amended location of said claim, by virtue of which and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Greenlee Arizona, to-wit:

The name of said claim is the Gladiator No. 4 Mining Claim. The name of the locator is R. J. Marshall

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim is N. E. to S. W.. The distance from the Point of Discovery to the N. E. end center monument of said claim is 177 feet. The distance from said Point of Discovery to the S. W. end center monument is 1323 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the N. E. end of the claim, which monument is 177 feet N. 44° 05' E. from said Location Monument; thence S. 55° 18' E. 304 feet to a post, being the N. E. corner of the claim, thence S. 44° 05' W. 1500 feet to a post, being the S. E. corner of the claim; thence N. 55° 18' W. 304 feet, to a monument of stones, being the center of the S. W. end of the claim; thence again N. 55° 18' W. 304 feet to a post, being the S. W. corner of the claim; thence N. 44° 05' E. 1500 feet to a post, being the N. W. corner of the claim; thence S. 55° 18' E. 304 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the S. W. Cor. of this claim Cor. No. 1 U. S. Sur. No. 3304 Globe mining claim brs. N. 55° 18' W. 311 ft.

Amended and posted on the ground
this 28th day of
January 1918.

R. J. Marshall

County of _____

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____ 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 10215
Amended Location

Notice

Guadalupe No. 4
By

N. J. Marshall
Dated Jan 28th 1918

Filed and recorded at request of
N. J. Marshall
Feb 14th. D. 1918
at 3 o'clock P. M.

Book 3, L. N. 1

Pages 356-7
Adm. Ellis
County Recorder.

By _____
Deputy Recorder.

Amended Location Notice

APR 17 1918

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~a corporation~~, the assignee of Richard Stephens, K. M. Schade and Walter Doudna

who on the 14th day of January, 1911, located the Gladiator No. 5

mining claim situated in the Copper Mountain Mining District Greenlee

County, Arizona, the location notice of which claim is of record in the office of the Recorder of said

County in Book 1, Record of Mines, page 64-65, has on this 28th day of

January, 1918, made an amended location of said claim, by virtue of which

and of said original location, it claims as a mining claim the following described lead, lode or vein of

mineral bearing earth, rock or quartz and premises situated in the Copper Mountain

Mining District, in the County of Greenlee Arizona, to-wit:

The name of said claim is the Gladiator No. 5 Mining Claim. The name of

the locator is R. J. Marshall

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300

feet on each side of the middle of said lead, lode or vein The general course of said lode and claim

is N. E. to S. W. The distance from the Point of Discovery to

the N. E. end center monument of said claim is 719 feet. The distance from said

Point of Discovery to the S. W. end center monument is 781 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones

placed at the center of the N. E. end of the claim, which monument is 719 feet

N. 44° 05' E. from said Location Monument; thence S. 55° 18' E. 304

feet to a post, being the N. E. corner of the claim, thence S. 44° 05' W.

1500 feet to a post, being the S. E. corner of the claim; thence

N. 55° 18' W. 304 feet, to a monument of stones, being the center of the S. W. end of the

claim; thence again N. 55° 18' W. 304 feet to a post, being

the S. W. corner of the claim; thence N. 44° 05' E. 1500

feet to a post, being the N. W. corner of the claim; thence S. 55° 18' E.

304 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the S. E. Cor.

of this claim Cor. No. 1 U. S. Min. Sur. No. 3304 Canon claim hrs. N. 55° 18' W.

33.5 ft.

Amended and posted on the ground

this 28th day of

January 1918.

R. J. Marshall

County of _____

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____, 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 10746
Amended Location
Notice

Graduate No. 5
R. J. Marshall

Dated Jan 26th 1918

Filed and recorded at request of
R. J. Marshall
Feb 19th A. D. 1918
at Phoenix, P. M.

Book 3, L. 7. 1

Pages 357-8

Raymond C. Ellis
County Recorder.

By _____
Deputy Recorder.

Amended Location Notice

Jan. 17, 1918

23

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED

R. J. Marshall

~~an~~ corporation, the assignee of Richard Stephens, K. M. Schade and Walter Doudna

who on the 16th, day of January, 1911, located the Gladiator No. 6
 mining claim situated in the Copper Mountain Mining District Greenlee

County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book 1, Record of Mines, page 66-67, has on this 1st, day of February, 1918, made an amended location of said claim, by virtue of which

and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Greenlee Arizona, to-wit:

The name of said claim is the Gladiator No. 6 Mining Claim. The name of the locator is R. J. Marshall

The length of the claim along said vein or lode is 1488 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim is N.W. to S.E.. The distance from the Point of Discovery to the N.W. end center monument of said claim is 514.5 feet. The distance from said Point of Discovery to the S.E. end center monument is 973.5 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the N.W. end of the claim, which monument is 514.5 feet N. 55° 18' W. from said Location Monument; thence N. 28° 30' E. 301.5 feet to a post, being the N.W. corner of the claim, thence S. 55° 18' E. 1488 feet to a post, being the N.E. corner of the claim; thence S. 28° 30' W. 301.5 feet, to a monument of stones, being the center of the S.E. end of the claim; thence again S. 28° 30' W. 301.5 feet to a post, being the S.E. corner of the claim; thence N. 55° 18' W. 1488 feet to a post, being the S.W. corner of the claim; thence N. 28° 30' E. 301.5 feet to the place of beginning.

To more fully identify the claim its general location is described as follows:

From the N.E. Cor. of this claim Cor. No. 3
U.S. Min. Sur. 2885 Ponto Blanca lode hrs. N. 28° 30' E. 260 ft.

Amended and posted on the ground
 this 1st day of
February 1918.

R. J. Marshall

County of _____

88

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M., on this _____ day of _____ 19____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder

No. 10747
Amended Location
Notice

Graduation No. 6
C. J. Marshall
Dated Feb 1st 1918

Filed and recorded at request of
C. J. Marshall
Feb 1st A. D. 1918
at _____ M.
Book 3. L. N.
Pages 358-9
County Recorder
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 10, 1919

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

R. J. Marshall

known as the Gladiator, Gladiator No. 2, Gladiator No. 3, Gladiator No. 4, Gladiator No. 5, Gladiator No. 6 lodes. situate in Copper Mountain

Mining District, Greenlee County, Arizona.

in Section 22 uns., Township No. 4 S., Range No. 29 E., and

designated as Survey No. 3503, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 shafts, 7 cuts and 6 tunnels, total value \$4350.

AS improvement No. 4 on the Gladiator lode is a common improvement for the benefit and development of all of the six claims in this survey, an undivided one-sixth interest therein, value \$333.33, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

March 10, 1919

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

R. J. Marshall

, known as the

Gladiator, Gladiator No. 2, Gladiator No. 3, Gladiator No. 4,
Gladiator No. 5, Gladiator No. 6 lodes.

situate in Copper Mountain mining district,

Greenlee County, Arizona.

in Section 22 uns., Township No. 4 S., Range No. 29 E.

, designated as Survey No. 3503

executed by E. T. Morton, U. S. Mineral

Surveyor, May 1-15., 1918, under my instructions dated

April 19, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.