

Plotted

4-683

MINERAL SURVEY No. 3504

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Emerson O. STRATTON, John H. Campbell and W.H. Sawtelle

KNOWN AS THE

Oversight lode

Old Hat Mining District,

Pima County, Arizona

Section 17 Unsur., Township 11 S., Range 16 E.

Surveyed under instructions dated Oct. 7, 1918

by T.N. Stevens
U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced Oct. 12, 1918

Survey completed Oct. 16, 1918

Address of claimant's Attys., Hampton & Arnold,
Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

See amended location notices

Sur. No. 3504
Oversight Lode.

Feet

Beginning at Cor. No.1, identical with Cor. No.1 Eagle lode, Cor. No.2 Copper Peak lode, Cor. No.3 Golden Peak No. 2 lode and Cor. No.1 Eagle No.2 lode all of Sur. No.3017, Copper Queen Consolidated Mining Company, Claimant. a pine post 4' ins. Sq. by 4 ft. above ground, surrounded with md. of stone, 4 ft. base by 3 ft. high, scribed 1-E., 2-C P, 3-G P, ^{No.2,} 1-E No.2, 3017 and 1-3504-OS., whence the N.W. Cor. Sec. 21, T. 11 S., R.16 E., G. & S.R.B.&M. brs. S.38°-05'E., 2289.3 ft. A limestone ledge 14 ins high by 20 ins. long, chiseled with a cross (X) 1-3017, 1-3504-OS, BR. Brs. S.34-16' W., 11.2 ft.

No other bearings are available.

Thence S. 59°-16' W.
Va. 13°-30' E.

226.09 To E end center, a pine post 5 ins. diam. by 4 ft. high, surrounded with a md. of stone 3 1/2 ft base by 3 ft. high, blazed and scribed E Cr. OS.

281.29 To W. end center Golden Peak No.2, Sur. No. 3017

575.29 To Cor. No.2, identical with Cor. No.2 Eagle No.2 and Cor. No.2 Golden Peak No.2 both of Sur. No. 3017 and on line 3-4 Sphinx lode, Sur. No.3499, Daily Arizona Consolidated Copper Co. claimant, at N.58°-01' W.332.16 ft. from Cor. No. 4 and S.58°-01'E.307.84 ft. from Cor. No.3.

A pine post 4 ins. Sq. by 4 ft. above ground, surrounded with a md of stone 4 ft. base by 3 ft. high, scribed, 2-E.No.2, 2-G.P.No.2-3017, and 2-3504-OS.

A limestone ledge 24 ins. high by 40 ins long, chiseled with a cross (X) BR-2-3017, 2-3504 OS brs S.88°-15'E., 9 ft.

A limestone ledge 18 ins. high by 30 ins. long, chiseled with a cross (X) BR-2-3017, 2-3504 OS brs S.0°-45'E., 9.5 ft.

No other bearings are available.

Thence N. 61°-31' W.,
Va. 13°-30' E.

301.07 Intersect line 2-3 and 1-4 Sphinx and Daily No.5 lodes, respectively, Sur. No.3499, at S.10°-15' W., 19.79 ft. from Cor No.3,4

927.0 Intersect line 2-3 and 1-5 Daily No.5 and Daily No.3 lodes respectively Sur. No.3499 at S.10°-15' W., 60.9 ft. from Cor.No.3,5. Cor. No.4 said Daily No.5 lode brs. S. 58° 01' E. 640 ft. from Cor.No.3 thereof.

Sur. No. 3504 Cont'd
Oversight Lode Cont'd.

Feet.	
1435.56	Intersect line 3-4 Sur. No. 3499 Daily No. 3 lode at N. 20° E. 289.08 ft. from Cor. No. 3 and S. 20° W., 89.67 ft. from Cor. No. 4, also line 4-5 Sur. No. 2871 Hidden Treasure lode, Claimant unknown at N. 20° E., 289.08 ft. from Cor. No. 4 and S. 20° W., 325.08 ft. from Cor. No. 5. Sur. No. 3017 Eagle No. 2 lode.
1473.00	To Cor. No. 3 Sur. No. 3017 Eagle No. 2 lode.
1497.50	To Cor. No. 3. A limestone rock 8 X 12 X 6 ins. above ground, set 12 ins. in the ground and chiseled with a cross (X) 3-3504 OS with md. of stone 4 ft. base by 3 ft. high alongside. Amended Loc. Mon. brs. S. 66°-30' W., 3.6 ft. Orig. Loc. Mon. brs. N. 80°-39' E., 53.5 ft. An oak tree 20 ins. diam. brs. S. 14°-16' E., 19.4 ft. Blazed and scribed BT-3-3504 OS.
	No other bearings are available.
	Thence N. 59°-16' E. Va. 13°-30' E.
96.79	Intersect line 4-5 Sur. No. 2871 Hidden Treasure lode at N. 20° E., 373.15 ft. from Cor. NO. 4 and S. 20° W., 241.01 ft. from Cor. NO. 5 intersect Also line 3-4 Sur. No. 3499 Daily No. 3 lode at S. 20° W., 5.6 ft. from Cor. No. 4 and N. 20° E., 373.15 ft. from Cor. No. 3.
102.95	Intersect line 4-5 Sur. No. 3499 Daily No. 3 lode at S. 58°-01' E., 3.99 ft. from Cor. No. 4, and N. 58°-01' W., 499.66 ft. from Cor. No. 5 and 23.63 ft. from its intersection with line 3-4 Sur. No. 3017 Eagle No. 2 lode.
349.20	To W. end center, a pine post 4 ins. sq. by 4 ft. above ground, surrounded with md. of stone 4 ft. base by 3 ft. high. scribed W. Cr. OS.
404.29	To Cor. No. 4, on line 1-2 Sur. No. 3054 Grand Central lode, Copper Queen Consolidated Mining Co. claimant, at S. 69°-08' E., 194.65 ft. from Cor. No. 2. A pine post 4 ins. Sq. by 4 ft. high, set firmly in the ground and surrounded with a md. of stone 4 ft. base by 3 ft. high. Scribed 4-3504 OS. An loc. Mon. brs. N. 13°-44' W., 14.3 ft. A pine tree 30 ins. diam. brs. S. 72°-46' W. 49.4 ft. Blazed and scribed B T - 4-3504 OS.
	No other bearings are available.

Sur. No. 3504-Cont'd.
Oversight lode, Cont'd.

Feet.

Thence S. 69°-08'E.
Va. 13°-30' E.

26.85 Intersect line 3-4 , Sur. No. 3017, Eagle No.2 lode at S/59°-16'W.,

182.57 ft. from Cor. No.4 and N.59°-16'E., 408.44 ft. from Cor. No.3,
& 307.26 ft. from its intersection with line 4-5 Sur. No. 3499, Daily No.3 lode,
& 349.93 ft. from its intersection with line 3-4 said Daily No.3 lode.

1032.75

To. Cor. No. 5, identical with Cor. No.1 Sur. No. 3054, Grand

Central lode. A pine post 4 ins. Sq. by 4 ft. high, surrounded
with a md. of stone 4 ft. base by 3 ft. high, scribed 1-3054 G C and
5-3504 OS.

A limestone ledge 18 ins. high by 30 ins. long, chiseled with a
cross (X) BR-1-3054, 5-3504 OS. Brs N. 19°-10' E., 5.5 ft.

No other bearings are available.

Thence N.19°-10' E.
Va. 13°-30' E.

14.40 To Cor. No.6 On line 1-2 Eagle lode, Sur. No. 3017 at S.61°-06'E.,

386.6 ft. from Cor. No. 2 and N. 61°-06' W., 563.71 ft. from Cor.

No.1.

A pine post 4 ins. Sq. by 4 ft. high, surrounded with md. of stone
4 ft. base by 3 ft. high, scribed 6-3504 OS.

No bearings are available.

Thence S.61°-06 E.
Va. 13°-30'E.

563.71 To Cor. No.1, the place of beginning.

Sur. No. 3504. Cont'd

Lode Lines.

As near as can be determined from the present developments the vein of the location embraced in this claim extends as follows from its discovery point:

Oversight lode, 165 ft. S. 61-31'E., and 1332.5 ft. N. 61-31'W.

AREA.

	Acres
Total area, Oversight lode-----	15.320 ✓
Area in conflict with-	
Sur. No. 3499, Sphinx lode-----	0.065 ✓
Sur. No. 3499, Daily No. 5 lode-----	0.551 ✓
Sur. No. 3499, Daily No. 3 lode-----	0.844 ✓
Sur. No. 3499, Daily No. 3 lode (exclusive of its conflict with Sur. No. 3017 Eagle No. 2 lode)-----	0.012 ✓
Sur. No. 2871, Hidden Treasure lode--	0.059 ✓
Sur. No. 2871, Hidden Treasure lode (exclusive of its conflict with Sur. No. 3017 Eagle No. 2 lode)-----	0.038 ✓
Sur. No. 3017, Eagle No. 2 lode-----	15.124 ✓

The survey of the lode of this location is identical with the amended location as staked upon the ground, except as hereinbefore noted.

LOCATION.

This survey is located in Section 17 (UNSUR), T. 11 S., R. 16 E. G. & S.R. B.M., in the Coronado National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of the location embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery cut of the Oversight lode, the face of which being the discovery point, is on the lode line 165 ft. from a point on line 1-2, 226.09 ft. from Cor. No.1, 5 ft. wide, 15 ft. face running N. 10° E., 25 ft. to mouth.

Value \$ 400.00

No. 2 A shaft, the center of which brs. from Cor. No.1 N. 62°-21' W. 160 ft. 4 X 6 ft. 10 ft. deep. From shaft is a cut 4 ft. wide, 10 ft. face running S. 34° E. 17 ft. to face.

Value of shaft and cut. \$200.00

No.3 A shaft, the center of which brs. from Cor. No.1 N. 64°-21' W., 400 ft. 4 X 6 ft. 10 ft. deep, at shaft is a cut 15 ft. wide, 10 ft. face running N. 41° W. 8 ft. to face.

Value of shaft and cut \$ 200.00

No.4 A cut, the mouth of which brs. from Cor. No.2 N/ 48°-30' W., 428 ft. 6 ft. wide 15 ft. face, running S. 59° W., 12 ft. to face, from face is a tunnel 5 X 6 ft. running S. 59° W., 37 ft. to face.

Value of cut and tunnel \$ 570.00

No. 5 A cut the face of which brs. from Cor. No. 4 S/ 67°-05 'E., 220 ft. 5 ft. wide, 8 ft. face running S. 69° E. 15 ft. to mouth.

Value \$ 100.00

No. 6 A cut the face of which brs. from Cor. No.2 N. 43°-10' E., 260 ft. 5 ft. wide, 8 ft. face running south 15 ft. to mouth.

Value \$ 100.00

OTHER IMPROVEMENTS.

A tunnel the mouth of which brs. from Cor. No.1 N. 71°-21' W., 450 ft. 4 X 6 ft. running N. 41° W., 30 ft.

A tunnel the mouth of which brs. from Cor. No.1 N. 75°-06' W., 238 ft. 4 X 6 ft. running S. 23° E. 24 ft to face.

INSTRUMENT.

This survey was made with a Gurley mountain transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of the location of this claim was run directly upon the ground, and the corners were established by running around the claim. All ties were run directly upon the ground.

The N.W. Cor. Sec. 21, T.11 S., R. 16 E., G & S. R. B.M. is a porphyry stone 10 X 10 X 6 ins. above ground, chiseled with four notches on the east face and three notches on the south face, near it are two witness trees blazed and scribed. This is the nearest corner of the public survey.

Sur. No. 3017, Eagle, Copper Peak, Golden Peak No.2 and Eagle No.2 lodes:

All of the corners are pine posts, properly set and scribed with the number of the corner and the survey. Line 1-2 and 3-4 Eagle No. 2 lode fail to furnish the distances (570.8 ft and 596.6 ft. respectively) and the same are properly given in these field notes. Also line 2-3 fails to furnish the course and distance as approved (N.62-05'W., 1475.5 ft) and the same is properly given in these field notes.

Line 1-2 Eagle lode fails to furnish the course as approved (N.61-13'W.) and the same is properly given in these field notes.

Sur. No. 3054, Grand Central lode.

All corners are pine posts, properly set and scribed with the number of the corner and the survey. Line 1-2 fails to furnish the course and distance as approved (N.69-28'W., 1237.9 ft.) and the same is properly given in these field notes.

Sur. No. 2871, Hidden Treasure lode.

All corners are pine posts, properly set and scribed with the number of the corner and the survey. Line 4-5 fails to furnish the distance as approved (600.0 ft.) and the same is properly given in these field notes.

Sur. No. 3504 Cont'd.

Sur. No. 3499, Sphinx, Daily No.5 and Daily No.3 lodes.

All of the corners are stones properly set and chiseled with the number of the corner and the survey, except Corner No.3, Daily No.3 lode which is a pine post, properly set and scribed with the number of the corner and the survey. I find all courses and distances to be correct.

ADJOINING CLAIMS.

This claim is bounded on the north by Sur. No. 3054, Grand Central lode and Sur. No. 3017 Eagle lode. On the east by Sur. No. 3017, Golden Peak No.2 lode. On the South by Sur. No. 3499, Sphinx, Daily No. 5 and Daily No. 3 lodes, Daily Arizona Consolidated Copper Co. claimant. On the west by Sur. No. 2871 Hidden Treasure lode, claimant unknown and Copper Queen Extension lode, Unsur., E.O. Stratton, Claimant.

-----000-----

do not copy

Direct Solar observation taken Wed. Oct. 16, 1918 at 8 A.M.

Solar time. - Sun bisected. lat. 32°-28' - Lon. 110°-43'

Apparent Dec'l Oct. 16--8-41'-12.3"

Dif. in time 3h-24m 3' 8 " ✓
 Dec'l----- 8°44' 20.3"

$$\sin \frac{1}{2} A = \frac{\sin (S-L) \cos H}{\cos L \cos H}$$

$$P = 90 + 8^{\circ} 44' 20.3'' = 98^{\circ} 44' \checkmark$$

$$L = 32^{\circ} 28'$$

H 21° 39' = Ver. Ang. diminished by refraction.

$$P = 98^{\circ} 44'$$

$$2) 152^{\circ} 51'$$

$$S = 76^{\circ} 25' 30''$$

$$S-L = 43^{\circ} 58'' \checkmark$$

$$S-H = 54^{\circ} 47'' \checkmark$$

$$9.8415095 \checkmark$$

$$9.9122099$$

$$0.0738099 \checkmark$$

$$0.0317717 \checkmark$$

$$2) 19.8593010$$

$$9.9296505 = 58^{\circ} 15' 40'' = \frac{1}{2} A.$$

$$116^{\circ} 31' 20'' = A.$$

$$-180^{\circ}$$

$$116^{\circ} 31' 20''$$

S. 63° 29' E. = Course of sun.

$$57^{\circ} 15'$$

$$120^{\circ} 44' \checkmark$$

$$180^{\circ}$$

N. 59° 16' E. = Course of line 1-2 Oversight lode.

Set up at E end center Oversight lode- F.S. Cor. No.1
 Angle to right from line 1-2 to sun 57-15'

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Emerson .O. Stratton, John H. Campbell and W.H. Sawtelle

known as the Oversight lode

and showing the respective capacities in which they acted.

C.A. Pond, *Chainman.*

, *Chainman.*

, *Arman.*

, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~ I, C.A. Pond

and _____, do solemnly swear that we assisted T.N. Stevens

_____, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of ~~Emerson O. Stratton, John H. Campbell and W.H. Sawtelle~~

known as the Oversight lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

C.A. Pond, *Chainman.*

, *Chainman.*

, *Arman.*

, *Flagman*

Subscribed and sworn to by the above-named persons before me this 25th

day of October, 1918

[Signature]
My Commission Expires July 23, 1921

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, T.N. Stevens, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct. 7, 1918, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Emerson O. Stratton, John H. Campbell, and W.H. Sawtelle, known as the OVERSIGHT Lode, situate in Old Hat Mining District, Pima County, Ariz., in Section 17 Unsur, Township No. 11 S., Range No. 16 E., and designated as Survey No. 3504, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

T.N. Stevens

U. S. Mineral Surveyor.

Subscribed and sworn to by the said U. S. Mineral Surveyor, before me

T.N. Stevens, a Notary Public in & for Pima County Arizona this 9th day of November, 1918

Geo. P. Myers Notary Public

My Commission expires July 19, 1920.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Oversight Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Emerson O. Stratton, John H. Campbell and W. H. Sawtelle, citizens of the United States, the undersigned, on the .14th day of September, 1918.

The length of the claim is fifteen hundred feet, and we claim one hundred and sixty-five (165) feet, in a southeasterly direction and thirteen hundred and thirty-five (1335) feet in a northwesterly direction from the center of the discovery shaft, at which this notice was posted, lengthwise of the claim, together with 300 feet southwesterly and 200 feet northeasterly in width of surface grounds, on each side of the lode line of said claim. The general course of the lode deposit and premises is from the southeast to the northwest.

The Claim is situated and located in the Old Hat Mining District, in Pima County in the State of Arizona, about 3000 feet northwest from the N. W. corner of Section 21, T.11 S., R. 16 E., G. & S. R. E. & M. and is in the Coronado National Forest.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stones at a point in a southeasterly direction 165 feet from the discovery shaft (at which this notice is posted), being on the southeasterly end line of said claim; thence 5.59° 16' W. 351.2 feet to a post in a mound of stones, being the southwesterly corner of said claim; thence N.62°05' W. 1500 feet to a post in a mound of stones, being at the northwesterly corner of said claim; thence N.59°16' E. 351.2 feet to a post in a mound of stone on the

northwesterly end line of said claim; thence N.59°16'E. 60 feet to a post in a mound of stones, being at the northeasterly corner of said claim; thence S.69°28'E. 1043 feet to a post in a mound of stones on the northeasterly side line of said claim; thence N.19°10'E. 14.4 ft. to a post in a mound of stones on the northeasterly side line of said claim; thence S.61°13'E. 554.9 ft. to a post in a mound of stones, being at the southeasterly corner of said claim; thence S.59°16'W. 219.6 feet to the place of beginning.

This is an Amended Location Notice of the Oversight Mining Claim, located by E. O. Stratton on the 17th day of July, 1907, and recorded in Book M.M. of Records of Mines, at page 690, in the office of the County Recorder of the aforesaid County of Pima, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14th day of Sept
tember, 1918.

Witness
Ramon Lou

Everom O. Stratton 8/10 Sub.
John W Campbell 1/10 Sub.
D. W. Scutelle 1/10 Sub.
Scutelle

View & Recorded at Request of E.O. Stratton, Sept
16. 1918 at 4-35 p.m.

R. V. Union Recorder
By L. M. Shill, Deputy

Book M.M. Records of Mines page 546

STATE OF ARIZONA, }
COUNTY OF PIMA. } ss.

I, R. B. Vinson....., County Recorder in and for the

County of Pima, State of Arizona, do hereby certify that the above and foregoing is a full, true and correct copy
of Amended Notice of Location of Oversight Mining Claim, situated
in Old Hat District, and located by Emerson, O. Stratton, et als.

.....
as appears of record now in my office in Book U.U. Records of Mines Pages 546 et seq.

IN WITNESS WHEREOF, I have hereunto set my hand

and affixed my official seal, at my office in Tucson,

this 17th..... day of

September....., A. D. 191 8

R. B. Vinson
.....
County Recorder of Pima County, Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

SEP 8 1919, 191

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

EMERSON O. STRATTON, JOHN H. CAMPBELL and W. H. SAWTELLE,

known as the OVERSIGHT Lode

situate in OLD HAT

Mining District, PIMA County, ARIZONA,

in Section 17 Unsur., Township No. 11 S., Range No. 16 E., and

designated as Survey No. 3504, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 6 cuts, 2 shafts and 1 tunnel, total value \$1570.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,
SEP 8 1919, 191

I, U. S. Surveyor General for DISTRICT OF ARIZONA,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of _____
EMERSON O. STRATTON, JOHN H. CAMPBELL and W. H. SAWTELLE,
_____, known as the
OVERSIGHT Lode
situate in OLD HAT mining district,
PIMA County, ARIZONA,
in Section 17 Unsur., Township No. 11 S., Range No. 16 E.,
_____, designated as Survey No. 3504
executed by T. N. STEVENS, U. S. Mineral
Surveyor, Oct. 12-16, 1918, under my instructions dated
October 7, 1918, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. The certified copy of the location certificate filed by the applicant for survey is
on file in this office and a true copy of said certified copy of said location certificate is included and made
a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.