

Copied 5-5-1919,

A L H

4-683

1
SEP 20 1919

MINERAL SURVEY No. 3523

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Granite Reef Gold Mining Company.

KNOWN AS THE

Planet Mier, Dakota, State, Hull, Prescott, Bellmore, Granite Reef
and Granite Reef Extension lodes.

Martinez Mining District,

Yavapai County, Arizona

Sections 10 and 15 and 9, 8, 16, unsurveyed, Township 10 N., Range 6 W.G. & S.R.B. & M.

Surveyed under instructions dated June 13, 1918

by Alfred B. Colwell
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced June 30, 1918

Survey completed Aug. 20, 1918

Address of claimant S.F. Denison, Jerome, Arizona.
Administrator Estate of G.W. Hull,

MINERAL SURVEY NO. 3523

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Red Pg.
Bellmore	5	11	11
Dakota	1	10	3
Granite Reef	6	11	13
Granite Reef Extension	7	12	15
Hull	3	10	7
Planet Mier	1	9	1
Prescott	4	11	9
State	2	10	5

Survey No. 3523

Feet	Planet Mier lode.
	Beginning at Cor.No.1
	A granite rock .6 x.8 x 2 ft.set 1.3 ft.in the ground, chiseled + at exact corner point and P.M.1-3523 Mound of rock alongside. Whence
	The East $\frac{1}{4}$ Cor.Sec.15 T.10N.R.6 W. G.& S.R.B.& M.bears S.42°31'E. 733.98 ft.
	Thence N.75°10'W.
1481.00	To Cor.No.2
	On line 1-2 Dakota lode of this survey.
	A granite rock .4 x.9 x 1.5 ft.set 1 ft.in the ground, chiseled + at exact corner point and P.M.2-3523 Mound of rock alongside.
	Thence S.28°W.
139.15	Southeast end center Dakota lode of this survey.
308.00	West end center, A mound of rock.
454.00	Cor.No.2 Dakota lode of this survey.
504.00	To Cor.No.3
	Identical with Cor.No.2 Sur.No.2488 Omaha lode, claimants unknown.
	A granite rock showing .5 x.8 x 1 ft.above the ground, chiseled + at exact corner point and O-2-2488, P.M. 3-3523 with mound of rock alongside.
	Thence S.75°10'E.
1481.00	To Cor.No.4
	Identical with Cor.No.1 Sur.No.2488 Omaha lode.
	A granite rock showing .6 x.7 x 1 ft. above ground, chiseled + at exact corner point and O-1-2488, P.M.4-3523, with mound of rock alongside.
	Thence N.28°E.
196.00	East end center, a mound of rock.
504.00	To Cor.No.1, The place of beginning.
	Dakota lode.
	Beginning at Cor.No.1
	A granite rock .7 x 1.2 x 1.5 ft.set 1 ft.in the ground chiseled + at exact corner point and D-1-3523 with mound of rock alongside. Whence

Survey No. 3523

Feet	The East $\frac{1}{4}$ Cor. Sec. 15 T. 10 N., R. 6 W. G. & S. R. B. & M. bears S. 59° 46' E. - 2135.63 ft.
	A + on granite rock 3 x 4 x 6 ft. chiseled B + R. D-1-3523 bears S. 56° 15' W. - 22.9 ft. Thence S. 28° W.
175.70	Cor. No. 2 Planet Mier lode of this survey.
314.85	Southeast end center, a mound of rock.
483.70	West end center, Planet Mier lode of this survey.
629.70	To Cor. No. 2 A + on granite ledge showing face 2 x 4 ft. 3 ft. above surface, chiseled + at exact corner point and D-2-3523, Mound of rock alongside. Thence N. 44° W.
1385.00	To Cor. No. 3 Identical with Cor. No. 4 State lode of this survey. A + on granite ledge 3 x 4 ft. 5 ft. high chiseled D-3, S-4 3523, Mound of rock alongside. Thence N. 28° E.
304.94	East end center State lode of this survey.
314.85	Northwest end center, a mound of rock.
609.88	Cor. No. 3 State lode of this survey.
629.70	To Cor. No. 4 A granite rock .4 x .6 x 1.6 ft. set 1 ft. in the ground, chiseled + at exact corner point and D-4-3523, with mound of rock alongside. Thence S. 44° E:
1385.00	To Cor. No. 1, The place of beginning. State lode. Beginning at Cor. No. 1 On line 3-4 Hull lode of this survey A granite rock .7 x 1.2 x 1.5 ft. set 1 ft. in the ground, chiseled + at exact corner point and S. 1-3523 with mound of rock alongside. Whence The N.W. Cor. Sec. 15 T. 10 N. R. 6 W. G. & S. R. B. & M. bears N. 48° 12' W. - 1049.84 ft. Thence N. 28° E.
304.94	West end center, a mound of rock.

<p>Feet 609.88</p>	<p>To Cor.No.2</p> <p>On line 3-4 Hull lode of this survey.</p> <p>A granite rock .6x1.5 x1.6ft.set 1 ft.in the ground, chiseled + at exact corner point and S-2-3523 with mound of rock alongside.</p> <p>Thence S.72°20'E.</p>
<p>1458.00</p>	<p>To Cor.No.3</p> <p>On line 3-4 Dakota lode of this survey.</p> <p>A granite rock .5 x .7 x 1.8 ft.set 1 ft.in the ground chiseled + at exact corner point and S-3-3523 with mound of rock alongside.</p> <p>Thence S.28°W.</p>
<p>295.03</p>	<p>Northwest end center Dakota lode of this survey.</p>
<p>304.94</p>	<p>East end center, a mound of rock.</p>
<p>609.88</p>	<p>To Cor.No.4</p> <p>Identical with Cor.No.3 Dakota lode of this survey, hereinbefore described.</p> <p>Thence N.72°20'W</p>
<p>1458.00</p>	<p>To Cor.No.1, The place of beginning.</p> <p>Hull lode.</p> <p>Beginning at Cor.No.1</p> <p>Identical with Cor.No.1 Prescott lode of this survey.</p> <p>A granite boulder 4 x 6 x 6 ft.chiseled + on top at exact corner point and H-1,P-1-3523 with mound of rock alongside.</p> <p>Whence</p> <p>The N.W.Cor.Sec.15 T.10 N.R.6 W G.& S.R.B.& M.bears N.5°W. + 779.37 ft.</p> <p>Thence N.28°E</p>
<p>879.80</p>	<p>Intersect the north line Sec.15 T.10 N.R.6 W G.& S.R.B. & M. at N.89°57'E. + 480.97 ft.from the N.W.Cor. and S.89°57'W. - ^{2157.15} 2155.07 ft.from the approved position of the N. 1/4 Cor.of said section.</p>
<p>1500.00</p>	<p>To Cor.No.2</p> <p>On line 4-1 Granite Reef lode of this survey.</p> <p>A + on ledge of granite showing face 4 x 5 ft. chiseled H-2-3523 with mound of rock alongside. Whence</p> <p>A + on face of granite ledge 10 ft.high bears S.36°E.</p>

Feet	8.72 ft. chiseled B+R, H=2-3523
300.00	North end center, a mound of rock.
390.00	Cor.No.4 Granite Reef lode of this survey.
600.00	To Cor.No.3
	A granite rock .5x.7x1.5 ft. set 1 ft. in the ground
	chiseled + at exact corner point and H=3-3523
	Intersect the north line Sec. 15 T. 10 N. R. 6 W. G. & S. R. B.
230.61	& M. at N. 89° 57' E. - 1155.31 ft. from the N.W. Cor. and S. 89°
	57' W. - 1480.73 ft. from the approved position of the N. 1/4 Cor.
	of said section.
410.12	Cor.No.2 State lode of this survey.
715.06	West end center State lode of this survey.
1020.00	Cor.No.1, State lode of this survey.
1500.00	To Cor.No.4
	Identical with Cor.No.2 Prescott lode of this survey.
	A granite rock 1 x 1.5 x 1.5 ft. set 1 ft. in the ground,
	chiseled + at exact corner point and H=4, P=2-3523 with
	mound of rock alongside.
	Thence N. 54° 40' W.
300.00	South end center
	Identical with North end center Prescott lode of this survey.
	A granite boulder 4 x 6 x 6 ft. chiseled + on top at exact
600.00	To Cor.No.1 The place of beginning.
	Prescott lode.
	Beginning at Cor.No.1
	Identical with Cor.No.1 Hull lode of this survey, herein
	before described.
	Whence
	The N.W. Cor. Sec. 15 T. 10 N. R. 6 W. G. & S. R. B. & M. bears
	N. 5° W. - 779.37 ft.
	Thence S. 54° 40' E.
300.00	North end center
	Identical with the south end center Hull lode of this
	survey, previously described.
600.00	To Cor.No.2
	Identical with Cor.No.4 Hull lode of this survey
	Hereinbefore described.

Feet	
	Thence S.31°45'W.
1057.01	Intersect the West line Sec. 15 T. 10 N. R. 6 W. G. & S. R. B. & M. at S. 0°02' E. - 2022.23 ft. from the N.W. Cor. and N. 0°02' W. 617.77 ft. from the approved position of the point for the West 1/4 Cor. of said section.
1500.00	To Cor. No. 3 A granite rock 8 x 9 x 1.7 ft. set 1.2 ft. in the ground, chiseled + at exact corner point and P-3-3523 with mound of rock alongside. Whence A + on granite ledge 5 x 6 x 8 ft. bears S. 79° W. - 6.52 ft. chiseled B+R, P-3-3523 Thence N. 54° 40' W.
1300.00	South end center, a mound of rock
600.00	To Cor. No. 4 A granite rock 4 x 1 x 1.5 ft. set 1.5 ft. in ground to solid rock with mound of earth and rock, chiseled + at exact corner point and P-4-3523 with mound of rock alongside. Thence N. 31° 45' E.
1371.89	Intersect the West line Sec. 15 T. 10 N. R. 6 W. G. & S. R. B. & M. at S. 0°02' E. - 885.34 ft. from the N.W. Cor. and N. 0°02' W. 1754.66 ft. from the approved position of the point for the West 1/4 Cor. of said section.
1500.00	To Cor. No. 1, The place of beginning. Bellmore lode. Beginning at Cor. No. 1 Reef On line 3-4 Granite/lode of this survey. A granite rock .5 x .9 x 2 ft. set 1 ft. in the ground, chiseled + at exact corner point and B, 1-3523, with mound of rock alongside. Whence The S.W. Cor. Sec. 10 T. 10 N. R. 6 W. G. & S. R. B. & M. bears S. 66° 52' W. - 1292.81 ft. with mound of rock alongside. Thence N. 28° E. 10 E. Sec. 10 E. Cor. W. 2
90.00	Southeast end center Granite Reef lode of this survey.
300.00	Northwest end center, a mound of rock.
390.00	Cor. No. 3 Granite Reef lode of this survey.

Feet
600.00 To Cor. No. 2
A + on top of prominent granite ledge 20 ft. high, chiseled
B-2-3523 with mound of rock alongside the cross
Thence S. 62° 43' E. 1441.60
1441.60 To Cor. No. 3
A granite rock 1.5 x 2 x 3 ft. set 1.6 ft. in ground, chiseled
+ at exact corner point and B-3-3523 with mound of rock along
side Whence
A + on granite ledge 2 x 3 ft. bears S. 62° E. 4.75 ft. chisel
ed B-R: B, 3-3523.
Thence S. 28° W. 300.00
Southeast end center, a mound of rock.
424.29³⁰ Intersect the south line Sec. 10 T. 10 N. R. 6 W. G. & S. R. B. & M.
at N. 89° 57' E. 2552.57 ft. from the S. W. Cor. and S. 89° 57' W.
83.46^{85.45} ft. from the approved position of the S. + Cor. of said
section. solid rock with mound of earth and rock chiseled at
600.00 To Cor. No. 4
A granite rock .7 x .8 x 1.5 ft. set 1 ft. in the ground,
chiseled + at exact corner point and B, 4-3523 with mound of
rock alongside. Whence
Thence N. 62° 43' W. 337.73
Intersect the south line of Sec. 10 T. 10 N. R. 6 W. G. & S. R. B.
& M. at N. 89° 57' E. 2169.45^{2169.92} ft. from the S. W. Cor. and S. 89°
57' W. 466.12 ft. from the approved position of the South +
Cor. of said section.
1441.60 To Cor. No. 1, The place of beginning.
Beginning at Cor. No. 1
On line 3-4 Granite Reef lode
Beginning at Cor. No. 1
A granite rock 5.9 x 2 ft. set 1 ft. in ground
On line 4-1 Granite Reef Extension lode of this survey.
A granite rock .8 x 1.8 x 2.3 ft. found imbedded in the gr
ground, chiseled + at exact corner point and G. R. 1-3523
with mound of rock alongside. Whence
The S. W. Cor. Sec. 10 T. 10 N. R. 6 W. G. & S. R. B. & M. bears
S. 2° 02' W. 1069.21 ft.
Thence N. 28° E. 18.00
East end center Granite Reef Extension lode of this survey

Feet	
300.00	Northwest End Center, A mound of rock.
331.00	Cor.No.4, Granite Reef Extension lode of this survey.
600.00	To Cor.No.2
	A + on granite boulder 3 x 3 x 4ft. chiseled G.R.2-3523 with mound of rock alongside.
	Thence S.54°40'E.
1290.00	To Cor.No.3
	On line 1-2 Bellmore lode of this survey, 210 ft. from Cor. No. 2. A granite rock .5 x 1.4 x 1.5 ft. set 1.5 ft. in the ground chiseled + at exact corner point and G.R.3-3523, with mound of rock alongside
	Thence S.28°W.
90.00	West end center Bellmore lode of this survey.
300.00	Southeast End Center. A mound of rock.
390.00	Cor.No.1 Bellmore lode of this survey.
600.00	To Cor.No.4
	On line 2-3 Hull lode of this survey. A granite rock .8 x 1.5 x 1.8 ft. set 1.5 ft. in the ground chiseled + at exact corner point and G.R.4-3523 with mound of rock alongside.
	Thence N.54°40'W.
390.00	Cor.No.2 Hull lode of this survey.
1290.00	To Cor.No.1, The place of beginning.
	Granite Reef Extension lode.
	Beginning at Cor.No.1.
	A + on south face of granite ledge 10ft. high, chiseled GRE 1-3523 with mound of rock alongside. Thence The S.W. Cor. Sec. 10 T. 10 N. R. 6 W. G. & S. R. B. & M. bears S. 7° 06' E. 814.30 ft.
	Thence N. 78° 35' W.
1500.00	To Cor.No.2
	A granite rock .7 x .9 x 1.6 ft. set 1 ft. in the ground chiseled + at exact corner point and GRE 2-3523 with mound of rock alongside.
	Thence N. 28° E.
313.00	West end center, a mound of rock.

Feet	
626.00	<p>To Cor.No.3</p> <p>A granite rock .7 x 1.2 x 2 ft.set 1.5 ft.in the ground, chiseled + at exact corner point and GRE 3-3523 with mound of rock alongside</p> <p>Thence S.78°35'E.</p>
1302.04	<p>Intersect the West line Sec.10 T.10N.R.6 W.G.& S.R.B.& M. at N.0°02'W.1399.97 ft.from the S.W.Cor. and S.0°02'E.-1240.03 ft.from the approved position of the West $\frac{1}{4}$ Cor. of said section.</p>
1500.00	<p>To Cor.No.4</p> <p>On line 1-2 Granite Reef lode of this survey.</p> <p>A + on top pf granite boulder 6 x 8 x 10 ft.chiseled GRE.4-3523 with mound of rock alongside.</p> <p>Thence S.28°W.</p>
31.00	<p>Northwest end center Granite Reef lode of this survey.</p>
313.00	<p>^{East} Southeast end center, a mound of rock.</p>
331.00	<p>Cor.No.1 Granite Reef lode of this survey.</p>
412.85	<p>Intersect the West line Sec.10 T.10 N.R.6 W.G.& S.R.B.& M. at N.0°02'W.-996.26 ft.from the S.WCor. and S.0°02'E.-1643.74 ft.from the approved position of the West $\frac{1}{4}$ Cor.of said section.</p>
626.00	<p>To Cor.No.1, The place of beginning.</p> <p>Variation at all corners. 14°30'E.</p>
	<p>Lode lines.</p> <p>As near as may be determined from present developments the lode lines of this survey run as follows from their respective discovery points.</p> <p>Planet Mier lode:- S.75°10'E.-20 ft and N.75°10'W.1461.00ft</p> <p>Dakota lode: S.44°0'E.-210 ft.and N.44°0'W-1175.00ft.</p> <p>State lode: S.72°29'E.1428 ft.and N.72°20'W.-30 ft.</p> <p>Hull lode:-S.28°W.-20 ft. and N.28°E.-1480 ft.</p> <p>Prescott lode:-S.31°45'W.-400 ft. and N.31°45'E.-1100 ft.</p> <p>Bellmore lode:-S.62°43'E.-541.60 ft.and N.62°43'W.-900 ft.</p> <p>Granite Reef lode:-S.54°40'E.-1090 ft.and N.54°40'W.200 ft.</p> <p>Granite Reef Extension lode:- S.78°35'E.-150 ft.and N.78°35'W.-1350 ft.</p>

00.000	Total area Planet Mier lode.	16.685	Acres
01	Total area Dakota lode.	19.042	"
01	Total area State lode.	20.082	"
01	Total area Hull lode.	20.492	"
01	Total area Prescott lode.	20.621	"
01	Total area Bellmore lode.	19.857	"
00.000	Total area Granite Reef lode.	17.623	"
01	Total area Granite Reef Extension lode.	20.660	"

The survey of each lode of this claim is identical with its amended location.

Location
This claim is situated in the S. $\frac{1}{2}$ Sec. 10, the N. $\frac{1}{2}$ Sec. 15 and in unsurveyed sections 9 and 16 all in T. 10 N. R. 6 W. Gila and Salt River Base and Meridian.

Adjoining Claims.

The only known claim immediately adjoining this ground is Sur. No. 2488 Omaha lode lying on the south side of the Planet Mier lode.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that

said improvements consist of:

No. 1. The discovery shaft of the Planet Mier lode, on the lode line at N. 75° 10' W. 20 ft. from the East end center,

5 x 6 ft. 10 ft. deep. Value \$50.00

No. 2. A tunnel and open cut, the mouth of cut bears from Cor.

No. 4 N. 64° 15' W. 490 ft. and runs S. 85° W. 30 ft. to mouth of tunnel which continues in same direction 186 ft. to face. 4 x 6 ft.

Value of Cut and Tunnel \$2000.00

No. 3. A Tunnel and open cut, the mouth of cut bears from Cor.

No. 4 N. 71° 25' W. 690 ft. Running thence N. 75° W. 53 ft. to 14 ft. breast of cut and mouth of tunnel which continues

- in same direction 105 ft. to face of tunnel, 4 x 7 ft.

Value of Cut and Tunnel \$1200.00

cut and Dakota

No. 1 The discovery/tunnel of the Dakota lode, the mouth of which being the discovery point is on the lode line at N. 44° W. 210 ft. from the Southeast end center, Running thence East 30 ft. to 10 ft. face whence the tunnel continues 10 ft. in same course, 4 x 6.5 ft.

Value of Cut and Tunnel \$200.00

No. 2 An open cut the mouth of which bears from Cor. No. 1 S. 77° W. 260 ft. Running thence East 12 ft. to 6 ft. face 5 ft. wide.

Value \$50.00

No. 3 An open cut and Incline, the mouth of cut bears from Cor. No. 3 S. 50° 10' E. 460 ft. running thence S. 75° W. 30 ft. to 10 ft. face. In floor of cut at face an incline shaft runs West on a dip of 40°, said to have been 60 ft. deep, now partially caved.

Present Value of Cut and Incline \$250.00

No. 1 The discovery cut and Tunnel of the State lode, the mouth of cut bears from Cor. No. 2 S. 24° 25' W. 270 ft. thence South 30 ft. to the discovery point of said claim and 50 ft. to the face of cut. At face of cut a tunnel runs south 100 ft. to where it is caved, total length unknown, 4 x 7 ft.

Value of Cut and open part of tunnel \$1200.00

No. 2 An open cut and Tunnel. the mouth of cut bears from Cor. No. 2 S. 1° 40' W. 280 ft. running thence S. 12° W. 23 ft. to mouth of tunnel, thence same course 141 ft. to face. At a point in tunnel 89 ft. from mouth a side drift runs S. 50° E. 36 ft. thence S. 10° W. 32 ft. to face. Tunnel and Drift 4 x 6 1/2 ft.

Value of Cut and Tunnel. \$2200.00

No. 1 The discovery shaft of the Hull lode, on the lode line at N. 28° E. 20 ft. from the South end center, 4 x 6 ft. 10 ft. deep.

Value \$50.00

No. 2 An open cut and Tunnel. the mouth of cut bears from Cor. No. 3 S. 37° 15' W. 740 ft. running thence South 35 ft. to breast of cut, whence tunnel runs in same course 44 ft. to face,

- No. 3 An open cut and Tunnel, the mouth of cut bears from Cor. No. 1. 2 S. 33° 30' W. - 660 ft. Running thence South 35 ft. to face of cut and mouth of tunnel which continues South not less than 60 ft. (Total length not measured on account of water) Value not less than \$700.00
- No. 4 A cut the west end of which bears from Cor. No. 4 N. 4° 30' E 160 ft. running thence S. 45° E, 24 ft. to 6 ft. face, average width 7 ft. Value \$100.00
- No. 1 The discovery cut of the Prescott lode, the mouth of which being the discovery point is on the lode line at N. 31° 45' E. - 400 ft. from the South end center. Running thence S. 26° W. - 35 ft. to 10 ft. face, 4 ft. wide. Value \$100.00
- No. 2 An open cut and tunnel, the mouth of cut bears from Cor. No. 1 S. 24° 15' W. - 180 ft. Running thence S. 50° W. - 25 ft. to face of cut 12 ft. high, whence a tunnel continues in same course 37 ft. to face. 4 x 6 1/2 ft. Value of Cut and Tunnel \$500.00
- No. 1 The discovery shaft of the Bellmore lode, on the lode line at S. 62° 43' E. - 900 ft. from the west end center, 4 x 6 ft. 10 ft. deep. Value \$75.00
- No. 2 An incline shaft, the top of which bears from Cor. No. 1 N. 34° 10' E. - 330 ft. Partially caved at bottom but not less than 60 ft. deep on a dip of 60° in a direction N. 30° E. 5 x 7 ft. Value \$600.00
- No. 1 The discovery incline shaft of the Granite Reef lode, on the lode line at S. 54° 40' E. - 200 ft. from the Northwest End Center, 4 x 6 ft. 24 ft. deep on an incline of 45° toward the North. Value \$250.00
- No. 2 An incline shaft the top of which bears from Cor. No. 1 N. 68° 20' E. - 470 ft. Dip 30° in a direction N. 10° E. 4 x 6 ft. said to be 160 ft. deep but was only accessible for 50 ft. Value of 50 ft. of Shaft \$400

No.3 An open cut the westerly end of which bears from Cor.No.1
 N.69°30'E. 550 ft. Running thence Easterly 90 ft. 10ft.
 wide 6 ft. deep.

Value \$75.00

No.4 A cut the southerly end of which bears from Cor.No.1 S.83°
 20'E. 830 ft. Running thence N.10°W. 30 ft. 5 ft. wide, 10ft.

deep, in hard rock Value \$50.00

No.5 An open cut the westerly end of which bears from Cor.No.1
 S.83°30'E. 530 ft. Running thence S.85°E. 95 ft. 6 ft.

wide average depth 5 ft. Value \$100.00

No.6 A shaft 4 x 6 ft., 8 ft. deep which bears from Cor.No.1
 S.88°10'E. 170 ft.

Value \$30.00

No.1 The discovery shaft of the Granite Reef Extension lode,
 on the lode line at N.78°35'W. 150 ft. from the East end

center. An incline shaft 4 x 6 ft. dipping N.20°E. at an
 angle of 60° said to be 180 ft. deep, accessible for only

100 ft. Value of 100 ft. of Shaft \$1000.00

No.2 A cut, the easterly end of which bears from Cor.No.1
 N.37°10'W. 430 ft. Running thence S.80°W. 60 ft. 10ft.

deep, 6 ft. wide in rock. Value \$150.00

No.3 A cut, the Easterly end of which bears from Cor.No.1
 N.45°30'W. 490 ft. Running thence N.80°W. 45 ft. 5 ft. deep
 5 ft. wide. in rock.

Value \$75.00

No.4 A shaft which bears from Cor.No.2 N.82°E. 460 ft. 4 x 6 ft.
 10 ft. deep

Value \$50.00

Other Improvements.

A cabin of adobe, the N.E. Cor. of which bears from Cor, No.
 3 of the Hull lode, S.41°50'W. 660 ft. 8 x 10 ft. course of
 long side southerly. Claimant herein.

This survey was made with a C.L. Berger transit. The courses

were deflected from the true meridian as determined by
 direct solar observations. The distances were measured with
 steel tapes.

Report.

The lines of this survey and ties to Section corners were run upon the ground.

The E. $\frac{1}{4}$ Cor. Sec. 15 T. 10 N. R. 6 W. G. & S. R. B. & M. is a granite stone chiseled $\frac{1}{4}$ on West face.

The N. W. Cor. of said Sec. 15 is on top of a granite boulder marked with a + with four notches on South side and three notches on East side.

The N. $\frac{1}{4}$ Cor. Sec. 15 T. and R. aforesaid falls near the site of an old stone cabin and has probably been destroyed.

The W. C. and point for the W. $\frac{1}{4}$ Cor. of said Sec. 15 is in a locality covered with bushes and large boulders.

The W. $\frac{1}{4}$ Cor. Sec. 10 T and R, aforesaid is on a precipitous mountain slope. After a diligent search I was unable to find any of the quarter corners mentioned.

The intersections with said section lines are therefore calculated from the approved notes.

Cors. Nos. 1 and 2 Sur. No. 2488 Omaha lode are granite stones properly set and marked.

The end centers of the several lodes of this survey are substantial mounds or monuments of stone, 3 ft. in dia. at base and $3\frac{1}{2}$ ft. high.

Suitable bearing rocks or trees were unavailable except where given in notes Note.

The disagreements between these field notes and the amended location certificates are due to errors in the latter.

1831
1648
2049

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Granite Reef Gold Mining Company

known as the Planet Mier, Dakota, State, Hull, Prescott, Bellmore, Granite Reef, Granite Reef Extension lodes and showing the respective capacities in which they acted.

H.A. Stanton, Chainman.

Chainman.

Asman.

Flagman.

FINAL OATHS OF ASSISTANTS.

Wx I H.A. Stanton

and _____, do solemnly swear that we assisted Alfred B.

Colwell, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Granite Reef Gold Mining Company

known as the Planet Mier, Dakota, State, Hull, Prescott, Bellmore, Granite Reef, Granite Reef Extension lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

H.A. Stanton, Chainman.

Chainman.

Asman.

Flagman

Subscribed and sworn to by the above-named persons before me this 3rd,

day of August, 1918.

R.W. Warren

Notary Public



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
June 13, 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Granite Reef Gold Mining Company
, known as the
Planet Mier, Dakota, State, Hull, Prescott, Bellmore, Granite Reef,
and Granite Reef Extension lodes.
situate in Martinez Mining District,
Yavapai County, Arizona, in Sections 8
10 and 15 and
9 & 16 unsurveyed Township No. 10 N., Range No. 6 W. G. & S. R. B. & M.
and designated as Survey No. 3523, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Alfred B. Colwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell
U. S. Mineral Surveyor, before me a Notary Public in and for
Yavapai County, State of Arizona this 17th
day of September, 1918

R. Warren
Notary Public

My Commission Expires May 4, 1921



Amended Location Certificate

JUN 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining
Company by Mary A. Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez

..... Mining District, hereby make and file this amended location of the Planet Mier..... Lode, claiming by right of discovery, location, primal appropriation and possession 1500..... feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver..... and other valuable minerals, with all dips, variations and angles the same being 535..... feet along the ledge in a southeast..... direction from the discovery stake and 965..... feet along the ledge in a Northwest..... direction therefrom, together with 196..... feet in width on ~~each side of the middle~~ the south side and 300 ft. on the north side..... of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez..... Mining District, County of Yavapai..... State of Arizona, in and more particularly described as follows, to-wit:

..... Beginning at the southeast corner which is identical with
Cor. No. 1 of the Omaha lode Sur. No. 2488.....

..... Thence Northeasterly 196 ft. to the east end center and 308 ft.
further to the northeast corner......

..... Thence northwest 1500 ft. to the Northwest corner......

..... Thence Southwest 308 ft. to the west end center and 196 ft. further
to the southwest corner which is identical with Cor. No. 2 Sur. No. 2488
Omaha lode......

..... Thence southeast 1500 ft. to the place of beginning......

All corners and end centers are marked by stone monuments

THIS AMENDED LOCATION is made in conformity with the original location, made Nov. 18-1897..... 1....., recorded Dec. 14-1897..... 1....., in Book 48....., Page 388 to 390....., of Mines..... Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Nov. 18-1897..... A. D. 1.....

Date of Amended Location May 31-1918..... A. D. 19.....

Attest

Granite Reef Gold Mining Company

By. Mary A. Hull..... Secy.

Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines pages 27

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE
PLANET MIER LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 27 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June A. D. 191 8

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

JUN 13 1918

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez Mining District, hereby make and file this amended location of the Dakota Lode, claiming by right of discovery, location, primal appropriation and possession 1385 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 210 feet along the ledge in a southeast direction from the discovery stake and 1175 feet along the ledge in a northwest direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

- Beginning at the southeast corner which is 50 ft. northeast of Cor. No. 2 Sur. No. 2488 Omaha lode.
- Thence Northeast 315 ft. to the east end center and 315 ft. more to the northeast corner.
- Thence Northwest 1385 ft. to the northwest corner.
- Thence southwest 315 ft. to the west end center and 315 ft. more to the southwest corner.
- Thence southeast 1385 ft. to the place of beginning.

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made Jany. 5-1900, recorded Jany. 25-1900, in Book 53, Page 167, of Mines Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Jany. 5-1900 A. D. 1...
Date of Amended Location Jany. 31-1918 A. D. 19...

Attest Granite Reef Gold Mining Company
By Mary A. Hull Secy.

Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines page23

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED Location Certificate of the
DAKOTA Lode Mining claim,

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines ~~24~~ at page23 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June, A. D. 191 8

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

Amended Location Certificate

JUN 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining
Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez

..... Mining District, hereby make and file this amended location of the State..... Lode, claiming by right of discovery, location, primal appropriation and possession 1458..... feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver..... and other valuable minerals, with all dips, variations and angles the same being 30..... feet along the ledge in a northwest..... direction from the discovery stake and 1428..... feet along the ledge in a southeast..... direction therefrom, together with 300..... feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez..... Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the Southeast corner which is identical with the southwest corner of the Dakota lode.

Thence Northeast 315ft. to the east end center and 630 ft. to the Northeast corner.

Thence Northwest 1458 ft. to the Northwest corner.

Thence Southwest 315 ft. to the west end center and 630 ft. to the Southwest corner.

Thence Southeast 1458 ft. to the southeast corner, the place of beginning.

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made May 7-1897 1, recorded June 16-1897 1, in Book 43, Page 528, of Mines Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery May 7-1897..... A. D. 1.....

Date of Amended Location May 31-1918..... A. D. 19.....

Attest Granite Reef Gold Mining Company
..... By Mary A. Hull Secy.

Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines pages 25

Records of Yavapai County, Arizona.

(SEAL) E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE STATE LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 25 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June, A. D. 1918

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

Amended Location Certificate

JUL 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining

Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez

Mining District, hereby make and file this amended location of the Hull Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 20 feet along the ledge in a southwest direction from the discovery stake and 1480 feet along the ledge in a northeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the southwest corner, whence the N.W. Cor. Sec. 15 T. 10 N. R. 6 W. bears northerly 760 ft.

Thence Southeast 300 ft. to the south end center and 600 ft. to the Southeast corner.

Thence Northeast 1500 ft. to the northeast corner.

Thence Northwest 300 ft. to the North end center and 600 ft. to the Northwest corner.

Thence Southwest 1500 ft. to the southwest corner, the place of beginning east

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made Jany. 5-1900, recorded Jany. 25-1900, in Book 53, Page 168, of Mines Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Jany. 5-1900 A. D. 1,

Date of Amended Location May 31-1918 A. D. 19,

Attest

Granite Reef Gold Mining Company

By Mary A. Hull

Secy

Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines pages 26

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE
HULL LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 26 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June, A. D. 191 8

E. A. McSwiggin
County Recorder

By _____
Deputy Recorder.

Amended Location Certificate

JUN 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining

Company by Mary A Hull Secy.

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez Mining District, hereby make and file this amended location of the Prescott Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 400 feet along the ledge in a southerly direction from the discovery stake and 1100 feet along the ledge in a Northerly direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the Northwest corner, which is identical with the southwest corner of the Hull lode.

Thence southeasterly 300 ft. to the end center and 600 ft. to the Northeast corner.

Thence southwesterly 1500 ft. to the southeast corner

Thence Northwest 300 ft. to the end center and 600 ft. to the southwest corner.

Thence Northeasterly 1500 ft. to the place of beginning.

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made May 7-1897 1, recorded Aug. 20-1897 1, in Book 43, Page 572, of ~~Quartz~~ Mine Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery May 7-1897 A. D. 19

Date of Amended Location May 31-1918 A. D. 19

Attest

Granite Reef Gold Mining Company

BY Mary A. Hull

Secy.



Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines pages 30

Records of Yavapai County, Arizona.

(SEAL) E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION NOTICE OF THE
PRESCOTT LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 30 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June A. D. 1918

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

Amended Location Certificate

JUN 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez

Mining District, hereby make and file this amended location of the Bellmore Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 600 feet along the ledge in a southeast direction from the discovery stake and 900 feet along the ledge in a northwest direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the southeast corner
Thence Northeast 300 ft. to the east end center and 600 ft. to the Northeast corner
Thence northwest 1500 ft. to the northwest corner
Thence Southwest 300 ft. to the west end center and 600 ft. to the southwest corner.
Thence southeast 1500 ft. to the place of beginning.
This claim is the easterly extension of the Granite Reef lode and is contiguous thereto.
All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made Nov. 10-1897 1, recorded Dec. 14-1897 1, in Book 48, Page 390 & 391, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Nov. 10-1897 A. D. 19...
Date of Amended Location May 31-1918 A. D. 19...

Attest Granite Reef Gold Mining Company
By Mary A. Hull Secy.

Filed and recorded at request of S. F. Denison

June 3rd., A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines pages 24

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE BELLMORE Lode Mining Claim

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 24 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June, A. D. 191 8

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

Amended Location Certificate

JUL 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining
Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez Mining District, hereby make and file this amended location of the Granite Reef Lode, claiming by right of discovery, location, primal appropriation and possession 1300 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 200 feet along the ledge in a Northwest direction from the discovery stake and 1100 feet along the ledge in a Southeast direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the Southwest corner, whence the N.W. Cor. Sec. 15 T. 10 N. R. 6 W. bears southealy 760 ft.

Thence Southeast 1300 ft. to the southeast corner.

Thence Northeast 300 ft. to the east end center and 600 ft. to the northeast corner.

Thence Northwest 1300 ft. to the Northwest corner.

Thence Southwest 300 ft. to the west end center and 600 ft. to the southwest corner, the place of beginning.

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made Aug. 29-1895, recorded Nov. 30-1895, in Book 42, Page 385-6, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Aug. 29-1895 A. D. 1.....

Date of Amended Location May 31-1918 A. D. 19.....

Attest

Granite Reef Gold Mining Company

By Mary A. Hull Secy.

Filed and recorded at request of S. F. Denison

June 3rd.

A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines

pages 28

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE GRANITE REEF LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 28 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June., A. D. 1918

E. A. McSwiggin
County Recorder

By _____
Deputy Recorder.

Amended Location Certificate

JUL 13 1918

KNOW ALL MEN BY THESE PRESENTS, That Granite Reef Gold Mining

Company by Mary A Hull Secy.

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Martinez

..... Mining District, hereby make and file this amended location of the Granite Reef Extension Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 150 feet along the ledge in a southeast direction from the discovery stake and 1350 feet along the ledge in a Northwest direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Martinez Mining District, County of Yavapai, State of Arizona, in and more particularly described as follows, to-wit:

Beginning at the Southeast corner

Thence Northeast 313 ft. to the east end center and 626 ft. to the Northeast corner.

Thence Northwest 1500 ft. to the northwest corner.

Thence southwest 313 ft. to the west end center and 626 ft. to the southwest corner.

Thence southeast 1500 ft. to the place of beginning.

All corners and end centers are marked by stone monuments.

THIS AMENDED LOCATION is made in conformity with the original location, made Jany. 1-1897, recorded April 28-1897, in Book 45, Page 624 & 625, of Mines locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Jany. 1-1897 A. D. 1.....

Date of Amended Location May 31-1918 A. D. 19.....

Attest

Granite Reef Gold Mining Company

By Mary A. Hull Secy.

Filed and recorded at request of S. F. Denison

June 3rd.

A. D. 1918, at 9:00 o'clock

A. M., Book 112 of Mines

pages 29

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By Lula McIntosh

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE OF THE
GRANITE REEF EXTENSION LODE MINING CLAIM

filed for record on June 3rd., 1918 and as the same appears of record in my office in Book 112 of Mines at pages 29 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 3rd day of June, A. D. 191 8

E. A. McSwiggin
County Recorder

By _____
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 9, 1919

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

GRANITE REEF GOLD MINING COMPANY

known as the PLANET MIER, DAKOTA, STATE, HULL, PRESCOTT, BELLMORE, GRANITE REEF AND GRANITE REEF EXTENSION LODES. situate in MARTINEZ

Mining District, YAVAPAI County, ARIZONA.

in Sections 9 & 16, and Township No. 10 N., Range No. 6 W., and

designated as Survey No. 3523, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 17 cuts, 8 tunnels, 10 shafts and 1 drift, total value \$11,955.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

May 9, 1919

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

GRANITE REEF GOLD MINING COMPANY

, known as the

PLANET MIER, DAKOTA, STATE, HULL, PRESCOTT, BELLIMORE, GRANITE REEF AND GRANITE REEF EXTENSION LODES.

situate in MARTINEZ mining district,

YAVAPAI County, ARIZONA.

in Section s. 10 & 15 and uns. 9 & 16, Township No. 10 N., Range No. 6 W.

, designated as Survey No. 3523

executed by Alfred B. Colwell, U. S. Mineral

Surveyor, June 30-Aug. 20, 1918, under my instructions dated

June 13, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.