

Transcribed by Craig Plotted 1

JUL 11 1919

MINERAL SURVEY No. 3533

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Chase L. Purdy, W. A. Schwartz and Emil Marks

KNOWN AS THE

ANGELUS lode

Warren Mining District,

Cochise County, Arizona

Section 18 Unapp'd., Township 23 S., Range 24 E. G & S R B & M

Surveyed under instructions dated July 31st., 1918.

by Ralph L. Motz U. S. Mineral Surveyor.

Claim located see location notice attached, 19

Survey commenced September 4th, 1918.

Survey completed September 5th, 1918

Address of claimant's attorney, Fred Sutter, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

ANGELUS lode.

Feet.

Beginning at Cor. No. 1, the S. W. Cor., identical with location and with Cor. Nos 4, ^{& 3 and 4} the southeast, northeast and northwest corners of Sur. No. 3466 Statehood No. 1 lode, Sur. No. 3543, Bunker Hill

Santa Barbara, ~~Bunker Hill~~ and Buena Vista lodes, unsurveyed respectively, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3533 A, whence a limestone ledge with 12 x 19 x 5 inch high exposure chiseled B R x 1-3533 bears N. 35° 12' E. 53.4 ft., and a second limestone ledge with 17 x 34 x 11 inch high exposure with like chiseling bears S. 89° 55' E. 37.1 ft. // Cor. Nos. 3 and 4 of Sur. No. 2094 West Bisbee No. 12 and West Bisbee No. 8 lodes, respectively bears N. 60° 46' E. 630.4 ft. // The 1/4 Cor. between Secs. 19 and 30 T. 23 S., R. 24 E. G & S R B & M bears S. 3° 21' 30" E. 6354.0 ft., and the 1/4 Cor. between Secs. 18 and 19, T. 23 S. R. 24 E. G & S R B & M bears S. 19° 44' E. 1137.2 ft.

thence N. 24° W.

300.0 along line 4-3 Sur. No. 3466, Statehood No. 1 lode, to original location for west end center, also Cor. No. 2, identical with Cor. No. 3 Sur. No. 3466 Statehood No. 1 lode and the southeast corner of Paris No. 3 lode, unsurveyed, a redwood post 4 feet long 4 inches square set 18" in the ground in a mound of stones and scribed 2-3533 A and W E Ct A 3533, whence a limestone ledge with 18 x 36 x 45 inch high exposure chiseled B R x 2-3533 bears N. 66° 10' E. 65.8 ft., and a second limestone ledge with 11 x 36 x 7 inch high exposure with like chiseling bears S. 70° 04' W. 38.2 ft.

thence N. 12° 31' W.

265.7 to Cor. No. 3, the N. W. Cor., identical with the southwest corner of Paris Fraction lode unsurveyed, a redwood post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3533 A, whence a limestone ledge with 21 x 51 x 22 inch high exposure chiseled B R x 3-3533 bears N. 33° 14' W. 8.6 ft., and a second limestone ledge with 45 x 64 x 34 inch high ex-

posure with like chiseling bears N. 70° E. 9.9 ft., and the original location for the N. W. Cor., being a mound of stones 3 ft. high with a 3 ft. base, bears S. 68° 53' W 53.0 ft.

thence N. 68° 53' E.

40.2 to the southeast and southwest corners of Paris Fraction and Los Angeles lodes, unsurveyed, respectively,

1447.0 to Cor. No. 4, the N. E. Cor., identical with location, a redwood post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3533 A, whence a limestone ledge with 6 x 16 x 4 inch high exposure chiseled BR x 4-3533 bears N. 32° 26' E. 17.5 ft., and a second limestone ledge with 11 x 12 x 13 inch high exposure with like chiseling bears N. 39° 10' E. 6.6 ft.

The southwest corner of Punta lode, unsurveyed, bears S. 46° 28' W. 375.0 ft.

thence S. 24° E.

29.8 intersect west line of Punta lode, unsurveyed at N. 50° 52' E. 366.1 ft. from the southwest corner,

219.8 intersect line 2-3 and the east line, of Sur. No. 3162 Bonita lode and Punta lode, unsurveyed, respectively, at N. 35° 54' E. 256.0 ft. from Cor. No. 2 and the southeast corner, ~~of Sur. No. 3162 Bonita lode and Punta lode, unsurveyed, respectively.~~

263.0 to original location for the east end center, being a mound of stones 3 feet high with a 3 foot base,

563.0 to Cor. No. 5, the S. E. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 5-3533 A, whence Cor. No. 2 Sur. No. 3162 Bonita lode bears N. 69° 46' W. 308.8 ft.

thence S. 68° 53' W.

96.2 intersect line 1-2 and 4-1 of Sur. No. 3162 Bonita lode and Sur. No. 2094 West Bisbee No. 12 lode, respectively, at S. 54° 44' E. 245.0 ft. from Cor. No. 2 Sur. No. 3162 Bonita lode and S. 54° 44' E. 503.4 ft. from Cor. No. 4 Sur. No. 2094 West Bisbee No. 12 lode,

Feet.

816.7 intersect lines 2-3 and 4-1 of Sur. No. 2094 West Bisbee No. 12 and West Bisbee No. 8 lodes, respectively, at S. 54° 44' E. 106.9 ft. from Cors. No. 3 and 4 of Sur. No. 2094 West Bisbee No. 12 and West Bisbee No. 8 lodes, respectively, Cor. 4 said West Bisbee No. 12 lode brs N. 35° 30' E. 600 ft. from Cor. No. 3 thereof.

1011.0 to the northeast corner of Buena Vista lode unsurveyed, also intersect line 3-4 Sur. No. 2094 West Bisbee No. 8 lode at S. 35° 30' W. 161.8 ft. from Cor. No. 4,

1500.0 to Cor. No. 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the east end center S. 68° 53' W. 1500 feet.

AREAS.

Total area of Angelus lode - - - - - 19.203 A.

Area in conflict with

Sur. No. 2094 West Bisbee No. 8 lode - - - - 0.199 A.

Sur. No. 2094 West Bisbee No. 12 lode - - - - 4.203 A.

Sur. No. 3162 Bonita lode - - - - 1.099 A.

Punta lode unsurveyed - - - - 1.527 A.

LOCATION.

This survey is located in Sec. 18, unapproved, T. 23 S., R. 24 E. G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements placed upon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of:-

- No.1. Discovery open cut 7 x (6-12) x 18 ft. long, with tunnel at face 4 x 6 x 6 ft. long, both brg N. 69° E., the mouth of open cut bears from west end center on lode line 650 ft. At mouth of open cut is face of another open cut. This open cut is 7 x 9 x 26 ft. long, brg S. 71° E. Total value \$525.00
- No.2. Open cut 3 x 6 x 10 ft. long, brg N. 65° E., the mouth of open cut bears from west end center N. 64° 33' E. 609.0 ft. Value \$ 20.00

Total value of improvements \$545.00

ADJOINING CLAIMS.

- North. Los Angeles lode, unsurveyed, owned by W. A. Dell and Chas. Rambo.
Paris Fraction, unsurveyed, owned by Chas. Rambo.
- East. Punta lode, unsurveyed, owned by Emil Marks and W. A. Schwartz,
Sur. No. 3162 Bonita lode.
- South. Sur. No. 2094 West Bisbee No. 8 and West Bisbee No. 12 lodes.
Buena Vista lode, unsurveyed, owned by Chas. Rambo.
- West. Sur. No. 3466 Statehood No. 1 lode.
Paris No. 3 lode, unsurveyed, owned by Chas. Rambo.

INSTRUMENT.

This survey was made with a Garley Light Mountain transit. The distances were measured with 100 and 300 foot steel tapes. The courses were deflected from the true meridian as determined in Surveys No. 3162 and 3466. Magnetic variation 12° 30' East at all corners.

REPORT.

The 1/4 Cor. between Secs. 19 and 30, T. 23 S., R. 24 E. G & S R B & M is a porphyry rock 7 x 9 x 9 inches above ground and chiseled 1/4 on north face.
The 1/4 Cor. between Secs. 18 and 19, T. 23 S., R. 24 E. G & S R B & M is an iron pipe with copper cap.
All corners of adjoining approved surveys are posts properly set and scribed.

Ralph L. Metz
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

July 5, 1919.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Chase L. Purdy, W. A. Schwartz and Emil Marks

known as the ANGELUS lode

and showing the respective capacities in which they acted.

K. S. Adams, *Chainman.*

....., *Chainman.*

....., *Axman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~xxx~~ I, K. S. Adams

~~xxx~~, do solemnly swear that ~~me~~ ^I assisted

Ralph L. Motz, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Chase L. Purdy, W. A. Schwartz and Emil Marks

known as the ANGELUS lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~my~~ ^{my} knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

K. S. Adams, *Chainman.*

....., *Chainman.*

....., *Axman.*

....., *Flagman*

Subscribed and sworn to by the above-named persons before me this 5th

day of July, 1919.

Charles R. Woods
Notary Public in and for the County
of Cochise, State of Arizona.
My commission expires May 23rd, 1921.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
July 31, 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Chase L. Purdy, W. A. Schwartz and Emil Marks
, known as the
ANGELUS lode,
situate in Warren Mining District,
Cochise County, Arizona, in Section
18 Unapp'd, Township No. 23 S., Range No. 24 E. G & S R B & M,
and designated as Survey No. 3533, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods, Notary Public
this 5th
day of July, 19 19.

Charles R. Woods
Notary Public in and for the County
of Cochise, State of Arizona.
My commission expires May 23rd, 1921.

NOTICE OF MINING LOCATION

Lode Claim

JUL 31 1918

TO ALL WHOM IT MAY CONCERN:

THIS MINING CLAIM, The name of which is the Angelus Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles W. Rambo and 5/6 N.L. Hayden 1/6, Citizens the undersigned, on the Fourth day of November, 1911

The length of this claim is 1500 feet , and we claim 900 feet in a Easterly direction and 600 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1 1/2 miles in a Westerly direction from The City of Bisbee and joins the Los Angeles Mineral Claim on the North the Bisbee West No. 12 on the South the Bonita and Point Lookout Mining Claims on the East and the Relocation of part of the Lexington Mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Stone Monument three feet high at a point in a Easterly direction 900 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Northerly 300 feet to a stone monument, being the Northeast corner of said claim; thence Westerly 1500 feet to a Stone Monument, being at the Northwest corner of said claim; thence southerly 300 feet to a Stone Monument at the center of the West end of said claim; thence Southerly 300 feet to a Stone Monument being at the Southwest corner of said claim; thence Easterly 1500 feet to a Stone Monument

at the Southeast corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this fourth day of November, 1911.

Charles W. Rambo 5/6

N. L. Hayden 1/6

Filed and recorded at request of Chas W. Rambo, Dec. 2, 1911, at 1:P.M. Book 49 Record of Mines, Page 18.

RAY B. KREBS,
COUNTY RECORDER

H. L. HUTCHISON,
CHIEF DEPUTY

OFFICE OF THE COUNTY RECORDER
COCHISE COUNTY, ARIZONA


Certificate

STATE OF ARIZONA,)
)SS
County of Cochise)

I, RAY B. KREBS, County Recorder in and for the County of Cochise, State of Arizona, do hereby certify that the annexed and foregoing is a full, true and correct copy **Location Notice of ANGELUS Mining Claim**

as appears of record now in this office in Book 49 Record of Mines at pages 18

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tombstone, this **12th** day of **September** A. D. 191



RAY B. KREBS,
COUNTY RECORDER

By

Geo M. Sales

Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 2, 1919.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Chase L. Purdy, W. A. Schwartz, and Emil Marks

known as the ANGELUS lode

situate in Warren

Mining District, Cochise County, Arizona

in Section 18 (Unapp) Township No. 23 S., Range No. 24 E.G&SRB&M, and

designated as Survey No. 3533, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or their grantors, and that said improvements consist of 3 cuts and 1 tunnel, total value \$545.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

(S) Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 2, 1919

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Chase L. Purdy, W. A. Schwartz and Emil Marks

known as the

ANGELUS lode

situate in Warren mining district,

Cochise County, Arizona

in Section 18 (Unappr.), Township No. 23 S., Range No. 24 E.

G&SRB&M, designated as Survey No. 3533

executed by Ralph L. Motz, United States Mineral

Surveyor, September 4th and 5th, 1918, under my instructions dated

July 31, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.