

Platted

NOV 17 1918

1

4-683

FEB 10 1919

MINERAL SURVEY No. 3535

LOT No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Eagle Gold and Copper Mining Co.

KNOWN AS THE

Bonanza, Sarah A., El Capitan, Perry, Comstock No. 2, Comstock No. 3, Comstock No. 4, Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt No. 1, Gold Belt No. 2, Gold Belt No. 3, Gold Belt No. 4, Gold Belt No. 5, Gold Belt No. 6, Gold Belt No. 7, Gold Belt No. 8, Gold Belt No. 9, Gold Belt No. 10 lodes

Copper Mountain

Mining District,

Greenlee

County,

Arizona

Section 13, uns., & 24, Township 4 South, Range 28 E. and Sec. 18 Uns., T. 4 South, Range 29 E., G. & S. R. B. & M.

Surveyed under instructions dated August 5, 1918.

by E. P. Morton

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced August 14, 1918

Survey completed September 5, 1918

Address of claimant: Hampton & Arnold, Attys., Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

1884-13

MINERAL SURVEY No. _____

NOT FOR _____

FIELD NOTES

of the _____ of the _____

DATE OF FIELD OBSERVATION _____

MINERAL SURVEY NO. 3535

Claims	M & B Desc..	Improvements	Loc. Notices
	Pg.	Pg.	Red Pg.
Bonanza	12	30	1
Comstock No. 2	8	28	5
" 3	4	26	6
" 4	3	26	7
" 5	7	28	8
" 11	10	29	9
" 12	17	32	10
El Capitan	11	29	3
Gold Belt No. 1	6	27	11
" " 2	2	25	12
" " 3	1	25	13
" " 4	5	27	14
" " 5	9	29	15
" " 6	18	32	16
" " 7	21	34	17
" " 8	20	33	18
" " 9	15	31	19
" " 10	19	33	20
Sarah A.	13	30	2
Terry	14	31	4

	<p style="text-align: center;">Survey No. 3535.</p> <p style="text-align: center;">Gold Belt No. 3 lode.</p>
Feet	<p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 2 Gold Belt No. 2 lode of this survey.</p> <p>A pine post in place, 4 ins. sq., 3 ft high, with a mound of stone, scribed G B 2-2- G B 3 - 1 - 3535, whence The West $\frac{1}{4}$ Cor. Sec. 13 T. 4 S., R. 28 E., G. & S. R. B. & M. bears S. $66^{\circ} 35'$ W. 1616.2 ft.</p> <p>No bearings, available.</p>
300	<p style="text-align: center;">Thence N. $9^{\circ} 09'$ W.</p> <p>West end center of the location and lode.</p>
589	<p>To Cor. No. 2.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 3 - 2 - 3535.</p> <p>No bearings available.</p>
1500	<p style="text-align: center;">Thence N. $80^{\circ} 50'$ E.</p> <p>To Cor. No. 3.</p> <p>Identical with Cor. No. 4 Gold Belt No. 4 lode of this survey.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 4 - 4 - G B 3 - 3 - 3535.</p> <p>No bearings available.</p>
289	<p style="text-align: center;">Thence S. $9^{\circ} 09'$ E.</p> <p>East end center of the location and lode.</p>
589	<p>To Cor. No. 4.</p> <p>Identical with Cors. Nos. 3, 3 & 3 Gold Belt No. 4, Gold Belt No. 1 and Gold Belt No. 2 lodes of this survey respectively.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 4 - 3 - G B 1 - 3 - G B 2 - 3 - G B 3 - 4 - 3535.</p> <p>No bearings available.</p>
1500	<p style="text-align: center;">Thence S. $80^{\circ} 50'$ W.</p> <p>To Cor. No. 1, the place of beginning.</p>

Feet	<p style="text-align: center;">Gold Belt No. 2 lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 1 Comstock No. 4 lode of this survey.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 4 - 1 - G B 2 - 1 - 3535, whence</p> <p>The West $\frac{1}{4}$ Cor. Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. bears S. 88° 12' W. 1579.3 ft.</p> <p style="text-align: center;">Thence N. 9° 09' W.</p>
300	West end center of the location and lode.
600	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 1 Gold Belt No. 3 lode of this survey, heretofore described.</p> <p style="text-align: center;">Thence N. 80° 50' E.</p>
1500	<p>To Cor. No. 3.</p> <p>Identical with Cors. Nos. 4, 3 & 3, Gold Belt No. 3, Gold Belt No. 4 and Gold Belt No. 1 lodes of this survey, respectively, heretofore described.</p> <p style="text-align: center;">Thence S. 9° 09' E.</p>
170	Intersect gulch, course Southwest.
300	East end center of location and lode.
600	<p>To Cor. No. 4.</p> <p>Identical with Cors. Nos. 2, 3 & 2 Gold Belt No. 1, Comstock No. 5 and Comstock No. 4 lodes of this survey respectively.</p> <p>A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 1 - 2 - C5 - 3 - C 4 - 2 - G B 2 - 4 - 3535.</p> <p>No bearings available.</p> <p style="text-align: center;">Thence S. 80° 50' West.</p>
192	Intersect wagon road, course North to South.
317	Intersect gulch, course Southwest.
1500	To Cor. No. 1, the place of beginning.

Feet	Comstock No. 4 lode.
	Beginning at Cor. No. 1.
	Identical with Cor. No. 1 Gold Belt No. 2 lode of this survey, heretofore described, whence,
	West $\frac{1}{4}$ Cor. Sec. 13 T. 4 S., R. 28 E., G. & S. R. B & M. bears S 88° 12' W. 1579.3 ft.
	Thence N. 80° 50' E.
1183	Intersect gulch, course S. W.
1308	Intersect wagon road, course N. to S.
1500	To Cor. No. 2.
	Identical with Cors. Nos. 4, 2 & 3 Gold Belt No. 2, Gold Belt No. 1 and Comstock No. 5 lodes of this survey respectively, heretofore described.
	Thence S. 9° 09' E.
300	East End center of the location and lode.
600	To Cor. No. 3.
	Identical with Cors. Nos. 2, 4 & 2 Comstock No. 5, Comstock No. 2 and Comstock No. 3 lodes of this survey respectively.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 5 - 2 - C 2 - 4 - C 3 - 2 - C 4 - 3 - 3535.
	No bearings available.
	Thence S. 80° 50' W.
450	Intersect wagon road, course N. to S.
900	Intersect gulch, course S. W.
1500	To Cor. No. 4.
	Identical with Cor. No. 1 Comstock No. 3 lode of this survey.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed C3 - 1 - C4 - 4 - 3535.
	No bearings available.
	Thence N. 9° 09' W.
300	West end center of the location and lode.
600	To Cor. No. 1, the place of beginning.

Comstock No. 3 lode.

Feet Beginning at Cor. No. 1.
 Identical with Cor. No. 4 Comstock No. 4 lode of this survey, heretofore described.
 West $\frac{1}{4}$ Cor. Sec. 13 T. 4 S., R. 28 E. G. & S. R. B. & M. bears N. 72° 02' W. 1759.8 ft.
 Thence N. 80° 50' E.

600 Intersect gulch, course S. W.

1050 Intersect wagon road, course N to S.

1500 To Cor. No. 2.
 Identical with Cors. Nos. 3, 2 & 4 Comstock No. 4, Comstock No. 5 and Comstock No. 2 lodes of this survey respectively, heretofore described.
 Thence S. 9° 09' E.

300 East end center of the location and lode.

600 To Cor. No. 3.
 Identical with Cor. No. 3 Comstock No. 2 lode of this survey.
 Also on line 2 - 3 Bonanza lode of this survey at S. 80° 50' W. 592.3 ft. from Cor. No. 3.
 A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 2 - 3 - C 3 - 3 - 3535.
 No bearings available.
 Thence S. 80° 50' W.

435 Intersect wagon road, course N. to S.

907.7 Cor. No. 2 Bonanza lode of this survey.

1500 To Cor. No. 4.
 A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 3 - 4 - 3535.
 No bearings available.
 Thence N. 9° 09' W.

52 Intersect gulch, course S. W.

300 West end center of the location and lode.

600 To Cor. No. 1, the place of beginning.

Feet	Gold Belt No. 4 lode. Beginning at Corner No. 1.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 4 - 1 - 3535, whence The Northeast Cor. Sec. 13 T. 4, S. R. 28 E. G. & S. R. B. & M. bears North 45° 27' East 1288.8 ft.
	Thence S. 9° 09' E.
289	East end center of the location and lode.
589	To Cor. No. 2.
	Identical with Cors. Nos. 2 and 4 Gold Belt No. 5 and Gold Belt No. 1 lodes of this survey respectively.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 5 - 2 - G B 1 - 4 - G B 4 - 2 - 3535.
	No bearings available.
	Thence S. 80° 50' W.
1310	Intersect gulch, course Southwest.
1500	To Cor. No. 3.
	Identical with Cors. Nos. 3, 3 & 4, Gold Belt No. 1, Gold Belt No. 2 and Gold Belt No. 3 lodes of this survey respectively, heretofore described.
	Thence North 9° 09' W.
300	West end center of the location and lode.
589	To Cor. No. 4.
	Identical with Cor. No. 3, Gold Belt No. 3 lode of this survey, heretofore described.
	Thence N. 80° 50' E.
1400	Intersect gulch, course Southwest.
1500	To Cor. No. 1, the place of beginning.

Feet	<p style="text-align: center;">Gold Belt No. 1 lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cors. Nos. 1, 2 & 4, Gold Belt No. 5, Comstock No. 11 and Comstock No. 5 lodes of this survey respectively.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 5 - 1 - C 11 - 2 - C 5 - 4 - G B 1 - 1 - 3535, whence</p> <p>The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S., R. 28 E. G. & S.R. B. & M. bears S. 52° 41' E. 921.4 ft.</p> <p style="text-align: center;">Thence S. 80° 50' W.</p>
1500	<p>To Cor. No. 2.</p> <p>Identical with Cors. Nos. 3, 2 & 4, Comstock No. 5, Comstock No. 4 & Gold Belt No. 2 lodes of this survey respectively, heretofore described.</p> <p style="text-align: center;">Thence N. 9° 09' W.</p>
300	<p>West end center of the location and lode.</p>
430	<p>Intersect gulch, course Southwest.</p>
600	<p>To Cor. No. 3.</p> <p>Identical with Cors. Nos. 3, 4 & 3, Gold Belt No. 2, Gold Belt No. 3 and Gold Belt No. 4 lodes of this survey, respectively, heretofore described.</p> <p style="text-align: center;">Thence N. 80° 50' E.</p>
190	<p>Intersect gulch, course Southwest.</p>
1500	<p>To Cor. No. 4.</p> <p>Identical with Cors. Nos. 2 & 2, Gold Belt No. 4 and Gold Belt No. 5 lodes of this survey respectively, heretofore described.</p> <p style="text-align: center;">Thence S. 9° 09' E.</p>
300	<p>East end center of the location and lode.</p>
600	<p>To Cor. No. 1, the place of beginning.</p>

	Comstock No. 5 lode.
Feet	Beginning at Cor. No.1. Identical with Cors. Nos. 1, 1 & 1, Comstock No. 11, El Capitan and Comstock No.2 lodes of this survey respectively, A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed, C 11 - 1 - E C 1 - C 2 - 1 - C 5 - 1 - 3535, whence, The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. bears N. 86° 57' E. 638.3 ft. Thence S. 80° 50' W.
1500	To Cor. No. 2. Identical with Cors. Nos. 4, 2 & 3, Comstock No. 2, Comstock No. 3 and Comstock No. 4 lodes of this survey respectively, heretofore described. Thence N. 9° 09' W.
300	West end center of the location and lode.
600	To Cor. No. 3. Identical with Cors. Nos. 2, 4 & 2, Comstock No. 4, Gold Belt No. 2 and Gold Belt No. 1 lodes of this survey respectively, heretofore described. Thence N. 80° 50' E.
1500	To Cor. No. 4. Identical with Cors. Nos. 1, 1 & 2, Gold Belt No. 1, Gold Belt No. 5 and Comstock No. 11 lodes of this survey, respectively, heretofore described.. Thence S. 9° 09' E.
300	East end center of the location and lode.
600	To Cor. No. 1, the place of beginning.

Feet	<p style="text-align: center;">Comstock No. 2 lode</p> <p>Beginning at Cor. No. 1</p> <p>Identical with Cors. Nos. 1, 1 & 1, Comstock No. 5, Comstock No. 11 and El Capitan lodes of this survey, heretofore described.</p> <p>The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N. 86° 57' E. 638.3 ft.</p>
300	<p style="text-align: center;">Thence S. 9° 09' E.</p> <p>East end center of the location and lode.</p>
600	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 4 El Capitan lode of this survey.</p>
	<p>Also on line 1 - 4 Gold Belt No. 9 lode of this survey at S. 80° 50' W. 592.3 ft. from Cor. No. 1.</p> <p>A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed EC 4 - C 2 - 2 - 3535, whence, A Cross (X) and B R 4 - 2 - 3535, chiseled on lime bed rock, 2 x 3 ft. facing South, bears North 29° 30' E. 22.5 ft.</p>
	<p style="text-align: center;">Thence S. 80° 50' W.</p>
735.7	Intersect gulch, course Southwest.
907.7	<p>Cors. Nos. 3 & 4 Bonanza and Gold Belt No. 9 lodes of this survey respectively.</p>
1500	<p>To Cor. No. 3.</p> <p>Identical with Cor. No. 3 Comstock No. 3 lode of this survey, heretofore described, also on line 2 - 3 Bonanza lode of this survey.</p>
	<p style="text-align: center;">Thence N. 9° 09' W.</p>
300	West end center of the location and lode.
600	<p>To Cor. No. 4.</p> <p>Identical with Cors. Nos. 2, 3 & 2, Comstock No. 3, Comstock No. 4 and Comstock No. 5 lodes of this survey respectively, heretofore described.</p>
	<p style="text-align: center;">Thence N. 80° 50' E.</p>
1500	To Cor. No. 1, the place of beginning.

	Gold Belt No. 5 lode.
Feet	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 2, 4 & 1, Comstock No. 11, Comstock No. 5 and Gold Belt No. 1 lodes of this survey respectively, heretofore described.
	The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. bears S. 52° 41' E. 921.4 ft.
	Thence N. 9° 09' W.
300	West end center of the location and lode.
600	To Cor. No. 2.
	Identical with Cors. Nos. 4 & 2, Gold Belt No. 1 and Gold Belt No. 4 lodes of this survey respectively, heretofore described.
	Thence N. 80° 50' E.
836.72	Intersect East side line of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M., at N. 0° 4' W. 1284.25 ft. from the East $\frac{1}{4}$ Cor., and S. 0° 04' E. 1352.75 ft. from Cor. of Secs. 7, 12, 13 and 18.
1500	To Cor. No. 3.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 5 - 3 - 3535.
	No bearings available.
	Thence S. 9° 09' E.
300	East end center of the location and lode.
600	To Cor. No. 4.
	Identical with Cor. No. 3 Comstock No. 11 lode of this survey.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 11 - 3 - G. B 5 - 4 - 3535.
	No bearings available.
	Thence S. 80° 50' W.
759.21	Intersect East side line of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M., at N. 0° 4' W. 676.6 ft. from the East $\frac{1}{4}$ Cor., and S. 0° 04' E. 1960.4 ft. from the Cor. of Secs. 7, 12, 13 and 18.
1500	To Cor. No. 1, the place of beginning.

	Comstock No. 11 lode.
Feet	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 1, 1 & 1, El Capitan, Comstock No. 2 and Comstock No. 5 lodes of this survey respectively, heretofore described, whence The East $\frac{1}{4}$ Cor. of Sec. 13 T. 4 S., R. 28 E. G. & S. R. B. & M. bears N. $86^{\circ} 57' E.$ 638.3 ft.
	Thence N. $9^{\circ} 09' W.$
300	West end center of the location and lode
600	To Cor. No. 2.
	Identical with Cors. Nos. 4, 1 & 1, Comstock No. 5, Gold Belt No. 1 and Gold Belt No. 5 lodes of this survey respectively, heretofore described.
	Thence N. $80^{\circ} 50' E.$
740.79	Intersect the East side line of Sec. 13 T. 4 S. R. 28 E. G. & S. R. B. & M., at N. $0^{\circ} 4' W.$ 676.6 ft. from the East $\frac{1}{4}$ Cor., and S. $0^{\circ} 04' E.$ 1960.4 ft. from the Cor. Secs. 7.12, 13 and 18.
1500	To Cor. No. 3.
	Identical with Cor. No. 4 Gold Belt No. 5 lode of this survey, heretofore described.
	Thence S. $9^{\circ} 09' E.$
300	East end center of the location and lode.
600	To Cor. No. 4.
	Identical with Cor. No. 2 El Capitan lode of this survey. A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed E C 2 - C 11 - 4 - 3535. No bearings available.
	Thence S. $80^{\circ} 50' W.$
854.50	Intersect East side line of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M., at N. $0^{\circ} 4' W.$ 68.95 ft. from the East $\frac{1}{4}$ Cor., and S. $0^{\circ} 04' E.$ 2568.05 ft. from the Cor. Secs. 7.12, 13 and 18.
1500	To Cor. No. 1, the place of beginning.

Feet	
	<p style="text-align: center;">El Capitan lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cors. Nos. 1, 1 & 1 Comstock No. 2, Comstock No. 5 and Comstock No. 11 lodes of this survey respectively, heretofore described.</p> <p>The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. bears N. $86^{\circ} 57'$ E. 638.3 ft.</p>
645.50	<p style="text-align: center;">Thence N. $80^{\circ} 50'$ E.</p> <p>Intersect East side line Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M., at N. $0^{\circ} 04'$ W. 68.95 ft. from the E. $\frac{1}{4}$ Cor., and S. $0^{\circ} 04'$ E. 2568.05 ft. from Cor. Secs. 7, 12, 13 & 18.</p>
1500	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 4 Comstock No. 11 lode of this survey, heretofore described.</p>
	Thence S. $9^{\circ} 09'$ E.
296.11	<p>Intersect line 1 - 2, Sur. No. 3376 Foxey lode, at N. $83^{\circ} 35'$ E. 393.98 ft. from Cor. No. 1.</p>
300	<p>East end center of the location and lode.</p>
600	<p>To Cor. No. 3.</p> <p>On line 1 - 2 Gold Belt No. 10 lode of this survey at N. $80^{\circ} 50'$ E. 907.7 ft. from Cor. No. 1.</p> <p>A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed E C 3 - 3535, whence Cross (X) and B R 3 - 3535, chiseled on quartzite 3 x 5 ft. facing east, bears S. $80^{\circ} 50'$ W. 10.5 ft.</p> <p>Cor. No. 1. Sur No. 3376 Foxey lode bears N. $59^{\circ} 48'$ W. 508.91 ft.</p> <p>Cor. No. 1 Sur. No. 3376 Missing Link lode bears N. $31^{\circ} 52'$ E. 287.1 ft.</p>
	Thence S. $80^{\circ} 50'$ W.
408.94	<p>Intersect line 4 - 1, Sur. No. 3376 Foxey lode at S. $6^{\circ} 25'$ E. 323.22 ft. from Cor. No. 1.</p>

Feet	
907.7	Cors. Nos. 1 & 1, Gold Belt No. 10 and Gold Belt No. 9 lodes of this survey.
950.50	Intersect East line Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. at S. $0^{\circ} 03' E$ 538.76 ft. from the E. $\frac{1}{4}$ Cor., and N. $0^{\circ} 03' W$. 2091.44 ft. from the Cor. Secs. 19, 14, 13 and 18.
1130	Intersect gulch, course S. E.
1500	To Cor. No. 4.
	Identical with Cor. No. 2, Comstock No. 2 lode of this survey, heretofore described.
	Also on line 1 - 4 Gold Belt No. 9 lode of this survey, at N. $80^{\circ} 50' E$. 907.7 ft. from Cor. No. 4.
	Thence N. $9^{\circ} 09' W$.
300	West end center of the location and lode.
600	To Cor. No. 1, the place of beginning.
	Bonanza lode.
	Beginning at Cor. No. 1.
	Identical with Cor. No. 2 Sarah A lode of this survey.
	A pine post in place 4 ins. sq., 3 ft. high, with a mound of stone, scribed S A 2 - B 1 - 3535, whence
	The South $\frac{1}{4}$ Cor. Sec. 13 T. 4 S. R. 28 E., G. & S. R. B. & M. bears S. $10^{\circ} 45' E$. 1044.7 ft.
	Thence N. $9^{\circ} 09' W$.
300	West end center of the location and lode.
600	To Cor. No. 2.
	On line 3 - 4 Comstock No. 3 lode of this survey, at N. $80^{\circ} 50' E$. 592.3 ft. from Cor. No. 4.
	A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed B 2 - 3535.
	No bearings available.
	Thence N. $80^{\circ} 50' E$.
472.7	Intersect wagon road, course North to South.
907.7	Cors. Nos. 3 & 3, Comstock No. 3 & Comstock No. 2 lodes of this survey.
1500	To Cor. No. 3.
	Identical with Cor. No. 4 Gold Belt No. 9 lode of this survey,
	Also on line 2 - 3 Comstock No. 2 lode of this survey, at N. $80^{\circ} 50' E$. 592.3 ft. from Cor. No. 3.

Feet

A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 9 - 4 - B 3 - 3535.

No bearings available.

Thence S. 9° 09' E.

300 East end center of the location and lode.

335 Intersect gulch, course Southeast.

600 To Cor. No. 4.

Identical with Cors. Nos. 3, 3 & 3, Gold Belt No. 9, Comstock No. 12 and Sarah A lodes of this survey.

A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 9 - 3 - C 12 - 3 - S A 3 - B 4 - 3535.

No bearings available.

Thence S. 80° 50' W.

357 Intersect gulch, course Southwest.

843 Intersect gulch, course South.

1003 Intersect wagon road, course North to South.

1500 To Cor. No. 1, the place of beginning.

Sarah A lode.

Beginning at Cor. No. 1.

Identical with Cor No. 2 Terry lode of this survey.

A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed T 2 - S A 1 - 3535, whence

The South $\frac{1}{4}$ Cor. Sec. 13, T. 4, S. R. 28 E. G. & S. R. B. & M. bears S. 12° 54' E. 445.3 ft.

Thence N. 9° 09' W.

300 West end center of the location and lode.

600 To Cor. No. 2.

Identical with Cor. No. 1 Bonanza lode of this survey, heretofore described.

Thence N. 80° 50' E.

497 Intersect wagon road, course North to South.

657 Intersect gulch, course South.

Feet	
1143	Intersect gulch, course Southwest.
1500	To Cor. No. 3. Identical with Cors. Nos. 4, 3 & 3, Bonanza, Gold Belt No. 9 and Comstock No. 12 lodes of this survey respectively, heretofore described. Thence S. 9° 09' E.
300	East end center of the location and lode.
600	To Cor. No. 4. Identical with Cors. Nos. 2, 3 & 3, Comstock No. 12, Gold Belt No. 6 and Terry lodes of this survey, respectively. A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed C 12 - 2 - G B 6 - 3 - T 3 - S A 4 - 3535. No bearings available. Thence S. 80° 50' W.
880	Intersect gulch, course Southwest.
980	Intersect wagon road, course North to South.
1500	To Cor. No. 1, the place of beginning.
	Terry lode. Beginning at Cor. No. 1. A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed T 1 - 3535, whence the South $\frac{1}{4}$ Cor. of Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. bears N. 1° 28' E. 158.4 ft.
160.4	Thence N. 9° 09' W. Intersect S. line Sec. 13 at N. 89° 58' W. 29.56 ft. from S. $\frac{1}{4}$ Cor. and S. 89° 58' E. 2601.44 ft. from Cor. Secs. 13, 14, 23 and 24.
300	West end center of the location and lode.
600	To Cor. No. 2. Identical with Cor. No. 1, Sarah A lode of this survey, heretofore described. Thence N. 80° 50' E.
520	Intersect wagon road, course North to South.
620	Intersect gulch, Course Southwest.
1500	To Cor. No. 3.

Feet

Identical with Cors. Nos. 4, 2 & 3, Sarah A, Comstock No. 12 and Gold Belt No. 6 lodes of this survey respectively, heretofore described.

Thence S. $9^{\circ} 09'$ E.

300 East end center of the location and lode.

600 To Cor. No. 4.

Identical with Cor. No. 2 Gold Belt No. 6 lode of this survey.

A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 6 - 2 - T 4 - 3535.

No bearings available.

Thence S. $80^{\circ} 50'$ W.

509.65 Intersect South line Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. at South $89^{\circ} 58'$ E. 973.72 ft. from the South $\frac{1}{4}$ Cor., and N. $89^{\circ} 58'$ W. 1657.28 ft. from Cor. Secs. 13, 18, 19 and 24.

1243 Intersect wagon road, course Northeast to Southwest.

1263 Intersect gulch, course Southwest.

1500 To Cor. No. 1, the place of beginning.

Gold Belt No. 9 lode.

Beginning at Cor. No. 1.

Identical with Cor. No. 1, Gold Belt No. 10 lode of this survey.

Also on line 3 - 4 El Capitan lode of this survey.

A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 10 - 1 - G B 9 - 1 - 3535, whence

The East $\frac{1}{4}$ Cor. Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. bears N. $4^{\circ} 36'$ W. 533.6 ft.

Thence S. $9^{\circ} 09'$ E.

300 East end center of the location and lode.

417 Intersect gulch, course Southeast.

600 To Cor. No. 2.

Feet	
	<p>Identical with Cors. Nos. 4, 2 & 4, Gold Belt No. 10, Gold Belt No. 8 and Comstock No. 12 lodes of this survey respectively.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 10 - 4 - G B 8 - 2 - C 12 - 4 - G B 9 - 2 - 3535.</p> <p>No bearings available.</p> <p style="text-align: center;">Thence S. 80° 50' W.</p>
138.89	Intersect the East line of Sec. 13, T. 4 S. R. 28 E. G & S. R. B. & M. at North 0° 03' W. 1483.77ft. from the Southeast corner, and S. 0° 03' E. 1146.43 ft. from E $\frac{1}{4}$ Cor. Sec. 13.
1500	To Cor. No. 3.
	<p>Identical with Cors. Nos. 3, 3 & 4, Comstock No. 12, Sarah A and Bonanza lodes of this survey respectively, heretofore described.</p> <p style="text-align: center;">Thence N. 9° 09' W.</p>
265	Intersect gulch, course Southwest.
300	West end center of the location and lode.
600	To Cor. No. 4.
	<p>Identical with Cor. No. 3 Bonanza lode of this survey, heretofore described.</p> <p>Also on line 2 - 3 Comstock No. 2 lode of this survey.</p> <p style="text-align: center;">Thence N. 80° 50' E.</p>
172	Intersect gulch, course Southwest.
907.7	Cors. Nos. 2 & 4, Comstock No. 2 and El Capitan lodes of this survey respectively.
1277.7	Intersect gulch, course Southeast.
1457.20	Intersect East line of Sec. 13, T. 4 S., R. 28 E. G. & S. R. B. & M. at S. 0° 03' E. 538.76ft from the E. $\frac{1}{4}$ Cor., and N. 0° 03' W. 2091.44 ft. from Cor. Secs. 13, 18, 19 and 24.
1500	To Cor. No. 1, the place of beginning.

	Comstock No. 12 lode.
	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 1, 2 & 4, Gold Belt No. 8, Gold Belt No. 7 and Gold Belt No. 6 lodes of this survey respectively.
	A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 8 - 1 - G B 7 - 2 - G B 6 - 4 - C 12 - 1 - 3535, whence
	The Southeast Cor. of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. bears S. 14° 12' W. 942.4 ft.
	Thence S. 80° 50' W.
235.00	Intersect East line of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. at N. 0° 03' W. 876.10 ft. from the Southeast Cor., and S. 0° 03' E. 1754.10 ft. from the E ₁ Cor.
1500	To Cor. No. 2.
	Identical with Cors. Nos. 3, 3 & 4, Gold Belt No. 6, Terry and Sarah A lodes of this survey respectively, heretofore described.
	Thence N. 9° 09' W.
300	The West end center of the location and lode.
600	To Cor. No. 3.
	Identical with Cors. Nos. 3, 4 & 3, Sarah A, Bonanza and Gold Belt No. 9 lodes of this survey respectively, heretofore described.
	Thence N. 80° 50' E.
1361.11	Intersect East line of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. at N. 0° 03' W. 1483.77 ft. from the Southeast Corner, and S. 0° 03' E. 1146.43 ft. from the E ₁ Cor.
1500	To Cor. No. 4.
	Identical with Cors. Nos. 2, 4 & 2, Gold Belt No. 9, Gold Belt No. 10 and Gold Belt No. 8 lodes of this survey, respectively, heretofore described.
	Thence S. 9° 09' E.
300	East end center of the location and lode.
600	To Cor. No. 1, the place of beginning.

	<p>Gold Belt No. 6 lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 1 Gold Belt No. 7 lode of this survey.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 7 - 1 - G B 6 - 1 - 3535, whence</p> <p>The Southeast Cor. of Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M bears S 45° 29' W. 458.1 ft.</p> <p>Thence S. 80° 50' W.</p>
180	Intersect gulch, course South.
331.11	Intersect East line Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. at N. 0° 03' W. 268.43 ft. from the S. E. Cor., and S. 0° 03' E. 2361.77 ft. from the E. Cor.
1500	To Cor. No. 2.
	Identical with Cor. No. 4 Terry lode of this survey, heretofore described.
	Thence N. 9° 09' W.
300	West end center of the location and lode.
600	To Cor. No. 3.
	Identical with Cors. Nos. 3, 4 & 2, Terry, Sarah A and Comstock No. 12 lodes of this survey respectively, heretofore described.
	Thence N. 80° 50' E.
1265.00	Intersect the East line Sec. 13, T. 4 S. R. 28 E. G. & S. R. B. & M. at N. 0° 03' W. 876.10 ft. from the S. E. Cor. & S. 0° 03' E. 1754.1 ft. from the E. Cor.
1500	To Cor. No. 4.
	Identical with Cors. Nos. 1, 1 & 2, Comstock No. 12, Gold Belt No. 8 and Gold Belt No. 7 lodes of this survey respectively, heretofore described.
	Thence S. 9° 09' E.
147	Intersect gulch, course South.
300	East end center of the location and lode.
489	Intersect gulch, course West.
600	To Cor. No. 1, the place of beginning.

	<p>Gold Belt No. 10 lode.</p> <p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 1 Gold Belt No. 9 lode of this survey, heretofore described.</p> <p>Also on line 3 - 4 El Capitan lode of this survey.</p> <p>The East $\frac{1}{4}$ Cor. Sec. 13 T 4. S., R. 28 E., G. & S. R. B. & M. bears N. $4^{\circ} 36'$ W. 533.6 ft.</p> <p style="text-align: center;">Thence N. $80^{\circ} 50'$ E</p>
498.76	Intersect line 4 - 1 survey No. 3376 Foxey lode at N. $6^{\circ} 25'$ W. 276.78 ft. from Cor. No. 4.
907.7	Cor. No. 3 El Capitan lode of this survey.
1141.95	Intersect line 4 - 1 Sur. No. 3376 Missing Link lode at N. $21^{\circ} 06'$ W. 383.64 ft. from Cor. No. 4 and 318.04 ft. from its intersection with line 3 - 4 Sur. No. 3376 Foxey lode.
1500	To Cor. No., 2.
	<p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 10 - 2 - 3535.</p> <p>No bearings available.</p> <p style="text-align: center;">Thence S. $9^{\circ} 09'$ E.</p>
300	East end center of the location and lode.
325.32	Intersect line 3 - 4 Sur. No. 3376 Foxey lode, at N. $83^{\circ} 35'$ E. 1015.62 ft. from Cor. No. 4 and 292.52 ft. from its intersection with line 4 - 1 Sur. No. 3376 Missing Link lode.
354.42	Intersect line 3 - 4 Sur. No. 3376 Missing Link lode at N. $76^{\circ} 31'$ E. 279.39 ft. from Cor. No. 4.
600	To Cor. No. 3.
	<p>Identical with Cor. No. 3 Gold Belt No. 8 lode of this survey.</p> <p>A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 10 - 3 - G B 8 - 3 - 3535.</p> <p>No bearings available.</p> <p style="text-align: center;">Thence S. $80^{\circ} 50'$ W.</p>
1460	Intersect gulch, course Southeast.
1500	To Cor. No. 4.

Feet	Identical with Cors. Nos. 2, 4 & 2, Gold Belt No. 8, Comstock No. 12 and Gold Belt No. 9 lodes of this survey, respectively, heretofore described.
	Thence N. 9° 09' W.
183	Intersect gulch, course Southeast.
300	West end center of the location and lode.
600	To Cor. No. 1, the place of beginning.
	Gold Belt No. 8 lode.
	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 2, 4 & 1, Gold Belt No. 7, Gold Belt No. 6 and Comstock No. 12 lodes of this survey, respectively, heretofore described.
	The S. E. Cor. of Sec. 13 T. 4 S., R. 28 E. G. & S. R. B. & M. bears S. 14° 12' W. 942.4 ft.
	Thence N. 9° 09' W.
300	The West end center of the location and lode.
600	To Cor. No. 2.
	Identical with Cors. Nos. 4, 2 & 4, Comstock No. 12, Gold Belt No. 9 and Gold Belt No. 10 lodes of this survey respectively, heretofore described.
	Thence N. 80° 50' E.
40	Intersect gulch, course Southeast.
1500	To Cor. No. 3.
	Identical with Cor. No. 3, Gold Belt No. 10 lode of this survey, heretofore described.
	Thence S. 9° 09' E.
300	East end center of the location and lode.
355.82	Intersect Northwest side line Crown Point lode, unsurveyed, at N. 54° 19' E. 765.09 ft. from the N. W. Cor.
600	To Cor. No. 4.
	Identical with Cor. No. 3, Gold Belt No. 7 lode of this survey.
	A pine post in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 7 - 3 - G B 8 - 4 - 3535.

Feet	No bearings available.
	Thence S. 80° 50' W.
495.33	Intersect Northwest side line Crown Point lode, unsur-
	veyed at N. 54° 19' E. 213.68 ft. from the N. W. Cor.
1470	Intersect gulch, course South.
1500	To Cor. No. 1, the place of beginning.
	Gold Belt No. 7 lode.
	Beginning at Cor. No. 1.
	Identical with Cor. No. 1, Gold Belt No. 6 lode of this survey, heretofore described.
	The S. E. Cor. Sec. 13, T. 4 S., R. 28 E. G. & S. R.
	B. & M. bears South 45° 29' W. 458.1 ft.
	Thence N. 9° 09' W.
111	Intersect gulch, course West.
300	West end center of the location and lode.
453	Intersect gulch, course South.
600	To Cor. No. 2.
	Identical with Cors. Nos. 4, 1 & 1, Gold Belt No. 6, Comstock No. 12 and Gold Belt No. 8 lodes of this survey, respectively, heretofore described
	Thence N. 80° 50' E.
30	Intersect gulch, course South.
1006.67	Intersect N. E. side line of Crown point lode, unsur-
	veyed at N. 54° 19' E. 213.68 ft. from the N. W. Cor.
1500	To Cor. No. 3.
	Identical with Cor. No. 4. Gold Belt No. 8 lode of this survey, heretofore described.
	Thence S. 9° 09' E.
855.3	Intersect S. E. side line of Crown Point lode, unsur-
	veyed at N. 60° 59' E. 421.6 ft. from the S. W. Cor.
300	East end center of the location and lode.
600	To Cor. No. 4.

Feet

A pine post, in place, 4 ins. sq., 3 ft. high, with a mound of stone, scribed G B 7 - 4 - 3535.

No bearings available.

Thence S. 80° 50' W.

780 Intersect gulch, course S. W.

1200 Intersect gulch, course N. W.

1500 To Cor. No. 1, the place of beginning.

Variation at all corners 15° E.

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this mining claim extend as follows from their respective discovery points:-

Gold Belt No. 3 lode, 16 ft N. 80° 50' E., 1484 ft.
S. 80° 50' W.

Gold Belt No. 2 lode, 323 ft. N. 80° 50' E., 1177 ft.
S. 80° 50' W.

Comstock No. 4 lode, 30 ft. N. 80° 50' E., 1470 ft.
S. 80° 50' W.

Comstock No. 3 lode, 55 ft. N. 80° 50' E., 1445 ft.
S. 80° 50' W.

Gold Belt No. 4 lode, 25 ft. S. 80° 50' W., 1475 ft.
N. 80° 50' E.

Gold Belt No. 1 lode, 276 ft. N. 80° 50' E., 1224 ft.
S. 80° 50' W.

Comstock No. 5 lode, 119 ft. N. 80° 50' E., 1381 ft.
S. 80° 50' W.

Comstock No. 2 lode, 102 ft. S. 80° 50' W., 1398 ft.
N. 80° 50' E.

Gold Belt No. 5 lode, 125 ft. S. 80° 50' W., 1375 ft.
N. 80° 50' E.

Comstock No. 11 lode, 295 ft. S. 80° 50' W., 1205 ft.
N. 80° 50' E.

- El Capitan lode, 178 ft. S. 80° 50' W., 1322 ft.
- N. 80° 50' E. ✓
- Bonanza lode, 132 ft. N. 80° 50' E., 1368 ft. S. 80° 50' W. ✓
- Sarah A lode, 61 ft. N. 80° 50' E., 1439 ft. S. 80° 50' W. ✓
- Terry lode, 121 ft. N. 80° 50' E., 1379 ft. S. 80° 50' W. ✓
- Gold Belt No. 9 lode, 122 ft. S. 80° 50' W., 1378 ft. ✓
- N. 80° 50' E.
- Comstock No. 12 lode, 123 ft. S. 80° 50' W., 1377 ft. ✓
- N. 80° 50' E.
- Gold Belt No. 6 lode, 216 ft. S. 80° 50' W., 1284 ft. ✓
- N. 80° 50' E.
- Gold Belt No. 10 lode, 20 ft. S. 80° 50' W., 1480 ft. ✓
- N. 80° 50' E.
- Gold Belt No. 8 lode, 44 ft. S. 80° 50' W., 1456 ft. ✓
- N. 80° 50' E.
- Gold Belt No. 7 lode, 52 ft. S. 80° 50' W., 1448 ft. ✓
- N. 80° 50' E.

	AREA.	Acres.
Total area Gold Belt No. 3 lode	-----	20.282 ✓
Total area Gold Belt No. 2 lode	-----	20.661 ✓
Total Area Comstock No. 4 lode	-----	20.661 ✓
Total area Comstock No. 3 lode	-----	20.661 ✓
Total area Gold Belt No. 4 lode	-----	20.282 ✓
Total area Gold Belt No. 1 lode	-----	20.661 ✓
Total area Comstock No. 5 lode	-----	20.661 ✓
Total area Comstock No. 2 lode	-----	20.661 ✓
Total area Gold Belt No. 5 lode	-----	20.661 ✓
Total area Comstock No. 11 lode	-----	20.661 ✓
Total area El Capitan lode	-----	20.661 ✓
Area in conflict with:		
Sur. No. 3376 Foxey lode	-----	2.888 ✓
Total area Bonanza lode	-----	20.661 ✓
Total area Sarah A lode	-----	20.661 ✓
Total area Terry lode	-----	20.661 ✓

	Acres
Total area Gold Belt No. 9 lode -----	20.661 ✓
Total area Comstock No. 12 lode -----	20.661 ✓
Total area Gold Belt No. 6 lode -----	20.661 ✓
Total area Gold Belt No. 10 lode -----	20.661 ✓

Area in conflict with:-

Sur. No. 3376 Foxey lode ----- 6.965 ✓

Sur. No. 3376 Missing Link lode ----- 2.676 ✓

Sur. No. 3376 Foxey lode exclusive of
its common conflict with Sur. No. 3376

Missing Link lode ----- 4.595 ✓

Total area Gold Belt No. 8 lode ----- 20.661 ✓

~~Area in conflict with:-~~

~~Crown Point lode unsurveyed ----- 1.394 ✓~~

Total area Gold Belt No. 7 lode ----- 20.661 ✓

~~Area in conflict with:-~~

~~Crown Point lode unsurveyed ----- 4.398 ✓~~

LOCATION.

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, in Sections 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 T. 4 S. R. 28 E. G. & S. R. B. & M. and Section 18 unsurveyed, T. 4. S., R. 29 E. G. & S. R. B. & M.

ADJOINING LODES.

This survey is bounded on the North by Bonanza No. 4, Bonanza No. 5, Bonanza No. 6 and Millionaire lodes unsurveyed, A. Burke, Claimant;

On the East by Sur. No. 3376 Foxey and Missing Link lodes, Phelps Dodge Corporation, Claimant and Crown Point lode unsurveyed, Thomas Carline, Claimant;

On the South by unknown lodes, New York Arizona Gold & Copper Company, Claimant.

On the West by the public domain.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

Gold Belt No. 3 lode.

No. 1. The discovery shaft is on the lode line 16 ft. from the east end center. 5 x 12 ft., 8 ft. deep.

Value - - - - - \$75.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$620.00

Gold Belt No. 2 lode.

No. 1. The discovery showing mineral in place is on the lode line 323 ft. from the east end center.

No. 2. A shaft the center of which bears from Cor.

No. 3 South 50° 24' W. 142.5 ft, 5 x 8 ft., 210 ft. deep.

At the 100 ft. level a drift 4 x 6 ft., running North 60° 30' E. 300 ft. Beginning again at the 100 ft.

level, a drift 4 x 6 ft., running South 60° W. 70 ft.

This shaft is equipped with a gasoline hoist and thoroughly timbered. Total value \$8400.00.

Value 1/20 interest \$420.00

Note: An undivided 1/20 interest in the above working is accredited to each of the lodes embraced in this mining claim as hereinafter explained.

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode, as hereinafter explained.

Value 1/20 interest \$620.00

Comstock No. 4 lode.

No. 1. The discovery showing mineral in place is on the lode line 30 ft. from the east end center.

No. 2. A tunnel with an open cut approach, the mouth of which bears from Cor. No. 3 South 81°35'W. 612 ft., running North 72° E. 30 ft. of open cut 5 x 9 ft. and 8 ft. of tunnel 5 x 6 ft.

Value - - - - - \$150.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Comstock No. 3 lode.

No. 1. The discovery showing mineral in place is on the lode line 55 ft. from the east end center.

No. 2. A tunnel, the mouth of which bears from Cor. No. 3 South 84°10'West 241 ft., 5 x 6 ft. running North 29° 56' E. 296 ft; thence N.47° 34' W. 70 ft.

Value - - - - - \$465.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 4 lode.

No. 1. The discovery shaft is on the lode line 25 ft. from the west end center, 6 x 15 ft. 7 ft. deep.

Value - - - - - \$75.00

No. 2. A shaft the center of which bears from Cor. No. 3 North 71° E. 160.5 ft., 4 x 6 ft., 100 ft. deep

Value - - - - - \$1500.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 1 lode.

No. 1. The discovery showing mineral in place is on the lode line 276 ft. from the East end center.

No. 2. A shaft the center of which is on the lode line 8 ft. from the west end center, 6 x 6 ft. 8 ft. deep.

Value - - - - - \$50.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Comstock No. 5 lode.

No. 1. The discovery showing mineral in place is on the lode line 119 ft. from the east end center.

No. 2. A shaft the center of which bears from the east end center North 70° W. 25 ft., 4 x 6 ft., 8 ft. deep.

Value - - - - - \$75.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - -\$620.00

Comstock No. 2 lode.

No. 1. The discovery showing mineral in place is on the lode line 102 ft. from the west end center.

No. 2. A shaft the center of which bears from Cor. No. 4 South 80°00' E. 167 ft., 5 x 8 ft., 318 ft. deep.

At the 100 ft. level a drift 5 x 6 ft., running North 80° E. 120 ft. Beginning again at the 100 ft. level a drift 5 x 6 ft., running South 86° W. 70 ft.; thence S. 52° W. 26 ft.; thence N. 87° W. 34 ft. Said shaft is thoroughly timbered, total value \$12,400.00.

Value 1/20 interest - - - - \$620.00

Note: An undivided 1/20 interest in the above working is accredited to each of the lodes embraced in this mining claim as hereinafter explained.

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - -\$420.00

Gold Belt No. 5 lode.

No. 1. The discovery showing mineral in place is on the lode line 125 ft. from the west end center.

No. 2. A shaft the center of which bears from Cor.

No. 1 North 40° E. 205 ft., 4 x 6 ft., 50 ft. deep.

Value - - - - - \$500.00

No. 3. A shaft the center of which bears from Cor.

No. 1 North 43° E. 230 ft., 4 x 6 ft., 36 ft. deep.

Value - - - - - \$360.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest ----- \$620.00

Comstock No. 11 lode.

No. 1. The discovery shaft is on the lode line 295 ft. from the west end center, 4 x 6 ft., 8 ft. deep.

Value - - - - - \$75.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - \$620.00

El Capitan lode.

No. 1. The discovery showing mineral in place is on the lode line 178 ft. from the west end center.

No. 2. A tunnel with an open cut approach, the mouth of which bears from Cor. No. 1 South 67° E. 160 ft., running South 58° E. 14 ft., 5 x 10 ft., open cut and 16 ft. of 5 x 7 ft. tunnel.

Value - - - - - \$250.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Bonanza lode.

No. 1. The discovery showing mineral in place is on the lode line 132 ft. from the east end center.

No. 2. A shaft the center of which bears from a point on line 4 - 1, 509 ft. from Cor. No. 1 North 34° 22' E. 360 ft., 4 x 7 ft., 10 ft. deep.

Value - - - - - \$100.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Sarah A lode.

No. 1. The discovery showing mineral in place is on the lode line 61 ft. from the east end center.

No. 2. • An open cut, the mouth of which bears from a point on line 2 - 3, 509 ft. from Cor. No. 2, South $69^{\circ} 20'$ E. 264 ft., 5 x 10 ft., running North 46° E. 17 ft.

Value - - - - - \$100.00

Note: An undivided $1/20$ interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value $1/20$ interest - - - - \$420.00

Note: An undivided $1/20$ interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained

Value $1/20$ interest - - - - \$620.00

Terry lode.

No. 1. The discovery showing mineral in place is on the lode line 121 ft. from the east end center.

No. 2. An open cut, the face of which bears from Cor. No. 1 North $50^{\circ} 43'$ E. 577 ft., 5 x 9 ft., running N. 47° W. 14 ft.

Value - - - - - \$75.00

Note: An undivided $1/20$ interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value $1/20$ interest - - - - \$420.00

Note: An undivided $1/20$ interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value $1/20$ interest - - - - \$620.00

Gold Belt No. 9 lode.

No. 1. The discovery showing mineral in place is on the lode line 122 ft. from the west end center.

No. 2. A tunnel with an open cut approach, the mouth of which bears from Cor. No. 4 South $84^{\circ} 25'$ E. 152 ft., running North 67° E. 15 ft., 5 x 15 ft. open cut and

52 ft. of 5 x 6 ft. tunnel.

Value - - - - - \$600.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Comstock No. 12 lode.

No. 1. The discovery showing mineral in place is on the lode line 123 ft. from the west end center.

No. 2. An open cut the mouth of which bears from the East end center S.20°W.27ft., 5x10ft., running N.60°W.18 ft.

Value - - - - - \$75.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 6 lode.

No. 1. The discovery showing mineral in place is on the lode line 216 ft. from the west end center.

No. 2. A tunnel the mouth of which bears from Cor. No. 4 South 29 ft., 5 x 7 ft., running South 61° W. 57 ft.

Value - - - - - \$570.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 10 lode.

No. 1. The discovery showing mineral in place is on the lode line 20 ft. from the west end center.

No. 2. An open cut, the mouth of which bears from the west end center North 9° W. 224 ft., 5 x 10 ft., running N. 46° E. 15 ft.

Value - - - - - \$75.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 8 lode.

No. 1. The discovery showing mineral in place is on the lode line 44 ft. from the west end center.

No. 2. An open cut, the face of which is on the lode line 93 ft. from the west end center, 5 x 10 ft., running East 12 ft.

Value - - - - - \$50.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Gold Belt No. 7 lode.

No. 1. The discovery showing mineral in place is on the lode line 52 ft. from the west end center.

No. 2. An open cut the mouth of which bears from the west end center South 81° E. 28 Ft., 4 x 8 ft., running North 48° E. 15 ft.

Value - - - - - \$50.00

Note: An undivided 1/20 interest in the No. 2 shaft on the Gold Belt No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$420.00

Note: An undivided 1/20 interest in the No. 2 shaft on Comstock No. 2 lode of this survey is accredited to this lode as hereinafter explained.

Value 1/20 interest - - - - - \$620.00

Note: Upon inspection of the map marked "Contour Map" Survey No. 3535, which is a part of these field notes (the contours were taken from the U. S. G. S. Topographical Sheet), it is evident that the twenty lodes embraced in this mining claim can be developed advantageously at depth by drifts driven from the different levels of the No. 2 shaft on the Gold Belt No. 2 lode and the No. 2 shaft on the Comstock No. 2 lode. The topography of the ground is such that these two shafts make an ideal common improvement.

OTHER IMPROVEMENTS.

A mill, the north corner of which bears from Cor. No. 3 Gold Belt No. 2 lode S. $48^{\circ} 46'$ W. 232 ft.; beginning at the north corner and going clockwise the dimensions are 30, 5, 16, 21, 16, $8\frac{1}{2}$, 30 and $34\frac{1}{2}$ ft. respectively. Course of 30 ft. side N. 38° W.

A frame house, the southeast corner of which bears from Cor. No. 4, Gold Belt No. 2 lode N. $19^{\circ} 23'$ W. 276 ft., 14 x 20 ft. Course of long side S. 16° E.

A frame house, the southeast corner of which bears from Cor. No. 4 Gold Belt No. 2 lode N. $30^{\circ} 09'$ W. 170 ft., 17 x 24 ft. Course of long side N. 1° E.

A frame house, the southeast corner of which bears from Cor. No. 4 Gold Belt No. 2 lode S. $89^{\circ} 32'$ W. 157 ft., 12 x 24 ft. Course of long side N. 20° E.

A frame boarding house, the southeast corner of which bears from Cor. No. 4 Gold Belt No. 2 lode of this survey, S. $85^{\circ} 05'$ W. 197 ft., 14 x 37 ft. Course of long side S. 14° W.

INSTRUMENT.

This survey was made with a Buff & Berger light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5, 50 and 500 ft. steel tapes.

REPORT.

The Northeast Corner, the Southeast Corner, the East $\frac{1}{4}$ Corner, the South $\frac{1}{4}$ Corner and the West $\frac{1}{4}$ Corner of Section 13, T. 4 S. R. 28 E., G. & S.R. B. & M., are iron rods with brass caps properly set and marked.

Sur. No. 3376, Foxey and Missing Link lodes: All corners are red wood posts properly set and scribed.

Crown Point lode unsurveyed: All corners are pine posts properly set and scribed.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

All end centers are mounds of stone.

E. J. Morton
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. T. Morton

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of _____

The Eagle Gold and Copper Mining Co.,
known as the Bonanza, Sarah A., El Capitan, Terry, Comstock No. 2, Comstock No. 3,
Comstock No. 4, Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt No. 1,
Gold Belt No. 2, Gold Belt No. 3, Gold Belt No. 4, Gold Belt No. 5, Gold Belt No. 6,
known as the Gold Belt No. 7, Gold Belt No. 8, Gold Belt No. 9, Gold Belt No. 10 lodes

and showing the respective capacities in which they acted.

..... J. L. Awalt, *Chainman.*

....., *Chainman.*

....., *Axman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

- We, I, J. L. Awalt

and _____, do solemnly swear that we assisted E. T. Morton

_____, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The Eagle Gold and Copper Mining Co., known as the
Bonanza, Sarah A, El Capitan, Terry, Comstock No. 2, Comstock No. 3, Comstock No. 4,
Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt No. 1, Gold Belt No. 2,
Gold Belt No. 3, Gold Belt No. 4, Gold Belt No. 5, Gold Belt No. 6, Gold Belt No. 7,
Gold Belt No. 8, Gold Belt No. 9, Gold Belt No. 10 lodes
known as the _____

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

J. L. Awalt, *Chainman.*

....., *Chainman.*

....., *Axman.*

....., *Flagman*

Subscribed and sworn to by the above-named persons before me this 2nd

day of Oct, 1918

Louis F. Payne
Notary Public

6-1043

My commission expires Feb. 20-1919



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, E. T. Morton, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 5th, 1918, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Eagle Gold and Copper Mining Co., known as the Bonanza, Sarah A. El Capitan, Terry, Comstock No. 2, Comstock No. 3, Comstock No. 4, Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt No. 1, Gold Belt No. 2, Gold Belt No. 3, Gold Belt No. 4, Gold Belt No. 5, Gold Belt No. 6, Gold Belt No. 7, Gold Belt No. 8, Gold Belt No. 9, Gold Belt No. 10 lodes situate in Copper Mountain Mining District, & Greenlee County, Arizona, in Sections 13, uns. 18 Uns., Township No. 4 S., Range No. 29 E., G. & S. R. B. & M. and designated as Survey No. 3535, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. T. Morton
U. S. Mineral Surveyor.

Subscribed and sworn to by the said _____
U. S. Mineral Surveyor, before me _____

_____ this 2nd
day of Oct, 1918

Louis T. Payne
Notary Public

My commission expires Feb 20 1919.

STATE OF ARIZONA,)
) SS.
 County of Greenlee,)

AUG-5-1918

I, Rodney Ellis, County Recorder in and for the County of Greenlee, State of Arizona, do hereby certify that the within and following is a full, true and complete copy of the within mentioned NOTICE OF MINING LOCATION and AMENDED LOCATION NOTICES, as the same appear of record in my office, in the Books and at the Pages as follows, to-wit:

Name of Claim	Recorded in	
	Book	Page
Gold Belt No. 8	2	342
Bonanaza	3	287
Sarah A	3	287-288
El Capitan	3	288-289
Terry	3	289
Comstock No. 2	3	289-290
Comstock No. 3	3	290-291
Comstock No. 4	3	291
Comstock No. 5	3	292
Comstock No. 11	3	292-293
Comstock No. 12	3	293-294
Gold Belt No. 1	3	294
Gold Belt No. 2	3	295
Gold Belt No. 3	3	295-296
Gold Belt No. 4	3	296-297
Gold Belt No. 5	3	297
Gold Belt No. 6	3	297-298
Gold Belt No. 7	3	298-299
Gold Belt No. 9	3	299
Gold Belt No. 10	3	300

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 2nd day of August, A.D. 1918.

Rodney Ellis,

COUNTY RECORDER,

By

L. N. Balliolles
 DEPUTY RECORDER.



AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Bonanaza lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 131.9 feet, in a N 80° 51' E direction, and 1368.1 feet in a S 80° 51' W direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 44° 23' E 1903.80 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 131.9 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Bonanaza Mining Claim, located by George E. Stevens on the 1 st. day of January 1905, and recorded in book 6 Transcribed records of Mines, at pages 462 & 463 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made.

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent

~~(SEAL)~~

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917
at 11 A M. ~~Book Location Notices Pages 287~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Sarah A lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 61 feet, in a N 80° 51' E direction, and 1439 feet in a S 80° 51' W direction from the center of the discovery Point at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 44° 23' E 1903.80 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 61 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Sarah A Mining Claim, located by George Stevens on the 21st. day of March 1901, and recorded in book 5 Transcribed records of Mines, at pages 115 & 116 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:- E. V. HORTON
Agent

~~(SEAL)~~

Witness:
E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 287 & 288~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company, the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the El Capitan lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 182.8 feet, in a S 80° 51' W direction, and 1317.2 feet in a N 80° 51' E direction from the center of the discovery Point, (at which this notice is posted,) lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northwest Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N87° 02' E 634.70 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 182.8 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the El Capitan Mining Claim, located by George E. Stevens on the 25 th. day of July 1902, and recorded in book 5 Transcribed records of Mines, at pages 289 & 290 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book 5 Location Notices Pages 288 & 289~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Terry lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 121 feet, in a N 80° 51' E direction, and 1379 feet in a S 80° 51' W direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the 1/4 Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 32° 20' E 2311.40 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 121 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Terry Mining Claim, located by George Stevens on the 21 st. day of March 1901, and recorded in book 5 Transcribed records of Mines, at pages 114 & 115 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made.

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A M. ~~Book 3 Location Notices Pages 289~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 2 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of the claim is 1500 feet, and it claims 101.6 feet, in a S 80° 51' W direction, and 1398.4 feet in a N 80° 51' E direction from the center of the discovery Tunnel, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 87° 02' E 634.70 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 101.6 feet from the discovery Tunnel (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 2 Mining Claim, located by A. M. Porter and George Stevens on the 1 st. day of March 1902, and recorded in book 5 Transcribed records of Mines. at pages 245 & 246 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 289 & 290~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 3 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of the claim is 1500 feet, and it claims 55 feet, in a N 80° 51' E direction, and 1445 feet in a S 80° 51' W direction from the center of the discovery Shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 82° 41' E 2132.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 55 feet from the discovery Shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 3 Mining Claim, located by A. M. Porter and George Stevens on the 1 st. day of January 1902, and recorded in book 5 Transcribed records of Mines, at pages 246 & 247 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent.

~~(SEAL)~~

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 290 & 291~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 4 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 30 feet, in a N 80° 51' E direction, and 1470 feet in a S 80° 51' W direction from the center of the discovery Point at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 /S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 82° 41' E 2132.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 30 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 4 Mining claim, located by A. M. Porter and George Stevens on the 1 st. day of March 1902, and recorded in book 5 Transcribed records of Mines, at page 247 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and Posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent

~~(SEAL)~~

Witness:

E. C. Bunker

Filed and recorded at request of E V Horton March 28 ~~A. D.~~ 1917 at 11 A. M. ~~Book 5 Location Notices Pages 291~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 5 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 114 feet, in a N 80° 51' E direction, and 1386 feet in a S80° 51' W direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 87° 02' E 634.70 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 114 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 5 Mining Claim, located by George Stevens and A. M. Porter on the 1 st. day of January 1902, and recorded in book 5 Transcribed records of Mines, at page 248 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent.

~~(S E A L)~~

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A M. ~~Book Location Notices Pages 292~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 11 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 292.9 feet, in a S 80° 51' W direction, and 1207.1 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southwest Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 87° 02' E 634.70 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 292.9 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 11 Mining Claim, located by George Stevens and A. M. Porter on the 1 st. day of January 1902, and recorded in book 5 of Transcribed records of Mines, at page 252 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made.

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent.

~~(SEAL)~~

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A M. ~~Book 3 Location Notices Pages 292 & 293~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Comstock No. 12 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 123.2 feet, in a S 80° 51' W direction, and 1376.8 feet in a N 80° 51' E direction from the center of the discovery Point at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 7° 35' W 1132.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 123.2 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Comstock No. 12 Mining Claim, located by A. M. Porter and George Stevens on the 1 st. day of March 1902, and recorded in book 5 Transcribed records of Mines, at page 252 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

~~(SEAL)~~

E. V. HORTON
Agent

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 293 & 294~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional amended location certificate on the Gold Belt No. 1 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 270.9 feet, in a N 80° 51' E direction, and 1229.1 feet in a S 80° 51' W direction from the center of the discovery Shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S 52° 30' E 919.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 270.9 feet from the discovery Shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 1 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15th, day of March 1906, and recorded in book 7 of Transcribed records of Mines, at page 100 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. Book 3 Location Notices Pages 294

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional amended location certificate on the Gold Belt No. 2 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 323 feet, in a N80° 51' E direction, and 1177 feet in a S 80° 51' W direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S 13/S18, T. 4 S., R 28 E., G. & S. R. B. & M. bears S 68° 23' E 2479.90 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N 80° 51' E direction 323 feet from the discovery Point (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 2 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15th. day of March 1906, and recorded in book 7 Transcribed records of Mines, at page 97 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-

E. V. HORTON
Agent.

Witness:
E. C. Bunker

Filed and recorded at request of E V Horton
March 28 A.D. 1917 at 11 A. M. ~~Book 2 Location Notices~~
~~Pages 295~~

Rodney Ellis
County Recorder

SEAL

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 3 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 6.6 feet, in a N 80° 51' E direction, and 1493.4 feet in a S 80° 51' W direction from the center of the discovery Shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in - Greenlee - - - County, State of Arizona, From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S 68° 23' E 2479.90 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Mound of stones at a point in a N 80° 51' E direction 6.6 feet from the discovery Shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence S 9° 09' E 300 feet to a Post, being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to a mound of stones being at the center of the West end of said claim; thence N 9° 09' W 300 feet to a Post being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post, being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 3 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15 th. day of March 1906, and recorded in book 7 Transcribed records of Mines, at page 98 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per : -

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28
A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 295 & 296~~

RODNEY ELLIS
County Recorder

SEAL

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, by these presents does amend locate, and claim by right of the original discovery and this additional amended location certificate on the Gold Belt No. 4 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 21.6 feet, in a S 80° 51' W direction, and 1478.4 feet in a N. 80°51' E direction from the center of the Shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona, From the Southwest Cor. of this claim the 1/4 Cor. S13 / S18, T.4 S., R. 28 E., G. & S. R. B. & M. bears S. 68° 23' E 2479.90 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 21.6 feet from the discovery Shaft (at which this notice is posted,) being in the center of the West end line of said claim; thence N. 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 4 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15 th. day of March 1906, and recorded in book 7 Transcribed records of Mines, at page 99 in the office of the County Recorder of the afore-said County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:- E. V. HORTON
Agent

Witness:
E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. Book ~~3 Location Notices~~ Pages ~~296 & 297~~

Rodney Ellis
County Recorder

~~(SEAL)~~

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 5 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 130.3 feet, in a S 80° 51' W direction, and 1369.7 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southwest Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S 52° 30' E 919.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 130.3 feet from the discovery Point (at which this notice is posted) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 5 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15 th. day of March 1906, and recorded in book 7 Transcribed records of Mines, at page 96 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

Per:-
E. V. HORTON
Agent

Witness:
E. C. Bunker

~~(SEAL)~~

Filed and recorded at request of E V Horton March 28 ~~A. D.~~
1917 at 11 A. M. ~~Book 3 Location Notices Pages 297~~

Rodney Ellis
County Recorder.

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 6 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 217.4 feet, in a S 80° 51' W direction, and 1282.6 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 8° 07' W 1732.00 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 217.4 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 6 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15 th. day of November 1906, and recorded in book 7 Transcribed records of Mines, at pages 195 & 196 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E V HORTON March 28 A. D. 1917 at 11 A. M. ~~Book 3 Location Notices Pages 297 & 298~~

RODNEY ELLIS
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company, the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 7 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 41.7 feet, in a S 80° 51' W direction, and 1458.3 feet in a N 80° 51' E direction from the center of the discovery Point at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Northwest Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 8° 07' W 1732.00 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 41.7 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 7 Mining Claim, located by The Gold Belt Development & Reduction Company on the 15 th. day of November 1906, and recorded in book 7 Transcribed records of Mines, at pages 196 & 197 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book Location Notices Pages 298 & 299~~

Rodney Ellis
County Recorder

NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Gold Belt No. 8 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Eagle Gold & Copper Company the undersigned, on the 12th, day of February 1917.

The length of the claim is 1500 feet, and it claims 32.8 feet in a S 80° 51' W direction and 1467.2 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the ~~said~~ surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in Copper Mountain Mining District, in Greenlee County, in the State of Arizona,

From the Southwest Cor. of this claim the 1/4 Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 8° 07' W 1732.00 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 32.8 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:- E. V. HORTON
Agent.

Witness:
E. C. Bunker

Filed and recorded at request of E. V. Horton March 28^{A.D.} 1917
at 11 A. M. ~~Book 2 Loc. Ntcs. Pages 342~~

Rodney Ellis
County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 9 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of the claim is 1500 feet, and it claims 122.1 feet, in a S 80° 51' W direction, and 1377.9 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southeast Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 7° 35' W 1132.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 122.1 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 9 Mining Claim, located by The Gold Belt Development & Reduction Company on the 26 th. day of March 1907, and recorded in book 7 Transcribed records of Mines, at pages 306 & 307 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON

Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book 3 Location Notices Pages 299~~

Rodney Ellis

County Recorder

AMENDED LOCATION NOTICE

KNOW ALL MEN BY THESE PRESENTS:

That The Eagle Gold & Copper Company the undersigned, has this 12th, day of February, 1917, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Gold Belt No. 10 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and it claims 11 feet, in a S 80° 51' W direction, and 1489 feet in a N 80° 51' E direction from the center of the discovery Point, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona,

From the Southwest Cor. of this claim the $\frac{1}{4}$ Cor. S13 / S18, T. 4 S., R. 28 E., G. & S. R. B. & M. bears N 7° 35' W 1132.10 Ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a S 80° 51' W direction 11 feet from the discovery Point (at which this notice is posted,) being in the center of the West end line of said claim; thence N 9° 09' W 300 feet to a Post, being at the Northwest corner of said claim; thence N 80° 51' E 1500 feet to a Post being at the Northeast corner of said claim; thence S 9° 09' E 300 feet to a mound of stones being at the center of the East end of said claim; thence S 9° 09' E 300 feet to a Post being at the Southeast corner of said claim; thence S 80° 51' W 1500 feet to a Post, being at the Southwest corner of said claim; thence N 9° 09' W 300 feet to the place of beginning.

This is an Amended Location Notice of the Gold Belt No. 10 Mining Claim, located by The Gold Belt Development & Reduction Company on the 26 th. day of March 1907, and recorded in book 7 Transcribed records of Mines, at pages 307 & 308 in the office of the County Recorder of the aforesaid County of Greenlee to which reference is hereby made,

Dated and posted on the ground this 12th, day of February 1917

The Eagle Gold & Copper Company

~~(SEAL)~~

Per:-

E. V. HORTON
Agent.

Witness:

E. C. Bunker

Filed and recorded at request of E. V. Horton March 28 A. D. 1917 at 11 A. M. ~~Book 3 Location Notices Pages 300~~

Rodney Ellis
County Recorder

4-688

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 5, 1919

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey

The Mining
of the mining claim of, Eagle Gold and Copper Co., known as the Bonanza,
Sarah A, El Capitan, Terry, Comstock No. 2, Comstock No. 3, Comstock No. 4,
Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt No. 1, Gold
Belt No. 2, Gold Belt No. 3, Gold Belt No. 4, Gold Belt No. 5, Gold Belt
known as the No. 6, Gold Belt No. 7, Gold Belt No. 8, Gold Belt No. 9, Gold
Belt No. 10 lodes

situate in Copper Mountain

Mining District, Greenlee County, Arizona, in Sections
13, uns., and 24, T. 4 S., R. 28 E. and
in Section 13, Uns., Township No. 4 S., Range No. 29 E., G. & S., and
B. & M., and
designated as Survey No. 3535, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
or for each of
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 11 shafts, 9 cuts, 5 tunnels and 4 drifts, total value
\$30,270.

As improvements No. 2 on the Gold Belt No. 2 lode, and No. 2
on the Comstock No. 2 lode, are common improvements for the benefit
and development of this entire group of claims, an undivided one-
twentieth interest in each of said improvements, value \$420 and
\$620, respectively, is credited to each of the claims in this
survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

June 5, 1919

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

The Mining
Mining Claim of Eagle Gold and Copper Co., known as the Bonanza, Sarah
A, El Capitan, Terry, Comstock No. 2, Comstock No. 3, Comstock
No. 4, Comstock No. 5, Comstock No. 11, Comstock No. 12, Gold Belt
No. 1, Gold Belt No. 2, Gold Belt No. 3, Gold Belt No. 4, Gold Belt
No. 5, Gold Belt No. 6, Gold Belt No. 7, Gold Belt No. 8, Gold
Belt No. 9, Gold Belt No. 10 lodes, known as the

situate in Copper Mountain mining district,

Greenlee County, Arizona
in Sections 13, uns., and 24, T. 24 S., R. 28 E., and
in Section 18, uns., Township No. 4 S., Range No. 29 E., G.

& S.R.B. & M., designated as Survey No. 3535

executed by E. T. Morton, U. S. Mineral

Surveyor, August 14, 1918, to September 5, 1918, under my instructions dated

August 5, 1918, 191 , have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.