

MINERAL SURVEY No. 3565

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Lazy Boy Gold Lines Company

KNOWN AS THE

Never Rest, Combination, Lazy Boy, Red Bird, Camp Site, Jumbo, Blue Bird, Combination Fraction, Live Boy and Falcon lodes.

San Francisco Mining District,

Mohave County, Arizona.

Sections 2-34 and 35, Township 18 and 19 N., Range 20 W.G. and S.R.M.

Surveyed under instructions dated January 10, 1919

by Edward L. Haff U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced Jany. 15, 19 19

Survey completed Jany. 30, 19 19

Address of claimant's Attorney, C.W. Herndon, Kingman, Ariz.

DATES OF AMENDED LOCATIONS.

Three horizontal dashed lines for amended locations.

MINERAL SURVEY NO. 3565			
Claims	M & B Desc.	Improvements	Loc. Notices
	Pg. 10	Pg. 22	<u>Red Pg.</u> 13
Blue Bird	7	22	9
Camp Site	2	19	3
Combination	12	23	15
Combination Fraction	15	23	17
Falcon	9	22	11
Jumbo	4	20	5
Lazy Boy	13	23	16
Live Boy	1	19	1
Never Rest	6	20	7
Red Bird			

Mineral Survey No. 3565

Feet

Never Rest lode - - -

Beginning at Cor. No. 1

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed NEVER REST-1 -3565 . . . Whence :-

The $\frac{1}{4}$ Cor. between Secs. 2 and 35 T's. 18 and 19 N. R. 20 W. G and S.R. M. bears S. $54^{\circ}32'$ E. 782.45 ft.

No bearing objects available.

Thence S. $64^{\circ}13'$ E.

159.07 Intersect line 4-1 Live Boy lode, of this survey, at N. $25^{\circ}47'$ E. 68.52 ft. from Cor. No. 1.

170. Bed of dry gulch 4 ft. wide runs southwesterly.

1046.61 Intersect line between Sec's. 2 and 35 T.s. 18 and 19 N. R.20 W. at S. $89^{\circ}46'$ E. 305.15 ft. from the $\frac{1}{4}$ Cor. and N. $89^{\circ}46'$ W. 2337.65 ft. from the Cor. to Sec's. 1-2-35 and 36

1500. To Cor. No. 2

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed, NEVER REST 2 - 3565

No bearing objects available.

Thence S. $25^{\circ}47'$ W.

300. To East end center - . . .

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed E. E. C. NEVER REST 3565

600. To Cor. No. 3

A redwood post $4\frac{1}{2}$ ft. long 4 ins. Sq. set 18 ins. in the ground with mound of earth and stone scribed, NEVER REST. 3 - 3565

No bearing objects available.

Thence N. $64^{\circ}13'$ W.

1500. To Cor. No. 4

On line 3-4 Lazy Boy lode, of this survey.

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed

NEVER REST - 4 - 3565

No bearing objects available.

Thence N.25° 47' E.

- 99.94 Intersect line between Sec's. 2 and 35 T's. 18 and 19 N. R. 20 W. at N.89°44'50" W. 854.77 ft. from the $\frac{1}{4}$ Cor. and S.89°44'50" E. 1785.45 ft. from the Cor. to Sec's. 2-3 - 34 and 35 .
193. East end center Lazy Boy lode, of this survey.
300. To West End Center
- A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed,
- W.E.C. NEVER REST 3565
493. Cor. No. 3 Lazy Boy lode, of this survey and Intersect line 1-2 Live boy lode, of this survey at N.77°49' W. 163.66 ft. from Cor. No. 1.
520. Bed of dry gulch 4 ft. wide runs southwesterly.
- 600 To Cor. No. 1 the place of beginning.

COMBINATION LODE

Beginning at Cor. No. 1.

a redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed

COMBINATION 1 - 3565 Whence :-

The Cor. to Sec's. 2-3 34 and 35 T's. 18 and 19 N. R. 20 W. G. and S.R. M. bears N. 42° 54' 20" W. 335.15 ft. The N. E. Cor. Boundary Cone lode, (unsurveyed) claimant unknown bears N.47°57'40 " E. 373.47 ft.

Thence N.25°47' E.

110. Wagon road , course northwesterly and southeasterly
- 185 Bed of dry wash 10 ft. wide, runs northwesterly.
- 270.93 Intersect line between Sec's. 2 and 35 T's. 18 and 19 N. R. 20 W. at N.89°44'50" W. 2294.20 ft. from the $\frac{1}{4}$ Cor. and S.89°44'50" E. 346.02 ft. from the Cor. to Sec's. 2 - 3-34 and 35
- 300 To West End Center
- A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed,

Feet

W. E. C. COMBINATION - 3565

370.14 Cor. No. 1 Lazy Boy and Red Bird lodes of this Survey, also intersect north side line Boundary Cone Lode unsurveyed at N. 54°26' W. 143.06 ft. from the N. E. Cor.

600 To Cor. No. 2

On line 1-2 Red Bird and Lazy Boy lodes of this Survey - A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed,

COMBINATION 2-3565

Thence S. 67°56' E.

255 Bed of dry gulch 6 ft. wide runs Southwesterly.

799.08 Intersect line between Sec's 2 and 35 Ts. 18 and 19 N. R. 20 W. at N. 89°44'50" W. 1410.50 ft. from the ¼ Cor. and S. 89°44'50" E. 1229.72 ft. from Cor. to Sec's 2 - 3-34 and 35.

1030. Bed of dry gulch 5 ft. wide runs Northwesterly.

1301.60 Cor. No. 4 Lazy Boy lode of this Survey.

1500 To Cor. No. 3.

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed COMBINATION 3-3565

No bearing objects available

Thence S. 25°47' W.

260 Bed of dry gulch 4 Ft. wide runs westerly

300 To East end center

A redwood post 4½ ft. long 4 ins. Sq. set 18 ins. in the ground with mound of earth and stone scribed E. E. C. COMBINATION 3565

542.22 Intersect line 1-2 Combination Fraction lode of this survey-at S. 63°28' E. 1363.54 ft. from Cor. No. 1.

600 To Cor. No. 4

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. on the ground with mound of earth and stone scribed COMBINATION-4 - 3565

No bearing objects available.

Feet	
	Thence N. 67°56' W.
320	Bed of dry gulch 8 ft. wide runs Northwesterly
620	Bed of dry gulch 8 ft. wide runs Southwesterly
975	Bed of dry gulch 8 ft. wide runs Northwesterly
1140	Wagon road course N. W. and Southeasterly
1378.97	Intersect line 4-1 Combination Fraction lode of this survey at S. 30°10' W. 165.50 ft. from Cor. No. 1.
1384.72	Intersect East end line Boundary Cone lode (unsurveyed) at S. 30°10' W. 339.36 ft. from N. E. Cor. and N. 30°10' E. 145.59 ft. from the S. E. Cor.
1500	To Cor. No.1. the place of beginning.
	LAZY BOY lode
	Begin at Cor. No. 1
	Bird
	Identical with Cor. No.1 Red ^{Bird} W on line 1-2 Combination lodes of this survey and on north side line Boundary Cone lode unsurveyed, at N. 54°26' W. 143.06 ft from the N. E. Cor.
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground, with mound of earth and stone, scribed
	LAZY BOY- 1 RED BIRD 1-3565 - Whence:-
	Cor. to Sec's 2-3- 34 and 35 Ts. 18 and 19 N. R 20 W.
	G. & S. R. M. bears S. 77°17'10" W. 398.95 ft.
	Thence N. 25°47' E.
229.86	Cor. No. 2 Combination lode of this survey.
300	To west end center -
	Identical with East end center Red Bird lode of this survey.
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed -
	E. E. C. RED BIRD W. E. C. LAZY BOY - 3565.
600	To Cor. No.2.
	Identical with Cor. No. 2 Live Boy and Red Bird and Cor. No.1 Blue Bird lodes of this Survey -
	A redwood post 4½ ft. long and 4 ins. sq. set 18 ins. in the ground, with mound of earth and stone, scribed -

Feet	
	LAZY BOY -2 - RED BIRD-2- LIVE BOY -2 - BLUE BIRD 1 - 3565. No bearing objects available. Thence S. 77°49' E.
1290.	Bed of dry gulch 4 ft. wide runs Southwesterly
1336.34	To Cor. No.3. On lines 4-1 and 1-2 Never Rest and Live Boy lodes of this survey. A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed LAZY BOY - 3 - 3565 - Thence S. 25°47' W.
193	West end center Never Rest lode of this Survey.
300	To east end center. A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed, E. E. C. LAZY BOY - 3565.
393.06	Intersect line between Sec's 2 and 35 Ts. 18 and 19 N. R. 20 W. - at N. 89°44'50" W. 854.77 ft from the ¼ Cor.- and S. 89°44'50" E. 1785.45 ft. from the Cor. to Sec's 2- 3 -34 and 35.
493	Cor. No. 4 Never Rest lode of this Survey.
600	To Cor. No. 4. On line 2-3 Combination lode of this Survey at S. 67°56' E. 1301.60 ft. from Cor. No. 2 - A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, scribed, LAZY BOY - 4 - 3565. No bearing objects available. Thence N. 77°49' W.
220	Bed of dry gulch 4 ft. wide runs Northwesterly.
903.31	Intersect line between sections 2 and 35 Ts. 18 and 19 N. R. 20, W. - at N. 89°44'50" W.- 1827.77 ft. from the ¼ Cor. and S. 89°44'50" E. 812.45 ft. from Cor. to

Feet Sec's 2 - 3 - 34 and 35.
 1132. Bed of dry gulch 6 ft. wide runs Southwesterly
 1190 Wagon road course Northwesterly and Southeasterly
 1336.34 To Cor. No.1 the place of beginning.

RED BIRD LODE.

Beginning at Cor. No.1

On line 1 - 2 Combination lode of this survey of the north
 side line Boundary Cone lode (unsurveyed) at S. 54°26' E.
 1356.94 ft. from the N. W. Cor. and identical with Cor.
 No. 1 Lazy Boy lode of this survey hereinbefore described

Whence:- The Cor. to Sec's 2 - 3 - 34 and 35 -
 Ts. 18 and 19 N. R. 20 W. G. and S. R. B.&M. - bears S.
 77°17'10" - W. 398.95 ft.

Thence N. 25°47' E.

229.86 Cor. No. 2 Combination lode of this survey.
 300 To East end center -
 Identical with West end center Lazy Boy lode of this
 survey - hereinbefore described.

600 To Cor. No.2
 Identical with Cor. No. 1 Blue Bird and Cor. No. 2 Lazy
 Boy and Live Boy lodes of this survey hereinbefore de-
 scribed

Thence N. 64°13' W.

723.25 Intersect line between Sec's 34 and 35 T. 19 N. R.
 20 W. at S. 0°04' E. 1675.86 ft. from the $\frac{1}{4}$ Cor. and
 N. 0°04' W. 942.65 ft. from Cor. to Sec's 2-3-34 and 35

1444.30 To Cor. No.3
 On line 1-2 Falcon lode of this survey and identical
 with Cor. No.4 Blue Bird lode of this survey --
 A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq.set 18 ins. in
 the ground with mound of earth and stone scribed -
 RED BIRD-3- BLUE BIRD-4-3565

No bearing objects available

Thence S. 25°47' W.

118.35 East end center Falcon lode of this survey -
 249.25 Cor. No. 1 Falcon lode of this survey and intersect line
 2-3 Jumbo lode of this survey at N. 62°33' W.

Feet

116.09 ft. from Cor. No.2. -

300 To West end center.

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - W. E. C. RED BIRD -3565

577 Bed of dry wash 10 ft. wide runs westerly.

600 To Cor. No. 4 -

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - RED BIRD 4 - 3565

No bearing objects available

Thence S. $64^{\circ}13'$ E.

89.42 Intersect line 1-2 Jumbo lode of this survey at S. $30^{\circ}10'$ W. 348.40 ft. from Cor. No. 2 and intersect west end line Boundary @one lode (unsurveyed) at S. $30^{\circ}10'$ W. 231.25 ft. from N. W. Cor.

122. Wagon road course easterly and westerly

500. Bed of drywash 10 ft. wide runs Northwesterly

820 Wagon road course Northwesterly and Southeasterly.

1011.75 Intersect line between Sec's 34 and 35 T. 19 N.R. 20 W. at S. $0^{\circ}04'$ E. 2342.56 ft. from the $\frac{1}{2}$ C_{or.} and N. $0^{\circ}04'$ W. 275.95 ft. from Cor. to Sec's 2-3-34 and 35 -

1444.30 To Cor. No. 1 the place of beginning

CAMP SITE LODGE

Begin^{ning} at Cor. No.1

On West end line Rosita and East end line Western Eagle lodes (unsurveyed) Claimants unknown; at S. $19^{\circ}27'$ W. 78.15 ft. from the N. W. and N. E. Cors. respectively

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - CAMP SITE - 1-3565. Whence

The Cor. to Secs. 2, 3, 34 & 35, Ts. 18 & 19 N., R. 20 W., G. & S.R.B. & M. brs. S. $69^{\circ}38'40''$ E. 991.24 ft.

No bearing objects available

Thence N. $19^{\circ}27'$ E.

40 To East end center -

A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone-scribed -

Feet	
78.15	<p>E. E. C. CAMPSITE - 3565 -</p> <p>To N. W. Cor. Rosita and N. E. Cor. Western Eagle lodes (unsurveyed) and intersect S. side line Boundary Cone lode (unsurveyed) at S. $54^{\circ}26'$ E. 67.63 ft. from the S. W. Cor. and N. $54^{\circ}26'$ W. 1432.37 ft. from the S. E. Cor.</p>
100.	<p>To Cor. No. 2.</p> <p>A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - CAMPSITE -2-3565. Whence:- The S. W. Cor. Boundary (unsurveyed) Cone lode/bears N. $73^{\circ}15' 20$ W. 65.05 ft.</p> <p>Thence N. $62^{\circ}33'$ W.</p>
63.64	<p>Cor. No. 1 Jumbo lode of this survey and intersect West end line Boundary Cone lode (unsurveyed) at N. $30^{\circ}10'$ E. 12.10 ft. from the S. W. Cor.</p>
349.34	<p>Bed of dry gulch 6 ft. wide runs Northwesterly</p>
390.34	<p>Wagon road course Northwesterly and Southeasterly</p>
803.34	<p>Bed of dry wash - 15 ft. wide course westerly</p>
1400.	<p>To Cor. No.3.</p> <p>On line 4-1 Jumbo lode of this survey</p> <p>A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - CAMPSITE - 3-3565</p> <p>No bearing objects available.</p> <p>Thence S. $19^{\circ}27'$ W.</p>
60.	<p>To West end center -</p> <p>A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - W. E. C. CAMPSITE -3565</p>
110.	<p>Bed of dry wash 15 ft. wide runs westerly</p>
253.80	<p>N. W. Cor. Western Eagle lode (unsurveyed) at N. $72^{\circ}05'$ W. 1386.87 ft. from the N. E. Cor.</p>
299.68	<p>To Cor. No. 4</p> <p>On West end line Western Eagle lode (unsurveyed)</p> <p>A redwood post $4\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed -</p>

should be
3.34
as per plat

Feet	CAMP SITE -4-3565
	No bearing objects available
	Thence S. 70°45' E.
1015.	Bed of dry gulch 6 ft. wide runs Northwesterly
1030	Wagon road course Northwesterly and Southeasterly
1386.38	To Cor. No. 1 the place of beginning -
	JUMBO LODE
	Beginning at Cor. No. 1:
	On line 2-3 Campsite lode of this survey and the Western line Boundary Cone lode (unsurveyed)
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - JUMBO -1-3565. Whence:-
	The Cor. to Secs. 2-3-34 and 35 Ts. 18 and 19 N. R. 20 W. G. & S. R. M. bears S. 63°48'50" E. 1061.16 ft.
	Thence N. 30°10' E.
230.	Wagon road course Easterly and Westerly.
241.60 251.60	Intersect line 4-1 Red Bird lode of this survey - at S. 64°13' E. 89.42 ft. from Cor. No. 4
276.	Bed of dry wash 10 ft. wide runs Northwesterly
290.	To East end center -
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - E. E. C. Jumbo-3565
472.85 48.40	N. W. Cor. Boundary Cone lode (unsurveyed)
590.	To Cor. No. 2.
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - JUMBO -2-3565 Whence:-
	Cor. no. 4 Red Bird lode of this survey bears S. 44°15'20" W. 366.25 ft.
	Thence N. 62°33' W.
116.09	Cor. No. 1 Falcon lode of this survey and intersects line 3-4 Red Bird lode of this survey at N. 25°47' E. 350.75 ft. from Cor. No. 4
1300.	Bed of dry gulch 6 ft. wide runs Southwesterly

Feet 1452.93	Intersect line 1-2 Survey No. 3310 Washburn lode, Iowa Gold Mines Co. claimant, at N. 17°54' E. 1.04 ft. from Cor. No. 2
1500.	To Cor. No. 3. Identical with Cor. No. 4 Falcon lode of this Survey - A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - JUMBO-3- FALCON-4- 3565. Whence:- Cor. No. 2 - Survey No. 3310 Washburn lode bears S. 61° 18'50" E. 47.25 ft. Thence S. 30°10' W.
1.12	Intersect line 2-3 Survey No. 3310 Washburn lode, at N. 62°40' W. 47.29 ft. from Cor. No. 2
300.	To West end center A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - W. E. C. JUMBO - 3565
515.	Bed of dry gulch 6 ft. wide runs Southwesterly
590.	To Cor. No. 4 A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - JUMBO - 4- 3565 No bearing objects available Thence S. 62°33' E.
300.	Wagon road course Southwesterly and Northeasterly
163.34	Cor. No. 3 Campsite lode of this survey
760.	Bed of dry wash 15 ft. wide runs Westerly
1173.	Wagon road course Northwesterly and Southeasterly
1214.	Bed of dry wash 6 ft. wide runs Northwesterly
1500.	To Cor. No. 1 - the place of beginning BLUE BIRD LODE Beginning at Cor. No. 1 Identical with Cor. No. 2 - Lazy Boy - Iive Boy and Red Bird lodes of this survey hereinbefore described - Whence:-

Feet

- The Cor. to Sec's 2-3-34 and 35 Ts. 18 and 19 N. R. 20
W. G. & S. R. M. bears S. 45°59'20" W. 903.98 ft.
Thence N. 25°47'E.
- 139.85 To East end center.
Identical with West end center Live Boy lode of this survey -
A redwood post 4½ ft long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed -
W. E. C. LIVE BOY - E. E. C. BLUEBIRD - 3565
- 396.00 Intersect line 2-3 Survey No. 3310 Gold Cup lode at
S. 77°10' E. 1388.68 ft. from Cor. No. 3
- 396.04 To Cor. No. 2
Identical with Cor. No. 3 Live Boy lode of this survey
An andesite rock 10x14x30" set 18 ins. in the ground chiseled L. B. 3 - B. B. -2- 3565 with mound of earth and stone 3 ft. high alongside. Whence:-
Cor. Nos. 2-3 Survey No. 3310 Gold Cup and Gold Nugget lodes bears S. 77°08'50" E. 111.31 ft.
Thence N. 76°12'40" W.
- 848.26 Intersect line between Sec's 34 and 35 T. 19 N. R. 20 W.-
at S. 0°04' E. 1431.65 ft. from the ¼ Cor. and N. 0°04' W.
1186.86 ft. from the Cor. to Sec's 2-3-34 and 35
- 1386.82 Intersect line 1-2 and 3-4 Survey No. 3310 Iowa and Gold Cup lodes at N. 17°54' E. 23.25 ft. from Cor. Nos. 2 and 3
- 1476.54 To Cor. No. 3
Identical with Cor. No. 2 Falcon lode of this survey -
A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed BLUE BIRD 3 - FALCON -2 - 3565. Whence:-
Cor. Nos. 2-3 - Survey No. 3310 - Iowa and Gold Cup lodes bears S. 61°27'20" E. 91.06 ft.
Thence S. 25°47' W.
- 25.31 Intersect line 2-3 Survey No. 3310 - Iowa lode - at N. 77°10' W. 93.33 ft from Cor. No. 2
- 50.34 To West end center
A redwood post 4½ ft. long 4 ins. sq. set 18 ins.

	in the ground with mound of earth and stone - scribed - W. E. C. BLUEBIRD - 3565
89.19	To Cor. No. 4 On line 1-2 Falcon lode of this survey and identical with Cor. No. 3 - Red Bird lode of this survey - herein- before described Thence S. 64°13' E.
721.05	Intersect line between Sec's 34 and 35 T. 19 N. R. 20 W. at S. 0°04' E. 1675.86 ft. from the $\frac{1}{4}$ Cor. and N. 0°04' W. 942.65 ft. from the Cor. to Sec's 2-3-34 and 35
1444.30	To Cor. No. 1 the place of beginning COMBINATION FRACTION LODGE Beginning at Cor. No. 1 A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins in the ground with mound of earth and stone - scribed - COMBINATION FRACTION -1- 3536. Whence:- The Cor. to Sec's 2-3-34 and 35 Ts. 18 and 19 N. R. 20 W. G. & S. R. M. bears N. 70°45' W. 448.58 ft. Cor. No. 4 Combination lode of this survey bears S. 61°02'30" E. 1365.52 ft. No bearing objects available Thence S. 63°28' E.
40.	Bed of dry gulch 8 ft. wide runs Northwesterly
90	Wagon road course Northeasterly and Southwesterly
1363.54	Intersect line 3-4 Combination lode of this survey at N. 25°47' E. 57.78 ft. from Cor. No. 4
1497.70	To Cor. No. 2 A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - COMBINATION FRAC. 2-3565 No bearing objects available Thence S. 30°10' W.
160.	Bed of dry gulch 6 ft. wide runs Northwesterly
225.	To East end center A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins.

Feet	in the ground with mound of earth and stone - scribed - E. E. C. COMBINATION FRAC.-3565
320.	To Cor. No. 3 On N. side line Louisa lode (unsurveyed) claimant unknown - at N. 63°28' W. 24 ft. from the N. E. Cor.- A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - COMBINATION FRAC. 3-3565 No bearing objects available Thence N. 63°28' W.
1449.70	N. W. Cor. Louisa and N. E. Cor. Rosita lodes (unsur- veyed)
1497.70	To Cor. No. 4 A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - COMBINATION FRAC.- 4 - 3565 No bearing objects available Thence N. 30°10' E.
7.57	Intersect N. side line Rosita lode (unsurveyed) at N. 54°26' W. 48.12 ft. from the N. E. Cor.
95.	To West end center A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - W. E. C. COMBINATION FRAC.-3565
154.50	Intersect line 4-1 Combination lode, of this survey at N. 67°56' W. 1378.97 ft. from Cor. No. 4
280.	Wagon road course Northwesterly and Southeasterly
320.	To Cor. No. 1 the place of beginning LIVE BOY LODE Beginning at Cor. No. 1 A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - LIVE BOY 1 - 3565. Whence:- the ¼ Cor. between Sec's 2 and 35 Ts. 18 and 19 N. R. 20 W. G. & S. R. M. bears S. 58°20' E. 615.47 ft No bearing objects available

Feet	
	Thence N. 77°49' W.
163.66	Cor. No. 3 Lazy Boy lode of this survey and Intersect line 4-1 Never Rest lode of this survey at S. 25°47' W. 107. ft. from Cor. No.1
210.	Bed of dry gulch 6 ft. wide runs Southwesterly
1500.	To Cor. No. 2
	Identical with Cor. No. 1 Blue Bird and Cors. Nos. 2 Lazy Boy and Red Bird lodes of this survey hereinbefore described -
	Thence N. 25°47' E.
139.85	To West end center
	Identical with East end center Blue Bird lode of this survey hereinbefore described
396.00	Intersect line 2-3 Survey No. 3310 Gold Cup lode at N. 77°10' W. 111.32 ft. from Cor. No. 2
396.04	To Cor. No. 3
	Identical with Cor. No. 2 Blue Bird lode of this survey - hereinbefore described -
	Thence S. 77°49' E.
111.43	Intersect lines 1-2 and 3-4 Survey No. 3310 Gold Cup and Gold Nugget lodes, at N. 17°54' E. 1.31 ft from Cor. Nos. 2 and 3
1500.00	To Cor. No. 4
	Not set as it falls on the face of a cliff where a permanent Cor. could not be established. Whence:- Witness corner to Cor. No. 4 bears S. 25°47' W. 27.57 ft.
	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - W. C. Live Boy 4-3565
	Thence from true corner point S. 25°47' W.
27.57	Witness Corner to Cor. No. 4, herebefore described -
84.71	Intersect line 2 -3 Survey No. 3310 Gold Nugget lode at S. 74°25'40" E. 1371.18 ft. from Cor. No. 3
256.19	To East end center

Feet	A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone scribed - E. E. C. LIVE BOY - 3565
327.52	Intersect line 1-2 Never Rest lode of this survey at S. 64°13' E. 159.07 ft. from Cor. No. 1
340.	Bed of dry gulch six feet wide runs Southwesterly
396.04	To Cor. No. 1 the place of beginning FALCON LODE Beginning at Cor. No. 1 On lines 3-4 and 2-3 Red Bird and Jumbo lodes of this survey. A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - FALCON - 1-3565. Whence:- The Cor. to Sec's 2-3-34 and 35 Ts. 18 and 19 N. R. 20 W. G. & S. R. M. bears S.36°19'50" E. 1280.83 ft. Thence N. 25°47' E.
130.90	To East end center On line 3-4 Red Bird lode of this survey A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - E. E. C. FALCON -3565
249.25	Cor. Nos. 3 and 4 Red Bird and Blue Bird lodes of this survey
288.10	West end center Blue Bird lode of this survey
313.13	Intersect line 2-3 Survey No. 3310 Iowa lode at S. 77°10' E. 181.0 ft. from Cor. No. 3
338.44	To Cor. No. 2 Identical with Cor. No. 3 Blue Bird lode of this survey hereinbefore described Thence N. 62°33' W.
1383.91	To Cor. No. 3 On line 1-2 Survey No. 3310 Washburn lode at N. 17°54' E. 344.09 ft. from Cor. No. 2, and identical with Cor. No. 4 Survey No. 3310 Iowa lode A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in

Feet	
	the ground with mound of earth and stone - scribed - IOWA - 4 - 3310 FALCON 3-3565 Whence Cor. No. 3 said Iowa lode brs. S 59° 11' 30" E. 12 11.58 ft. No bearing objects available.
	Thence S. 25° 47' W.
207.54	To West end center A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone - scribed - W. E. C. FALCON 3565
338.44	To Cor. No. 4 Identical with Cor. No. 3 - Jumbo lode of this survey hereinbefore described. Thence S. 62° 33' E.
47.07	Intersect line 1-2 Survey No. 3310, Washburn lode at N. 17° 54' E. 1.04 ft. from Cor. No. 2
200.	Bed of dry gulch 6 ft. wide runs Southwesterly
1383.91	To Cor. No. 1 the place of beginning Variation at all corners 14° 40' E. Lode Lines As near as can be determined from present developments the veins of the several lodes embraced in this survey extend from their respective discovery points as follows: NEVER REST lode, 40 ft. N. 64° 13' W. and 1460 ft. S. 64° 13' E. COMBINATION lode, 365 ft. N. 67° 56' W. and 1135 ft. S. 67° 56' E. LAZY BOY lode, 680 ft. N. 77° 49' W. and 656.34 ft. S. 77° 49' E. Red Bird lode, 880 ft. N. 64° 13' W. and 564.30 ft. S. 64° 13' E. CAMP/SITE lode, 1120. ft. N. 62° 33' W. and 280. ft. S. 62° 33' E JUMBO lode, 935 ft. N. 62° 33' W. and 565 ft. S. 62° 33' E. BLUE BIRD lode; 15 ft. N. 68° 13' W. and 1432.83 ft. S. 68° 13' E. COMBINATION FRACTION lode, 277.70 ft N. 63° 28' W. and ¹²²⁰ 1220 ft S. 63° 28' E LIVE BOY lode, 1245 ft. N. 77° 49' W. and 255 ft. S. 77° 49' E FALCON lode, 1360.91 ft N 62° 33' W. and 23 ft. S. 62° 33' E AREA Total Area NEVER REST lode 20.661 acres ✓ Total Area COMBINATION lode 20.618 acres ✓ Area in conflict with -

Feet		
	Tract "A" hereinafter described.	0.473 acres ✓
	Boundary cone lode unsurveyed	1.044 acres ✓
	Boundary cone lode unsurveyed	
	Exclusive of its conflict with	
	Tract "A" hereinafter described	0.571 acres ✓
	Total area Lazy Boy lode	17.891 acres ✓
	Area in conflict with	
	Combination lode of this survey	3.427 acres ✓
	Total area Red Bird lode	19.894 acres ✓
	Area in conflict with Boundary cone	
	lode (unsurveyed)	3.586 acres ✓
	Total area Campsite lode	6.360 acres ✓
	Area in conflict with	
	Boundary cone lode (unsurveyed)	0.025 acres ✓
	Western Eagle lode (unsurveyed)	1.974 acres ✓
	Total area Jumbo lode	20.294 acres ✓
	Area in conflict with	
	Survey No. 3310 Washburn lode	0.001 acres ✓
	Red Bird lode of this survey	0.824 acres ✓
	Total area Blue Bird lode	8.044 acres ✓
	Area in conflict with	
	Survey No. 3310 Iowa lode	0.050 acres ✓
	Survey No. 3310 Gold Cup lode	0.370 acres ✓
	Total area Combination Fraction lode	10.980 acres ✓
	Area in conflict with	
	Rosita lode (unsurveyed)	0.004 acres ✓
	Combination lode of this survey	3.497 acres ✓
	Total area Live Boy lode	13.256 acres ✓
	Area in conflict with	
	Survey No. 3310 Gold nugget lode	1.333 acres ✓
	Survey No. 3310 Gold Cup lode	0.002 acres ✓
	Never Rest lode of this survey	0.320 acres ✓

Total Area Falcon lode	10.748 acres
Area in conflict with	
Survey No. 3310 Iowa lode	1.179 acres
Survey No. 3310 Washburn lode	0.185 acres

The survey of each lode of this claim is identical with the respective locations as found staked upon the ground.

LOCATION

This survey is located in the N. $\frac{1}{2}$ Sec. 2 T. 18 N. R. 20 W., the S. E. $\frac{1}{4}$ Sec. 34 and S. $\frac{1}{2}$ Sec. 35 T. 19 N. R. 20 W. G. & S. R. M

ADJOINING CLAIMS

The adjoining and conflicting lode claims to this survey are as follows:-

On the North

Survey No. 3310 Iowa, Gold Cup, and Gold Nugget lodes.
Iowa Gold Mines Co. claimant

On the South

Louisa, Rosita, Western Eagle, ^{& Boundary Cone} lodes - unsurveyed -
claimant unknown

On the West

Survey No. 3310 Washburn lode, Iowa Gold Mines Co. claimant, and Cone View, Townsite and Jupiter lodes (unsurveyed) claimants unknown

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in this claim by the claimant or its grantors, is not less than FIVE HUNDRED DOLLARS for each lode claim - and that said improvements consist of--

On the NEVER REST lode -

No. 1 The discovery cut, the face of which is on the lode line at S. 64°13' E. 40 ft. from the West End Center, 4 ft. wide, 10 ft. face. Thence N. 40° E. 12 ft. to mouth, on a quartz vein in andesite.

Value, \$75.00

No. 2 A cut, the mouth of which bears from Cor. No. 1 S. 4° 05' W. 260 ft., 4 ft. wide, runs S. 4° W. 10 ft. to a 9 ft. face in mineralized andesite and quartz.

Value, \$75.00

No. 3 A shaft which bears from Cor. No. 1 S. 6°15' E. 302 ft., 4x6 ft., 3 ft. deep on a quartz vein in andesite.

Value, \$30.00

No. 4 A shaft which bears from Cor. No. 4, N. 88°30' E., 355 ft., 5x6 ft, 10 ft. deep, in andesite.

Value, \$80.00

An undivided 1/10 interest in improvement No. 7, Red Bird lode of this survey is accredited to this lode.

Value, \$1269.00

On COMBINATION lode -

No. 1 The discovery cut, the mouth of which is on the lode line at S. 67°56' E., 365 ft. from the West End Center, 4 ft. wide, runs S. 68° E. 15 ft. to a 10 ft. face, on a quartz vein in andesite.

Value, \$100.00

No. 2 A cut, the mouth of which bears from Cor. No. 4 N. 46°55', W. 693 ft., ^{4 ft.} wide, runs N. 26° E., 15 ft. to a 10 ft. face. At face of cut a tunnel 4x6 ft. runs N. 26° E., 10 ft. to face. All in mineralized andesite and quartz.

Value of cut
and tunnel \$200.00

No. 3 A cut, the mouth of which bears from Cor. No. 4 N. 30°05' W. 293 ft., 6 ft. wide, runs N. 35° E. 14 ft. to a 10-ft. face, in a quartz vein in andesite.

Value, \$80.00

An undivided 1/10 interest in improvement No. 7, Red Bird lode of this survey is accredited to this lode.

Value, \$1269.00

On LAZY BOY lode.

No. 1 The discovery cut, the face of which is on the lode line at S. 77°49' E. 680 ft. from the West End Center, 5 ft. wide, 12 ft. face, running S. 6° W. 13 ft. to mouth. At face of cut a tunnel, 4x6 ft. runs N. 6°, E. 11 ft. to face. All on quartz vein in andesite.

Value of cut

and tunnel \$200.00

No. 2 A shaft which bears from Cor. No. 2 S. 46°40' E. 614 ft., 4x6 ft., 60 ft. deep, on a quartz vein in andesite. At the bottom of shaft, a drift 4x6 ft. runs S. 85°40' E. 23ft. Thence S. 4°, W. 20 ft. Thence S. 87° E. 20 ft. to face.

Value of shaft and

drift \$1356.00

No. 3 A shaft which bears from Cor. No. 2, S. 22°05', W. 263 ft., 4x6 ft., 60 ft. deep, on a quartz vein in andesite. At the bottom of shaft a cross cut 4x6 ft. runs S. 22°, W. 10 ft. to face. Value of shaft and drift

\$1050.00

An undivided 1/10 interest in improvement No. 7, Red Bird lode of this survey, is accredited to this lode.

Value \$1269.00

On RED BIRD lode

No. 1 The discovery cut, the mouth of which is on the lode line at S. 64°13' E, 880 ft. from the West End Center, 4 ft. wide, runs S. 70°, E. 12 ft., to a 10-ft. face, on a quartz vein in andesite.

Value \$80.00

No. 2 A cut, the mouth of which bears from Cor. No. 1 N. 41°10', W. 690 ft., 4 ft. wide, running N. 65°, E. 16 ft. to a 10-ft. face. At face of cut a tunnel, 7x7 ft. runs S. 65°, E. 44ft. to face.

Value of cut and
tunnel \$700.00

No.3 A shaft, which bears from Cor. No. 1, N. 44°. W. 586 ft.. 4x7 ft., 8 ft. deep, in mineralized andesite.

Value \$80.00

No.4 A shaft which is on the lode line at N.64°13', W. 355 ft. from East End Center, 4x7 ft., 8 ft. deep. On a quartz vein in andesite.

Value \$80.00

No.5 A shaft, which bears from Cor. No. 1, N. 2°30', W. 325, 7x7 ft., 10 ft. deep, on a quartz vein in andesite.

Value \$75.00

No.6 A cut, the mouth of which bears from Cor. No. 2, S. 35°20', W. 268 ft., 4 ft. wide runs S. 65°, E. 25 ft. to a 10-ft. face, on a quartz vein in andesite.

Value \$125.00

No.7 A shaft, which bears from Cor. No.1 N.20°50', E. 112 ft., 4½x8½ ft. in the clear, 225 ft. deep, timbered. At the 200-ft level a cross cut, 5x7 ft. runs S. 20°, E. 20 ft. to Point 1. Thence East 20 ft. to Point 2. Thence North 24°, E. 121 ft. to Point 3. Thence North 25°28', E. 74 ft. to Point 4, and 159 ft. to face. At Point 4 a drift 5x7 ft. runs South 78°, E. 20 ft. to face, and N. 75°15', W. 166 ft., to Point 5. Thence N. 60°, W. 60 ft to face, on a quartz vein in andesite.

Value of shaft and 566

ft. of cross-cuts and drifts - \$12690.00

An individed 1/10 interest in this improvement is accredited to this lode.

Value \$1269.00

The surface of the ground in this group is very rugged, and this shaft, being centrally and accessibly located, is a practicable and feasible main working shaft, for the entire group, and by drifting and cross-cutting in every direction, toward and under all of the lodes, the entire group may be economically and advantageously developed, and ore extracted therefrom.

This improvement is, therefore, a common improvement for the benefit of each lode of this group, and a 1/10 undivided interest, of the total value of this improve-

ment, \$12690.00, is properly accredited to each lode of this claim.

On the CAMPSITE lode

No.1

The discovery cut, the mouth of which is on the lode line, at N. 62°33', W. 280 ft. from the East End Center, 4 ft. wide, runs S. 62°, E. 15 ft., to a 10-ft. face, in mineralized andesite and quartz.

Value \$100.00

An undivided 1/10 interest in improvement No. 7, Red Bird lode of this survey, is accredited to this lode,

Value \$1269.00

On the JUMBO lode

No.1

The discovery shaft, which is on the lode line at N. 62°33', W. 565 ft. from the East End Center, 4x6 ft., 10 ft. deep, on a quartz vein in andesite.

Value \$100.00

No.2

A cut, the mouth of which bears from Cor. No. 1, N. 9°25', W. 272 ft., 4 ft. wide, runs N. 28°, E. 12 ft. to an 8-ft. face in mineralized andesite.

Value \$ 75.00

No.3

A cut, the mouth of which bears from Cor. No. 3, S. 44°15', E. 684 ft., 4 ft. wide, runs N. 16°, E. 8 ft., to a 10-ft. face. At face of cut a tunnel, 4x6 ft. runs N. 16°, E. 9 ft. to face. On a quartz vein in andesite.

Value \$125.00

No.4

A cut, the mouth of which bears from Cor. No. 3, S. 34°10', E. 455 ft. 5 ft. wide extends N. 25° E. 12 ft. to an 8 ft. face, on a quartz vein in andesite.

Value \$ 75.00

An undivided 1/10 interest in Improvement No. 7 Red Bird lode of this survey is accredited to this lode.

Value \$1269.00

On the BLUE BIRD lode

No.1

The discovery cut the face of which is on the lode line

at S.68°13 E. 15 ft. from the West End Center. 6 ft. wide
10 ft. face, extends S.60° W. 12 ft. to mouth, in miner-
alized andesite and quartz.

Value \$ 75.00

An undivided 1/10 interest in Improvement No.7 Red Bird
lode of this survey, is accredited to this lode.

Value \$1269.00

On the COMBINATION FRACTION lode

No.1 The discovery cut the face of which is on the lode line
at S.63°28'E. 277.70 ft. from the West End Center, 4½ ft.
wide, 10 ft. face, extends N.30° E. 15 ft. to mouth on
a quartz vein in andesite.

Value \$ 80.00

An undivided 1/10 interest in Improvement No. 7 Red Bird
lode, of this survey, is accredited to this lode.

Value \$1269.00

On the LIVE BOY lode.

No.1 The discovery cut , the face of which is on the lode
line at N.77°49' W. 255 ft. from the East End Center
4½ ft. wide, 10 ft. face, extends S.10° E. 15 ft. to
mouth, in mineralized andesite and quartz.

Value \$75.00

An undivided 1/10 interest in Improvement No.7 Red Bird
lode of this survey, is accredited to this lode.

Value \$1269.00

On the FALCON lode.

No.1 The discovery cut , the face of which is on the lode line
at N.62°33' W. 23 ft from the East End Center, 5 ft. wide
10 ft. face, extends S.25 ° W. 16 ft. to mouth, on a
quartz vein in andesite.

Value \$85.00

An undivided 1/10 interest in Improvement No.7 Red
Bird lode of this survey, is accredited to this lode.

Value \$1269.00

OTHER IMPROVEMENTS

An Iron and Frame-Engineroom the S. W. Cor. of which bears from Cor. No.1.Lazy Boy lode, N.68° E. 70 ft. 20 x 40 ft. course of long side N.20° W.,belonging to claimant herein.

INSTRUMENT

This survey was made with a C.L.Berger and Sons No.2 Transit, The Courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT

All lines and ties in this survey were run upon the ground, and the courses and distances found to be as herein given.

The $\frac{1}{4}$ Cor. between Sec's. 2 and 35 T's. 18 and 19 N. R.20 W. G. and S.R. M. is a 1" iron pipe with a brass cap properly set and marked.

The $\frac{1}{4}$ Cor. between Sec s. 34 and 35 T.19 N. R.20 W. G. and S. R. M. is a 1" iron pipe with a brass cap, properly set and marked.

The Cor. to Sec's. 2 - 3 - 34 and 35 T's. 18 and 19 N. R. 20 W. G. and S.R. M. is a 2" iron pipe with a brass cap, properly set and marked.

As there were no intersections to be given in this survey, with the line between Sec's. 3 and 34 T's. 18 and 19 N. R.20 W. G. and S.R. M. no connection was run to the $\frac{1}{4}$ Cor. on said line.

Sur. No. 3310 Washburn, Iowa, Gold Cup and Gold Nugget lodes, All corners and end centers are redwood posts 4 ins. sq. properly set and marked.

Rosita, Louisa, Boundary Cone and Western Eagle lodes. All corners and end centers are small stakes set in mounds of stone properly marked.

TRACT "A"

That portion of the conflict between the Combination lode of this survey and the Boundary Cone lode (unsurveyed) which is to be excluded from the net area of the Combination lode, is bounded and described as follow :-

Beginning at Cor. No. 1 Combination lode, of this survey, Whence :- The N.E. Cor. Boundary Cone lode (unsurveyed) bears N.47°57'40"E. 373.47 ft.

Thence N. 25°47'E. 174.59 ft. Thence S.63°28'E. 127.73 ft. to a point on the East End line Boundary Cone lode, (unsurveyed) at S.30°10'W. 173.43 ft. from the N.E. Cor. Thence S. 30°10'W. 165.93 ft. Thence N.67°56' W. 115.28 ft. to the place of beginning.

Containing 0.473 Acres.

Note :-

The disagreements between these field notes and the the location certificates are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Lazy Boy Gold Mines Company

Never Rest, Combination, Lazy Boy, Red Bird, Camp Site, Jumbo, known as the Blue Bird, Combination Fraction, Live Boy and Falcon lodes.

and showing the respective capacities in which they acted.

D. Hulsbusch, Chainman.

Chainman.

Aceman.

Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, D. Hulsbusch

and _____, do solemnly swear that we assisted

Edward L. Haff, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Lazy Boy Gold Mines Company

Known as the Never Rest, Combination, Lazy Boy, Red Bird, Camp Site, Jumbo, Blue Bird, Combination Fraction, Live Boy and Falcon lodes.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

D. Hulsbusch Chainman.

Chainman.

Aceman.

Flagman

Subscribed and sworn to by the above-named persons before me this 25th

day of February, 1919

Joseph Sheffield
Notary Public

in and for Mohave County
State of Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edward L. Haff, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
January 10 - 1919, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Lazy Boy Gold Lines Company
Known as the Never Rest, Combination, Lazy Boy, Red Bird, known as the
Camp Site, Jumbo, Blue Bird, Combination Fraction, Live Boy and
situate in Falcon lodes. San Francisco Mining District,
Mohave County, Arizona, in Sections S
2-34 and 35, Township No. 18 and 19 Range No. 20 W. G. and S.R. M.
and designated as Survey No. 3565, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Edward L. Haff
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff
U. S. Mineral Surveyor, before me a Notary Public in &
for County of Los Angeles, State of Calif this 10th
day of April, 1919

Miranda W. Oels

My Commission Expires Sep. 24, 1919

NOTARY PUBLIC
In and for the County of Los Angeles, State of California

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 17, 1919.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of LAZY BOY GOLD MINES COMPANY known as the NEVER REST, COMBINATION, LAZY BOY, RED BIRD, CAMP SITE, JUMBO, BLUE BIRD, COMBINATION FRACTION, LIVE BOY and FALCON lodes, situate in SAN FRANCISCO, Mining District, MOHAVE County, ARIZONA, in Sections 2-34 & 35, Township No. 18 & 19 N., Range No. 20 W., and designated as Survey No. 7565, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of said mining claims by claimant or its grantors, and that said improvements consist of 9 shafts, 17 cuts, 4 tunnels, 2 crosscuts and 22 drifts, total value \$17,865.

As improvement No. 7 on the Red Bird lode is a common improvement for the benefit and development of the ten lodes in this survey, an undivided one-tenth interest therein, value \$1269, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 17, 1919.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

LAZY BOY GOLD MINES COMPANY known as the NEVER BEST, COMBINATION, LAZY BOY, RED BIRD, CAMP SITE, JUMBO, BLUE BIRD, COMBINATION FRACTION, LIVE BOY and FALCON Lodes

situate in SAN FRANCISCO, mining district, MOHAVE County, ARIZONA,

in Sections 2-34 & 35, Township Nos 18 & 19 N., Range No. 20 W., designated as Survey No. 3565

executed by Edward L. Huff, United States Mineral Surveyor, January 15-30, 1919, under my instructions dated January 10, 1919, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Handwritten signature of the Surveyor-General

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3565
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Never Rest, Combination, Combination Fraction, Lazy Boy, Jumbo, Red Bird, Camp Site, Blue Bird, Live Boy, and Falcon lodes, Mineral Survey No. 3565, located in sections 2, 34 and 35, Townships 18 and 19 North, Range 20 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Never Rest, Combination, Combination Fraction, Lazy Boy, Jumbo, Red Bird, Camp Site, Blue Bird, Live Boy, and Falcon lodes, M.S. 3565, were canceled February 7, 2007, by memo 9605 (956) M.S. 3565, which is now a part of the original field notes."

February 7, 2007
Date

Stephen H. Hansen
Chief Cadastral Surveyor of Arizona