

MINERAL SURVEY No. 3572

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Robert Sasse

KNOWN AS THE

GOLDON, DOBE NO. 2, REX, OLD BILL and OLD BOB Lodes

Tombstone Mining District,

Cochise County, Arizona

Sections 36, 1, 6, Township 20 S, 21 S, 21 S, Range 21 E, 21 E, 22 E

Surveyed under instructions dated February 25, 1919

by Ralph L. Motz U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced March 17, 1919

Survey completed March 25, 1919

Address of claimant's Attorneys - Ellinwood & Ross, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

MINERAL SURVEY NO. 3572

Claims	M & B Desc.	Improvements	Loc. Notices
Dobe No. 2	Pg. 7	Pg. 11	<u>Red Pg.</u> 2
Goldon	2	10	1
Old Bill	1	9	4
Old Bob	4	10	5
Rex	6	10	3

MINERAL SURVEY NO. 3572

OLD BILL lode

Beginning at Cor. No. 1, the N. E. Cor., identical with location, a pine post 4 ft. long 4 ins. square set 18 ins. in the ground in a mound of stones and scribed 1-3572 O Bi, whence the Cor. of Secs. 36, T 20 S, R 21 E and 31, T 20 S, R 22 E, G & S R B & M brs N 0° 58' E 331.8 ft.

thence S 47° 39' W

1014.2 intersect east end line of Sur. No. 261 Richmond lode at N 30° 47' W 13.0 ft. from the SE Cor. and S 30° 47' E 585.7 ft. from the N E Cor.

1087.1 intersect south side line of Sur. No. 261 Richmond lode at S 57° 55' W 71.5 ft. from the S E Cor. and N 57° 55' E 1424.1 ft. from the S W Cor.

1500.0 to Cor. No. 2, the S. E. Cor., identical with location, and situated on line 3-4 Rex lode this survey, a pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 2-3572 O Bi, no bearings available.

thence N 31° 00' W

11.9 to Cors. 3 and 4 of Rex and Old Bob lodes this survey respectively

73.5 intersect south side line of Sur. No. 261 Richmond lode at S 57° 55' W 476.4 ft. from the SE Cor. and N 57° 55' E 1019.2 ft. from the SW Cor.

305.95 to original location for the southwest end center being a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed SW E Ct O Bi 3572

311.9 to northeast end center Old Bob lode this survey

435.9 cross gulch, course ~~easterly~~ and westerly

611.9 to Cor. No. 3, the S W Cor., identical with location and with Cor No 3 Old Bob lode this survey and situated on line 3-4 Goldon lode this survey, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-3572 O Bi, no bearings available.

thence N 47° 39' E

286.4 intersect line 2-3 Goldon lode this survey at S 32° 08' E 546.1 ft. from Cor. No. 2 and N 32° 08' W 53.9 ft. from

- Cor. No. 3.
 341.5 intersect ^{north side} line of Sur. No. 261 Richmond lode at
 N 58° 07' E 1343.6 ft. from the NW Cor. and S 58° 07' W
 143.8 ft. from the NE Cor.
- 1212.1 intersect north line of Sec. 6, T 21 S, R 22 E and the
 south line of Sec. 36, T 20 S, R 21 E at N 89° 52' E
 2181.3 ft. from the S 1/4 Cor. of Sec. 36, T 20 S, R 21 E
 and S 89° 52' W 533.5 ft. from the South Cor. of Secs. 36,
 T 20 S, R 21 E and 31, T 20 S, R 22 E.
- 1500.0 To Cor. No. 4, the N.W. Cor., identical with location, a
 pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground
 in a mound of stones and scribed 4-3572 O Bi, no bearings
 available
 thence S 31° 00' E
- 195.0 cross gulch, course ~~northeasterly and~~ southwesterly
- 225.4 intersect south line of Sec. 36, T 20 S, R 21 E and the
 north line of Sec. 6, T 21 S, R 22 E at S 89° 52' W 204.6
 ft. from the South Cor. of Secs. 36, T 20 S, R 21 E and
 31, T 20 S, R 22 E and N 89° 52' E 2510.2 ft. from the
 S 1/4 Cor. of Sec. 36, T 20 S, R 21 E
- 305.95 to original location for the northeast end center being a
 pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground
 in a mound of stones and scribed NE E Ct O Bi 3572
- 611.9 to Cor. No. 1, the place of the beginning.
-
- GOLDON lode.
- Beginning at Cor. No. 1, the N.W. Cor., identical with loc-
 ation and with Cor. No. 1 Dobe No. 2 lode this survey, a
 pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground
 in a mound of stones and scribed 1-3572 G whence the S 1/4
 Cor. of Sec. 36, T 20 S, R 21 E, G & S R B & M brs N 3°
 47' E 956.6 ft.
- thence N 57° 51' E
- 96.8 to S E Cor. Cross lode unsurveyed
- 592.4 intersect ^{south side} line of Sur. No. 262 Mc Clellen lode at
 N 65° 40' E 596.8 ft. from the S W Cor. and S 65° 40' W

MINERAL SURVEY NO. 3572 (Con't)

592.6 ft. from the S E Cor. -

884.0 Cross Fairbanks-Bisbee Road, course southeasterly and northwesterly

1192.0 intersect ~~east~~ ^{west} end line of Sur. No. 262 Mc Clellan lode at N 23° 12' W 81.6 ft. from the S.E. Cor. and S 23° 12' E 520.7 ft. from the N.E. Cor.

1480.0 cross gulch, course ~~northerly~~ and southerly

1500.0 to Cor. No. 2, the N E Cor., identical with location a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 2-3572 G whence the S E Cor. of Sur. No. 262 Mc Clellan lode brs S 45° 45' W 330.7 ft.

thence S 32° 08' E

300.0 to original location for the northeast end center being a mound of stones 3 ft. high with 3 ft. base.

north side-

536.1 intersect ~~line~~ line of Sur. No. 261 Richmond lode at N 58° 07' E 1289.4 ft. from the N W Cor. ~~and S 58° 07' W 198.0 ft. from the N E Cor.~~

546.1 intersect line 3-4 Old Bill lode this survey, at N.47°39' E. 286.4 ft. from Cor. No. 3.

600.0 to Cor. No. 3, the S.E. Cor., identical with location, a pipe post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-3572 G, whence the N E Cor. of Sur. No. 261 Richmond lode brs N 40° 12' E 207.8 ft.

thence S 58° 30' W

281.9 to Cors. 3 and 3 of Old Bob and Old Bill lodes this survey respectively

416.0 cross gulch, course ~~northerly~~ and southerly

637.0 cross Fairbanks-Bisbee road, course northerly and southerly

1291.5 intersect ~~line~~ ^{west end} line of Sur. No. 261 Richmond lode at S 30° 01' E 55.3 ft. from the N W Cor.-and N 30° 01' W 548.9 ft. from the S W Cor.

1500.0 to Cor. No. 4, the S W Cor., identical with location and with Cor. No. 2 Dobe No. 2 lode this survey and situated on line 2-3 Old Bob lode this survey, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of

stones and scribed 4-3572 G whence the N E Cor. of Sur. No. 260 Buena Vista lode brs N $78^{\circ} 58'$ W 238.9 ft. and the N W Cor. of Sur. No. 261 Richmond lode brs N $43^{\circ} 45'$ E 217.1 ft.

thence N $32^{\circ} 08'$ W

300.0 along line 2-1 Dobe No 2 lode this survey to original location for the southwest end center, identical with the northeast end center Dobe No. 2 lode this survey, being a mound of stones 3 ft. high with 3 ft. base
582.8 to Cor. No. 1, the place of the beginning.

OLD BOB lode.

Beginning at Cor. No. 1, the S. E. Cor., identical with location a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 1-3572 O Bo, whence an andesite rock 18 x 24 x 9 ins above ground chiseled BR x 1-3572 brs N $29^{\circ} 42'$ E 23.0 ft. and a second andesite rock 16 x 19 x 9 ins. above ground with like chiseling brs N $85^{\circ} 22'$ W 14.1 ft. and the 1/4 Cor. between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E, G & S R B & M brs S $32^{\circ} 32'$ W 1158.9 ft.

thence N $31^{\circ} 00'$ W

147.7 intersect south sideline of Sur. No. 260 Buena Vista lode at S $51^{\circ} 45'$ W 188.1 ft. from the S E Cor. and N $51^{\circ} 45'$ E 1318.1 ft. from the S W Cor.

300.0 to original location for the southwest end center being a mound of stones 3 ft. high with 3 ft. base

511.4 to witness corner for Cor. No. 2, being a pine post 4 ft. long 4 ins. sq set 18 ins. in the ground in a mound of stones and scribed WIT. COR. 2-3572 O BOB

593.6 intersect line 2-3 Dobe No. 2 lode this survey, at $5.57^{\circ} 12'$ W. 282 ft. from Cor. No. 2.

600.0 to ^{point for} Cor. No. 2, the S W Cor. being situated in center of gulch, Witness corner, hereafter described, brs N. $58^{\circ} 30'$ E. 27.1 ft.

thence N $58^{\circ} 30'$ E

27.1 to witness corner for Cor. No. 2, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones

MINERAL SURVEY NO. 3572 (Con't)

- and scribed WIT. COR. 2-3572 O BOB
- 126.9 intersect ~~east-end~~ line of Sur. No. 260 Buena Vista lode at S $38^{\circ} 55'$ E 162.9 ft. from the N E Cor. and N $38^{\circ} 55'$ W 433.8 ft. from the S E Cor.
- 281.9 to Cors. 2 and 4 of Dobe No. 2 and Goldon lodes this survey respectively
- 490.4 intersect ~~west-end~~ line of Sur. No. 261 Richmond lode at S $30^{\circ} 01'$ E 55.3 ft. from the N. W. Cor. and N $30^{\circ} 01'$ W 548.9 ft. from the S W Cor.
- 1144.9 cross Fairbanks-Bisbee road, course northerly and southerly
- 1365.9 cross gulch, course ~~northerly~~ and southerly
- 1500.0 to Cor. No. 3, the N W Cor., identical with location and with Cor. No. 3, Old Bill lode this survey heretofore described to which I add 3-3572 O Bo for this claim.
- thence S $31^{\circ} 00'$ E
- 176.0 along line 3-2 Old Bill lode this survey cross gulch, course ~~easterly~~ and westerly
- 300.0 to original location for the northeast end center, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed NE E Ct O Bo 3572
- 305.95 to southwest end center Old Bill lode this survey
- 538.4 intersect ~~south side~~ line of Sur. No. 261 Richmond lode at N $57^{\circ} 55'$ E 1019.2 ft. from the S W Cor. and S $57^{\circ} 55'$ W 476.4 ft. from the S E Cor.
- 600.0 to Cor. No. 4, the N E Cor., identical with location and with Cor. No. 3 Rex lode this survey and situated on line 2-3 Old Bill lode this survey, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 4-3572 O Bo, no bearings available.
- thence S $58^{\circ} 30'$ W
- 316.0 cross Fairbanks-Bisbee road, course easterly and westerly
- 561.0 cross gulch, course northwesterly and southeasterly
- 792.0 cross gulch, course northerly and southerly
- 1250.0 to Cor. No. 2 Rex lode this survey
- 1500.0 to Cor. No. 1, place of the beginning.

REX lode.

Beginning at Cor. NO. 1, the S E Cor., identical with location, a pine post 4 ft. long 4 ins. sq set 18 ins. in the ground in a mound of stones and scribed 1-3572 R whence the 1/4 Cor. between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E, G & S R B & M brs S 45° 29' W 1324.1 ft.

thence N 31° 00' W

139.0 to original location for south end center being a mound of stones 3 ft. high with 3 ft. base.

209.0 to Cor. No. 2, the S W Cor., identical with location and situated on line 4-1 Old Bob lode this survey, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 2-3572 R, no bearings available

thence N 58° 30' E

458.0 cross gulch course northerly ~~and southerly~~

689.0 cross gulch, course northwesterly ~~and southeasterly~~

934.0 cross Fairbanks-Bisbee road, course easterly and westerly

1250.0 to Cor. No. 3, the N W Cor., identical with location and with Cor. No. 4 Old Bob lode this survey, heretofore described to which I add 3-3572 R for this claim

thence S 31° 00' E

11.9 to Cor. No. 2, Old Bill lode this survey

70.0 to original location for the north end center being a mound of stones 3 ft. high with 3 ft. base.

234.0 to Cor. No. 4, the N E Cor., identical with location, a pine post 4 ft. long 4 ins sq. set 18 ins. in the ground in a mound of stones and scribed 4-3572 R, no bearings available

thence S 59° 39' W

161.0 cross Fairbanks-Bisbee road, course northwesterly and southeasterly

524.0 cross gulch, course northwesterly ~~and southeasterly~~

773.0 cross gulch, course northwesterly ~~and southeasterly~~

1250.0 to Cor. No. 1, the place of the beginning.

MINERAL SURVEY NO. 3572 (Con't)

DOBE NO. 2 lode.

Beginning at Cor. No. 1, the N W Cor., identical with location and with Cor. No. 1 Goldon lode this survey heretofore described to which I add 1-3572 D 2 for this claim. The S E Cor. of Gen. No. 222 Bronkow 1st East'ly Ext'n lode brs S 30° 48' W 608.1 ft. and the S 1/4 Cor. of Sec. 36, T 20 S, R 21 E, G & S R B & M brs N 3° 47' E 956.6 ft.

thence S 32° 08' E

282.8 along line 1-4 Goldon lode this survey to original location for the northeast end center identical with the southwest end center Goldon lode this survey heretofore described

582.8 to Cor. No. 2, the N E Cor., identical with location and with Cor. No. 4 Goldon lode this survey heretofore described to which I add 2-3572 D 2 for this claim

thence S 57° 12' W

154.6 intersect east end line of Sur. No. 260 Buena Vista lode at S 38° 55' E 166.4 ft. from the N E Cor. and N 38° 55' W 430.3 ft. from the S E Cor. ~~The intersection of the NE-SE line of Sur. No. 260 Buena Vista lode and Line 2-3 Old Bob lode this survey brs N 38° 55' W 3.5 ft. from this point.~~

275.0 cross gulch, course ~~easterly and westerly~~

282.0 intersect line 1-2 Old Bob lode this survey at S 31° 00' E 6.4 ft. from Cor. No. 2

659.7 intersect line between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E at South 1817.2 ft from the north Cor. of Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E and North 1281.1 ft. from the 1/4 Cor. between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E

1010.0 cross gulch, course ~~northerly and southerly~~

1500.0 to Cor No 3, the S E Cor., identical with location and with the S E Cor. Thistle lode unsurveyed, a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-3572 D 2, no bearings available

36.9 intersect ~~north~~ ~~side~~ ~~line~~ of Sur. No. 260 Buena Vista lode at S 51° 40' W 1333.5 ft from the NE Cor.

- 300.0 to original location for southwest end center being a mound of stones 3 ft. high with 3 ft. base
- 473.8 intersect ~~south~~ side line of Gen. No. 222 Bronkow 1st East'ly Ext'n lode at S 66° 46' W 970.2 ft. from the S E Cor. and N 66° 46' E 529.0 ft. from the S W Cor.
- 565.0 cross gulch, course ~~northeasterly and~~ southwesterly
- 600.0 to Cor No. 4, the S. W. Cor., identical with location and with the N E and S W Cors. of Thistle and Mud Hen lodes unsurveyed respectively, a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 4-3572 D 2, no bearings available
- thence N 57° 51' E
- 237.0 cross gulch, course ~~northeasterly and~~ southwesterly
- 639.0 cross same gulch, course ~~northwesterly and southeasterly~~
- 996.8 to S E and S W Cors. of the Mud Hen and Cross lodes unsurveyed respectively, also intersect ~~east~~ end line of Gen. No. 222 Bronkow 1st East'ly Ext'n lode at N 24° 15' W 279.2 ft. from the S E Cor. and S 24° 15' E 328.9 ft. from the N E Cor.
- 1211.2 intersect line between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E at South 1120.0 ft. from the north Cor. of Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E and North 1978.3 ft. from the 1/4 Cor. between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E
- 1500.0 to Cor. No. 1, place of the beginning.

LODE LINES.

OLD BILL:- The presumed course of the vein on this claim is from the northeast end center S 47° 39' W 1500.0 ft.

GOLDON:- The presumed course of the vein on this claim is from the southwest end center N 58° 30' E 1500.0 ft.

OLD BOB:- The presumed course of the vein on this claim is from the northeast end center S 58° 30' W 1500.0 ft.

REX:- The presumed course of the vein on this claim is from the north end center S 58° 30' W 1250.0 ft.

DOBE NO. 2:- The presumed course of the vein on this claim is from the southwest end center N 57° 12' E

MINERAL SURVEY NO. 3572 (Con't)

1500.0 ft.

AREAS

Old Bill lode - total area - - - - - 20.659 A

Area in conflict with

Sur. No. 261 Richmond lode - - 6.322 A

Goldon lode - total area - - - - - 20.364 A

Area in conflict with

Sur. No. 261 Richmond lode - - 1.765 A

Sur. No. 261 Richmond lode
exclusive of its conflict
with Old Bill lode this
survey - - - - - 1.591 A

Sur. No. 262 Mc Clellan lode - 0.555 A

Old Bill lode this survey - - - 0.174 A

Old Bob lode - total area - - - - - 20.660 A

Area in conflict with

Sur. No. 260 Buena Vista lode - 1.595 A

Sur. No. 261 Richmond lode - - 12.656 A

Rex lode - total area - - - - - 6.356 A

Dobe No. 2 lode - total area - - - - - 20.364 A

Area in conflict with

Gen. No. 222 Bronkow 1st East'ly
Ext'n lode - - - - - 4.553 A

Sur. No. 260 Buena Vista lode - 3.117 A

Sur. No. 260 Buena Vista lode
exclusive of its conflict
with Old Bob lode this
survey - - - - - 3.103 A

Old Bob lode this survey - - - 0.021 A

LOCATION

This survey is located in the Tombstone Mining District,
Cochise County, Arizona, in Secs. 36, T 20 S, R 21 E; 1,
T 21 S, R 21 E and 6, T 21 S, R 22 E, G & S R B & M.

IMPROVEMENTS

I hereby certify that the value of the labor and im-
provements made upon the claims of this survey by the
claimant or his grantors was at the time of survey as
follows:-

OLD BILL lode.

No. 1 Discovery shaft 4 1/2 x 6 x 8 ft deep brs from southwest
end center on lode line 19.0 ft. Value - - - - \$ 50.00

a 1/5 interest in Improvement No. 2 Old Bob lode this survey allotted to this claim - - - - - \$ 118.00

Total Value - - - - - \$ 168.00

OLD BOB lode

No. 1 Discovery shaft 5 $\frac{1}{2}$ x 8 x 8 ft deep, 2' compartments, timbered for 5 feet, brs. from northeast end center on lode line 17 ft. Value - - - - - \$ 160.00

No. 2 Shaft 5 x 7 x 22 feet deep at bottom of No. 1 shaft. at bottom of shaft is drift 4 x 6 x 15 ft long brg S 52° W. This shaft has been located and is being sunk at the most practicablē and feasible point fbr a main working shaft for the group, as by drifting and crosscutting therefrom in different directions toward̄s the several claims of this group, the entire group will be most advantageously developed. From a practical mining standpoint this improvement tends to promote the development of each claim of the group, therefore a 1/5 interest in this improvement has been allotted to each of the 5 claims of this group. Value of shaft and drift \$590.00. A 1/5 interest allotted to this claim - - - - - \$ 118.00

No. 3 Open cut 4 x 5 x 9 ft. long brg. N 52° E, shaft at face 5 x 6 x 7 ft. deep, mouth of open cut brs. from northeast end center S 52° W 149.0 ft. Value - - - - - \$ 75.00

Total Value - - - - - \$ 353.00

GOLDON lode

No. 1 Discovery shaft 4 x 6 x 8 ft. deep brs. from southwest end center on lode line 175.0 ft. Value - - - - - \$ 60.00

No. 2 Shaft 4 x 6 x 8 ft. deep brs. from southwest end center N 38° 05' E 200.0 ft. Value - - - - - \$ 60.00

a 1/5 interest in Improvement No. 2 Old Bob lode this survey allotted to this claim - - - - - \$ 118.00

Total Value - \$ 238.00

REX lode

No. 1 Discovery shaft 4 x 6 x 8 ft. deep brs from north end center on lode line 700 ft. Value - - - - - \$ 50.00

MINERAL SURVEY NO. 3572 (Con't)

a 1/5 interest in Improvement No. 2 Old Bob lode this survey allotted to this claim - - - - - \$ 118.00
 Total Value - - - - - \$ 168.00

DOBE NO. 2 lode

- No. 1 Discovery shaft 4 x 6 x 8 ft. deep brs. from southwest end center on lode line 175.0 ft Value - - - - - \$ 50.00
 - No. 2 Shaft 4 x 6 x 18 ft deep, 8 feet of this is new work, brs from point on line 2-3 N 57° 12' E 625.6 ft from Cor. No. 3 N 15° 20' E 415.0 ft. Value of 8 ft. - \$ 75.00
- a 1/5 interest in Improvement No. 2 Old Bob lode this survey allotted to this claim - - - - - \$ 118.00
 Total Value - - - - - \$ 243.00

OTHER IMPROVEMENTS

OLD BILL lode

Shaft 4 x 6 x 8 ft. deep brs. from Cor. No. 1 West 86.0 ft.

GOLDON lode

Shaft 4 x 6 x 8 ft deep brs from Cor. No. 1 N 65° 29' E 495.0 ft.

Shaft 4 x 6 x 8 ft. deep brs from Cor. No. 1 N 77° 02' E 276.0 ft.

OLD BOB lode

Shaft 5 x 7 x 20 ft deep brs from point on line 4-1 S 58° 30' W 316.0 ft from Cor No 4 N 51° W 285.0 ft.

DOBE NO. 2 lode

Adobe house 20 x 49 ft. long, long side brg N 27° E, N W Cor. of which brs from point on line 4-1 N 57° 51' E 490.0 ft from Cor. No. 4, S 30° 20' E 128.0 ft.

Shaft 7 x 10 x 9 ft. deep brs from southwest end center on lode line 83.0 ft.

Shaft 4 x 6 x 10 ft. deep brs from notheast end center N 89° 32' W 245.0 ft.

Shaft 5 x 7 x 20 ft. deep brs from northeast end center N 86° 34' W 94.0 ft.

INSTRUMENT

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by a solar observation. The distances were measured with 100 and 300 foot steel tapes. Magnetic Variation 13° East at all corners.

ADJOINING CLAIMS

North Gen. No. 222, Bronkow 1st East'ly Ext'n lode.
 Sur. No. 262 Mc Clellan Lode
 Mud Hen, Cross and Red Bird No 3 lodes, all unsurveyed, owned by J. W. Ettlenger and Robert Sasse

South Spring Claim No 3 lode, unsurveyed, owned by H. G. Southard
 Peg Leg lode unsurveyed owned by W. E. Hankin
 Sur. No. 260 Buena Vista lode.

West Sur. No. 260 Buena Vista lode
 Peg Leg lode unsurveyed owned by W. E. Hankin
 Thistle lode unsurveyed owned by John FitzPatrick

This survey embraces practically all of Sur. No. 261, Richmond lode.

REPORT.

North Cor. of Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E is a limestone rock 6 x 9 x 8 ins above ground, chiseled llllll on east, south and west faces. Monument of rocks 2 ft. south.

S 1/4 Cor. of Sec. 36, T 20 S, R 21 E is an andesite rock 6 x 9 x 8 ins above ground chiseled SC 1/4 36 on north face. Monument of rocks 2 ft. north.

South Cor. of Secs. 36, T 20 S, R 21 E and 31, T 20 S, R 22 E is a quartzite rock 6 x 8 x 9 ins above ground, chiseled llllll on west, north and east faces also SC on north face. Monument of rocks 3 ft. north.

1/4 Cor. between Secs. 1, T 21 S, R 21 E and 6, T 21 S, R 22 E is a lava rock 7 x 12 x 11 ins. above ground chiseled 6 on east face, 1/4 1 on west face. Monument of rocks 2 ft. west.

Gen. No. 222 Bronkow 1st East'ly Ext'n lode - all corners are monuments of rocks. posts missing.

Sur. No. 260 Buena Vista lode- all corners are monuments

MINERAL SURVEY NO. 3572 (Con't)

of rocks, posts missing.

Sur. No. 261 Richmond lode - all corners are monuments of rocks posts missing.

Sur. No. 262 Mc Clellan lode - all corners are monuments of rocks posts missing.

Note:- Affidavit of five hundred dollars improvements for each claim of this survey will be furnished prior to the expiration of the period of publication of the notice of application for patent.

Ralph L. Mott

U.S. Mineral Surveyor.

Dated at:-

Bisbee, Arizona.

March 31st, 1919.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

Robert Sasse

known as the Goldon, Dobe No. 2, Rex, Old Bill and Old Bob Lodes

and showing the respective capacities in which they acted.

Norman Bigelow _____, *Chainman.*

_____, *Chainman.*

_____, *Acman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Norman Bigelow

~~and~~ _____, do solemnly swear that ~~we~~ ^I assisted Ralph L.

Motz _____, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Robert Sasse

known as the Goldon, Dobe No. 2, Rex, Old Bill and Old Bob lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Norman Bigelow _____, *Chainman.*

_____, *Chainman.*

_____, *Acman.*

_____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 31st

day of March _____, 19 19

Charles Woods

Notary Public, in and for

6-1048

the County of Cochise, State of Arizona.

My commission expires May 23rd 1921.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 25, 1919, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Robert Sasse, known as the GOLDON, DOBE NO. 2, REX, OLD BILL and OLD BOB Lodes, situate in Tombstone Mining District, Cochise County, Arizona, in Section 36, Township No. 20 S, Range No. 21 E, G & S R B & M, and designated as Survey No. 21 S, 22 E, 3572, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods, Notary Public
this 31st
day of March, 1919

Charles R. Woods

Notary Public, in and for the County
of Cochise, State of Arizona.
My commission expires May 23rd, 1921.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 21, 1919.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ROBERT SASSE

known as the GOLDON, DOBE NO. 2, REX, OLD BILL and OLD BOB Lodes situate in TOMBSTONE

Mining District, COCHISE County, ARIZONA, in Section S 36 1, Township No. 20 S., 21 S., Range No. 21 E., 21 E., 6 21 S., 22 E., designated as Survey No. 3572, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

less than And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or his grantors, and that said improvements consist of, at time of survey, 1 cut and 9 shafts, total value \$1170.

As improvement No. 2 on the Old Bob lode is a common improvement for the benefit and development of all of the claims in this survey, an undivided one-fifth interest therein, value \$118, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott.

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

July 21, 1919

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

ROBERT SASSE,

known as the

GOLDON, DOBE NO. 2, REX, OLD BILL and OLD BOB Lodes,

situate in TOMBSTONE, mining district,

COCHISE County, ARIZONA,

in Sections 36, 1, 6, Township No. 20 S., 21 S., 21 S., Range No. 21 E., 22 E.,

designated as Survey No. 5572

executed by RALPH L. MOTZ, U. S. Mineral

Surveyor, March 17-25, 1919, under my instructions dated

February 25, 1919, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

Handwritten signature of Frank P. Frost

U. S. Surveyor General for Arizona.