

Feb. 27, 1920.

4-683

Mar. 24, 1920.

MINERAL SURVEY No. 3655

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Sheldon Mining Company

KNOWN AS THE

Mid Night Snap Lode

Walker

Mining District,

Yavapai

County, Arizona

Section 20, Township 12 1/2 N., Range 1 W. unsurveyed

Surveyed under instructions dated Jan. 24, 1920.

by Richard L. Merritt, U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced February 16, 19 20

Survey completed February 19, 19 20

Address of claimant Robert E. Morrison, Atty., Prescott, Arizona.

DATES OF AMENDED LOCATIONS.

[Empty lines for amended locations]

Mineral Survey No. 3655

1

Midnight Snap lode

Feet. Beginning at corner No. 1, identical with the location and with Cor. No. 1 White House lode of Survey No. 2360, and Cor. No. 4 of Midnight Snap lode Survey No. 2360. A Granite stone 6x6x12 inches above the ground with mound of stones, chiseled X-M S-4-2360, W H-1-2360 on the sides facing these lodes, I chiselled M S -1-3655 on the side facing this lode. Whence the S.E. Cor. to sec. 32, T 13 N, R 1 W, bears N44°43'E -3040.1 feet. A Pine tree 8 inches in diam. blazed and scribed X-B.T.-M S -1-3655 bears S36°33'E -18.3 ft. A Pine tree 36 ins. diam. blazed and scribed X-B.T.-1-M S-3655 bears S49°02'W -26.9 ft. Location Cor. a mound of stones 3x3 feet.

Thence N43°12'W Va. 14°E

145.0 To the North Center End, a mound of stones 3x3 ft. identical with the location.

184.6 To Cor. No. 4, Survey No. 1174, Homestead lode.

332.1 To Cor. No. 2, identical with the location, and with Cor. No. 1 Sur. No. 2360 Midnight Snap lode. A Granite stone 10x12x12 ins. above the ground, with mound of stones, chiselled X-M S-1-2360, I chiselled M S-2-3655 on the side facing this lode. Whence a Pine tree 12 ins. diam. blazed and scribed X-B T-M S-2-3655, bears N69°15'E -13.3 ft. A Pine tree 10 ins. diam. blazed and scribed X-B.T.-M S-2-3655 bears S16°12'E -7.8 ft. Location Cor. a mound of stones 3x3 ft.

Thence S52°43'W Va. 14°E

450.0 Cross wash, 20-ft. wide course east.

610.21 X-Intersect line 5-1, Sur. No. 3287, First North Extension of the Capitol lode, at N50°30'W -90.73 ft. from Cor. No. 1

900.0 To the west side center monument, a mound of stones 2x2 ft. identical with the location.

1265.00 To Cor. No. 3, identical with the location and with Cor. No. 2, Sur. No. 2360 Midnight Snap lode. A Granite

Feet

stone 6x12x13 ins. above the ground with mound of stones chiselled X-M S -2-2360, I chiselled M S -3 -3655 on the side facing this lode. Whence an Oak tree 11 ins. diam. blazed and scribed X-B T-M S 3-3655 bears N86°05'E -15.7 ft. A Pine tree 6 inches in diam. blazed and scribed X-B T -M S 3 -3655 bears S11°18'E -21.7 ft. Cor. No. 1 Sur. No. 1173 Eureka lode bears N67°46'W -27.0 ft. Cor. No.1 Sur. No.3287 First North Extension of the Capitol lode bears N60°10'E -681.29 ft. Location Cor. a mound of stones 3x3 ft.

91.33 Thence S43°12'E Va.14°E Intersect line 2-1 of Sur. No. 3287 First North Extension of the Capitol lode at S52°30'W -666.03 ft. from Cor. No. 1.

197.04 Intersect line 1-2 Sur. No.1173 Eureka lode at S46°06'E -221.88 ft. from Cor. No.1.

269.0 To the South Center End, a mound of stones 3x3 ft. identical with the location.

400.71 To Cor. No. 3 Sur.No. 2360 Mid~~N~~ight Snap lode. From this point N49°56'E -10.36 ft. intersect line 1-2 Sur. No. 1173 Eureka lode at S46°06'E -426.37 ft. from Cor. No. 1. The east side monument of Sur.No.2360 Mid~~N~~ight Snap lode, bears N49°56'E -409.0 ft. *identical with Cor. No. 2, Sur No. 2360, White House lode*

448.40 To Cor. No. 4, identical with the location a Granite stone 6x12x24 inches set 12 ins. in the ground with mound of stones, chiselled X-M S-4-3655. At intersection of line 1-2 Sur.No.1317 Eberhart lode at S43°15'W -409.17 ft. from Cor.No. 1. A Pine tree 6 inches in diam. blazed and scribed X-B T-M S 4-3655 bears N16°W -9.4 ft. A Pine tree 12 ins. diam. blazed and scribed X-B T-M S 4-3655 bears N50°22'E -14.5 ft. Location Cor. a mound of stones 3x3 ft.

12.72 Thence N43°15'E Va.14°E Intersect line 1-2 Sur. No.1173 Eureka lode at S46°06'E 472.77 ft. from Cor. No 1.

Feet

409.17 To Cor. No. 5, identical with Cor. No. 1 Sur. No. 1317
 Eberhart lode and with Cor. No. 2 Sur. No. 2360
 White House lode. A Granite Stone, 6x10x12 ins. above the
 ground, with mound of stones, chiselled X-W H-2-2360,
 E-1-1317 on the sides facing these lodes, D chiselled
 M S-5-3655 on the side facing this lode. Whence a Pine
 tree 6 ins. in diam. blazed and scribed X-B T-M S-5-3655
 bears S76°30'E -6.7 ft. An Oak tree 6 ins. diam.
 blazed and scribed X-B T-M S 5-3655 bears N30°E -10.0 ft.

DESCRIPTION OF THE CLAIM

800.00 Cross ar wash 20 ft. wide, course S52°E
 850.76 To Cor. No. 1 the place of beginning

AREA

Acres

Midnight Snap lode, total area	10.840
Area in conflict with:	
Sur. No. 3287 First North Extension of the Capitol lode	1.358
Sur. No. 1173 Eureka lode	0.037
Sur. No. 2360 Midnight Snap lode, exclusive of its conflict with Sur. No. 1173 Eureka lode	10.593
Sur. No. 2360 Midnight Snap lode	10.617
Sur. No. 2360 Mid Night Snap lode, exclusive of its conflict with Sur. No. 1173 Eureka lode and Sur. No. 3287 First North Extension of the Capitol lode	10.556

LOCATION

This claim is located in section 20, T 12½ N, R 1 W, unsurveyed, within the Prescott National Forest.

LODE LINES

As near as can be determined from the present developments the vein of this location extends as follows from the discovery shaft;
 N48°57'E -904.85 ft. & S48°57'W 355.0 ft.

ADJOINING CLAIMS

This claim is bounded on the North by Sur. No. 3287 First North Extension of the Capitol lode and the Grubstake lode unsurveyed, claimant unknown; on the east by the Grubstake lode unsurveyed and by Survey No. 1174 Homestead lode; on the south by Sur. No. 2360 White House lode and Sur. No. 1317 Eberhart lode; On the west by Sur. No. 1173 Eureka lode.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon this claim by the claimants or their grantors is not less than five hundred dollars and that said improvements consist of-----

Midnight Snap lode;

No. 1 the discovery shaft which is on the lode line 355.0 ft. from the S.C.E.; identical with the discovery shaft of Midnight Snap lode of Sur. No. 2360. 4x6x50 ft value \$500.00

No. 2 A shaft which bears N10°30'W 140.0 ft. from Cor. No. 4; 4x6x100 ft timbered value \$2000.00

No. 3 A shaft which bears N34°E 225.0 ft. from Cor.

No. 4 , 4x6x50 value \$500.00

No. 4 A tunnel which bears S80°30'E -305.0 ft. from Cor. No. 3 course -S52°W-100.0 ft to face value \$1000.00

No. 5 A tunnel which bears S83°15'E -320.0 ft. from Cor. No. 3 course N48°E -50 ft. to face value \$500.00

The following works all bear from a point on line

3-4 -400.71 ft. from Cor. No 5.

No. 6 a shaft 4x6x30 ft., identical with shaft No. 2 Sur. No. 2360 Midnight Snap lode , N 9°30'W -330.0 ft. value \$300.00

No. 7 a shaft 3x4x70 ft, identical with shaft No. 3 of Sur. No. 2360 Midnight Snap lode, N25°W -250.0 ft. value \$700.00

No. 8 a shaft 4x6x85 ft identical with shaft No. 4

Sur. No 2360 ~~Midnight~~ Snap lode , N34°W -125.00ft.
value \$850.0

Total value of improvements credited to this lode
\$6350.0 ✓

~~This survey~~ INSTRUMENT

This survey was made with a Gurley solar transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 ft. and a 50 ft. steel tape.

The lode line was run direct upon the ground and the corners established by means of offsets from the lode line. The tie line was run direct upon the ground. Corner No. 4 Sur. No 1174 Homestead lode is a mound of stones 2x2 feet, I was unable to find a marked stone. Cor. No. 1 Sur. No. 3287 First North Extension of the Capitol lode is a Granite stone 6x6x12 ins. above the ground chiselled X-F N E C-1-3287. Cor. No. 1 Sur. 1173 Eureka lode is a Granite stone 10x20x14 ins. above the ground chiselled X-E-1-1173, mound of stones 2x2 ft. alongside.

Cor. No 4 Sur. 2360 ~~Midnight~~ Snap lode is a Granite stone 6x18x14 ins. above the ground, chiselled x-M S-4-2360.

Cor. No. 2 Sur. 1173 Eureka lode has been destroyed there being only a small mound of stones at the point as located by running the given course and distance from cor. No. 1

The S.E. Cor. ~~to~~ section 32, T 13 N, R 1 W is a Granite stone 12x16x18 ins. in a mound of stones.

Line 1-2 Survey No. 2360 White House lode is in error.

All lines of Sur. 2360 ~~Midnight~~ Snap lode are in error.

Cor. No. 4 Sur. 3655 is identical with the original *which was reported identical with corner of location* location monument. Cor. No. 3 Sur. 2360, was set before the line reached the location monument.

Richard L. Merritt
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Sheldon Mining Company
 known as the Midnight Snap lode
 and showing the respective capacities in which they acted.

W.A. Merritt _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

W.A. Merritt
 and _____, do solemnly swear that ~~we~~ ^{to} assisted Richard L. Merritt
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Sheldon Mining Company
 known as the Midnight Snap lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

W.A. Merritt _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 26th
 day of February, 1920

My commission expires Feb 23 1924

J.M. Moore
 Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan. 24 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Sheldon Mining Company, known as the Midnight Snap lode, situate in Walker Mining District, Yavapai County, Arizona, in Section 20, Township No. 12 1/2 N, Range No. 1 W, Unsurveyed, and designated as Survey No. 3655, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim, except as stated in foregoing notes.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me J. M. Moore,
this 26th
day of February, 1920

J. M. Moore
Notary Public

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 23, 1920.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Sheldon Mining Company

known as the MID NIGHT SNAP Lode.

situate in Walker

Mining District, Yavapai County, Arizona

in Section 20, Township No. 12 $\frac{1}{2}$ N, Range No. 1 W. unsurveyed, and

designated as Survey No. 3655, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 shafts and 2 tunnels. Value \$6350.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

April 23, 1920.

I, U. S. Surveyor General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Sheldon Mining Company

known as the

MID NIGHT SNAP Lode.

situate in Walker mining district,

Yavapai County, Arizona

in Section 20, Township No. 12 1/2 N., Range No. 1 W. Unsurveyed, designated as Survey No. 3655

executed by Richard L. Merritt, U. S. Mineral Surveyor, February 16-19, 1920, under my instructions dated

Jan. 24,

1920, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.