

MINERAL SURVEY No. 3685

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OCEANIC GOLD MINING COMPANY

KNOWN AS THE

OCEANIC, OCEANIC WEDGE, DEMOCRAT, CHECK, CHRISTMAS, FORGET IT, VICTORIA, CECIL, VICTORIA NO 2, WHITE HILL, CROWN POINT, COLUMBIA, WHITE HILL EXTENSION AND CROWN WEDGE LODES

ARIVACA Mining District,

PIMA County, ARIZONA.

Section 27 & 34, Township 21 S, Range 9 E

Surveyed under instructions dated June 23, 19 20.

by Miles M. Carpenter U. S. Mineral Surveyor.

Claim located See location notices, 19.

Survey commenced July 10, 19 20.

Survey completed August 5, 19 20.

Address of claimant's Atty. Francis M. Hartman, Tucson, Ariz.

DATES OF AMENDED LOCATIONS.

MINERAL SURVEY NO. 3685

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Red Pg.
Cecil	12	24	8
Check	5	22	4
Christmas	6	23	5
Columbia	16	25	12
Crown Point	14	24	11
Crown Wedge	18	26	14
Democrat	4	22	3
Forget It	7	23	6
Oceanic	1	20	1
Oceanic Wedge	2	22	2
Victoria	9	23	7
Victoria No. 2	10	23	9
White Hill	13	24	10
White Hill Extension	17	25	13

Feet.

OCEANIC LODE

Beginning at Cor No 1 identical with Cor No 4 of Oceanic Wedge lode, Cor No 4 of Democrat lode and Cor No 3 of Check lode of this survey

A tubular iron post 1 in. in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-OAC.

Whence  $\frac{1}{4}$  Cor Secs. 27<sup>& 34</sup>, T 21 S, R 9 E, G & S R B & M bears S 13° 10'E, 1475.8 ft.

No bearings available.

Thence N 85° 54'E

390.00 Cross gulch running <sup>south</sup> west

1500.00 To Cor No 2 identical with Cor No 3 of Oceanic Wedge lode and Cor No 4 of Cecil lode of this survey

A tubular iron post 1 in. in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-OAC.

Whence  $\frac{1}{4}$  Cor Sec 27, T 21S, R 9E, bears S36°55'W 1931.5 ft.

No bearings available.

Thence N 8° 01'W

300.00 To East Center End identical with west center end of Cecil lode of this survey

A pine post 2 in. x 4 in. standing four feet above the surface of the ground surrounded by a monument of stones, scribed 3685 E C E OAC with nail for exact point.

No bearings available.

600.00 To Cor No 3, identical with Cor No 3 of Cecil lode of this survey

A tubular iron post 1 in. in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 3-OAC

No bearings available.







<p>Feet</p>	<p>set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-0 W</p> <p>No bearings available.</p> <p>Thence N 8° 01' W</p>
<p>300.00</p>	<p>To East Center End</p> <p>A pine post 4 in x 4 in. standing four feet above the surface of the ground, surrounded by a monument of stones, scribed 3685 E C E - O W, with nail for exact point.</p> <p>No bearings available.</p>
<p>600.00</p>	<p>To Cor No 3, identical with Cor No 2 of Oaceanic lode and Cor No 4 of Cecil lode of this survey, heretofore described. I add 3-0 W to marking.</p> <p>Thence S 85° 54' W</p>
<p>1110.00</p>	<p>Cross gulch running <sup>south</sup> west</p>
<p>1500.00</p>	<p>To Cor No 4, identical with Cor No 1 of Oaceanic lode, Cor No 3 of Check lode and Cor No 4 of Democrat lode of this survey heretofore described. I add 4-0 W to marking.</p> <p>Thence S 8° 01' E</p>
<p>41.00</p>	<p>Cross gulch running west.</p>
<p>300.00</p>	<p>To West Center End, identical with east center end of Democrat lode of this survey</p> <p>A pine post 4 in x 4 in. standing four feet above the surface of the ground and surrounded by a monument of stones, scribed 3685 W C E-O W, with nail for exact point.</p> <p>No bearings available.</p>
<p>600.00</p>	<p>To Cor No 1, the place of beginning.</p>

Feet.	<u>DEMOCRAT</u> <u>LODE</u>
	Beginning at Cor No 1, identical with Cor No 1 of Oceanic Wedge lode of this survey, heretofore described. I add 1-DEM to marking.
	Whence <del>§</del> 1/4 Cor Secs 27 <sup>234</sup> , T 21 S, R9 E, bears S 16° 41' E 879.9 ft.
	Thence S 85° 54' W.
750.00	Cor No 3 of Christmas lode of this survey.
1080.00	Cross gulch running south west
1500.00	To Cor No 2
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground; claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-DEM
	No bearings available.
	Thence N 8° 01' W
300.00	To West Center End
	A gray porphyry stone 6 in. x 10 in, 24 in long set 12 in. in ground, chisled 3685 W C E -D with x for exact point, a monument of stones 3 ft high alongside.
	No bearings available.
510.00	Cross road to camp running easterly.
550.00	Cross road to main shaft Oceanic lode of this survey running north easterly.
600.00	To Cor No 3, identical with Cor No 4 of C heck lode of this survey
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 3-DEM
	No bearings available.
	Thence N 85° 54' E
40.00	Cross road to main shaft Oceanic lode of this survey running north east.



Feet

1500.00 To Cor No 4, identical with Cor No 4 of Oceanic Wedge lode, Cor No 3 of Check lode and Cor No 1 of Oceanic lode of this survey heretofore described. I add 4-DEM to marking.

Thence S 8° 01' E

41.00 Cross gulch running west.

300.00 To East Center End, identical with west center end of Oceanic Wedge lode of this survey, heretofore described. I add E C E- D to scribing.

600.00 To Cor No 1, the place of beginning.

CHECK LODE

Beginning at Cor No 1,

A tubular iron post 1 in. in diameter, 3 ft. long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-CK

Whence ~~W~~ 1/4 Cor Secs <sup>27 & 28</sup>, T 21 S, R 9 E, bears N 45° 29' W 1043.1 ft.

A mesquite tree 14 in. in diameter bears N 31° 41' W 56.5 ft, scribed B T x 3685 CK

No other bearings available.

Thence N 85° 54' E

75.00 Cor No 3 of Columbia lode, identical with Cor No 2 of Crown Point lode of this survey.

375.00 South Center end of Crown Point lode of this survey.

410.00 Cross gulch running south west.

675.00 Cor No 3 of Crown Point lode, identical with Cor No 2 of White Hill lode of this survey.

780.00 Cross wagon road to main shaft Oceanic lode of this survey running north east.

975.00 South center end of White Hill lode of this survey.

1275.00 Cor No 3 of White Hill lode, identical with Cor No 4 of Victoria lode of this survey.

1500.00 to Cor No 2, identical with Cor No 4 of Oceanic lode of this survey heretofore described. I add 2-CK to marking.



	Thence S 8° 01' E
300.00	To East Center End, identical with west center end of Oceanic lode of this survey, heretofore described. I add E C E -CK to scribing.
600.00	To Cor No 3, identical with Cor No 1 of Oceanic lode, Cor No 4 of Democrat lode and Cor No 4 of Oceanic Wedge lode of this survey heretofore described. I add 3-CK to marking.
	Thence S 85° 54' W
1460.00	Cross wagon road to main shaft Oceanic lode of this survey running north east.
1500.00	To Cor No 4, identical with Cor No 3 of Democrat lode of this survey heretofore described. I add 4-CK to marking.
	Thence N 8° 01' W
190.00	Cross gulch running south west.
300.00	To West Center End A gray porphyry stone 9 in x 10 in, 24 in long, set 12 in, in ground, chisled 3685 W C E -CK with x for exact point, a monument of stones 3 ft high alongside. No bearings available.
600.00	To Cor No 1, the place of beginning.
	<u>CHRISTMAS LODE.</u>
	Beginning at Cor No 1 A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-CHR. Whence <del>§</del> <sup>234</sup> 1/4 Cor Secs 27, T 21S, R 9E bears S 62° 26' W 653.4 ft. No bearings available.
	Thence S 85° 54' W
229.70	Cor No 4 of Forget It lode of this survey.
574.70	North center end of Forget It lode of this survey.
919.70	Cor No 1 of Forget It lode of this survey.
1500.00	To Cor No 2. A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-CHR. No bearings available.



Feet	Thence N 8° 01' W	feet
300.00	To West Center End	
	A pine post 2 in x 3 in 6 ft long, set 1-1/2 ft in ground and surrounded by a monument of stones, scribed 3685 W C E -CHR, with nail for exact point.	
	No bearings available.	
600.00	To Cor No 3	
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 3-CHR.	
	No bearings available.	
	Thence N 85° 54' E	
750.00	Cor No 1 of Democrat lode, identical with Cor No 1 of Oceanic Wedge lode of this survey.	
1500.00	To Cor No 4	
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 4-CHR	
	A mesquite tree 14 in, in diam bears S 2° 09' W 36.4 ft, scribed B T x 3685 CHR	
	A leaning mesquite tree 11 in. in diam bears S 56° 10' W 54.0 ft, scribed B T x 3685 CHR.	
	No other bearings available.	
	Thence S 8° 01' E	
300.00	To East Center End	
	A gray porphyry stone 4 in x 8 in, 24 in long, set 12 in, in ground, chisled 3685 E C E -CHR with x for exact point, a monument of stones 3 ft high, alongside.	
	No bearings available.	
600.00	To Cor No 1, the place of beginning.	
	<u>FORGET IT LODGE</u>	
	Beginning at Cor No 1	
	A tubular iron post 1 in. in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-F. I.	
	Whence S 1/4 Cor Secs 27 <sup>&amp; 34</sup> , T 21 S, R 9 E bears S 55° 01' E, 412.7 ft.	
	A mesquite tree 18 in. in diam bears N 76° 36' E 24.4 ft, scribed B T x 3685 - F I	
	No other bearings available.	



Feet	Thence S 35° 01' E
288.10	Intersect $\frac{1}{2}$ line, <sup>bet. &amp; 34,</sup> Secs 27, T 21 S, R 9 E at N 89° 48' W 172.8 ft from $\frac{1}{4}$ corner and S 89° 48' E 2473.3 ft from S. W. corner. Secs. 27, 28, 33 & 34 <sup>4</sup>
1435.00	Cross gulch running south west
1500.00	To Cor No 2  A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 - 2-F I.  No bearings available.  Thence N 85° 54' E
345.00	To South Center End  A gray porphyry stone 8 in x 10 in, 24 in long set 12 in in ground, chisled 3685 S C E -F I with x for exact point, a monument of stones 3 ft high alongside.  No bearings available.
690.00	To Cor No 3  A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 3-F I  No bearings available.  Thence N 35° 01' W
700.00	Cross gulch running south west
1151.90	Intersect $\frac{1}{2}$ line, <sup>between &amp; 34</sup> Secs 27, T 21 S, R 9 E at N 89° 54' E 549.6 ft from $\frac{1}{4}$ corner and S 89° 54' W 2125.4 ft from S. E. corner. Secs. 26, 27, 34 & 35.
1500.00	To Cor No 4  A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 4-F I  A mesquite tree 12 in, in diam bears S 85° 57' W 31.1 ft, scribed B T x 3685 F I  No other bearings available.



Feet Thence S. 85° 54' W

345.00 To North Center End

A pine post 4 in x 4 in standing four feet above the surface of the ground, surrounded by a monument of stones, scribed 3685 N C E -F I, with nail for exact point.

A mesquite tree 9 in, in diam bears S 37° 39' W 25.6 ft, scribed B T x 3685 F I.

A mesquite tree 16 in, in diam bears N 87° 09' E 80.1 ft, scribed B T x 3685 F I.

No other bearings available.

690.00 To Cor No 1, the place of beginning.

VICTORIA LODE

Beginning at Cor No 1, identical with Cor No 4 of Victoria No 2 lode of this survey

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-V

Whence  $\swarrow$  1/4 corner Sec<sup>287</sup> 27, T 21 S, R 9 E bears N 88° 38' W 1932.5 ft.

No bearings available.

Thence N 85° 54' E

920.00 Cross gulch running south west

1500.00 To Cor No 2, identical with Cor No 3 of Victoria No 2 lode of this survey

A gray porphyry stone 6 in x 8 in, 28 in long; set 12 in, in ground, chisled 3685 2-V, with x for exact point, a monument of stones 3 ft high alongside.

No bearings available.

Thence S 8° 01' E

215.00 Cross top of ridge, direction W N W.

300.00 To East Center End

A gray rhyolite stone 4 in x 8 in, 28 in. long, set 12 in. in ground, chisled 3685 E C E -V, with x for exact point, a monument of stones 3 ft high alongside.

No bearings available.

600.00 To Cor No 3

A gray porphyry stone 9 in x 11 in, 30 in long, set



Feet	12 in. in ground, chisled 3685 - 3-V, with x for exact point, a monument of stones 3 ft high alongside.
	Cor No 3 of Oaceanic lode identical with Cor No 3 of Cecil lode of this survey bears N 85° 54'E, 225 ft. No bearings available.
	Thence S 85° 54' W
465.00	Cross gulch running south east
957.00	Cross road to main shaft Oaceanic lode of this survey
1275.00	Cor No 4 of Oaceanic lode, identical with Cor No 2 of Check lode of this survey.
1500.00	To Cor No 4, identical with Cor No 3 of White Hill lode of this survey
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 4-V. No bearings available.
	Thence N 8° 01' W
170.00	Cross road to main shaft Oaceanic lode of this survey
300.00	To West Center End
	A red wood post 4 in x 4 in standing four feet above the surface of the ground and surrounded by a monument of stones, scribed 3685 W C E -V with nail for exact point. No bearings available.
485.00	Cross gulch running south west.
600.00	To Cor No 1, the place of beginning.
	<u>VICTORIA No 2 LODE</u>
	Beginning at Cor No 1
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-V2.
	Whence <del>W</del> <sup>&amp; 28</sup> 1/4 Cor Secs 27, T 21S, R 9 E bears S 73° 29' W 1927.9 ft.
	A porphyry bed rock 4 ft x 2 ft x 100 ft long bears N 8° 01'W 42.9 ft, chisled B R x 3685 -V2.
	No other bearings available.



Feet	Thence N 85° 54' E
1500.00	<p>To Cor No 2</p> <p>A gray porphyry stone 4 in x 6 in, 24 in long set 12 in in ground, chisled 3685 2-V2, with x for exact point, a monument of stones 3 ft high alongside.</p> <p>A mesquite tree 15 in, in diam bears S 8° 45' W 67 ft, scribed B T x 3685 -V2</p> <p>No other bearings available.</p> <p>Thence S 8° 01' E</p>
300.00	<p>To East Center End</p> <p>A gray porphyry stone 4 in x 8 in, 30 in long set 12 in. in ground, chisled E C E -V2, 3685 with x for exact point, a monument of stones 3 ft high alongside.</p> <p>No bearings available.</p>
320.00	Cross gulch running south west
600.00	<p>To Cor No 3, identical with Cor No 2 of Victoria lode of this survey heretofore described. I add 3-V2 to chisling.</p> <p>Thence S 85° 54' W</p>
580.00	Cross gulch running south west.
1500.00	<p>To Cor No 4, identical with Cor No 1 of Victoria lode of this survey heretofore described. I add 4-V2 to marking..</p> <p>Thence N 8° 01' W</p>
300.00	<p>To West Center End</p> <p>A gray porphyry stone 8 in x 10 in, 24 in long, set 12 in, in ground, chisled 3685 W C E -V2, with x for exact point, a monument of stones 3 ft high alongside.</p> <p>No bearings available.</p>
600.00	To Cor No 1 the place of beginning.

13

Feet	<u>CECIL</u> <u>LODE</u>
	<p>Beginning at Cor No 1</p> <p>A granite stone 4 in x 10 in., 30 in long, set 12 in. in ground, chisled 3685 1-CE, with x for exact point, a monument of stones 3 ft high alongside.</p> <p>Whence <del>S. E.</del> Cor Sec<sup>26, 34 &amp; 35</sup> 27, T 21 S, R 9 E, bears S 1° 32' E 1861.1 ft.</p> <p>No bearings available.</p> <p>Thence N 8° 01' W</p>
300.00	<p>To East Center End</p> <p>A gray porphyry stone 7 in x 11 in, 24 in long, set 12 in in ground, chisled 3685 E' C E -CECIL, with x for exact point, a monument of stones 3 ft high alongside.</p> <p>No bearings available.</p>
600.00	<p>To Cor No 2</p> <p>A rock in place, a large irregular bed rock, the lower portion 2 ft x 2-1/2 ft x 3 ft chisled 3685 2-CE with x for exact point, a monument of stones 3 ft high alongside.</p> <p>A porphyry bed rock 4 ft x 5 ft, 2 ft. high bears N 13° 30' E 29.7 ft, chisled B R x 3685 CE.</p> <p>No other bearings available.</p> <p>Thence S 77° 39' W</p>
1500.00	<p>To Cor No 3, identical with Cor No 3 of Oaceanic lode of this survey heretofore described. I add 3-CE to marking.</p> <p>Thence S 8° 01' E</p>
300.00	<p>To West Center End, identical with east center end of Oaceanic lode of this survey, heretofore described. I add W C E- CE to scribing.</p>
600.00	<p>To Cor No 4, identical with Cor No 2 of Oaceanic lode and Cor No 3 of Oceanic Wedge lode of this survey, here to fore described. I add 4-CE to marking.</p> <p>Thence N 77° 39' E</p>
1500.00	<p>To Cor No 1, the place of beginning.</p>



Feet

WHITE HILL LODE

Beginning at Cor No 1, identical with Cor No 2 of White Hill Extension lode, Cor No 3 of Crown Wedge lode and Cor No 4 of Crown Point lode of this survey

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-W H

Whence ~~W~~ 1/4 Cor Secs <sup>28</sup> 27, T 21 S, R 9 E bears S 56° 25' W 1450.0 ft.

No bearings available.

Thence S 8° 01' E

- 25.00 Cross gulch running north west
- 450.00 Cross top of ridge, direction W N W.
- 1360.00 Cross gulch running west.
- 1500.00 To Cor No 2, identical with Cor No 3 of Crown Point lode of this survey.

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-W H

No bearings available.

Thence N 85° 54' E

- 105.00 Cross road to main shaft Oceanic lode of this survey.
- 300.00 To South Center End

A red wood post 4 in x 4 in, standing 4 feet above the surface of the ground and surrounded by a monument of stones, scribed 3685 S C E-W H, with nail for exact point.

No bearings available.

- 600.00 To Cor No 3, identical with Cor No 4 of Victoria lode of this survey, heretofore described. I add 3- W H to marking.

Thence N 8° 01' W

- 170.00 Cross road to main shaft Oceanic lode of this survey.
- 300.00 West Center End of Victoria lode of this survey.
- 485.00 Cross gulch running south west.



## Feet

600.00 Cor No 1 of Victoria lode, identical with Cor No 4 of Victoria No 2 lode<sup>both</sup> of this survey.

900.00 West center end of Victoria No 2 lode of this survey

1200.00 Cor No 1 of Victoria No 2 lode of this survey.

1500.00 To Cor No 4, identical with Cor No 3 of White Hill Extension lode of this survey.

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 4-W H

A porphyry rock outcrop 3 ft x 3 ft, 5 ft long bears N 38° 21' W 14.1 ft, chisled B R x 3685 -W H

No other bearings available.

Thence S 85° 54' W

300.00 To North Center End, identical with south center end of White Hill Extension lode of this survey.

A gray porphyry stone 5 in x 10 in, 28 in. long set 12 in, in ground, chisled 3685 N C E -W H with x for exact point, a monument of stones 3 ft high alongside.

No bearings available.

600.00 To Cor No 1, the place of beginning.

CROWN POINT LODE

Beginning at Cor No 1, identical with Cor No 2 of Crown Wedge lode and Cor No 4 of Columbia lode of this survey

A tubular iron post 1 in. in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-C P

Whence ~~N~~ 1/4 Cor Secs 27<sup>& 28</sup>, T 21S, R 9 E, bears S 38° 45' W 973.7 ft.

No bearings available.

Thence S 8° 01' E

1500.00 To Cor No 2, identical with Cor No 3 of Columbia lode of this survey.



Feet                    A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-C P

                          A mesquite tree 14 in, in diameter bears N 68° 10' W 114.5 ft, scribed B T x 3685 CK

                          No other bearings available.

                          Thence N 85° 54' E

300.00 To South Center End

                          A pine post 2 in x 4 in standing four feet above the surface of the ground and surrounded by a monument of stones, scribed 3685 S C E -C P, with nail for exact point.

                          No bearings available.

335.00 Cross gulch running south.

600.00 To Cor No 3, identical with Cor No 2 of White Hill lode of this survey heretofore described. I add 3-C P to marking.

                          Thence N 8° 01' W

140.00 Cross gulch running south.

1050.00 Cross top of ridge, direction W N W.

1475.00 Cross gulch running north west.

1500.00 To Cor No 4, identical with Cor No 1 of White Hill lode, Cor No 2 of White Hill Extension lode and Cor No 3 of Crown Wedge lode of this survey, heretofore described. I add 4-C P to marking.

                          Thence S 85° 54' W

50.00 Cross gulch running north

300.00 To South Center End, identical with north center end of Crown Wedge lode of this survey.

                          A pine post 4 in x 4 in standing four feet above the surface of the ground and surrounded by a monument of stones, scribed 3685 N C E -C P with nail for exact point.

                          No bearings available.

600.00 To Cor No 1, the place of beginning.



Feet

COLUMBIA LODE

Beginning at Cor No 1

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-COL

Whence ~~1/4~~ <sup>1/4</sup> Cor Secs 27<sup>28</sup>, T 21 S, R 9 E bears S 0° 53' W 716.6 ft.

No bearings available.

Thence S 8° 01' E

1500.00 To Cor No 2

A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 2-COL

A mesquite tree 9 in, in diam bears N 69° 16' E 69.2 ft, scribed B T x 3685 COL

No other bearings available.

Thence N 85° 54' E

300.00 To South Center End

A gray porphyry stone 4 in x 10 in, 24 in long set 12 in, in ground, chisled 3685 S C E -COL, with x for exact point, a monument of stones 3 ft high alongside.

No bearings available.

525.00 Cor No 1 of Check lode of this survey

600.00 To Cor No 3, identical with Cor No 2 of Crown Point lode of this survey, heretofore described. I add 3-COL to marking.

Thence N 8° 01' W

1500.00 To Cor No 4, identical with Cor No 1 of Crown Point lode and Cor No 2 of Crown Wedge lode of this survey heretofore described. I add 4-COL to marking.

Thence S 85° 54' W

300.00 To North Center End

A gray porphyry stone 6 in x 9 in, 24 in long set 12 in, in ground, chisled 3685 N C E -COL with x for exact point, a monument of stones 3 ft high alongside.

No bearings available.

600.00 To Cor No 1, the place of beginning.



Feet	<u>WHITE HILL EXTENSION LODE</u>
	Beginning at Cor No 1, identical with Cor No 4 of Crown Wedge lode of this survey,
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base, and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 1-W H X
	Whence <del>N-W</del> Cor Secs <sup>21, 22, &amp; 28</sup> 27, T 21 S, R 9 E bears N 76° 07'-1/2' W 1090.1 ft.
	No bearings available.
	Thence S 8° 01' E
177.00	Cross gulch running south west
400.00	Cross gulch running north west
1500.00	To Cor No 2, identical with Cor No 1 of White Hill lode, Cor No 3 of Crown Wedge lode and Cor No 4 of Crown Point lode of this survey heretofore described. I add 2-W H X to marking.
	Thence N 85° 54' E
300.00	To South Center End, identical with north center end of White Hill lode of this survey, heretofore described. I add S C E- W H X to chisling.
600.00	To Cor No 3, identical with Cor No 4 of White Hill lode of this survey heretofore described. I add 3-W H X to marking.
	Thence N 8° 01' W
880.00	Cross gulch running west
1500.00	To Cor No 4
	A tubular iron post 1 in, in diameter, 3 ft long set one foot in ground, claw base and surrounded by a monument of stones. Post is topped with brass cap stamped U. S. Mineral Survey No 3685 4-W H X.
	An outcrop of porphyry rock 3 ft x 3 ft, 4 ft long bears S 49° 35' E 19.1 ft, chisled B R x 3685 W H X
	No other bearings available.
	Thence S 85° 54' W
300.00	To North Center End
	A gray porphyry stone, triangular cross section, 8 in. sides, 36 in long set 12 in. in ground, chisled 3685 N C E- W H X, with x for exact point, a monument of stones 3 ft high alongside.
	No bearings available.
600.00	To Cor No 1, the place of beginning.



Feet	<u>CROWN WEDGE LODE</u>
	Beginning at Cor No 1
	A rock in place, an irregular gray porphyry bed rock 2 ft x 1 ft high, 4 ft long, chisled 3685 1-C W, with x for exact point, a monument of stones 3 ft high alongside.
	Whence <del>N. W.</del> Cor Secs <sup>21, 22, 23</sup> 27, T 21 S, R 9 E, bears N 56° 30' W 551.3 ft.
	No bearings available.
	Thence S 8° 01' E
360.00	Cross gulch running south west
1095.00	Cross gulch running north west
1500.00	To Cor No 2, identical with Cor No 1 of Crown Point lode and Cor 4 of Columbia lode of this survey, heretofore described. I add 2-C W to marking.
	Thence N 85° 54' E
300.00	To South Center End, identical with north center end of Crown Point lode of this survey, heretofore described. I add S C E -C W to scribing.
550.00	Cross gulch running north
600.00	To Cor No 3, identical with Cor No 1 of White Hill lode, Cor No 2 of White Hill Extension lode and Cor No 4 of Crown Point lode of this survey heretofore described. I add 3-C W to marking.
	Thence N 8° 01' W
1100.00	Cross gulch running north west
1223.00	Cross gulch running south west
1500.00	To Cor No 4, identical with Cor No 1 of White Hill Extension lode of this survey, heretofore described. I add 4-C W to marking.
	Thence S 85° 54' W
300.00	To North Center End
	A gray porphyry stone 6 in x 14 in, 28 in long set 12 in in ground, chisled 3685 N C E -C W, with x for exact point, a monument of stones 3 ft high alongside.
	No bearings available.
600.00	To Cor No 1, the place of beginning.



The corners of all lodes embraced in this survey are identical with the respective corners of the locations or amended locations.

Variation at all corners 13° 29' E

The survey of each lode of this location is identical with the respective amended location as staked upon the ground.

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

- Oceanic lode, 3 ft S85°54'W and 1497 ft N85°54'E
- Oceanic Wedge lode, 715 ft S85°54'W and 785 ft N85°54'E.
- Democrat lode, 208 ft N85°54'E and 1292 ft S85°54'W
- Check lode, 5 ft N85°54'E and 1495 ft S85°54'W
- Christmas lode, 542 ft S85°54'W and 958 ft N85°54'E
- Forget It lode, 417 ft N35°01'W and 1083 ft S35°01'E
- Victoria lode, 2 ft S85°54'W and 1498 ft N85°54'E.
- Cecil lode, 351 ft S77°39'W and 1149 ft N77°39'E
- Victoria No 2 lode, 490 ft S85°54'W and 1010 ft N85°54'E
- White Hill lode, 5 ft N8°01'W and 1495 ft S8°01'E
- Crown Point lode, 5 ft N8°01'W and 1495 ft S8°01'E
- Columbia lode, 747 ft N8°01'W and 753 ft S8°01'E
- White Hill Extension lode, 221 ft S8°01'E and 1279 ft N8°01'W
- Crown Wedge lode, 356 ft S8°01'E and 1144 ft N8°01'W.

AREA.

- Total area each of Oceanic lode, Oceanic Wedge lode, Democrat lode, Check lode, Christmas lode, Victoria lode, Victoria No 2 lode, White Hill lode, Crown Point lode, Columbia lode, White Hill Extension lode and Crown Wedge lode ----- 20.613 Acres.
- Total area Forget It lode ----- 20.385 "
- Total area Cecil lode ----- 20.602 "

LOCATION.

This survey is located in Sec 27 and N 1/2 Sec 34, T 21 S, R 9 E, G & S R B & M, in the Arivaca Mining District, Pima County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, <sup>except the Christmas lode</sup> by the claimant or its grantors is <sup>not</sup> less than Five Hundred Dollars, and that the said improvements consist of:



Oceanic

No 1. The discovery shaft of the ~~Oceanic~~ lode lies on lode line 3 ft from West Center End, 4 x 6 ft, 8 ft deep  
Value ----- \$50.00

No 2. Main shaft, an incline shaft, the collar of which bears from Cor No 1 N33°08'E, 422 ft, 5 x 6 ft, 571ft deep measured on the incline, course N 10°53'W 335 ft, average dip 22°. thence N20°W 236 ft, average dip 16°, partly timbered and equipped with head frame, track, steam line and water line. Total value of shaft --\$12,000.00.

I am advised by applicant that this shaft has been constructed as a common improvement for the benefit of each of the locations of said mining claim, subsequent to the location of all claims except Victoria No 2 lode, and that at least \$500 of the cost of said shaft was incurred subsequent to the location of and for the benefit of the Victoria No 2 lode, and that common ownership has prevailed as among said lodes forming a contiguous group within the range of benefit, and that no portion of or interest in the value of the said shaft has been credited or applied as patent expenditures.

The ground rises rapidly from the mouth of the shaft in a northerly direction onto Victoria lode, and then falls to the bed of the gulch at which point the shaft continued would have a depth of about 200 ft, and again rises towards Victoria No 2, White Hill, Crown Point, Columbia, Crown Wedge and White Hill Extension lodes.

The ground falls from the mouth of the shaft towards the east and southeast to the bed of the gulch which averages about 100 ft above the bottom of the shaft, and then rises towards the Cecil and Oceanic Wedge lodes.

The ground falls from the mouth of the shaft towards the south and west. Cor No 3 of Check lode, identical with Cor No 4 of Democrat lode, is about 105 ft above the bottom of the shaft, and the surface slopes gradually across said lodes, all portions of which are considerably above the bottom of the shaft.

The Christmas and Forget It lodes lie so little

148-4  
12 2  
31



above the bottom of the shaft that these lodes could not be advantageously developed by drifts or cross cuts driven from the shaft at its present depth.

The shaft with drifts and cross cuts will advantageously develop all of the above mentioned lodes except the Christmas and Forget It lodes.

An undivided 1/12 interest in the value of the shaft is hereby credited as patent expenditure to each of the following lodes: Oaceanic, Victoria, Victoria No 2, White Hill, Crown Point, Columbia, Crown Wedge, White Hill Extension, Cecil, Oceanic Wedge, Democrat and Check lodes.

An undivided 1/12 interest to this claim -- \$1000.00

At 173 ft from the mouth of this shaft measured on the incline is a drift 6 x 8 ft, 28.8 ft long, course N86°41'E, thence a cross cut 4 x 6 ft N11°14'E 28.7 ft, N86°14'W 18.1 ft, N1°46'W 27.6 ft, N 30°35'W 53.8 ft, N 11° 10'W 514 ft to mouth of No 3 tunnel, Victoria lode.

The mouth of said tunnel is caved and inaccessible, and portions of cross cut are caved, but this improvement can be reopened at a small expense.

Value of drift and cross cut ----- \$6000.00

I am advised by applicant that this drift and cross cut has been constructed as a common improvement for the benefit of the Oaceanic and Victoria lodes, subsequent to the location of said lodes, and that common ownership has prevailed as among said lodes forming a contiguous group within the range of benefit, and that no portion of or interest in the value of said drift and cross cut has been credited or applied as patent expenditure.

The drift and cross cut develops both of the above mentioned lodes.

An undivided 1/2 interest in the value of the drift and cross cut is hereby credited as patent expenditure to the Oaceanic and Victoria lodes.

An undivided 1/2 interest to this claim ---\$3000.00



No. 3. A cut, tunnel and shaft. The mouth of cut bears from Cor No 1 N52°19'E, 604 ft, 5 x 6 ft, running N3°09'W 38 ft to mouth of tunnel, 5 x 6 ft, timbered, same course 25 ft to center of vertical shaft 6 x 8 ft, a raise to surface 30 ft.

Value of cut, tunnel and shaft - \$1000.00  
Oceanic Wedge.

No 1. The discovery cut of ~~Oceanic Wedge~~ lode, 4 x 5 ft, 20 ft long, the mouth of which lies on the lode line 715 ft from West Center End, course N.

Value ----- \$60.00

No. 2. A shaft which bears from Cor No 1 N65°30'E 754 ft, 5 x 6 ft, 8 ft deep

Value - ----- \$50.00

No 3. A shaft which bears from Cor No 1 N52°59'E 112 ft, 6 x 6 ft, 6 ft deep.

Value ----- \$40.00

No 4. A shaft which bears from Cor No 1 N73°29'E 137 ft, 6 x 6 ft, 8 ft deep.

Value ----- \$50.00

No 5. A shaft which bears from Cor No 1, N59°12'E 1192 ft, 4 x 6 ft, 10 ft deep.

Value ----- \$60.00

An undivided 1/12 interest in Improvement No 2 of Oceanic lode ----- \$1000.00

Democrat

No. 1. The discovery shaft of ~~Democrat~~ lode lies on lode line, 208 ft from East Center End, 6 x 6 ft, 8 ft deep.

Value ----- \$40.00

No 2. A shaft which bears from Cor No 1 N38°51'W 154 ft, 6 x 6 ft, 8 ft deep.

Value ----- \$50.00

An undivided 1/12 interest in Imp No 2 Oceanic- \$1000.00

No 1. The discovery shaft of Check lode lies on lode line 5 ft from East Center End, 4 x 6 ft, 8 ft deep.

Value ----- \$40.00

No 2. A tunnel, the mouth of which bears from Cor No 1 S83°18'E 1539 ft, 4 x 6 ft, 10 ft long, course E.

Value ----- \$50.00

An undivided 1/12 interest in Improvement No 2, Oceanic lode ----- \$1000.00



No. 1. The discovery shaft of Christmas lode lies on lode line 542 ft from West Center End, 4 x 6 ft, 8 ft deep. Value ----- \$40.00

No. 2. A pit, which bears from Cor No 3, S87°42'E, 641 ft, 10 ft diameter, 5 ft deep. Value --- \$50.00

No 1. The discovery shaft of Forget It lode lies on lode line 417 ft from North Center End, 4 x 6 ft, 10 ft deep. value ----- \$70.00

No 2. A shaft which bears from North Center End S25°39'E, 544 ft, 4 x 6 ft, 6 ft deep. Value --- \$30.00

No. 3. A shaft which bears from North Center End S45°22'E, 400 ft, 5 x 7 ft, 10 ft deep. Value --- \$80.00

No. 4. A shaft which bears from South Center End N27°30'W, 283 ft, 4 x 6 ft, 25 ft deep. Value -- \$250.00

No. 5. A cut which lies N55°E 10 ft dist from a point on lode line 541 ft from North Center End, 8 x 15 ft, 6 ft deep, direction N45°E. Value-- \$70.00

No. 6. A pit which lies N55°E 9 ft dist from a point on lode line 496 ft from North Center End, 10 ft diam, 6 ft deep. ---- Value-- \$60.00

No. 1. The discovery shaft of Victoria lode, lies on lode line 2 ft from West Center End, 4 x 6 ft, 8 ft deep. Value-- \$50.00

No. 2. A shaft which bears from Cor No 1, S89°15'E 483 ft, 4 x 6 ft, 30 ft deep. Value-- \$300.00

No. 3. A tunnel, the mouth of which bears from Cor No 1 S84°02'E, 483 ft. Caved and inaccessible; connects with cross cut on 173 ft level No 2 shaft Oceanic lode. An undivided 1/2 interest of drift and cross cut described under Improvement No 2 Oaceanic lode. \$3000.00

An undivided 1/12 interest in Improvement No 2, Oaceanic lode ----- \$1000.00

No. 1. The discovery shaft of Victoria No 2 lode lies on lode line 490 ft from West Center End, 6 x 6 ft, 8 ft deep. Value-- \$50.00



No 2. A shaft which bears from Cor No 1 N87°07'E,  
690 ft, 4 x 6ft, 8 ft deep. value-- \$50.00

An undivided 1/12 interest in Improvement No 2,  
Oceanic lode ----- \$1000.00

No. 1. The discovery shaft of Cecil lode lies on  
lode line 351 ft from West Center End, an incline  
shaft 5 x 7 ft, 40 ft deep, Course S14°W, dip 50°.  
Value -- \$500.00

An undivided 1/12 interest in Improvement No 2,  
Oceanic lode ----- \$1000.00

No. 1. The discovery cut of White Hill lode lies  
on lode line 5 ft from North Center End, an open cut  
3 ft x 6 ft, 27 ft long, and continuing on lode line  
as an open cut 8 x 10 ft, 28 ft long. value -- \$250.00

No 2. A shaft which bears from Cor No 1, S67°36'E  
146 ft, 6 x 8 ft, 40 ft deep. value -- \$500.00

No. 3. A shaft which bears from Cor No 3 N 29°46'W,  
686 ft, 5 x 6 ft, 30 ft deep, an incline Course W,  
dip 60° value -- \$350.00

No 4. A shaft which bears from Cor No 3, N24°54'W,  
241 ft, 4 x 6 ft, 20 ft deep. Value -- \$200.00

No 5. A cut which bears from Cor No 3, N15°25'W,  
280 ft, 4 x 4 ft, 30 ft long, course N 45°E,  
Value -- \$50.00

An undivided 1/12 interest in Imp. No 2 Oceanic \$1000.00

No. 1. The discovery shaft of Crown Point lode lies  
on lode line 5 ft from North Center End, 4 x 6 ft,  
8 ft deep. Value-- \$40.00

No 2. An open cut which bears from North Center End  
S40°38'E, 232 ft, 5 x 4 ft, 20 ft long, course  
S 5° E Value -- \$80.00

No 3. An open cut, the mouth of which bears from North  
Center End S28° 42'E, 279 ft, 4 x 5 ft, 20 ft long,  
course S15°E, continuing 8 x 10 ft, 57 ft long,  
course S. Value-- \$480.00

No 4. A shaft which bears from Cor No 3, N24°48'W,  
543 ft, 4 x 6 ft, 8 ft deep. Value-- \$50.00

An undivided 1/12 interest in Improvement No 2,  
Oceanic lode.----- \$1000.00



- No. 1. The discovery shaft of Columbia lode lies on lode line 747 ft from North Center End 4 x 6 ft, 8 ft deep with a trench 2 x 2 ft, 6 ft long course E. Value \$50.00
- No. 2. A shaft which bears from Cor No 1, S26°25'E, 820 ft, 4 x 6 ft, 30 ft deep, an incline shaft, course N10°W, with a drift 4x6 ft 13 ft long at bottom, same course. Dip of shaft 41°. Value of shaft and drift-\$500.00.
- No. 3. A shaft which bears from Cor No 1 S 26°31'E , 779 ft, 5 x 6 ft, 50 ft deep, collar set, an incline shaft, course N 18°E, Dip 61° Value -\$800.00.
- No. 4. A shaft which bears from a point in line 1-2 599 ft from Cor No 1, E 15 ft, 4 x 6 ft, 8 ft deep. Value - \$50.00
- No 5. A shaft which bears from Cor No 1, S39°24'E, 927 ft, 4 x 6 ft, 8 ft deep. Value - \$50.00
- No. 6. A shaft which bears from Cor No 2, N33°05'E, 308 ft, 4 x 6 ft, 12 ft deep. Value - \$60.00
- No. 7. A shaft which bears from Cor No 2, N38°42'E 507 ft, 4 x 6 ft, 10 ft deep. Value - \$60.00
- No. 8. A shaft which bears from Cor No 1, S25°07'E, 808 ft, 4 x 6 ft, 9 ft deep. Value - \$50.00
- In undivided 1/12 interest in Improvement No 2 of Oaceanic lode ----- \$1000.00.
- No 1. The discovery shaft of White Hill Extension lies on lode line 221 ft from South Center End, 5 x 6 ft, 8 ft deep. Value - \$50.00.
- No. 2. A shaft which bears from South Center End N27°54'W, 589 ft, 6 x 6 ft, 8 ft deep. Value - \$50.00.
- No. 3. A pit on the lode line 196 ft from South Center End, 12 ft diameter. 6 ft deep. value - \$75.00
- No 4. A pit on the lode line 171 ft from South Center End 16 x 18 ft, 8 ft deep. Value - \$250.00
- No. 5. A pit on the lode line 131 ft from South Center End, 20 x 20 ft, 15 ft deep. Value - \$700.00.
- An undivided 1/12 interest in Improvement No 2 of Oaceanic lode ----- \$1000.00



No. 1. The discovery shaft of Crown Wedge lode lies on the lode line 356 ft from South Center End, 4 x 6 ft, 8 ft deep. Value-- \$40.00

An undivided 1/12 interest in Improvement No 2 of Oaceanic lode ----- \$1000.00

OTHER IMPROVEMENTS

A three stamp mill housed in a frame building, the south west corner of which bears from Cor No 1 Oaceanic lode N 20°05'E, 264 ft, 34 x 42 ft, course of long side N 76°20'E.

A frame blacksmith shop, the Southwest corner of which bears from Cor No 1 Oaceanic lode N 35°18'E, 417 ft, 12 x 14 ft, course of long sides N 11° W.

A boiler and steam hoist housed in a frame building the Southwest corner of which bears from Cor No 1 Oaceanic lode N 37°52'E 376 ft, 18 x 22 ft, course of long sides N 11°W.

A two story adobe house, the Southeast corner of which bears from Cor No 4 Democrat lode S 33°45'W, 200 ft, 32 x 65 ft, course of long sides S 82°W, a frame lean-to 12 x 16 ft on the Northwest corner, and a frame lean-to 10 x 12 ft on the Southeast corner.

All of the above improvements belong to claimant herein.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons light mountain transit No 6254. The courses were deflected from the true meridian as determined by Polaris observations. Distances were measured with 100ft and 300 ft steel tapes.

ADJOINING CLAIMS.

There are no adjoining claims to the lodes of this survey so far as known.



## REPORT.

The lode line of the Cecil, Forget It and White Hill Extension lodes were run directly upon the ground and the several corners established by means of offsets from the lode lines. Exterior boundaries of other lodes of this claim were run on the ground and the workings and improvements located by traverses.

All tie lines were run either directly upon the ground or by traverses run upon the ground and submitted in a separate report herewith.

The ~~S-W~~ Cor Secs <sup>28, 33 & 34</sup> 27, T 21S, R 9E, G & S R B & M is a granite stone 8 in x 10 in showing 8 in above the surface of the ground, marked with 1 notch on S edge and 3 notches on E edge.

The ~~S-E~~ Cor Secs <sup>26, 27, 34 & 35</sup> 27, is a porphyry stone 6 in x 8 in, showing 6 in. above the surface of the ground, marked with 2 notches on E edge and 1 notch on S edge.

The ~~N-W~~ Cor Secs <sup>21, 22, 27 & 28</sup> 27 is a quartz stone 10 in x 12 in, showing 8 in. above the surface of the ground, marked with 2 notches on E side and 3 notches on N side.

The ~~S~~ 1/4 Cor. Secs <sup>& 34</sup> 27 is a granite stone 6 in x 10 in, showing 6 in. above the surface of the ground, marked with 1/4 on N face.

The ~~W~~ 1/4 Cor Secs <sup>& 28</sup> 27 is a quartz stone 8 in. x 10 in, showing 6 in. above the surface of the ground, marked with 1/4 on W face.

After diligent search, I was unable to find ~~E~~ 1/4 Cor Secs <sup>26 &</sup> 27.

Note. The disagreement between these field notes and the amended location certificate of Oceanic Wedge lode with regard to the position of the discovery cut on the lode line is due to an error in the latter.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Miles M. Carpenter

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

OCEANIC GOLD MINING COMPANY

known as the Oceanic, Oceanic Wedge, Democrat, Check, Christmas, Forget It, Victoria, Cecil, Victoria No 2, White Hill, Crown Point, Columbia, White Hill Extension and Crown Wedge lodes. and showing the respective capacities in which they acted.

Geo. W. Pickett ..... , *Chainman.*

Carl A. Mayer ..... , *Chainman.*

..... , *Acman.*

..... , *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, Geo. W. Pickett and Carl A. Mayer

~~xxx~~ ..... , do solemnly swear that we assisted Miles M. Carpenter, ..... , United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Oceanic Gold Mining Company

known as the Oceanic, Oceanic Wedge, Democrat, Check, Christmas, Forget It, Victoria, Cecil, Victoria No 2., White Hill, Crown Point, Columbia, White Hill Extension and Crown Wedge lodes.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

Geo. W. Pickett ..... , *Chainman.*

Carl A. Mayer ..... , *Chainman.*

..... , *Acman.*

..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 4th

day of September ..... , 1920 Geo. W. Pickett.

Flora Woodward Purvis

Notary Public

My Commission Expires August 6, 1921

Subscribed and sworn to by Carl A. Mayer, this 7th day of December, 1920, before me

Frank D. Ford



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Miles M. Carpenter, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 23, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Oceanic Gold Mining Company

known as the Oceanic, Oceanic Wedge, Democrat, Check, Christmas, Forget It, Victoria, Cecil, Victoria No 2, White Hill, Crown Point, Columbia, White Hill Extension and Crown Wedge lodes, ARIVACA Mining District, situate in

Pima County, Arizona, in Section 27 & N1/2-34, Township No. 21S, Range No. 9 E, and designated as Survey No. 3685

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Miles M. Carpenter
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Miles M. Carpenter

U. S. Mineral Surveyor, before me a notary public in, and for the County of Pima State of Arizona this 29th day of November, 1920

Hora Woodward Burns
Notary Public

my com. exp. Aug 6-1921
1044



## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 27, 1921.

I, U. S. Surveyor-General for District of ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of OCEANIC GOLD MINING CO., known as the OACEANIC, OCEANIC WEDGE, DEMOCRAT, CHECK, CHRISTMAS, FORGET IT, VICTORIA, CECIL, VICTORIA NO. 2, WHITE HILL, CROWN POINT, COLUMBIA, WHITE HILL EXTENSION and CROWN WEDGE Lodes, situate in ARIVACA

Mining District, PIMA County, ARIZONA,

in Sections 27 &amp; 34, Township No. 21 S., Range No. 9 E., and

designated as Survey No. 3685, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of except Christmas  
 improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 36 shafts, 7 cuts, 3 tunnels, 2 drifts, 1 crosscut, 5 pits and 1 trench, total value \$25,875.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Frott,

United States Surveyor-General for ARIZONA.



4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM


DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

January 27, 1921

I, U. S. Surveyor General for District of ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of OCEANIC GOLD MINING CO., known as the OCEANIC, OCEANIC WEDGE, DEMOCRAT, CHECK, CHRISTMAS, FORGET IT, VICTORIA, CECIL, VICTORIA NO. 2, WHITE HILL, CROWN POINT, COLUMBIA, WHITE HILL EXTENSION and CROWN WEDGE Lodes situate in ARIVACA mining district, PIMA County, ARIZONA, in Sections 27 & 34, Township No. 21 S., Range No. 9 E., designated as Survey No. 3685 executed by Miles M. Carpenter, U. S. Mineral Surveyor, July 10 - August 5, 1920, under my instructions dated June 23, 1920, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.



U. S. Surveyor General for ARIZONA.



(4-691.)

# Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for.....District of Arizona.....,  
do hereby certify that Five Hundred Dollars' worth of labor has been expended or  
improvements made by claimant or.....its.....grantors, <sup>or for each of</sup> upon <sub>the</sub> mining claims of  
.....Oceanic Gold Mining Co., known as the.....  
Oceanic, Oceanic Wedge, Democrat, Check, Christmas, Forget It,  
Victoria, Cecil, Victoria No.2, White Hill, Crown Point, Columbia,  
White Hill Extension and Crown Wedge lodes.....,  
situate in.....Arivaca..... mining district,  
.....Pima..... County,.....Arizona.....  
in Sections 27 & 34 , Township No. 21 S. , Range No. 9 E. ;  
that said improvements consist of in addition to those reported at time  
of survey, 2 shafts and 1 drift, value \$1120.

....., and that no portion of said labor or improvements has been  
included in the estimate of expenditures upon any other claim. A copy of the report of  
.....Miles M. Carpenter....., U. S. Deputy Mineral Surveyor, dated  
May 25....., 1921, is hereto attached.



U. S. Surveyor General for.....Arizona.....

Office of U. S. Surveyor General,

Phoenix, Arizona,

May 26....., 1921 .

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

I hereby certify that the value of labor performed and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 3685 by the claimant or its grantors is not less than \$500.00 for each claim and that said improvements, in addition to those which were reported at the time of making the survey consist of:--

FORGET IT LODE.

No. 7. A shaft which bears from Cor No. 4, S4°27'W, 282.0 ft, 4-1/2 x 6 ft, 31 ft deep, equipped with collar and windlass. At the bottom of this shaft a drift 4 x 6 ft extends W, 28 ft. Value of shaft and drift \$700.00

I am advised by applicant that this shaft and drift were constructed as a common improvement for the benefit of the Forget It and Christmas lodes. The location of this improvement is such that it would be practicable and feasible to drive workings into the Christmas lode and develop and extract ore therefrom, the surface of the Christmas lode lying above the bottom of the shaft. This improvement is, therefore, a common improvement for the benefit of the Forget It and Christmas lodes and a 1-2 undivided interest is hereby accredited to each.

An undivided 1-2 interest to this lode \$350.00

CHRISTMAS LODE.

No. 3. A shaft which bears from a point on the line 3-4 750 ft from Cor. No. 3, identical with Cor. No. 1 of Democrat lode of this survey, S67°54'W, 93.5 ft, 6 x 8 ft, 21 ft deep, equipped with concrete collar set and windlass frame. Value - ----- \$420.00

An undivided 1-2 interest in improvement No. 7 of Forget It lode above described --- 350.00

Dated May 23, 1921.

*Miles M Carpenter*  
U. S. Mineral Surveyor.

I, Miles M. Carpenter, U. S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced within Mineral Survey No. 3685.

*Miles M Carpenter*  
U. S. Mineral Surveyor.

State of Arizona )  
County of Pima ) ss.

Subscribed and sworn to by said Miles M. Carpenter before me, a Notary Public in and for the County of Pima, State of Arizona this 25<sup>th</sup> day of May, 1921.

*Flora Woodward Burns*