

MINERAL SURVEY No. 3698

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

G. W. Shute and Wesley Lovrick

KNOWN AS THE

Siber Bell No. 1, Siber Bell No. 2, Siber Bell No. 3, Siber Bell No. 4, Siber Bell No. 5, Globe Mining District, Siber Bell No. 6 & Siber Bell No. 7, San Carlos Indian Reservation, Gila County, Arizona

Approx. Section 1, Township 2 S., Range 16 E., Unsur.

Surveyed under instructions dated Sept 7, 1920

by R. G. Thomas U. S. Mineral Surveyor.

Claim located Nov. 15, 1919
Amended July 17th, 1920
Survey commenced Oct. 3rd, 1920
Survey completed Nov. 28th, 1920
Address of claimant G. W. Shute, Globe, Ariz.

DATES OF AMENDED LOCATIONS.

July 17th - 1920

MINERAL SURVEY NO. 3698

Claims		M & B Desc.	Improvements	Loc. Notices
Silver Bell No.		Pg.	Pg.	<u>Red</u> Pg.
"	"	1	5	1
"	"	2	6	3
"	"	3	6	5
"	"	4	6	7
"	"	5	6	9
"	"	6	7	11
"	"	7	7	13

SILVER BELL NO. 1 LODE.

Beginning at Cbr. No. 1,
 On line 4-1, Silver Bell No. 7 Lode, this survey.
 A pine post 3ft. long, 4 x 4 ins. square, set 18 ins. in
 the ground, scribed 1-S. B. 1-3698 with nail for exact
 corner point.
 U. S. M. M. NO. 3698 bears N. 18° - 13' E. 533.52 ft.
 Identical with Cor. No. 1, Silver Bell No. 2 lode, this
 survey.
 No bearings available.

Thence S. 88° - 48' W

300.00 To south end center of the location and lode, a monument
 of stone.

600.00 To Cor. No. 2.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 2-S. B. 1-3698 with nail for
 exact corner point.
 Identical with Corner No. 4 of Silver Bell No. 7 lode,
 this survey.
 No bearings available.

Thence N. 1° - 12' W..

1500.00 To Cor. No. 3,
 A pine post 3 ft. Long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 3-S. B. 1-3698 with nail for
 exact corner point.
 No bearings available.

Thence N. 88° - 48' E.

300.00 To north end center, a monument of stone.

600.00 To Cor. No. 4.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 4-S. B. 1-3698 with nail for
 exact corner point.
 Identical with Cor. No. 2 of Silver Bell No. 2 lode of
 this survey.
 No bearings available.

Thence S. 1° - 12' E.

1500.00 To place of beginning.

SILVER BELL NO. 2 LODE.

Beginning at Cor. No. 1.
 Identical with Cor. No. 1, Silver Bell No. 1 lode this
 survey, heretofore described, to which I add 1-S. B. 2
 for this claim.
 U. S. M. M. NO. 3698 bears N. 18° - 13' E. 533.52 ft.

Thence N. 1° - 12' W.

1500.00 To Cor. No. 2.
 Identical with Cor. No. 4, Silver Bell No. 1 lode this
 survey, heretofore described, to which I add 2-S. B. 2
 for this claim.

Thence N. 88° - 48' E.

300.00 To north end center, a monument of stone.

600.00 To Cor. No. 3.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 3-S. B. 2-3698 with nail for
 exact corner point.
 Identical with Cor. No. 2, Silver Bell No. 3 lode this
 survey.
 No bearings available.

Survey No. 3698 continued.

1500.00 Thence S. 1° - 12' E.
 To Cor. No. 4.
 On line 4-1, Silver Bell No. 7 lode, this survey.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 4-S. B. 2-3698 with nail for
 exact corner point.
 Identical with Cor. No. 1, Silver Bell No. 3 lode, this
 survey.
 No bearings available.

300.00 Thence S. 88° - 48' W.
 To south end center, a monument of stone.
 600.00 to place of beginning.

SILVER BELL NO. 3 LODE.

Beginning at Cor. No. 1.
 Identical with Cor. No. 4, Silver Bell No. 2 lode this
 survey, heretofore described, to which I add 1-S. B. 3
 for this claim.
 U. S. M. M. 3698 bears N. 41° - 14' W. 657.18 ft.

1500.00 Thence N. 1° - 12' W.
 To Cor. No. 2.
 Identical with Cor. No. 3, Silver Bell No. 2 lode, this
 survey, heretofore described, to which I add 2-S. B. 3
 for this claim.

300.00 Thence N. 88° - 48' E.
 To north end center, a monument of stone.
 600.00 To Cor. No. 3.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 3-S. B. 3-3698 with nail for
 exact corner point.
 Identical with Cor. No. 2, Silver Bell No. 4 lode, this
 survey.
 No bearings available.

1500.00 Thence S. 1° - 12' E.
 To Cor. No. 4.
 On line 1-2, Silver Bell No. 6 lode, this survey.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground, scribed 4-S. B. 3-3698 with nail for
 exact corner point.
 Identical with Cor. No. 1, Silver Bell No. 4 lode, this
 survey.
 No bearings available.

300.00 Thence S. 88° - 48' W.
 To south end center.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
 in the ground.
 Identical with Corners No. 1, Silver Bell No. 6 lode and
 Silver Bell No. 7 lode of this survey, respectively.
 600.00 To place of beginning.

SILVER BELL No. 4 LODE.

Beginning at Cor. No. 1.
 Identical with Cor. No. 4, Silver Bell No. 3 lode, this
 survey, heretofore described, to which I add 1-S. B. 4
 for this claim.
 U. S. M. M. No. 3698 bears N. 65° - 00' W. 1139.79 ft.

Survey No. 3698 continued.

1500.00 Thence N. 1° - 12' W.
 To Cor. No. 2.
 Identical with Cor. No. 3, Silver Bell No. 3 lode, this survey, heretofore described, to which I add 2-S. B. 4 for this claim.

300.00 Thence N. 88° - 48' E.
 To north end center, a monument of stone.
 600.00 To Cor. No. 3.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed 3-S. B. 4-3698 with nail for exact corner point.
 Identical with Cor. No. 2, Silver Bell No. 5 lode, this survey.
 No bearings available.

1500.00 Thence S. 1° - 12' E.
 To Cor. No. 4.
 On line 1-2, Silver Bell No. 6 lode, this survey.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed 4-S. B. 4-3698 with nail for exact corner point.
 Identical with Cor. No. 1, Silver Bell No. 5 lode, this survey.
 No bearings available.

300.00 Thence S. 88° - 48' W.
 To south end center, a monument of stone.
 600.00 to place of beginning.

SILVER BELL NO. 5 LODE.

Beginning at Cor. No. 1.
 Identical with Cor. No. 4, Silver Bell No. 4 lode, this survey, heretofore described, to which I add 1-S. B. 5 for this claim.
 U. S. M. M. No. 3698 bears N. 73° - 58' W. 1698.93 ft.

1500.00 Thence N. 1° - 12' W.
 To Cor. No. 2.
 Identical with Cor. No. 3, Silver Bell No. 4 lode, this survey, heretofore described, to which I add 2-S. B. 5 for this claim.

300.00 Thence N. 88° - 48' E.
 To north end center, a monument of stone.
 600.00 To Cor. No. 3.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed 3-S. B. 5-3698, with nail for exact corner point.
 No bearings available.

1500.00 Thence S. 1° - 12' E.
 To Cor. No. 4.
 A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins. in the ground, scribed 4-S. B. 5-3698, with nail for exact corner point.
 Identical with Cor. No. 2, Silver Bell No. 6 lode, this survey.
 No bearings available.

300.00 Thence S. 88° - 48' W.
 To south end center, a monument of stone.
 600.00 To place of beginning.

Survey No. 3698 continued.

SILVER BELL NO. 6 LODE.

- Beginning at Cor. No. 1.
Identical with Cor. No. 1, Silver Bell No. 7 lode, and south end center Silver Bell No. 3 lode, this survey, heretofore described, to which I add 1-S. B. 6 for this claim.
U. S. M. M. No. 3698 bears N. 56° - 21' W. 880.63 ft.
- 300.00 Thence N. 88° - 48' E. Silver Bell
To Corners No. 4 and No. 1, Silver Bell No. 3 and No. 4
lodes, of this survey, respectively.
- 900.00 To Corners No. 4 and No. 1, Silver Bell No. 4 and No. 5
lodes, of this survey, respectively. Silver Bell
- 1500.00 To Cor. No. 2!
Identical with Cor. No. 4, Silver Bell No. 5 lode, this
survey, heretofore described, to which I add 2-S. B. 6
for this claim.
- 300.00 Thence S. 1° - 12' E.
To east end center, a monument of stone.
- 600.00 To Cor. No. 3.
A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
in the ground, scribed 3-S. B. 6-3698, with nail for
exact corner point.
No bearings available.
- 1500.00 Thence S. 88° - 48' W.
To Cor. No. 4.
A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
in the ground, scribed 4-S. B. 6-3698, with nail for
exact corner point.
Identical with Cor. No. 2 of Silver Bell No. 7 lode,
this survey.
No bearings available.
- 300.00 Thence N. 1° - 12' W.
To west end center, a monument of stone.
- 600.00 To place of beginning.

SILVER BELL NO. 7 LODE.

- Beginning at Cor. No. 1.
Identical with Cor. No. 1, Silver Bell No. 6 lode, and south end center, Silver Bell No. 3 lode, this survey, heretofore described, to which I add 1-S. B. 7 for this claim.
U. S. M. M. No. 3698 bears N. 56° - 21' W. 880.63 ft.
- 300.00 Thence S. 1° - 12' E.
To east end center, a monument of stone.
Identical with west end center of Silver Bell No. 6
lode, this survey.
- 600.00 To Cor. No. 2.
Identical with Cor. No. 4, Silver Bell No. 6 lode, this
survey, heretofore described, to which I add 2-S. B. 7
for this claim.
- 1500.00 Thence S. 88° - 48' W.
To Cor. No. 3.
A pine post 3 ft. long, 4 x 4 ins. square, set 18 ins.
in the ground, scribed 3-S. B. 7-3698, with nail for
exact corner point.
No bearings available.

Survey No. 3698 continued.

300.00 Thence N. 1° - 12' W.
 To west end center, a monument of stone.
 600.00 To Cor. No. 4.
 Identical with Cor. No. 2, Silver Bell No. 1 lode, this survey, heretofore described, to which I add 4-S. B. 7 for this claim.

600.00 Thence N. 88° - 48' E.
 To Corners No. 1, Silver Bell No. 1 and Silver Bell No. 2 lodes, this survey, respectively.
 1200.00 To Corners No. 4 and No. 1, Silver Bell No. 2 and Silver Bell No. 3 lodes, this survey, respectively.
 1500.00 To place of beginning.

Variation at all corners 14° E.

LODE LINES:

As near as can be determined from present developments the veins of the seven locations embraced in this claim extend as follows from their respective discovery points:

Silver Bell No. 1 Lode	963ft.N.1-12 W.	537ft.S.1-12E.
" " No. 2 "	927ft.N.1-12 W.	573ft.S.1-12E.
" " No. 3 "	894ft.N.1-12 W.	606ft.S.1-12E.
" " No. 4 "	1078ft.N.1-12 W.	422ft.S.1-12E.
" " No. 5 "	1431ft.N.1-12 W.	69ft.S.1-12E.
" " No. 6 "	1200ft.S.88-48W.	300ft.N.88-48E.
" " No. 7 "	24ft.S.88-48W.	1476ft.N.88-48E.

AREAS.

		Acres:
Total area Silver Bell No. 1 Lode		20.661
" " " " " 2 "		20.661
" " " " " 3 "		20.661
" " " " " 4 "		20.661
" " " " " 5 "		20.661
" " " " " 6 "		20.661
" " " " " 7 "		20.661

The survey of each lode of this location is identical with the respective amended location as staked upon the ground.

LOCATION:

The survey is located on unsurveyed ground within the boundaries of the San Carlos Indian Reservation, Gila County, Arizona, about twelve miles south-east of Globe, approximately in Sec. 1, T. 2 S., R. 16 E., Unsur.

Expenditures

I hereby certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claims by the claimant or its grantors is as follows:

~~improvements-consist-of: _____, and-that-said-~~

SILVER BELL NO. 1 LODGE:

No. 1, The discovery, a 4 x 4 post, on lode line 537 ft. from S.E.C.

Survey No. 3698 continued.

SILVER BELL NO. 2 LODE:

No. 1 The discovery, a 4 x 4 post, on lode line 573 ft. from S.E.C.

SILVER BELL NO. 3 LODE:

No. 1 the discovery shaft on the center line 894 ft. from the center of line 2 - 3, 4 ft. x 6ft. x 25 ft. deep, dip 70° E.

Value \$250.00

No. 2 a shaft on the center line 840 ft. from the center of ~~the~~ line 2 - 3, 4 ft. x 6 ft. x 10 ft. deep.

Value \$100.00

No. 3 a trench on the center line 809 ft. from the center of ~~the~~ line ~~from~~ 2 - 3, 2 ft. x 15 ft. x 3 ft. deep.

Value \$ 25.00

SILVER BELL NO. 4 LODE:

No. 1 The discovery, a 4 x 4 post, on lode line 422 ft. from S.E.C.

SILVER BELL NO. 5 LODE:

No. 1 the discovery shaft on the center line 69 ft. from the center of the line 4 - 1, 4ft. x 6 ft. x 8 ft. deep.

Value \$ 75.00

No. 2 a shaft which bears from the south end center N. 16° - 53' W. 141 ft., 4ft. x 6ft. x 16ft. deep.

Value \$160.00

No. 3 a tunnel, the mouth of which bears from the south end center N. 50° - 00' W. 96ft., 3.5 ft. x 6.5 ft., running N. 1° - 00' W. 60 ft.

Value \$500.00

No. 4 a tunnel, the mouth of which is on Silver Bell No. 6 Lode and bears S. 5° - 00' W. 8 ft. from the south end center, 3.5 x 6.5 ft., running N. 20°-00' E. 20 ft.

Value \$170.00

No. 5 a tunnel, the mouth of which is located on the south end line 20 ft. east of the south end center, 3.5 x 6.5 ft., running N. 10° - 00' E. 15 ft.

Value \$100.00

SILVER BELL NO. 6 LODE:

No. 1 The discovery, a 4 x 4 post on lode line 300 ft. from the E.E.C.

Survey No. 3698 continued.

SILVER BELL NO. 7 LODE:

No. 1, The discovery, a 4 x 4 post, on lode line 24 ft. from the W.E.C.

OTHER IMPROVEMENTS:

INSTRUMENT:

This survey was made with a Berger transit. The course was deflected from a true meridian as determined by an observation on Polaris near its eastern elongation using tables furnished by the A. Lietz Co. for making an observation on Polaris at any hour. The distance was measured with a 100 and 300 ft. steel tape.

ADJOINING CLAIMS:

The adjoining claims are unknown.

REPORT:

U. S. M. M. No. 3698, Lat. 33°17' N., Long. 110°40' W. is a quartzite stone .6 x 1.8 x 2.6 ft. set on end ~~with~~ 1.3 ft. in the ground, with the letters U. S. M. M. 3698. chiseled on the stone, with a conical mound of rock 4 ft. high and 6 foot base alongside. A quartzite ledge 2.0 x 2.0 x 1.0 ft. chiseled B R X bears S. 56°09' E. 19.17 ft. A quartzite ledge 1.5 x 1.8 x 2.0 ft. chiseled B R X bears N. 3°58' E. 29.67 ft. The highest point of Pinal Mountains that can be seen bears N. 87°51' W. The center of a wooden bridge on the El Capitan Highway bears N. 66°36' W. The center of a Galvanized Water Tank at Gilson Station on the A. E. R. R. bears N. 49°29' E. The center Peak of Triplets bears N. 78°09' E. The junction of Globe-Rice State Road and El Capitan Highway bears N. 6°19' E. The monument is located at the top of a Quartzite Hill.

Lodes Silver Bell Nos. 1, 2, 4, 6 and 7 have no discovery work, the points of discovery being marked by 4 x 4 posts at points showing evidence of mineralization on their respective Lode lines.

separate sheet

R. G. Thomas
U. S. M. S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R. G. Thomas

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

G. W. Shute & Wesley Goswick
Silver Bell No. 1, Silver Bell No. 2, Silver Bell No. 3, Silver
known as the Bell No. 4, Silver Bell No. 5, Silver Bell No. 6 and Silver Bell
No. 7 lodes

and showing the respective capacities in which they acted.

E. L. Evans, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. L. Evans

and R. G. Thomas, do solemnly swear that we assisted

R. G. Thomas, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Goswick
Silver Bell No. 1, Silver Bell No. 2, Silver Bell No. 3, Silver
known as the Bell No. 4, Silver Bell No. 5, Silver Bell No. 6, Silver Bell No. 7
lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

E. L. Evans, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of December, 1920

A. Reed

Notary Public

My commission
Expires June 14, 1924

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, R. G. Thomas, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
September 7, 1920, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of G. W. Shute & Wesley Goewich
, known as the
~~Silver Bell No. 1, Silver Bell No. 2, Silver Bell No. 3, Silver~~
~~Bell No. 4, Silver Bell No. 5, Silver Bell No. 6 and Silver Bell~~ No. 7
situate in Gila ~~Phoenix~~ Mining District, lodes
Gila County, Arizona, in Section
Approx. 1, Township No. 2 S., Range No. 16 E. Unsur.,
and designated as Survey No. 3698, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or them grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

R. G. Thomas
U. S. Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas
U. S. Mineral Surveyor, before me a Notary Public
for Gila Co Ariz this 10th
day of December, 1920

my commission
expires June 30 1924

A. Reid
Notary Public

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 24, 1921.

I, U. S. Surveyor-General for District of ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of G. W. SHUTE and WESLEY GOSWICK, known as the SILVER BELL NO. 1, SILVER BELL NO. 2, SILVER BELL NO. 3, SILVER BELL NO. 4, SILVER BELL NO. 5, SILVER BELL NO. 6, SILVER BELL NO. 7, Lodes, situate in GLOBE,

Mining District, GILA County, ARIZONA, in the San Carlos Indian Reservation, in Section Approx. 1, Township No. 2 S., Range No. 16 E. Unsur, and designated as Survey No. 3698,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that less than five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 4 shafts, 3 tunnels and 1 trench, total value \$1380.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

February 24, 19 21

I, U. S. Surveyor General for District of ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of G. W. SHUTE and WESLEY GOSWICK, known as the SILVER BELL NO. 1, SILVER BELL NO. 2, SILVER BELL NO. 3, SILVER BELL NO. 4, SILVER BELL NO. 5, SILVER BELL NO. 6, and SILVER BELL NO. 7 Lodes,

situate in GLOBE, mining district,

GILA County, ARIZONA,

in the San Carlos Indian Reservation,

in Section Approx. 1, Township No. 2 S., Range No. 16 E.,

Unsur., designated as Survey No. 3698

executed by R. G. Thomas, U. S. Mineral

Surveyor, Oct. 3 - Nov. 28, 1920, under my instructions dated


Sept. 7, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)
BUREAU OF LAND MANAGEMENT M.S. 3698
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Silver Bell No. 1, Silver Bell No. 2, Silver Bell No. 3, Silver Bell No. 4, Silver Bell No. 5, Silver Bell No. 6 and Silver Bell No. 7 lodes, Mineral Survey No. 3698, located in Township 2 South, Range 16 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Silver Bell No. 1, Silver Bell No. 2, Silver Bell No. 3, Silver Bell No. 4, Silver Bell No. 5, Silver Bell No. 6 and Silver Bell No. 7 lodes, M.S. 3698 were canceled April 15, 1993, by memo 9605 (942) M.S. 3698, which is now a part of the original field notes."

April 15, 1993
Date

Jerry A. Tullot
Acting Chief Cadastral Surveyor of Arizona