

4-883.

MINERAL SURVEY No. 3701.

LOT No. ....

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J.L.WADE, JOHN F.WADE, CHARLES SNELL and MRS. URA CRAWFORD.

KNOWN AS THE

EURIDA, EURIDA No.1, EURIDA NO.2, EURIDA NO.3 and EURIDA No.5 lodes.

The Crawford

Mining District,

Apache

County,

Arizona.

Upon unsurveyed lands, Navajo Indian reservation.

Section Approx. Sec. 14, Township T. 12. N, Range R 8W, Unsur., Navajo B & M

Surveyed under instructions dated September, 13th., 1920.

by Allison L. Prosser U. S. Mineral Surveyor.

Claim located See location notices., 19

Survey commenced February 1st., 1921.

Survey completed April 14th., 1921.

6-423

Address of Claimant, J.L.Wade, Agent, Farmington New Mexico.

~~DATES OF AMENDED LOCATIONS.~~

~~See location notices.~~

Feet.

Mineral SURVEY No.3701.

EURIDA No.3 LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location, and with Cor.No.1,  
Eurida lode of this survey.

An iron pipe 3 ft.long,  $1\frac{1}{2}$  ins.in diameter, set 11 ins.in solid rock,  
with an iron cap  $3\frac{1}{2}$  ins.in diameter on top stamped, 1-E.3 - 1-E. -3701,

whence,

A pinon tree 8 ins.in diameter, blazed and scribed, B.T.X, 1-E.- 3701,  
bears  $S.88^{\circ} 10'E.22.40$  ft.

A pinon tree 10 ins.in diameter, blazed and scribed, B.T.X, 1-E.3-3701,  
bears  $S.74^{\circ} 24'W.72.39$  ft.

U.S.M.M.No.2 bears  $N.3^{\circ} 12'E.1507.73$  ft.THENCE,  $S.86^{\circ} 17'W.$ VAR. $15^{\circ} 25'E.$ 

284.94 To Cor.No.2,

Identical with Cor.No.2 of the amended location.

An iron pipe 3 ft.long,  $1\frac{1}{2}$  ins.in diameter, set 10 ins.in solid rock,  
with an iron cap  $3\frac{1}{2}$  ins.in diameter on top stamped, 2-E.3 -3701, whence,

A pinon tree, 8 ins.in-diameter, blazed and scribed B.T.X, 2-E.3-3701,  
bears  $N.73^{\circ} 53'W.47.73$  ft.

The top of a rock in place, chiseled B.R.X, 2-E.3 - 3701, bears  $S.6^{\circ} 18'$   
 $W.19.95$  ft.

THENCE,  $N.51^{\circ} 45'W.$ VAR. $15^{\circ} 25'E.$ 

1254.75 To Cor.No.3,

Identical with Cor.No.3 of the amended location.

An iron pipe 3 ft.long,  $1\frac{1}{2}$  ins.in diameter, set 12 ins.in solid rock,  
with an iron cap  $3\frac{1}{2}$  ins.in diameter on top stamped, 3-E.3 -3701, whence,

The top of a rock in place, chiseled B.R.X, 3-E.3 - 3701, bears,  $N.67^{\circ}$   
 $04'W.34.06$  ft.

A pinon tree 10 ins.in diameter, blazed and scribed B.T.X, 3-E.3-3701,  
bears  $N.76^{\circ} 09'E.45.15$  ft.

THENCE,  $S.3^{\circ} 43'E.$ VAR. $15^{\circ} 25'E.$ 

403.48 To west end center,

Identical with the west end center of the amended location.



Fett.

SURVEY No.3701,(Continued.)

EURIDA No.3 LODE (Continued.)

A sandstone 4 ft.long,4 ins.by 12 ins.square,set 18 ins.in the ground ,  
surrounded by a mound of earth and stone, chiseled E.C.-E.3,-3701.

806.96 To Cor.No.4,

Identical with Cor.No.4 of the amended location.

A hewn pinon post,4 ft.long,6 ins.square,set 18 ins.in the ground,  
surrounded by a mound of earth and stone, scribed 4-E.3-3701,whence,

A cedar tree 12 ins.in diameter,blazed and scribed B.T.X,4-E.3-3701,  
bears S.20° 10'W.31.54 ft.

A cedar tree 10 ins.in diameter,blazed and scribed B.T.X,4-E.3-3701,  
bears N.22° 35'W.47.50 ft.

THENCE,S.51° 45'E.

VAR.15° 25'E.

945.25 To Cor.No.5,

Identical with Cor.No.5 of the amended location.

A hewn pinon post,4 ft.long,4 ins.by 6 ins.square,set 18 ins.in the  
ground,surrounded by a mound of earth and stone, scribed 5-E.3-3701,  
whence,

The face of a cliff chiseled B.R.X,5-E.3-3701,bears N.25° 38'E.77.96 ft.

A cedar tree 14 ins.in diameter,blazed and scribed B.T.X.5-E.3-3701,  
bears,S.52° 15'E,118.50 ft.

THENCE,N.86° 17'E.

VAR.15° 25'E.

515.06 To Cor.No.6,

Identical with Cor.No.6 of the amended location and with Cor.No.2,  
Eurida lode of this survey.

A hewn pinon post 4 ft. long,6 ins.square,set 18 ins.in the ground,  
surrounded by a mound of earth and stone, scribed,6-E.3 - 2-E.- 3701,  
whence,

A cedar tree 12 ins.in diameter,blazed and scribed,B.T.X,2-E.- 3701,  
bears N.55° 49'E.64.45 ft.

A pinon tree 8 ins.in diameter,blazed and scribed B.T.X,6-E.3 -3701,  
bearsN.74° 19'W.70.40 ft.

THENCE,N.3° 43'W.

VAR.15° 25'E.

300.00 To east end center,



Feet.

SURVEY No.3701,(Continued.)

EURIDA No.3 LODE,(Continued.)

Identical with the east end center of the amended location and with the west end center Eurida lode,of this survey.

Being a X on the face of a cliff and chiseled E.C.-E.3-E.-3701,whence, The location monument,Eurida No.3 lode bears,S.86°17'W.400 ft.

600.00

To Cor.No.1,the place of beginning.

EURIDA LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location and with Cor.No.1, Eurida No.3 lode,of this survey,heretofore described,whence,

~~A pinon tree 8 ins.in diameter,blazed and scribed B.T.X,1-E.-3701, bears S,88°10'E.22.40 ft.~~

~~A pinon tree 10 ins.in diameter,blazed and scribed B.T.X,1-E.3-3701, bears S.74°24'W.72.39 ft.~~

U.S.M.M.No.2 bears N.3°12'E.1507.73 ft.

THENCE,S.3°43'E.

VAR.15°25'E.

300.00

To west end center,

Identical with the west end center of the amended location and with the east end center,Eurida No.3 lode of this survey,heretofore described,whence,

The location monument,Eurida lode bears,N.86°17'E.548.20 ft.

600.00

To Cor.No.2,

Identical with Cor.No.2 of the amended location and with Cor.No.6, Eurida No.3 lode of this survey,heretofore described,whence,

~~A cedar tree 12 ins.in diameter,blazed and scribed B.T.X,2-E.-3701, bears N.55°49'E.64.45' ft.~~

~~A pinon tree 8 ins.in diameter,blazed and scribed B.T.X,6-E.3.-3701, bears N.74°19'W.70.40 ft.~~

THENCE,N.86°17'E.

VAR.15°25'E.

1500.00

To Cor.No.3,

Identical with Cor.No.3 of the amended location.

A hewn pinon post 4 ft.long,6 ins.square, set 18 ins.in the ground, surrounded by a mound of earth and stone,scribed 3-E.-3701,whence,

A pinon tree 8 ins.in diameter,blazed and scribed;B.T.X,3-E.-3701,



Feet.

## SURVEY No. 3701, (Continued.)

## EURIDA LODE, (Continued.)

bears N.43° 55'E.55.00 ft.

A cedar tree 16 ins.in diameter,blazed and scribed B.T.X,3-E.-3701,

bears S.83° 51'E.59.90 ft.

THENCE, N.3° 43'W.

VAR.15° 25'E.

300.00 To east end center,

Identical with the east end center of the amended location.

A sandstone 3 ft.6 ins.long,4 ins.by 16 ins.square, set 8 ins.in the

ground,surrounded by a mound of earth and stone,chiseled,E.C.-E.-

3701,

550.00 Center of draw. Flows west.

600.00 To Cor.No.4,

Identical with Cor.No.4 of the amended location.

On line 2-3,Eurida No.5 lode of this survey.

A pinon post 4 ft.long,6 ins.square, set 18 ins.in the ground,sur-

rounded by a mound of earth and stone,scribed 4-E.- 3701,whence,

The face of a cliff chiseled,B.R.X.4-E.-3701,bears N.10° 24'E.62.50 ft.

A pinon tree 8 ins.in diameter,blazed and scribed B.T.X,4-E.-3701,

bears S.81° 04'E.84.85 ft.

THENCE,S.86° 17'W.

VAR.15° 25'E.

233.13 Center of draw.Flows N.45° 00'W.

652.13 To Cor.Nos.2 and 3,Eurida No.5 and Eurida No.1 lodes,respectively,  
of this survey.

1500.00 To Cor.No.1,the place of beginning.

## EURIDA No.1 LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location,

A hewn pinon post 4 ft.long,6 ins.square, set 2 ft.in the ground,sur-

rounded by a mound of earth and stone,scribed 1-E.1 -3701,whence,

A cedar tree 8 ins.in diameter,blazed and scribed B.T.X,1-E.1-3701,

bears S.80° 26'E.13.10 ft.

The face of a cliff,chiseled B.R.X,1-E.1 -3701,bears,N.64° 22'E.

58.89 ft.

U.S.M.M.No.2 bears N.52° 05'E.389.73 ft.



Feet.

SURVEY No.3701,(Continued.)

EURIDA No.1 LODE,(Continued.)

THENCE,S.26° 45'W.

VAR.15° 25'E.

292.00 Center of draw.Flows N.64° 00'W.

300.00 To west end center,

Identical with the west end center of the amended location.

A sandstone 3 ft.long,6 ins.by 12 ins.square, set 10 ins.in the ground surrounded by a mound of earth and stone, chiseled E.C.-E.1-3701, whence,

The location monument, Eurida No.1 lode, bears S.63° 15'E.100 ft.

600.00 To Cor.No.2,

Identical with Cor.No.2 of the amended location.

A hewn pinon post 4 ft.long,6 ins.square, set 2 ft.in the ground, surrounded by a mound of earth and stone, scribed 2-E.1 -3701, whence,

A pinon tree 8 ins.in diameter, blazed and scribed, B.T.X, 2-E.1, -3701, bears S.20° 58'W.13.95 ft.

A pinon tree 10 ins.in diameter, blazed and scribed B.T.X, 2-E/1, -3701, bears N.62° 34'W.71.20 ft.

THENCE,S.63° 15'E.

VAR.15° 25'E.

1500.00 To Cor.No.3,

Identical with Cor.No.3 of the amended location and with Cor.No.2,

Eurida No.5 lode of this survey.

On line 4-1, Eurida lode of this survey.

An iron pipe 3 ft.long, 1½ ins.in diameter, set 10 ins.in solid rock,

with an iron cap 3½ ins.in diameter on top, stamped, 3-E.1, -2-E.5, -3701, whence,

A pinon tree 8 ins.in diameter, blazed and scribed B.T.X, 3-E.1, -3701, bears N.2° 10'E.28.29' ft.

A pinon tree 8 ins.in diameter, blazed and scribed B.T.X, 2-E.5, -3701, bears S.85° 49'E.23.84 ft.

THENCE,N.26° 45'E.

VAR.15° 25'E.

300.00 To east end Center,

Identical with the east end center of the amended location.

On line 1-2, Eurida No.5 lode of this survey.

A sandstone 3 ft.long,4 ins.by 12 ins.square set 1 foot in the ground,



Feet.

SURVEY No.3701,(Continued.)

EURIDA No.1 LODE,(Continued.)

surrounded by a mound of earth and stone, chiseled E.C.-E.1,-3701.

320.00 Center of draw,Flows N.45° 00'W.

348.06 To west end center,Eurida No.5 lode of this survey.

600.00 To Cor.No.4,

Identical with Cor.No.4 of the amended location.

On line 1-2,Eurida No.5 lode,of this survey.

- An iron pipe 3 ft.long,1½ ins.in diameter,set 11 ins in solid rock, with an iron cap 3½ ins.in diameter on top,stamped 4-E.1,-3701,whence, A pinon tree 6 ins.in diameter,blazed and scribed B.T.X,4-E.1,-3701, bears S.47° 38'E.32.01 ft.

- The top of a rock in place, chiseled B.R.X,4-E.1,-3701,bears N.32° 09'E.11.89 ft.

THENCE,N,63° 15'W.

VAR.15° 25'E.

100.00 - Center of draw,Flows S.30° 00'W.

1500.00 To Cor.No.1,the place of beginning.

EURIDA NO.5 LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location.

A hewn pinon post,4 ft.long,6 ins.square,set 2 ft.in the ground,surrounded by a mound of earth and stone,scribed 1-E.5,3701,whence,

A pinon tree 10 ins.in diameter,blazed and scribed B.T.X,1-E.5,- 3701, bears S.69° 01'W.25.77 ft.

- A pinon tree 10 ins.in diameter,blazed and scribed B.T.X,1-E.5,-3701, bears N.72° 40'E.40.21 ft.

- U.S.M.M.No.2 bears N.52° 22' 32"W.1357.61 ft.

THENCE,S.26° 45'W.

VAR.15° 25'E.

96.12 To Cor.No.4,Eurida No.1 lode,of this survey.

348.06 To west end center,

Identical with the west end center of the amended location.

On line 3-4,Eurida No.1 lode of this survey.

A sandstone 4 ft.long,5 ins.by 11 ins.square,set 12 ins.in the ground surrounded by a mound of earth and stone, chiseled E.C.-E.5,-3701,whence, The location monument,Eurida No,5 lode bears,N.86° 17'E.110. ft.



Feet. SURVEY No. 3701, (Continued.)

EURIDA No. 5 LODE, (Continued.)

376.12 Center of draw. Flows N.45° 00' W.,

396.12 To east end center, Eurida No. 1 lode, of this survey.

696.12 To Cor. No. 2,

Identical with Cor. No. 2 of the amended location and with Cor. No. 3, Eurida No. 1 lode, of this survey, heretofore described, whence,

~~A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 3-E.1, -3701, bears N.2° 10' E. 28.29 ft.~~

~~A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 2-E.5, -3701, bears S.85° 49' E. 23.84 ft.~~

THENCE, N.86° 17' E.

VAR. 15° 25' E.

419.00 Center of draw. Flows N.45° 00' W.,

652.13 To Cor. No. 4, Eurida lode of this survey.

1500.00 To Cor. No. 3,

Identical with Cor. No. 3 of the amended location.

A hewn pinon post 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed 3-E.5, -3701, whence, A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 3-E.5, -3701, bears N.50° 01' W. 19.60 ft.

The top of a rock in place, chiseled B.R.X, 3-E.5, -3701, bears S.40° 50' E. 17.40 ft.

THENCE, N.26° 45' E.

VAR. 15° 25' E.

348.06 To east end center,

Identical with the east end center of the amended location.

A sandstone 4 ft. long, 4 ins. by 12 ins. square, set 12 ins. in the ground, surrounded by a mound of earth and stone, chiseled E.C.-E.5, -3701.

696.12 To Cor. No. 4,

Identical with Cor. No. 4 of the amended location.

A hewn pinon post 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed 4-E.5, -3701, whence,

A cedar tree 6 ins. in diameter, blazed and scribed B.T.X, 4-E.5, 3701, bears N.86° 48' W. 17.30 ft.

A cedar tree 8 ins. in diameter, blazed and scribed B.T.X, 4-E.5, -3701, bears S.5° 26' W. 24.45 ft.



Feet.

SURVEY No. 3701, (Continued.)

EURIDA No. 5 LODE, (Continued.)

Cor. No. 3, Eurida No. 2 lode, of this survey, bears  $S. 62^{\circ} 29' W. 185.89$  ft.THENCE,  $S. 86^{\circ} 17' W. 204.98$  ft. from Cor. No. 3,VAR.  $15^{\circ} 25' E.$ 126.83 Intersect line 3-4, Eurida No. 2 lode of this survey, at  $N. 26^{\circ} 15' E.$  $86.59$  ft. from Cor. No. 3.204.98 Intersect line 2-3, Eurida No. 2 lode of this survey at  $N. 28^{\circ} 40' W.$  $82.74$  ft. from Cor. No. 3.

1500.00 To Cor. No. 1, the place of beginning.

EURIDA No. 2 LODE.

Beginning at Cor. No. 1,  $N. 71^{\circ} 08' W. 301.17$  ft.

Identical with Cor. No. 1 of the amended location.

A hewn pinon post 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed 1-E.2, -3701, whence,

A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 1-E.2, -3701, bears  $N. 48^{\circ} 04' E. 10.15$  ft.

A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 1-E.2, -3701,

bears  $N. 70^{\circ} 53' W. 26.92$  ft.U.S.M.M./No. 2 bears  $S. 79^{\circ} 54' 04'' W. 1447.57$  ft.THENCE,  $S. 63^{\circ} 45' E. 605.17$  ft.VAR.  $15^{\circ} 25' E.$ 

605.17 To Cor. No. 2,

Identical with Cor. No. 2 of the amended location,

A hewn pinon post 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed 2-E.2, -3701, whence,

A pinon tree 12 ins. in diameter, blazed and scribed B.T.X, 2-E.2, -3701, bears  $N. 21^{\circ} 46' E. 27.30$  ft.

A cedar tree 8 ins. in diameter, blazed and scribed B.T.X, 2-E.2, -3701,

bears  $S. 74^{\circ} 52' W. 17.80$  ft.THENCE,  $S. 28^{\circ} 40' E. 915.88$  ft.VAR.  $15^{\circ} 25' E.$ 833.14 Intersect line 4-1, Eurida No. 5 lode, at  $S. 86^{\circ} 17' W. 204.98$  ft. from Cor.

No. 4.

915.88 To Cor. No. 3,

Identical with Cor. No. 3 of the amended location.

A hewn pinon post 4 ft. long, 6 ins. square, set 18 ins. in the ground, sur-



Feet.

(SURVEY No.3701,(Continued.)

Eurida No.2. lode,(Continued.)

rounded by a mound of earth and stone, scribed 3-E.2, -3701, whence,

A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 3-E.2, -3701, bears S.65° 30'E. 34.40 ft.

A cedar tree 8 ins. in diameter, blazed and scribed B.T.X, 3-E.2, -3701, bears S.39° 17'W. 29.20 ft.

THENCE, N.26° 15'E.

VAR. 15° 25'E.

86.59 Intersect line 4-1, Eurida No.5 lode, of this survey, at S.86° 17'W. 126.83 ft. from Cor.No.4.

366.60 To south end center,

Identical with the south end center of the amended location,

A sandstone 3 ft. 6 ins. long, 4 ins. by 16 ins. square, set 12 ins. in the ground, surrounded by a mound of earth and stone, chiseled E.C, -E.2, -3701, whence,

The location monument, Eurida No.2 lode bears N.28° 40'W. 800 ft.

733.20 To Cor.No.4,

Identical with Cor.No.4 of the amended location.

A hewn pinon post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed 3-E.2, 3701, whence,

A pinon tree 10 ins. in diameter, blazed and scribed B.T.X, 4-E.2, -3701, bears N.36° 06'E. 27.70 ft.

A cedar tree 12 ins. in diameter, blazed and scribed B.T.X, 4-E.2, -3701, bears N.64° 44'W. 28.30 ft.

THENCE, N.28° 40'W.

VAR. 15° 25'E.

684.12 To Cor.No.5,

Identical with Cor.No.5 of the amended location.

A hewn pinon post 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed 5-E.2, -3701, whence,

A pinon tree 12 ins. in diameter, blazed and scribed B.T.X, 5-E.2, -3701, bears N.36° 36'W. 15.90 ft.

A pinon tree 8 ins. in diameter, blazed and scribed B.T.X, 5-E.2, -3701, bears S.74° 16'W. 17.50 ft.

THENCE, N.63° 45'W.

VAR. 15° 25'E.



Feet.

(SURVEY No. 3701, (Continued.)

EURIDA No. 5, LODE, (Continued.)

428.00 Center of draw. Flows S. 85° 00' W.  
 794.83 To Cor. No. 6,  
 Identical with Cor. No. 6 of the amended location.  
 An iron pipe 3 ft. long, 1½ ins. in diameter, set 10 ins. in solid rock,  
 with an iron cap 3½ ins. in diameter on top, stamped 6-E.2, -3701, whence,  
 The face of a cliff, chiseled B.R.X, 6-E.2, -3701 bears, N. 56° 30' W. 11.60 ft.  
 THENCE, S. 26° 15' W.

177.00 Center of draw, Flows N. 86° 00' W.  
 300.00 To west end center,  
 Identical with the west end center of the amended location,  
 Being a X on the face of a cliff, chiseled E.C.X, -E.2, -3701.  
 600.00 To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from present development, the veins of the  
 several locations embraced in this survey extend as follows from their  
 respective discovery points:  
 Eurida No. 3 lode, 1100 ft. running N. 51° 45' W. and 400 ft. running N. 86° 17' E.  
 Eurida lode, 548.20 ft. running S. 86° 17' W. and 951.80 ft. running N. 86° 17' E.  
 Eurida No. 1 lode, 100 ft. running N. 63° 15' W. and 1400 ft. running S. 63°  
 15' E.  
 Eurida No. 5 lode, 110 ft. running S. 86° 17' W. and 1390 ft. running N. 86°  
 17' E.  
 Eurida No. 2 lode, 700 ft. running N. 63° 45' W. and 800 ft. running S. 28°  
 40' E.

AREAS.

Total area Eurida No. 3 lode, 20.661 acres. ✓  
 Total area Eurida lode, 20.661 acres. ✓  
 Total area Eurida No. 1 lode, 20.661 acres. ✓  
 Total area Eurida No. 5 lode, 20.661 acres. ✓  
 Total area Eurida No. 2 lode, 20.661 acres. ✓  
 Area in conflict with  
 Eurida No. 5 lode of this survey. 0.0671 acres.

LOCATION.

This survey is located upon unsurveyed lands in the Carriso mountains, approx. in Sec. 14, T. 12 N., R. 8 W., Navajo B&M.



upon the Navajo Indian reservation. The approximate latitude is  $36^{\circ} 46'N.$  and the approximate longitude is  $109^{\circ} 12'W.$

#### IMPROVEMENTS.

I certify, that the labor and improvements made upon of for the benefit of each of the locations embraced in said mining claim, by the claimants or their grantors is as follows:

#### Eurida No.3.

No.1- The discovery cut, the mouth of which being the discovery point, is on the lode line 400 ft. from the center of line 6-1, 2 ft. wide, 4 ft. face, running  $N.51^{\circ} 45'W.$  15 ft. to the face.

#### Eurida.

No.1- The discovery cut, the mouth of which being the discovery point, is on the lode line 548.20 ft. from the center of line 1-2, 3 ft. wide, 4 ft. face, running  $N.86^{\circ} 17'E.$  15 ft. to face.

#### Eurida No.1.

No.1- The discovery cut, the mouth of which being the discovery point, is on the lode line, 100 ft. from the center of line 1-2, 4 ft. wide, 8 ft. face, running  $S.63^{\circ} 15'E.$  20 ft. to the face.

No.2- An open cut the mouth of which being on the lode line 125 ft. from the center of line 1-2, 4 ft. wide, 3 ft. face, running  $S.64^{\circ} 00'E.$  12 ft. to the face.

No.3- An open cut the mouth of which is on the lode line 160 ft. from the center of line 1-2, 6 ft. wide, 4 ft. face, running  $S.63^{\circ} 00'E.$  20 ft. to the face.

#### Eurida No.5.

No.1, The discovery cut, the face of which being the discovery point, is on the lode line 110 ft. from the center of line 1-2, 3 ft. wide, 6 ft. face, running  $N.86^{\circ} 17'E.$  25 ft. to the mouth.

No.2- An open cut the mouth of which is on the lode line 95 ft. from the center of line 1-2, 3 ft. wide, 6 ft. face, running west 12 ft. to the face.

#### Eurida No.2.

No.1- The discovery cut, the face of which being the discovery point, is on the lode line 700 ft. from the center of line 6-1, 3 ft. wide, 4 ft. face, running  $N.63^{\circ} 45'W.$  12 ft. to the mouth.

No.2- An open cut, the mouth of which is on the lode line 700 ft. from the center of line 3-4, 2 ft. wide, 4 ft. face, running  $S.28^{\circ} 40'E.$  15 ft. to the face.



OTHER IMPROVEMENTS.

None.

INSTRUMENT.

The instrument used in making this survey was a Buff & Buff Mining Transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with a five hundred foot steel tape.

REPORT.

The lode line of each of the locations of this claim ~~were~~<sup>was</sup> run directly upon the ground, and the several corners established by means of offsets from the lode lines.

U.S.M.M.No.2 is a sandstone, 6 ins. by 20 ins. square, projecting 12 ins. above the ground, chiseled with an X on top and U.S.M.M.No.2, FLORIDA, on the east side.

Adjoining claims.

None.

Note;- The discovery of each of the locations embraced in this survey shows ore or a vein in place.

The Eurida No.2 and Eurida No.3 lodes, which have angles in their lode lines are located following the ledge or vein which outcrops and is readily traced upon the ground.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Allison L. Kroeger,  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
~~J. L. Wade, John F. Wade, Charles Snell and Mrs. Ura Crawford,~~  
 known as the Eurida, Eurida No. 1, Eurida No. 3, Eurida No. 2 and Eurida No. 5 Lodes,  
 and showing the respective capacities in which they acted.

\_\_\_\_\_ Rollin Ritter, \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, Rollin Ritter, \_\_\_\_\_  
 and \_\_\_\_\_, do solemnly swear that ~~we~~ <sup>I</sup> assisted \_\_\_\_\_  
Allison L. Kroeger \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of J. L. Wade, John F. Wade, Charles Snell and Mrs. Ura  
Crawford, \_\_\_\_\_  
 known as the Eurida, Eurida No. 1, Eurida No. 2, Eurida No. 3 and Eurida No. 5 Lodes,  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona. \_\_\_\_\_

\_\_\_\_\_ Rollin Ritter \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 16<sup>th</sup>

day of April \_\_\_\_\_, 1921

My Commission Expires Sept. 26, 1921

Robert S. Clement  
 Notary Public in and for  
 La Plata County - Colo.





FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Allison L. Kroeger, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated September 13th, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J.L.Wade, John F.Wade, Charles Snell and Mrs. Urs Crawford, known as the Eurida, Eurida No. 1, Eurida No. 2, Eurida No. 3 and Eurida No. 5 Lodes, situate in the Crawford Mining District, Apache County, Arizona, in Section Upon unsurveyed lands, Navajo Indian reservation, Approx. Sec. 14, Township No. 12 N., Range No. 8 W., Unsur., Navajo B. & M., and designated as Survey No. 3701, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon, or for the benefit of, said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Allison L. Kroeger
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Allison L. Kroeger,

U. S. Mineral Surveyor, before me Robert S. Clements a notary public in and for La Plata County, Colo. - this 16th day of April, 1921

Robert S. Clements
Notary Public

My Commission Expires Sept. 26, 1921



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

July 29, 1921.

I, U. S. Surveyor General for DISTRICT OF ARIZONA,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of J. L. WADE, JOHN F. WADE, CHARLES SNELL,  
and MRS. URA CRAWFORD,  
, known as the EURIDA, EURIDA NO. 1, EURIDA NO. 2, EURIDA NO. 3,  
and EURIDA NO. 5 Lodes, situate in CRAWFORD  
Mining District, APACHE County,  
Arizona, Navajo Indian Reservation, in Section Approx. 14, Township No. 12 N.  
Range No. 8 W., Unsur., Navajo Base & Meridian and designated as Survey  
No. 3701, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimants or their grantors, and  
that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor General for Arizona



SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

.....Phoenix, Arizona,.....

.....July 29....., 1921

I, U. S. Surveyor General for .....DISTRICT OF ARIZONA,.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

.....J. L. WADE, JOHN F. WADE, CHARLES SMELL, and MRS. URA CRAWFORD.....

....., known as the

EURIDA, EURIDA NO. 1, EURIDA NO. 2, EURIDA NO. 3, and EURIDA NO. 5 Lodes

situate in .....CRAWFORD..... mining district,

APACHE ..... County, ARIZONA, Navajo Indian Reservation,

in Section Approx. 14....., Township No. 12 N.,....., Range No. 8 W., Unsur.,

Navajo Base & Meridian,  
designated as Survey No. ....3701.....

executed by .....Allison L. Kroeger....., U. S. Mineral

Surveyor, .....February 1st - April 14th....., 1921, under my instructions dated

.....September 13th....., 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for .....Arizona,.....



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3701  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Eurida, Eurida No.1, Eurida No.2, Eurida No.3, and Eurida No.5, lodes, Mineral Survey No. 3701, located in approx. section 14, Township 12 North, Range 8 West, (canceled), Navajo Base and Meridian, Arizona, and sections 11, 12, 13 and 14, Township 39 North, Range 28 East (unsurveyed), Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Eurida, Eurida No.1, Eurida No.2, Eurida No.3, and Eurida No.5, lodes M.S. 3701, were canceled April 7, 2010, by memo 9605 (956) M.S. 3701, which is now a part of the original field notes."

April 7, 2010  
Date

Stephen H. Hansen  
Chief Cadastral Surveyor of Arizona