

4-683

MINERAL SURVEY No. 3705.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

E.A. COSTON. (By J.L. Wade.)

KNOWN AS THE

PRESTON, PRESTON No. 1, and STORMYDAY Lodes.

CRAWFORD

Mining District,

APACHE

County, ARIZONA

Upon ~~unsurveyed~~ lands, Navajo Indian reservation.

Approx. Sections 27 & 28, Township 14 N., Range 7 W., Navajo Bas & Mer.

Surveyed under instructions dated September, 13th., 1920.

by Allison L. Proeger U. S. Mineral Surveyor.

Claim located See location notices, 1920.

Survey commenced November, 29th., 1920.

Survey completed February 7th., 1921.

Address of claimants, Agent J.L. Wade, Farmington, New Mexico.

DATES OF AMENDED LOCATIONS.

~~Preston lode, May, 23rd, 1920.~~

~~Preston No. 1 lode, May, 23rd, 1920.~~

~~Stormyday lode, May 22nd., 1920.~~

Feet.	Mineral SURVEY No.3705.	Feet
	STORMYDAY LODE.	
	BEGINNING at Cor.No.1,	
	Identical with Cor.No.1 of the amended location.	
	A hewn cedar post,4 ft.long,5 ins.by 8 ins.square, set 2 ft.in the ground surrounded by a mound of earth, scribed, <u>1-S.</u> <u>3705</u> , whence,	
	U.S.M.M. ^{No.1} Preston bears S.37° 02' 52"E.3049.59 ft.	
	THENCE, N.39° 00'W.	
	VAR.15° 25'E.	
300.00	To east end center,	
	Identical with the east end center of the amended location.	
	A hewn cedar post,4 ft.long,5 ins.square, set 2 ft.in the ground, <u>E.C.S.</u> scribed, 3705., whence,	
	The location monument, Stormyday lode, bears S.51° 00'W.300 ft.	
600.00	To Cor.No.2,	
	Identical with Cor.No.2 of the amended location and with Cor.No.1	
	Preston lode of this survey.	
	A hewn cedar post,4 ft.long,4 ins.by 6 ins.square, set 12 ins.in the ground surrounded by a mound of earth and stone, scribed, <u>1-P.- 2-S.</u> <u>3705</u> , whence,	
	The top of a rock in place, chiseled B.R.X. <u>1-P.- 2-S.</u> <u>3705</u> , bears, S.68° 00'W. 26.70 ft.	
	THENCE, S.51° 00'W.	
	VAR.15° 25'E.	
416.93	To east end center Preston lode of this survey.	
833.86	To Cor.No.4, Preston lode of this survey.	
1500.00	To Cor.No.3,	
	Identical with Cor.No.3' of the amended location.	
	On line 4-1, Preston No.1 lode of this survey.	
	A hewn cedar post,4 ft.long,6 ins.square, set 2 ft.in the ground, sur- rounded by a mound of earth and stone, scribed, <u>3-S.</u> <u>3705</u> , whence,	
	The top of a rock in place, chiseled, B.R.X. <u>3-S.</u> <u>3705</u> , bears, S.1° 59'E.19.70ft.	
	THENCE, S,39° 00'E.	
	VAR.15° 25'E.	
300.00	To west end center,	
	Identical with the west end center of the amended location.	
	A hewn pinon post,4 ft.long,6 ins.square, set 18 ins.in the ground, <u>E.C.S.</u> surrounded by a mound of earth and stone, scribed, 3705.	

Feet.

SURVEY No. 3705, (Continued.)

STORMYDAY LODE, (Continued.)

600.00 To Cor.No.4,

Identical with Cor.No.4 of the amended location.

A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed, 4-S. 3705, whence,A cedar tree, 8 ins. in diameter, blazed and scribed B.T.X, 4-S. 3705, bears, N.68° 16'E. 61.60 ft.

THENCE, N.51° 00'E.

VAR. 15° 25'E.

1500.00 To Cor.No.1, the place of beginning.

PRESTON LODE.

Beginning at Cor.No.1,

Identical with Cor.No.1 of the amended location and with Cor.No.2,

Stormyday lode, of this survey, heretofore described, whence,

The top of a rock in place, chiseled, B.R.X, 1-P.- 2-S. 3705, bears, S.68° 00'W. 26.70 ft.U.S.M.M. ^{No.1} Preston bears S.37° 22' 06"E. 3649.33 ft.

THENCE, N.82° 59'W.

VAR. 15° 25'E.

1500.00 To Cor.No.2,

Identical with Cor.No.2 of the amended location.

A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, scribed, 2-P. 3705,

No bearings available.

THENCE, S.51° 00'W.

VAR. 15° 25'E.

416.93 To west end center,

Identical with the west end center of the amended location.

A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, scribed, 2-P. 3705.

833.86 To Cor.No.3,

Identical with Cor.No.3 of the amended location.

A hewn cedar post, 4 ft. 6 ins. long, 5 ins. by 7 ins. square, set 2 ft. 6 ins. in the ground, scribed, 3-P. 3705,

No bearings available.

THENCE, S.82° 59'E.

Feet.	SURVEY No.3705, (Continued.)
	PRESTON LODE, (Continued.)
	VAR.15° 25'E.
582.38	To Cor.No.2, Preston No.1 lode, of this survey.
905.26	To north end center Preston No.1 lode, of this survey.
1228.14	To Cor.No.1 Preston No.1 lode, of this survey.
1500.00	To Cor.No.4,
	Identical with Cor.No.4 of the amended location.
	On line 2-3, Stormyday lode, of this survey.
	A hewn pinon post, 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed, <u>4-P.</u> , whence,
	The top of a rock in place, chiseled, B.R.X, 3705, bears, <u>4-P.</u> , S.25° 22'E.
	55.72 ft.
	THENCE, N.51° 00'E.
	VAR.15° 25'E.
416.93	To east end center,
	Identical with the east end center of the amended location.
	A hewn cedar post, 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed, <u>E.C.P.</u> , whence,
	The location monument, Preston lode, bears, N.82° 59'W. 796.34 ft.
833.86	To Cor.No.1, the place of beginning.
	PRESTON No.1 LODE.
	Beginning at Cor.No.1,
	Identical with Cor.No.1 of the amended location.
	On line 3-4 Preston lode, of this survey.
	An iron pipe, 3 ft. 6 ins. long, 1½ ins. in diameter, set 10 ins. in the solid rock, with an iron cap 3½ ins. in diameter on top, stamped Cor.1,
	X Preston 1, 3705, whence,
	The top of a rock in place, chiseled, B.R.X, 3705, bears, <u>1-P.1.</u> , S.29° 42'W.
	50.50 ft.
	U.S.M.M. Preston bears S.52° 26' 36"E. 3951.77 ft.
	THENCE, N.82° 59'W.
	VAR.15° 25'E.
322.88	To north end center.
	Identical with the north end center of the amended location.
	A hewn cedar post, 3 ft. long, 5 ins. square, set in a mound of stone, scribed, E.C.P.1-3705, whence,

Feet.

SURVEY No. 3705, (Continued.)

PRESTON No. 1 LODE, (Continued.)

The location monument, Preston No. 1 lode bears, $S.28^{\circ} 43' W. 93.97$ ft.

645.76

To Cor. No. 2,

Identical with Cor. No. 2 of the amended location,

On line 3-4, Preston lode, of this survey.

A hewn cedar post, 4 ft. long, 6 ins. square, set 2 ft. in the ground, surrounded by a mound of earth and stone, scribed, 2-P.1, 3705,.

No bearings available.

THENCE, $S.28^{\circ} 43' W.$

VAR. $15^{\circ} 25' E.$

1500.00

To Cor. No. 3,

Identical with Cor. No. 3 of the amended location.

A hewn cedar post, 4 ft. long, 6 ins. square, set 18 ins. in the ground, surrounded by a mound of earth and stone, scribed, 3-P.1, 3705,.

No bearings available.

THENCE, $S.82^{\circ} 59' E.$

VAR. $15^{\circ} 25' E.$

322.88

To south end center,

Identical with the south end center of the amended location.

A hewn pinon post, 3 ft. 6 ins. long, 6 ins. square, set 12 ins. in the ground, surrounded by a mound of earth and stone, scribed, E.C.P.1, 3705.

645.76

To Cor. No. 4,

Identical with Cor. No. 4 of the amended location.

An iron pipe, 3 ft. long, $1\frac{1}{2}$ ins. in diameter, set 12 ins. in the solid rock, with an iron cap $3\frac{1}{2}$ ins. in diameter on top, stamped, Cor. 4, X,

Preston 1, 3705, whence,

The top of a rock in place, chiseled, B.R. X, 3705, bears, $N.77^{\circ} 49' E.$

24.00 ft.

THENCE, $N.28^{\circ} 43' E.$

VAR. $15^{\circ} 25' E.$

984.13

To Cor. No. 3, Stormyday lode, of this survey.

1500.00

To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from present development the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Stormyday lode, 300 ft. running N. $51^{\circ}00'E.$ and 1200 ft. running, S. $51^{\circ}00'W.$

Preston lode, 796.34 ft. running S. $82^{\circ}59'E.$ and 703.66 ft. running N. $82^{\circ}59'W.$

Preston No. 1 lode, 93.97 ft. running N. $28^{\circ}43'E.$ and 1406.03 ft. running S. $28^{\circ}43'W.$

AREAS.

Total area Stormyday lode, 20.661 acres.

Total area Preston lode, 20.661 acres.

Total area Preston No. 1 lode, 20.661 acres.

LOCATION.

approximately in Secs. 27 & 28, T. 14 N., R. 7 W., N.B. & M.
This survey is located upon ~~unsurveyed lands~~ in the Carriso mountains.

The approximate latitude is $36^{\circ}55'N.$ and the approximate longitude is $109^{\circ}12'W.$

IMPROVEMENTS.

I certify, that the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, by the claimant or his grantors is as follows:

No. 1- The discovery cut, Stormyday lode, the face of which being the discovery point, is on the lode line 300 ft. from the center of line 1-2, 4 ft. wide, 1 foot deep, running S. $51^{\circ}00'W.$ 15 ft. to the mouth.

No. 2- The discovery cut, Preston lode, the face of which being the discovery point, is on the lode line 796.34 ft. from the center of line 4-1, 4 ft. wide, 1 foot deep, running N. $83^{\circ}00'W.$ 15 ft. to the mouth.

No. 3- The discovery cut, Preston No. 1 lode, the face of which being the discovery point, is on the lode line 93.97 ft. from the center of line 1-2, 4 ft. wide, 1 foot deep, running N. $10^{\circ}00'W.$ ^{15 ft.} to the mouth.

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

The instrument used in making this survey was a C.L. Berger & Sons Mining Transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with a five hundred foot steel tape.

REPORT.

The lode lines of each of the locations of this claim were run directly upon the ground, and the several corners established by means of

offsets from the lode lines.

No. 1

U.S.M.M. Preston is a sandstone 8 ins. by 20 ins. projecting 1 foot above the ground, chiseled with an X on top and U.S.M.M. No. 1; Preston on the east side. Insert *

ADJOINING CLAIMS.

None.

Note:- The discovery cut of each of the locations embraced in this claim shows ore or a vein in place:

* Diligent search and extensive inquiry was made for corners of the public survey within a radius of several miles of said claim, but there are apparently none to be found. As these corners are purported to have been established some fifty years ago, it is very probable that if any remain standing they have been buried by the shifting sands of this region.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Allison L. Kroeger,

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

E.A. Coston,

known as the PRESTON, PRESTON No.1, and STORMYDAY LODES.

and showing the respective capacities in which they acted.

JOHN CLARKE, _____, *Chainman.*

_____, *Chainman.*

_____, *Acman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~WX~~, I, John Clarke,

and _____, do solemnly swear that ~~we~~ ^I assisted _____

Allison L. Kroeger, _____, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of E.A. Coston,

known as the PRESTON, PRESTON No.1, and STORMYDAY LODES.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ~~our~~ ^{MY} knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

John Clarke, _____, *Chainman.*

_____, *Chainman.*

_____, *Acman.*

_____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 18th

day of February, 19 21

Robert S. Clements

_____, *Notary Public*

My Commission Expires Sept. 26, 1921

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Allison L. Kroeger, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
September, 13th, 1920., I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of E.A. Coston,
known as the
PRESTON, PRESTON No. 1 and STORMYDAY LODES,
situate in CRAWFORD, Mining District,
Apache County, Arizona, in Sections
~~Upon unsurveyed lands on the Navajo Indian reservation.~~
Approx. 27 & 28, Township No. 14 N., Range No. 7 W., Navajo Base & Mer.,
and designated as Survey No. 3705, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon ^{or for the benefit of} said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Allison L. Kroeger
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Allison L. Kroeger
U. S. Mineral Surveyor, before me Robert S. Clements, a Notary Public
in and for La Plata County, Colo. this 18th
day of February, 1921

Robert S. Clements

Notary Public
La Plata County, Colorado.

My Commission Expires Sept. 26, 1921

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,
Phoenix, Arizona

July 29, 1921.

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of E. A. COSTON

, known as the PRESTON, PRESTON No.1, and STORMYDAY

Lodes, situate in Crawford

_____ Mining District, Apache County,

Upon the Navajo Indian Reservation
approximately, in Section 27 & 28, Township No. 14 N.

Range No. 7 W. Navajo Base & Meridian, and designated as Survey

No. 3705, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended~~
or improvements made upon said mining claim by claimant or _____ grantors, and
that said improvements consist of _____

and that no portion of said labor or improvements has been included in the estimate of
~~expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at _____
_____ is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

July 29, 1921

I, U. S. Surveyor General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of E. A. Coston

known as the
PRESTON, PRESTON No. 1, and STORMYDAY Lodes

situate in Crawford mining district,

Apache County, Arizona

approximately

in Section s. 27 & 28, Township No. 14 N, Range No. 7 W

Navajo Base and Meridian

, designated as Survey No. 3705

executed by Allison L. Kroeger, U. S. Mineral

Surveyor, February 7th, 1921, 191 , under my instructions dated

September 13th, 1920, 191 , have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3705
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The PRESTON, PRESTON NO. 1, and STORMYDAY lodes, Mineral Survey No. 3705, located in approx. sections 27 and 28, Township 14 North, Range 7 West (canceled), Navajo Base and Meridian, Arizona, (approx. section 1, Township 40 North, Range 28 East (unsurveyed) and approx. section 6, Township 40 North, Range 29 East (unsurveyed), Gila and Salt River Meridian, Arizona), are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"PRESTON, PRESTON NO. 1, and STORMYDAY lodes, M.S. 3705, were canceled April 12, 2006, by memo 9605 (956) M.S. 3705, which is now a part of the original field notes."

April 12, 2006
Date

Stephen K. Hansen
Chief Cadastral Surveyor of Arizona