

MINERAL SURVEY No. 3715

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thomson E. Goring

KNOWN AS THE

NEW YORK and GORING lodes

Warren Mining District,

Cochise County, Arizona.

Section 30, Township 23 S, Range 25 E, G & S R B & M

Surveyed under instructions dated October 22, 19 20

by Ralph L. Motz  
U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced November 4, 19 20

Survey completed November 6, 19 20

Address of claimant's attorney, Cleon T. Knapp,  
Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

## MINERAL SURVEY NO. 3715

FEET

NEW YORK lode.

Beginning at Cor. No. 1, the S. E. Cor., identical with location and with Cor. No. 5 Survey No. 1915 Safeguard lode and situated on line 4-1 Survey No. 1729 El Paso lode, a pine post 4 inches square 36 inches above ground in a mound of stones and scribed 1-3715 N Y, whence a limestone ledge with 14 x 34 x 12 inches high exposure chiseled B R x 1-3715 brs N 33° 13' E 6.7 ft. and a second limestone ledge with like chiseling and with 15 x 25 x 11 inches high exposure brs N 40° 03' W 21.3 ft. and the 1/4 Cor. between Secs. 30 and 31, T. 23 S, R 25 E, G & S R B & M brs S 73° 21' W 702.2 ft.

thence N 44° 13' W  
548.2 along line 1-4 Survey No. 1729 El Paso lode to Cors. 3 and 4 of Survey No. 1729 Alta and El Paso lodes respectively  
1220.4 to Cor. No. 2 the S. W. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3715 N Y, no bearings available

thence N 57° 14' E  
70.8 to original location for the west end center being a mound of stones 3 feet high with 3 ft base.

161.1<sup>1</sup> to Cor. No. 3, the N. W. Cor., situated on line 2-3 Survey No. 1729 Alta lode at N 30° 22' W 659.4 ft. from Cor. No. 3 thereof and on the south line of Standard No. Six lode unsurveyed, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3715 N Y, whence a conglomerate ledge with 22 x 40 x 40 inches high exposure chiseled B R x 3-3715 brs N 21° 57' W 10.2 ft and a second conglomerate ledge with 22 x 85 x 49 inches high exposure with like chiseling brs N 44° 28' E 9.1 ft. and the original location for the N. W. Cor., being a mound of stones 3 ft. high with 3 ft. base brs N 57° 14' E 209.7 ft.

thence S 76° 20' E  
460.4 along the south line of Standard No. Six lode, unsurveyed

to Cor. No. 4 identical with Cor. No. 1 Goring lode this survey and with the S E and S W Cors of Standard No. Six and Standard No. Seven lodes both unsurveyed respectively a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3715 N Y whence a conglomerate boulder 54 x 70 x 65 inches above ground chiseled B R x 4-3715 brs S 15° 49' E 12.8 ft. and a limestone rock in place 11 x 42 x 18 inches high above ground with like chiseling brs S 76° 55' E 12.2 ft.

thence S 50° 40' E

906.4 along line ~~4-1~~<sup>1-4</sup> Goring lode this survey to Cor. No. 5, the N E Cor., identical with location and with Cor. No. 4 of Goring lode this survey and situated on line 3-4 Survey No. 1915 Newport lode, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 5-3715 N Y, no bearings available.

thence S 57° 14' W

300.0 along line 4-3 Survey No. 1915 Newport lode to original location for the east end center being a mound of stones 3 ft. high with 3 ft. base

340.0 to Cors 6 and 3 of Survey No. 1915 Safeguard and Newport lodes respectively

514.7 along line 6-5 Survey No. 1915 Safeguard lode to Cor. No. 1, the place of the beginning.

#### GORING LODE

Beginning at Cor. No. 1, the S. W. Cor. identical with location and with Cor. No. 4 of the New York lode this survey heretofore described to which I add 1-3715 G for this claim. The 1/4 Cor. between Secs. 30 and 31, T 23 S, R 25 E, G & S R B & M brs S 20° 59' 30" W 1129.2 ft.

thence N 57° 14' E

10.0 to original location for the west end center being a mound of stones 3 ft. high with 3 ft. base.

20.0 to Cor. No. 2, the N. W. Cor., identical with location a pine post 4 feet long 4 inches square set 18 inches in

MINERAL SURVEY NO. 3715 (Con't)

the ground in a mound of stones and scribed 2-3715 G  
whence a conglomerate boulder 27 x 38 x 49 inches high  
above ground chiseled B R x 2-3715 brs N 53° 16' W 18.9  
ft.  
thence S 74° 36' E

1051.2 intersect line 3-4 Survey No. 1915 Daisy lode at N 33°  
40' E 198.2 ft. from Cor. No. 3 thereof and the south  
line of Standard No. Seven lode unsurveyed at S 75° 24' E  
1064.6 ft. from the S W Cor thereof

1157.6 to Cor. No. 3, the N. E. Cor., identical with location  
a pine post 4 feet long 4 inches square set 18 inches in  
the ground in a mound of stones and scribed 3-3715 G, no  
bearings available  
thence S 57° 14' W

233.4 to original location for the east end center being a  
mound of stones 3 ft. high with 3 ft. base

252.6 to Cors 3 and 4 of Survey 1915 Daisy and Newport lodes  
respectively

513.4 along line 4-3 Survey No. 1915 Newport lode to Cor. No.  
4, the S. E. Cor., identical with location and with Cor.  
No. 5 New York lode this survey heretofore described to  
which I add 4-3715 G for this claim.  
thence N 50° 40' W

906.4 along line 5-4 New York lode this survey to Cor. No. 1  
the place of the beginning.

-----  
LEDGE  
-----

New York:- the presumed course of the vein on this claim  
is from the east end center N 50° 40' W 1257.1 ft. to the  
east end center.

Goring:- the presumed course of the vein on this claim is  
from the east end center N 65° 13' W 1022.2 ft. to the  
west end center.

-----  
AREAS  
-----

New York - total area ----- 11.353 A  
Area in conflict with -----  
Survey No. 1729 Alta lode ----- 1.218 A

(1900) 2517 .ON YEVUO-TAS

Goring - total area - - - - - 5.281 A  
 Area in conflict with  
 Survey No. 1915 Daisy lode - - - - 0.230 A  
 Standard No. Seven lode unsurveyed 0.181 A  
 -----

LOCATION

This survey is situated in <sup>the S<sup>2</sup> of</sup> Sec. 30, T 23 S, R 25 E, G & S  
 R B & M, in the Warren Mining District, Cochise County,  
 Arizona.

IMPROVEMENTS

I hereby certify that the value of the labor and im-  
 provements placed on these claims by the claimant or his  
 grantors is not less than five hundred dollars for each  
 location and that said improvements consist of:-

NEW YORK

No. 1	Discovery shaft 4 x 6 x 10 ft. deep brs from east end center on lode line 275.0 ft. Value - - - -	\$ 60.00
No. 2	Shaft 5 x 7 x 10 ft. deep brs from Cor. No. 5 N 88° 32' W 175.0 ft. Value - - - - -	90.00
No. 3	Shaft 5 x 18 x 10 ft. deep brs from Cor No. 5 S 83° W 173.0 ft. Value - - - - -	225.00
No. 4	Shaft 5 x 7 x 10 ft. deep brs from Cor. No. 5 S 81° 49' W 150.0 ft. Value - - - - -	90.00
No. 5	Shaft 5 x 6 x 10 ft. deep brs from Cor. No. 5 N 60° 55' W 118.0 ft. Value - - - - -	75.00
	Total Value - - - - -	\$ 540.00

GORING

No. 1	Discovery shaft 4 x 6 x 10 ft. deep brs from east end center on lode line 100.0 ft. Value - - \$	60.00
No. 2	Open cut 4 x 8 x 14 ft. long brg S 59° W, shaft in bottom 4 x 14 x 2 ft. deep, mouth of open cut brs from east end center N 18° 05' W 72.0 ft. Value	85.00
No. 3	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 27° 02' W 244.0 ft. Value - - - - -	60.00

Mineral Survey No. 3715 (Con't)

No. 4	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 33° 25' W 229.0 ft. Value - - - - - \$ 60.00
No. 5	Opencut 8 x (2-9) x 13 ft. long brg N 20° E mouth of which brs from Cor. No. 4 N 35° 20' W 198.0 ft. Value - - - - - 90.00
No. 6	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 26° 09' W 212.0 ft. Value - - - - - 60.00
No. 7	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 22° 30' W 203.0 ft. Value - - - - - 60.00
No. 8	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 16° 05' W 204.0 ft. Value - - - - - 60.00
No. 9	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 18° 00' W 187.0 ft. Value - - - - - 60.00
No. 10	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 20° 10' W 177.0 ft. Value - - - - - 60.00
No. 11	Shaft 4 x 6 x 10 ft. deep brs from Cor. No. 4 N 19° 37' W 161.0 ft. Value - - - - - 60.00
	Total Value - - - - - \$ 715.00

ADJOINING CLAIMS

North	Standard No. Six and Standard No. Seven, <sup>lodes</sup> both unsurveyed owned by J. Caretto et al
East	Survey No. 1915 Daisy, Newport and Safeguard lodes
South	Survey No. 1729 El Paso lode
West	Survey No. 1729 Alta lode

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 c transit. The courses were deflected from the true meridian as determined from a direct Solar observation. The distances were measured with 100 and 300 ft. steel tapes. Magnetic variation 12° 30' East at all corners.

REPORT

The 1/4 Cor. between Secs. 30 and 31, T 23 S, R 25 E G & S R B & M is a limestone rock in place 8 x 8 x 10 inches high above ground, chiseled 1/4 on south face

Survey No. 1729 - Alta lode Cors. 2 and 3 are posts properly set and scribed. El Paso lode Cors. 4 and 1 are posts properly set and scribed.

Survey No. 1915 - Safeguard lode, Cors 5 and 6 are posts properly set and scribed. Newport lode, Cors. 3 and 4 are posts properly set and scribed. Daisy lode Cors. 3 and 4 are posts properly set and scribed.

Standard No. Six lode unsurveyed, The S W Cor. is a 4 x 4 post.

Standard No. Seven lode unsurveyed. The S.E. Cor. is a 4 x 4 post.

*Ralph L. Mohr*  
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

November 12, 1920.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Thomson E. Goring

known as the New York and Goring lodes

and showing the respective capacities in which they acted.

Philip Dupen, Chainman.

Chainman.

Asman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

~~We~~ I, Philip Dupen

and \_\_\_\_\_, do solemnly swear that we assisted Ralph L. Motz

\_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Thomson E. Goring

known as the New York and Goring lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona.

Philip Dupen, Chainman.

Chainman.

Asman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 9th

day of November, 19 20

Charles Woods

Notary Public, in and for the County of Cochise, State of Arizona.

My commission expires May 23, 1921.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 22, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Thomson E. Goring, known as the NEW YORK and GORING lodes, situate in Warren Mining District, Cochise County, Arizona, in Section 30, Township No. 23 S., Range No. 25 E. G & S R B & M, and designated as Survey No. 3715, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Mineral Surveyor, before me Charles R. Woods, Notary Public
this 9th
day of November, 1920

Charles R. Woods

Notary Public, in and for the County of Cochise, State of Arizona.
My commission expires May 23, 1921.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 11, 1921

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Thomson E. Goring

known as the NEW YORK and GORING Lodes

situate in Warren

Mining District, Cochise County, Arizona

in Section 30, Township No. 23 S., Range No. 25 E., and

designated as Survey No. 3715, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 13 shafts and 2 cuts, total value \$1255.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

January 11, 19 21

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Thomson E. Goring

, known as the

NEW YORK and GORING Lodes

situate in Warren mining district,

Cochise County, Arizona

in Section 30, Township No. 23 S., Range No. 25 E.

, designated as Survey No. 3715

executed by Ralph L. Motz, U. S. Mineral

Surveyor, November 4 - 6, 1920, under my instructions dated

October 22, 19 20, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.