

MINERAL SURVEY No. 3716

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

A. H. Gibson, J. C. Gibson and Frank Cain

KNOWN AS THE

Copper King No. #1 lode

San Carlos Indian Reservation

Mining District,

Gila

County,

Arizona

Section Approx. 2

Township 3 S.

Range 16 E.,

Uns

Surveyed under instructions dated October 26, 1920

by Herbert N. Bradstreet

U. S. Mineral Surveyor.

Claim located November 1, 1919

Survey commenced November 17, 1920

Survey completed November 19, 1920

Address of claimant's att'y - Norman Johnson
Globe, Ariz

A. H. Gibson,
Mesa, Ariz.

DATES OF AMENDED LOCATIONS.

1.

Feet.

Mineral Survey No. 3716.

Copper King No. # 1 Lode.

Beginning at Cor. No. 1, a limestone, 24 x 6 x 6 ins., set 12 ins. in the ground, with mound of stones, 2 ft. base, 1 1/2 ft. high, alongside, *chiseled* CK No. 1-1-3716, with cross (X) at exact cor. point, from which

The NW. cor. of the location, a mound of stones, brs. N. 1° 54' W., 287.0 ft.

U. S. M. M. No. 3716, hereinafter described, brs. S. 6° 34' W., 649.9 ft. No bearings available.

Thence S. 6° 24' W.

Ascend.

650. Top of hill. Descend.

1465. To Cor. No. 2, a limestone, 24 x 16 x 6 ins., set 12 ins. in the ground, with mound of stones, 2 ft. base, 1 1/2 ft. high, alongside, *chiseled* CK No. 1-2-3716, with cross (X) at exact cor. point, from which

The SW. cor. of the location, a mound of stones, brs. S. 39° 12' W., 48.6 ft.

No. bearings available.

Thence N. 84° 56' E.

Ascend.

191. Spur from hill, slopes S. 20° E. Descend.

306.1 From this point, the Southwesterly end center of the location, a mound of stones, brs. S. 59° 56' W., 43.0 ft.

From this point, the center of the discovery shaft, which is the discovery point, brs. N. 6° 24' E. 465 ft.

612.2 To Cor. No. 3, a granite stone, 24 x 18 x 8 ins., set 12 ins. in the ground, with mound of stones, 2 ft. base, 1 1/2 ft. high, alongside, *chiseled* CK No. 1-3-3716, with cross (X) at exact cor. point, from which

The SE. cor. of the location, a mound of stones, brs. N. 85° 22' E., 138.0 ft. No bearings available.

Feet.

Thence N.6°24'E.

.1991

Ascend.

850.

Spur, slopes E. from hill. Descend.

1314.

Gulch, 15 ft. wide, course E. Ascend.

1465.

To Cor. No. 4, a granite rock in place, 24 x 24 x 8 ins. above ground, with mound of stones, 2 ft. base, 1½ ft. high, alongside, chiseled CK No. 1-4-3716, with cross (X) at exact cor. point, from which

A granite boulder, 4 x 3 x .5 ft. above ground, chiseled cross (X) BR, brs. N.69°31'W. 10.8 ft.

A granite boulder, 6 x 4 x 2 ft. above ground, chiseled cross (X) BR, brs. S78°38'W., 20.8 ft.

The NE. cor. of the location, a mound of stones, brs. ~~from Cor. No. 4~~, N.10°26'E., 161.5 ft.

Thence S.84°56'W.

306.1

Intersect lode line

From this point, the northeasterly end center of the location, which is a mound of stones, brs. N.0°39'W., 228.0 ft. Descend.

422.

Gulch, 15 ft. wide, course SE. Ascend

612.2

To Cor. No. 1, the place of beginning.

Variation at all corners, 12° E.

Lode Line.

As near as can be determined from present developments, the vein of the location embraced in this claim extends as follows from its discovery point:

~~Copper King No. #1 Lode~~, 465 ft. S.6°24'W. and 1000 ft. N.6°24'E.

Area

Total area, Copper King No. # 1 lode

20.178 Acres

Location.

This survey is located on unsurveyed land in the White Mountain or San Carlos Indian Reservation, in what will probably be, when surveyed, Sec. 22, T. 3 S., R. 16 E.

Improvement.

The improvement of this claim consists of

No. 1. The discovery shaft, the center of which, being the

discovery point, is on the lode line, 455 ft. N.6 24'E. of a point on line 2-3, 306.1 ft. N.84 56'E. of cor. No. 2, 4 x 8 ft., 6 ft. deep.

Value

\$150.00

Instrument.

This survey was made with a C. L. Berger and Sons mountain transit No. 12,912, equipped with Saegmuller solar attachment. Latitude was determined by observations on the sun and Polaris at meridian passage. The courses were deflected from the true meridian as determined by the solar. The distances were measured with 300-ft. and 100-ft. steel tapes.

Report.

The lode line of this claim was run directly upon the ground, and the corners established by means of offsets from the lode line. U. S. M. M. No. 3716 was located by traverse, which is submitted in a separate report herewith.

U. S. M. M. No. 3716

There being no corner of the Public Land Survey, or any U. S.

Mineral Monument within two miles of this location, I established U. S. M. M. No. 3716 as follows:

On top of a high hill in the Pinal Mountain Range, in lat. 33° 11½'N., long. 110° 41'W., from which the surrounding country to the east, south and west is visible for many miles, set a limestone, 30 x 20 x 8 ins., 15 ins. in the ground, with mound of stones, 6 ft. base, 4 ft. high, alongside, chiseled U. S. M. M. 3716, with cross (X) for exact cor. point, from which

A Malpais boulder, 3 x 3 x 1½ ft. above ground, chiseled cross (X) BR 3716, brs. S.68° 6'W., 12.4 ft.

A malpais boulder, 3 x 4 x 0.5 ft. above ground, chiseled cross (X) BR 3716, brs. S.62° 28'E., 6.8 ft.

Mount Turnbull brs. S.68° 48'E.

Stanley Butte brs. S.50° 33'E.

Entrance to San Carlos School House brs. N.87° 34'E., about 10 or 12 miles distant.

I certify that there are no springs, water holes or other bodies of water embraced within this location.

place at end

Other Improvements.

From a point 457 ft. N.6°24'E. of the center of the south end line, the center of a location shaft, 5 x 5 ft. 7 ft. deep, hrs. N.83°36'W. In one can, four location notices are posted, in which the witness for one is the claimant in another, and all notices claim 100 ft. in a southerly and 1400 ft. in a northerly direction.

... was determined by observations on the sun and stars at various times. The courses were selected from the true meridian as determined by the solar. The distances were measured with 100 ft. and 1-0-17 steel tapes.

The face line of this claim was run directly upon the ground, and the corners established by means of offsets from the face line. U.S. No. 2718 was located by traverse, which is described in a separate report herewith.

... to being on corner of the public land survey, or near it. ... within two feet of this location. I established U.S. No. 2718 as follows:

On top of a high hill to the right of the claim range, in fact, 35 ft. from the ... from which the surrounding country to the east, south and west is visible for many miles, was a limestone, 30 x 20 x 8 in., 35 in. in the ground, with some of course 3 ft. ... chiseled ...

(1) For exact location, from which

(2) ... chiseled over (3)

U.S. No. 2718, was 2.55 x 2.55 ft.

(4) ... chiseled over

(5) U.S. No. 2718, was 2.55 x 2.55 ft.

(6) ... chiseled over

(7) U.S. No. 2718, was 2.55 x 2.55 ft.

(8) ... chiseled over

(9) U.S. No. 2718, was 2.55 x 2.55 ft.

(10) ... chiseled over

(11) U.S. No. 2718, was 2.55 x 2.55 ft.

(12) ... chiseled over

(13) U.S. No. 2718, was 2.55 x 2.55 ft.

(14) ... chiseled over

(15) U.S. No. 2718, was 2.55 x 2.55 ft.

(16) ... chiseled over

(17) U.S. No. 2718, was 2.55 x 2.55 ft.

(18) ... chiseled over

(19) U.S. No. 2718, was 2.55 x 2.55 ft.

(20) ... chiseled over

(21) U.S. No. 2718, was 2.55 x 2.55 ft.

(22) ... chiseled over

(23) U.S. No. 2718, was 2.55 x 2.55 ft.

(24) ... chiseled over

(25) U.S. No. 2718, was 2.55 x 2.55 ft.

(26) ... chiseled over

(27) U.S. No. 2718, was 2.55 x 2.55 ft.

(28) ... chiseled over

(29) U.S. No. 2718, was 2.55 x 2.55 ft.

(30) ... chiseled over

(31) U.S. No. 2718, was 2.55 x 2.55 ft.

(32) ... chiseled over

(33) U.S. No. 2718, was 2.55 x 2.55 ft.

(34) ... chiseled over

(35) U.S. No. 2718, was 2.55 x 2.55 ft.

(36) ... chiseled over

(37) U.S. No. 2718, was 2.55 x 2.55 ft.

(38) ... chiseled over

(39) U.S. No. 2718, was 2.55 x 2.55 ft.

(40) ... chiseled over

(41) U.S. No. 2718, was 2.55 x 2.55 ft.

(42) ... chiseled over

(43) U.S. No. 2718, was 2.55 x 2.55 ft.

(44) ... chiseled over

(45) U.S. No. 2718, was 2.55 x 2.55 ft.

(46) ... chiseled over

(47) U.S. No. 2718, was 2.55 x 2.55 ft.

(48) ... chiseled over

(49) U.S. No. 2718, was 2.55 x 2.55 ft.

(50) ... chiseled over

(51) U.S. No. 2718, was 2.55 x 2.55 ft.

(52) ... chiseled over

(53) U.S. No. 2718, was 2.55 x 2.55 ft.

(54) ... chiseled over

(55) U.S. No. 2718, was 2.55 x 2.55 ft.

(56) ... chiseled over

(57) U.S. No. 2718, was 2.55 x 2.55 ft.

(58) ... chiseled over

(59) U.S. No. 2718, was 2.55 x 2.55 ft.

(60) ... chiseled over

(61) U.S. No. 2718, was 2.55 x 2.55 ft.

(62) ... chiseled over

(63) U.S. No. 2718, was 2.55 x 2.55 ft.

(64) ... chiseled over

(65) U.S. No. 2718, was 2.55 x 2.55 ft.

(66) ... chiseled over

(67) U.S. No. 2718, was 2.55 x 2.55 ft.

(68) ... chiseled over

(69) U.S. No. 2718, was 2.55 x 2.55 ft.

(70) ... chiseled over

(71) U.S. No. 2718, was 2.55 x 2.55 ft.

(72) ... chiseled over

(73) U.S. No. 2718, was 2.55 x 2.55 ft.

(74) ... chiseled over

(75) U.S. No. 2718, was 2.55 x 2.55 ft.

(76) ... chiseled over

(77) U.S. No. 2718, was 2.55 x 2.55 ft.

(78) ... chiseled over

(79) U.S. No. 2718, was 2.55 x 2.55 ft.

(80) ... chiseled over

(81) U.S. No. 2718, was 2.55 x 2.55 ft.

(82) ... chiseled over

(83) U.S. No. 2718, was 2.55 x 2.55 ft.

(84) ... chiseled over

(85) U.S. No. 2718, was 2.55 x 2.55 ft.

(86) ... chiseled over

(87) U.S. No. 2718, was 2.55 x 2.55 ft.

(88) ... chiseled over

(89) U.S. No. 2718, was 2.55 x 2.55 ft.

(90) ... chiseled over

(91) U.S. No. 2718, was 2.55 x 2.55 ft.

(92) ... chiseled over

(93) U.S. No. 2718, was 2.55 x 2.55 ft.

(94) ... chiseled over

(95) U.S. No. 2718, was 2.55 x 2.55 ft.

(96) ... chiseled over

(97) U.S. No. 2718, was 2.55 x 2.55 ft.

(98) ... chiseled over

(99) U.S. No. 2718, was 2.55 x 2.55 ft.

(100) ... chiseled over

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert N. Bradstreet
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
A. H. Gibson, J. C. Gibson and Frank Cain
 known as the Copper King No. #1 lode
 and showing the respective capacities in which they acted.

Lafe LeBaron , *Chainman.*
 , *Chainman.*
 , *Acman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I, Lafe LeBaron
 and , do solemnly swear that we assisted Herbert N. Bradstreet
Bradstreet , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of A. H. Gibson, J. C. Gibson and Frank Cain
 known as the Copper King No. #1 lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of my knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Lafe LeBaron , *Chainman.*
 , *Chainman.*
 , *Acman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 22nd
 day of November , 19 20

Marion E. Duffy
 Notary Public

Notary Public

My commission expires Sept 2nd, 1924.



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Herbert N. Bradstreet, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 26, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of A. H. Gibson, J. C. Gibson and Frank Cain, known as the Copper King No. #1 lode, situate in San Carlos Indian Reservation Mining District, Gila County, Arizona, in Section 2, Township No. 3 S., Range No. 16 E., Unsur. and designated as Survey No. 3716, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert N. Bradstreet

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Herbert N. Bradstreet

U. S. Mineral Surveyor, before me Marion E. Duffy

this 22nd

day of November, 1920

Marion E. Duffy

Notary Public

My Commission expires Sept. 2nd 1924.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

January 15, 1921

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

A. H. Gibson, J. C. Gibson, and Frank Cain

known as the COPPER KING NO. #1 Lode

situate in San Carlos Indian Reservation

Mining District, Gila County, Arizona, Approx.

in Section 2, Township No. 3 S., Range No. 16 E., Unsur., and

designated as Survey No. 3716, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 1 shaft, value \$150.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

January 15, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

A. H. Gibson, J. C. Gibson, and Frank Cain

, known as the

COPPER KING NO. #1 Lode

situate in San Carlos Indian Reservation mining district,

Gila County, Arizona

in Section Approx. 2, Township No. 3 S., Range No. 16 E., Unsur.

, designated as Survey No. 3716

executed by Herbert N. Bradstreet, U. S. Mineral

Surveyor, November 17 - 19, 1920, under my instructions dated

October 26, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)
BUREAU OF LAND MANAGEMENT M.S. 3716
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Copper King No. #1 lode, Mineral Survey No. 3716, located in Township 3 South, Range 17 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Copper King No. #1 lode, M.S. 3716 was canceled April 15, 1993, by memo 9605 (942) M.S. 3716, which is now a part of the original field notes."

April 15, 1993
Date

Benny T. Talbot
acting Chief Cadastral Surveyor of Arizona