

MINERAL SURVEY No. 3719

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

National Marble Corporation

KNOWN AS THE

Ophir Marble Placer

Golden Rule Mining District,

Cochise County, Arizona

Section 33^{partly} W.S., Township 16 S., Range 23 E. traced

Surveyed under instructions dated Jan. 18, 1921

by John A. Rockefeller
U. S. Mineral Surveyor.

See location notice

Claim located October 1, 1915?

Survey commenced January 24, 1921

Survey completed February 2, 1921

Address of claimant's Attorneys Manatt & Stephenson
Douglas Ariz.

DATES OF AMENDED LOCATIONS.

January 6 1921

Feet	Preliminary to beginning the survey of the boundaries of the claim, I retrace the north boundary and north half of the west boundary of Section 33 Township 16S., Range 23E. G. and S.R.M.. The south and East boundaries of said section have not been surveyed.
1320.0	Beginning at the corner of sections 28-29-32-33, a stone marked and witnessed as per notes of the Surveyor General. Thence run south.
2639.0	Set temporary stake. Intersect $\frac{1}{4}$ sec. corner, a stone marked and witnessed as per notes of the Surveyor General.
1319.5	Hence at 1319.5 feet set the permanent stake 1/16 cor. Again at the corner of Secs. 28-29-32-33 with same meridian, run $S89^{\circ}48'E$.
2634.5	Set temporary stake. Point whence; $N0^{\circ}12'E$ 13.5 feet is $\frac{1}{4}$ sec. cor., a stone marked and witnessed as per notes of the Surveyor General.
2640.0	Hence the west one half of north boundary of section 33 is $N89^{\circ}54'E$ 2634.6 feet. At 1317.3 feet on this line drive iron bolt for 1/16 corner.
	From $\frac{1}{4}$ sec. cor. bet. secs. 28-33 XXXXXXXXXX .
	Run $N89^{\circ}54'E$.
2640.0	Set a stake and chisel a cross (X) on a cedar stump 14 inches diameter at $N87^{\circ}00'W$ 19.9 feet.
	Search diligently for a period of 45 minutes for the corner of secs. 27-28-33-34 described in notes of the Surveyor General as being distant from the $\frac{1}{4}$ corner 40.04 chains. All signs of same have disappeared.
	From the $\frac{1}{4}$ sec. cor. bet. secs. 28-33. Run south.
1319.5	Set stake for 1/16 corner.
2639.0	Set stake for theoretical center of section 33. From the $\frac{1}{4}$ sec. cor. bet. secs. 32-33 Run $N89^{\circ}54'E$.
1317.3	Set stake for S.W. Corner of S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
2634.6	To stake set described above as the theoretical center of Sec. 33.
	From 1/16 corner stake on north boundary of Sec 33 at

N89°54'E-1317.3 feet from cor. of Secs 28-29-32²33
 Run south
 1319.5 Set stake.
 2639.0 Intersect stake set for S.W. Corner S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
 From 1/16 cor. stake set on west boundary of section
 at south 1319.5 feet from the corner of Secs. 28-29-
 32²33 Run N89°54'E
 1317.3 Intersect stake set at S. 1319.5 feet from 1/16 corner
 on north boundary of Sec. 33; this point is the N.W. Cor.
 of S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
 Whence :-A cross chiseled on limestone bed-rock bears
 S51°08'E 8.25 feet.
 2634.6 To stake on line south from $\frac{1}{4}$ con. bet. secs. 28²33
 at 1319.5 feet. This point is the N.E. Corner of
 S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
 I submit results obtained to the Surveyor General and
 receive final instructions as to boundaries of Sec. 33.
OPHIR MARBLE PLACER.
 Beginning at Corner No. 1, identical with location,
 a monument of stone, at the S.W. Cor. of S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$
 Sec. 33, ^{as above determined} In its place set a limestone 6x6 ins., 26.
 ins. long, one half its length in the ground, chisel
 a cross (X) at exact point and 1-3719 : Raise a
 monument of stone 3 feet high alongside S.W..
 Whence : The $\frac{1}{4}$ sec. cor. bet. sections 28²33 TP, 16S.,
 R. 23 E. bears S89°54'W 1317.3 feet.
 X BR 1-3719 chiseled on a face 30x18 ins. in a quartzite
 reef, bears N77°44'E 14.7 feet.
 X ET 1-3719 scribed on a blaze on an oak tree .6 ins.
 diameter bears S1°55'W 4.85 feet.
 A stone monument bears N61°30'E 18.7 feet.
 A stone monument bears N79°15'E 23.4 feet.
 A stone monument bears N66°30'E 35.2 feet.
 Thence North Var. 13°10'E.
 455.0 Center of gulch, 5ft. wide, course N.N.E.

- 580.0 Center of same gulch 5. ft. wide, course N.W.
- 1319.5 TO Cor. No.2, identical with location, a monument of stone, at the N.W.Cor. of S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
In its place set a lime stone 24 ins long, tapering from 14 to ~~10~~⁶ ins.wide, one half its length in the ground Chisel a X at exact point, and 2-3719 O. Raise a monument of stone 3 ft. high alongside N.W.,
Whence: X BR 2-3719 chiseled on limestone bed-rock 36x12 ins. bears S51°08'E 8.25 feet.
X BR 2-3719 chiseled on limestone bed-rock 14x18x2 ins. bears N29°13'^W 8.7 feet.
A post in a mound of stone bears N82°35'E 93.0 feet.
A double stone monument bears S47°48'E 202.0 feet.
Thence N89°54'E Var. 13°25'E.
- 124.0 Center of road bears S and North.
- 203.0 Center of Gulch, 12 ft. wide bears northerly.
- 668.0 Center of gulch 10 ft. wide course northerly.
- 1317.3 To Cor. No. 3, identical with location, a monument of stone, at the N.E.Cor. of S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ Sec. 33.
In its place set a limestone 24x12x5 ins. one half its length in the ground. Chisel a X at exact point and 3-3719 O. Raise a monument of stone 3 ft. high alongside North.
Whence: X BR 3-3719 chiseled on limestone bed-rock 18x12 ins. bears ~~XXXX~~ N 0°25'W 18.6 ft.
X BR 3-3719 chiseled on a face on a limestone reef bears S57°47'E 16.6 feet.
The $\frac{1}{4}$ sec. cor. bet. secs. 28 & 33 bears North 1319.5 ft.
Thence East Var. 13°35'E.
- 265.0 Top of high limestone ridge bears S.S.E and N.N.W.
- 687.3 Point whence a post in a mound of stone bears N 9°12'W 65.7 ft.
- 1189.0 Center of wash in canyon, 20 feet wide, course N.N.W..
- 1521.32 Point for Corner No.4, set a limestone 24x10x6 ins. one half its length in the ground. Chisel a X at exact point, and 4-3719 O. Raise a monument of stone

3. feet high, alongside N.E. corner of location, a stone monument bears North 4 feet.
- X BR 4-3719 chiseled on limestone 24x24x6 inches bears $S23^{\circ}10'W$ 10.55 feet.
- X BR 4-3719 chiseled on face in a limestone reef bears $N83^{\circ}50'E$ 46.9 feet.
- Thence South Var. $13^{\circ}50'E$.
- 205.0 Center of wash, in deep canyon, 30 feet wide, course N.N.W.
- 1319.5 To Cor. No. 5. Set a limestone 26x12x6 ins. 12 ins. in the ground to bed-rock. Chisel a cross at exact point and 5-3719 O. Raise a monument of stone alongside S.E. Whence: Corner of location a monument of stone bears $S86^{\circ}22'E$ 40.0 feet.
- X BR 5-3719 chiseled on limestone in place 44x16x8 ins. bears $N10^{\circ}05'E$ 7.55 feet.
- X BR 5-3719 chiseled on limestone bed-rock bears $S45^{\circ}10'W$ 16.6 feet.
- Thence: West. Var. $13^{\circ}35'E$.
- 430.0 Summit of ridge bears S.S.E. and N.N.W. This ridge is the water-shed between the San Pedro and Sulphur Spring valleys.
- 660.66 To Cor. No. 6. The point falls on a rib of limestone in place, extending 4 feet northwesterly and one foot high and one foot wide. Chisel a X at exact point and 6-3719 O. Raise a monument 3 feet high alongside S.E.
- Whence: Corner of location, a monument of stone, bears east 40.0 feet.
- X BT 6-3719 scribed on a blaze on a piñon tree 6 ins. diameter bears $S45^{\circ}43'E$ 7.65 feet.
- X BT 6-3719 scribed on a blaze on a piñon tree 8 inches diameter bears $N37^{\circ}45'E$ 8.75 feet.
- X BR 6-3719 chiseled on a limestone face 32x24 ins. bears $N5^{\circ}00'E$ 4.0 feet.
- Thence South Var. $13^{\circ}35'E$.

- 2677.63 To Cor. No.7. Set alimestone 26x10x4 ins. one half its length in the ground. Chisel a X at exact point and 7-3719 O. Raise a monument of stone 3 feet high alongside S.E..
 Whence: Corner of location, a monument of stone, bears S35° 54'E 100.0 feet.
 X BR 7-3719 chiseled on a limestone 24x14 ins. bears N17°23'E 14.7 feet.
 X BR 7-3719 chiseled on a limestone face 36x18 ins. Bears S49°45'E 8.55 feet.
 Thence West Var. 13°40'E.
- 660.66 To Cor. No. 8. Set a limestone 26x10x4 ins. one half its length in the ground. Chisel a X at exact point and 8-3719 O. Raise a monument of stone three feet high alongside ,south.
 Whence: Corner of location, a stone monument, bears S52°45'E 33.4 feet.
 X BR 8-3719 chiseled on a limestone face triangular 30x18 ins. bears S50°24'E 21.9 feet.
 X BR 8-3719 chiseled on limestone bed-rock 36x24 ins. bears N63°29'E 16.8 feet.
 Thence S89°54'W Var. 15°05'E.
- 192.0 Center of wash 30 feet wide in canyon, course northerly.
- 475.25 Point whence a post in a mound of stone bears N24°32'W 124.1 feet; Post marked in pencil, SECOR Porter, NWCOR Florence, SWCOR Rosa.
- 641.95 To Corner No.9. Set a Quartzite rock 26x14x8 ins. one half its length in the ground: Chisel a X at exact point and 9-3719 O. Raise a monument of stone alongside S.W.
 Whence: Corner of location, a monument of stone, bears ~~XXXXXX~~ S30°37'W 42.6 feet.
 X BR 9-3719 chiseled on a limestone 40x30x12 ins bears S85°12'W 31.18 feet.

- X BR 9-3719 chiseled on a limestone 28x16x6 ins.
bears N55°45'W 46.54 feet.
Thence North Var.13°05'E.
- 1984.55 Point whence a post in a mound of stone bears S45°40'E
199.45 feet : monument contains notice of Keystone claim.
- 2677.62 To Cor. No.10. Set a quartzite rock 24x8x6 ins. one
half its length in the ground: chisel a X at exact point
and 10-3719 O. Raise a monument of stone 3 feet high
alongside S.E..
Whence: Corner of location, a stone monument, bears
S89°54'W 16.7 feet.
- X BR 10-3719 chiseled on a limestone 12x12x3 ins.
bears S37°35'W 56.82 feet.
- X BR 10-3719 chiseled on a quartzite rock 20x12x4 ins.
bears N15°56'W 53.74 feet.
Thence S89°54'W Var.13°35'E.
- 16.70 Point whence:
A stone monument bears S16°35'E 140.0 feet.
A stone monument bears S40°18'E 214.3 feet: this mon-
ument contains notice of location of Contention claim.
- 151.70 Point whence South one foot is N.E. corner of an un-
used tent-house.
- 568.70 Point whence North 3.2 feet is post in mound of stone.
- 675.35 To Cor.No.1, the place of beginning.
- Note: The line 8-9 should be 658.65 feet in length to
conform to the subdivisions of the west half of this
section; but, as the total area of the location would
then exceed 160 acres, this departure from conformity
is made.

AREA.

Ophir Marble Placer 159.999 acres.

Location.

This claim is situated within Section 35 (partly
(unsurveyed)
Township 16 S., Range 25 E., G. and S. RM., Cochise County
Arizona: and lies within the Coronado National
Forest.

Adjoining Claims.

On the North: Skyros Placer claim, Unsur,

On the East: Turquoise Placer claim, Unsur.

National Marble Corporation claimant of both.

Also Rosa Placer claim, Unsur,

On the South: Florence Placer claim, Unsur.

On the West: Porter Placer claim, Unsur.

Dragoon Marble Company, claimant of the three.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

Note: This property has been claimed and worked by contesting parties. A trial by jury in the Superior Court of Cochise County, June 1920, was decided in favor of the National Marble Corporation, the claimant under this survey. It is impossible to determine at the present time how much of the work was performed by this claimant. Hence the accompanying affidavit of W.D. Cartwright and W.W. Adams, disinterested parties, who were present when work was done.

In estimating the value of work, the cost of removing marble intact for commercial purposes is placed at \$1.25 per cubic foot. When the rock is removed by blasting with dynamite merely to open up the quarry the cost is estimated at 33 1/3 (thirty three and one third) cents per cubic foot. Both methods are said to have been employed on this claim which makes it difficult to place an accurate valuation upon the work as a whole.

From Corner No. 10

No. 1 Discovery, Quarry "A", in which a cross chiseled on north side of cut bears S54°13'E 515.7 feet. From said cross a cut extends ^W ^W N.W. 11.5 feet, and E.S.F. 43 feet, varying in width from 6 to 30 feet, to a face 14 feet high.

The surface uncovered to an average depth of six inches is 860 square feet in area: the amount marble removed

beneath is 4700 cubic feet.

No.2 Quarry "B", triangular in form, the easterly point of which bears S54°32'E 726.85 feet.

The area stripped to a depth of approximately six inches is 670 square feet; the amount of marble removed is 1900 cubic feet.

No.3 Quarry "c", very irregular, the S.W. corner of which bears S56°16'E 814.1 feet.

The area stripped to a depth of 6 or 8 inches is approximately 1200 square feet; the amount of marble removed is 64 cubic feet.

No.4 Road work: The northerly end of a cut ~~is~~ which bears S29°41'E 148.0 feet; thence a generally southeasterly

direction and curve to Quarry "B"; also an unfinished *road* and trail branching off and leading up to Quarry "C".

Approximately 780 cubic feet of rock and earth removed by blasting and picking; also brush cutting and cleaning about 600 feet.

Total value of work \$100.0

Other Improvements.

A shaft or well in gulch which bears S40°21'E 245.0 feet from a point on line 9-10 at north 1981.2 feet from Corner No.9.

Shaft 4x4 feet 29 feet deep.

Claimant unknown.

Note: The south boundary of Section 33 in which this claim is located would pass over the main divide and one of the high peaks of the Dragoon Mountains. It rises abruptly probably 2000 feet in the mile, is covered with a thick growth of brush, scrub oak, and piñon trees: The slopes are rocky and in many places very precipitous. To attempt to run this boundary in connection with this survey would be prohibitive on account of the time and expense involved. The east boundary of the section would also pass over very rough and difficult ground. The greater part of the Ophir Marble Placer is in rough mountains, but is penetrated by a canyon at first broad but finally narrow, which furnishes easy ingress and egress.

Instrument.

This survey was made with a Young and Son Mountain Transit (No. 6855) provided with Smith Solar Attachment. The courses were deflected from true meridian as obtained from direct solar observations. The measurements were made with 500 and 50 foot steel tapes.

Tombstone Arizona,

February 9 1921.

John A. Rockfellow
U.S. Mineral Surveyor.

STATE OF ARIZONA :
 : S S
COUNTY OF COCHISE:

W.D.CARTWRIGHT and W.W.ADAMS being duly sworn each and for himself deposes and says; that, he is familiar with the OPHIR MARBLE PLACER MINING CLAIM, situated in section 33 T. 16 S.R.23 E.G.& S.R.B.&M. COCHISE COUNTY ARIZONA , that, the work done by the National Marble Corporation, claimants of said Marble Placer Claim tending to develop same (not including work done by other parties) exceeds five hundred dollars .

Sworn to before me A NOTARY PUBLIC
this 3 day of February A.D.1921.

W.D. Cartwright
W.W. Adams

A F Peake
Notary Public

my com. Expires Jan 5 1922



FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

National Marble Corporation
known as the Ophir Marble Placer

and showing the respective capacities in which they acted.

W.D. Cartwright, Chainman.

Thomas Ligier, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, W.D. Cartwright

and Thomas Ligier, do solemnly swear that we assisted John

A. Rockefeller, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of the

National Marble Corporation
known as the Ophir Marble Placer

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

W.D. Cartwright, Chainman.

Thomas Ligier, Chainman.

_____, Axman.

_____, Flagman.

~~State of Arizona~~
~~County of Cochise~~

I A F Peake notary Public
for the County of Cochise appeared before me the above
named persons subscribed and sworn to by the above-named persons before me this 2

named persons day of Feb, 1921

A F Peake
notary Public

my comm. expires Jan 5 1922

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Jan 18 1921, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of National Marble Corporation
, known as the
Ophir Marble Placer,
situate in Golden Rule Mining District,
Cochise County, Arizona, in Section
33 ^{partly unsworn}, Township No. 16 S., Range No. 23 E ~~transferred~~
and designated as Survey No. 3719, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow,
U. S. Mineral Surveyor, before me Frances J. Abell, Notary Public,
this 10th
day of February, 19 21.

My commission expires February 19, 1924.
Frances J. Abell
Notary Public.

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the *Ophir Marble Placer*

claimed by

National Marble Corporation

situate in *Golden Rule* Mining District,

Cochise County, *Arizona*, embracing

159.999 Acres in Section

3 3 partly unsurveyed

in Sec. ~~*33*~~ Town. *16 S* Range *23 E*

Examination made *Jan 24 - Feb 2 1901*

By *John A. Rockfellow*
U. S. Deputy Mineral Surveyor.

Descriptive Report.

- A The soil embraced in this claim consists principally of weathered limestone, and the sand and gravel of the gulch bottoms.
- B No living streams cross this claim.
- C The surface workings of this claim consist of three marble quarries and a shaft or well more particularly described under the head of Expenditure of Five Hundred Dollars and Other Improvements.
- There is no machinery on the ground, but at time of examination I was shown derricks and other machinery which had been unloaded recently from the cars at Dragoon, which was intended for this property.
- D The nearest Post Office is Dragoon, situated northwesterly about two miles. Dragoon is also a station of the Southern Pacific R.R., with agent, shipping facilities and express.
- E There are lode claims north of Dragoon.
- There is also the old Golden Rule group (later known as the Old Terrible) about two miles northeast of this claim.
- F The facilities for extracting the marble are exceptionally good: a good wagon road with continuous downgrade extends to Dragoon.
- G See Paragraph C hereof.
- H There are no mines, salt licks, salt springs, or mill seats upon this claim to the best of my knowledge.

Tombstone Arizona,
February 9 1921.

John A. Rockfellow
U.S. Mineral Surveyor.

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U. S. Surveyor
General for Arizona, dated Jan 18, 1921,
I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of National Marble Corporation

known as the Ophir Marble Placer
situate in Golden Rule Mining District,
Cochise County, Arizona, embracing
159.999 Acres in Section
No 33 ^{partly} unsurveyed.

in Township No. 16 S, Range No. 23 E, and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow,

U. S. Mineral Surveyor,

before me Frances J. Abell, Notary Public,

this 10th day of February, 1921.

My commission expires February 19, 1924.

Frances J. Abell

Notary Public.



CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

State of Arizona }
COUNTY OF Cochise } ss:

W. D. Cartwright and C. J. Peake
being first duly sworn, severally depose and say that he is personally and well acquainted with the
placer-mining claim of National Marble Corporation
known as the Ophir Marble Placer

situate in
Golden Rule Mining District,
Cochise County, Arizona, embracing
159.999 Acres in section No. 33, partly
unsurveyed

in Township No. 16 S.
Range No. 23 E; and also with the character of all the land included
in said claim, and has been so acquainted for five year~~s~~ last
past; that his knowledge of said claim and land is derived from frequently
passing over the same

and is such as to enable
him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of John A. Rockwell, U. S. ~~Deputy~~ Mineral Surveyor, and
that to his own personal knowledge said report is in all respects true and accurate.

W. D. Cartwright
C. J. Peake

Subscribed and sworn to by the above-named persons before me
this 15 day of Feb, 1921

A. F. Peake
notary Public

my Comm Expires Jan 5-1922

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

May 31, 1921

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

National Marble Corporation

known as the OPHIR MARBLE PLACER

situate in Golden Rule

Mining District, Cochise County, Arizona

in Section 33, partly, Township No. Uns. 16 S, Range No. 23 E., and

designated as Survey No. 3719, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of road work and 3 quarries

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

May 31, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

National Marble Corporation

, known as the

OPHIR MARBLE PLACER

situate in Golden Rule mining district,

Cochise County, Arizona

in Section 33, Partly Uns, Township No. 16 S., Range No. 23 E.

, designated as Survey No. 3719

executed by John A. Rockfellow, U. S. Mineral

Surveyor, January 24 - February 2, 1921, under my instructions dated


Jan. 18, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.